
Papapers Prapadi Initriono, sl Rapharles Retpin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8787280/publications.pdf

Version: 2024-02-01



Lampros Papadimitriou, Lambros Papadimitriou,

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Novel Therapies in Heart Failure with Reduced Ejection Fraction: from Soluble Guanylyl Cyclase Stimulators to Cardiac Myosin Activators. Current Treatment Options in Cardiovascular Medicine, 2021, 23, 1. | 0.9 | 0 |
| 2 | Effect of Obesity on Response to Spironolactone in Patients With Heart Failure With Preserved Ejection Fraction. American Journal of Cardiology, 2021, 146, 36-47. | 1.6 | 15 |
| 3 | Torrential Mitral Regurgitation After Transcatheter Edge-to-Edge Mitral Valve Repair. JACC: Case Reports, 2021, 3, 69-73. | 0.6 | 0 |
| 4 | Reductions in Heart Failure Hospitalizations During the COVID-19 Pandemic. Journal of Cardiac Failure, 2020, 26, 462-463. | 1.7 | 87 |
| 5 | Low- Versus Moderate-Sodium Diet in Patients With Recent Hospitalization for Heart Failure. Circulation: Heart Failure, 2020, 13, e006389. | 3.9 | 12 |
| 6 | The Limitations of Symptom-based Heart Failure Management. Cardiac Failure Review, 2019, 5, 74-77. | 3.0 | 10 |
| 7 | Comorbidities, Sociodemographic Factors, and Hospitalizations in Outpatients With Heart Failure and Preserved Ejection Fraction. American Journal of Cardiology, 2018, 121, 1207-1213. | 1.6 | 14 |
| 8 | Mobile health applications in cardiovascular research. International Journal of Cardiology, 2018, 269, 265-271. | 1.7 | 23 |
| 9 | Association between funding sources and the scope and outcomes of cardiovascular clinical trials: A systematic review. International Journal of Cardiology, 2017, 230, 301-303. | 1.7 | 9 |
| 10 | Heart failure guidelines: What's new?. Trends in Cardiovascular Medicine, 2017, 27, 316-323. | 4.9 | 8 |
| 11 | Characteristics and Outcomes of Adult Outpatients With Heart Failure and Improved or Recovered Ejection Fraction. JAMA Cardiology, 2016, 1, 510. | 6.1 | 179 |
| 12 | Serelaxin for the treatment of heart failure. Expert Review of Cardiovascular Therapy, 2016, 14, 667-675. | 1.5 | 2 |
| 13 | Hyperkalemia in Heart Failure. Journal of the American College of Cardiology, 2016, 68, 1575-1589. | 2.8 | 86 |
| 14 | Utility of positron emission tomography for drug development for heart failure. American Heart Journal, 2016, 175, 142-152. | 2.7 | 9 |
| 15 | Echocardiography in Acute Heart Failure: Current Perspectives. Journal of Cardiac Failure, 2016, 22, 82-94. | 1.7 | 26 |
| 16 | Inâ€hospital worsening heart failure. European Journal of Heart Failure, 2015, 17, 1104-1113. | 7.1 | 60 |
| 17 | Comparing Sodium Intake Strategies in Heart Failure. Circulation: Heart Failure, 2015, 8, 636-645. | 3.9 | 21 |
| 18 | Population Risk Prediction Models for Incident Heart Failure. Circulation: Heart Failure, 2015, 8, 438-447. | 3.9 | 69 |

LAMPROS PAPADIMITRIOU,

| # | Article | IF | CITATIONS |
|----|--|---------------|-----------------------|
| 19 | Impact of Sociodemographic and Clinical Risk Factors on Hospitalisation Rates Among Ambulatory Patients with Heart Failure and Preserved Ejection Fraction. Journal of Cardiac Failure, 2015, 21, S113-S114. | 1.7 | 0 |
| 20 | Mineralocorticoid Receptor Antagonism in Acute Heart Failure. Current Treatment Options in Cardiovascular Medicine, 2015, 17, 402. | 0.9 | 3 |
| 21 | Effects of alcohol consumption and the metabolic syndrome on 10-year incidence of diabetes: The ATTICA study. Diabetes and Metabolism, 2015, 41, 152-159. | 2.9 | 32 |
| 22 | Inflammatory Biomarkers and Therapeutic Targets in Heart Failure. Current Medicinal Chemistry, 2015, 22, 2716-2726. | 2.4 | 10 |
| 23 | Adherence to Mediterranean Diet Offers an Additive Protection Over the Use of Statin Therapy: Results from the ATTICA Study (2002-2012). Current Vascular Pharmacology, 2015, 13, 778-787. | 1.7 | 10 |
| 24 | Abstract 10902: Association Between Funding Sources and the Scope and Outcomes of Cardiovascular Clinical Trials: A Systematic Review. Circulation, 2015, 132, . | 1.6 | 0 |
| 25 | Association between periodontitis and acute myocardial infarction: a case–control study of a nondiabetic population. Journal of Periodontal Research, 2014, 49, 246-252. | 2.7 | 19 |
| 26 | Pulmonary Function Testing and Prognosis in Heart Failure Patients Listed for Heart Transplantation. Journal of Cardiac Failure, 2014, 20, S101. | 1.7 | 0 |
| 27 | Progression of Pulmonary Artery Systolic Pressures by Echocardiography among Ambulatory Patients without Pulmonary Hypertension at Baseline. Journal of Cardiac Failure, 2013, 19, S10-S11. | 1.7 | 0 |
| 28 | Impact of Cardiometabolic Risk Factors on Major Cardiovascular Events in Patients With Familial Combined Hyperlipidemia. Circulation Journal, 2013, 77, 163-168. | 1.6 | 21 |
| 29 | Chronic systemic inflammation accompanies impaired ventricular diastolic function, detected by Doppler imaging, in patients with newly diagnosed systolic heart failure (Hellenic Heart Failure) Tj ETQq1 1 0.784 | 13 1142 rg BT | /O s erlock 10 |
| 30 | The impact of ezetimibe and high-dose of statin treatment on LDL levels in patients with heterozygous familial hypercholesterolemia. International Journal of Cardiology, 2009, 134, 280-281. | 1.7 | 13 |
| 31 | Serum Uric Acid Levels Correlate With Left Atrial Function and Systolic Right Ventricular Function in Patients With Newly Diagnosed Heart Failure: The Hellenic Heart Failure Study. Congestive Heart Failure, 2008, 14, 229-233. | 2.0 | 15 |
| 32 | Determinants of Physical Inactivity Among Men and Women From Greece: A 5-Year Follow-Up of the ATTICA Study. Annals of Epidemiology, 2008, 18, 387-394. | 1.9 | 36 |
| 33 | Prevalence and determinants of coronary artery disease in males and females with familial combined hyperlipidaemia. Atherosclerosis, 2008, 199, 402-407. | 0.8 | 18 |
| 34 | Risk Stratification of Apolipoprotein B, Apolipoprotein A1, and Apolipoprotein B/AI Ratio on the Prevalence of the Metabolic Syndrome: the ATTICA Study. Angiology, 2008, 59, 335-341. | 1.8 | 21 |
| 35 | The implication of obesity on total antioxidant capacity in apparently healthy men and women: The ATTICA study. Nutrition, Metabolism and Cardiovascular Diseases, 2007, 17, 590-597. | 2.6 | 164 |
| 36 | Evidence that non-lipid cardiovascular risk factors are associated with high prevalence of coronary artery disease in patients with heterozygous familial hypercholesterolemia or familial combined hyperlipidemia. International Journal of Cardiology, 2007, 121, 178-183. | 1.7 | 21 |

LAMPROS PAPADIMITRIOU,

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The association between pre-hypertension status and oxidative stress markers related to atherosclerotic disease: The ATTICA study. Atherosclerosis, 2007, 192, 169-176. | 0.8 | 62 |
| 38 | Metabolic syndrome prevalence and characteristics in Greek adults with familial combined hyperlipidemia. Metabolism: Clinical and Experimental, 2007, 56, 135-141. | 3.4 | 16 |
| 39 | Lack of association between the C825T polymorphism in G-protein beta-3 subunit and arterial blood pressure levels in cardiovascular disease free individuals: the ATTICA epidemiological study. Journal of Human Hypertension, 2006, 20, 303-305. | 2.2 | 1 |
| 40 | The associations between smoking, physical activity, dietary habits and plasma homocysteine levels in cardiovascular disease-free people: the †ATTICA' study. Vascular Medicine, 2004, 9, 117-123. | 1.5 | 55 |
| 41 | Patients with mild hypertensive heart disease and left ventricular outflow tract obstruction: treatment with angiotensin II antagonists. Heart and Vessels, 2004, 19, 280-286. | 1.2 | 25 |
| 42 | The Adoption of Mediterranean Diet Attenuates the Development of Acute Coronary Syndromes in People with the Metabolic Syndrome. Nutrition Journal, 2003, 2, 1. | 3.4 | 88 |