

Wail Nammas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8787496/publications.pdf>

Version: 2024-02-01

123
papers

1,049
citations

586496

16
h-index

591227

27
g-index

133
all docs

133
docs citations

133
times ranked

1484
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparative study of neointimal coverage between titanium-nitric oxide-coated and everolimus-eluting stents in acute coronary syndromes. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2023, 76, 150-156.	0.4	2
2	Global and segmental absolute stress myocardial blood flow in prediction of cardiac events: [15O] water positron emission tomography study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1434-1444.	3.3	7
3	Cardiac perfusion by positron emission tomography. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 385-400.	0.5	4
4	Titanium-Nitride-Oxide-Coated Versus Everolimus-Eluting Stents in Acute Coronary Syndrome. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1697-1705.	1.1	27
5	Perivascular fat attenuation, inflammation, and coronary artery function. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 606-607.	0.5	0
6	Absolute Stress Myocardial Blood Flow After Coronary CT Angiography Guides Referral to Invasive Angiography. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 2266-2267.	2.3	6
7	Insights into coronary atherosclerosis in individuals with low cholesterol levels by imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 873-874.	0.5	0
8	Impact of preoperative thrombocytopenia on the outcome after coronary artery bypass grafting. <i>Platelets</i> , 2019, 30, 480-486.	1.1	15
9	Value of DAPT score to predict adverse outcome in patients with atrial fibrillation undergoing percutaneous coronary intervention: A post-hoc analysis from the AFCAS registry. <i>International Journal of Cardiology</i> , 2018, 253, 35-39.	0.8	7
10	Clinical frailty scale and outcome after coronary artery bypass grafting. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 1102-1109.	0.6	60
11	Renal sympathetic denervation for treatment of patients with heart failure: summary of the available evidence. <i>Annals of Medicine</i> , 2017, 49, 384-395.	1.5	12
12	Neointimal Healing Evaluated by Optical Coherence Tomography after Drug-Eluting Absorbable Metal Scaffold Implantation in de novo Native Coronary Lesions: Rationale and Design of the Magmaris-OCT Study. <i>Cardiology</i> , 2017, 137, 225-230.	0.6	6
13	Percutaneous revascularization of coronary chronic total occlusion: Toward a reappraisal of the available evidence. <i>Journal of Cardiology</i> , 2017, 69, 799-807.	0.8	5
14	Impact of Calcified Target Lesions on the Outcome of Percutaneous Coronary Intervention for Acute Coronary Syndrome: Insights From the BASE ACS Trial. <i>Journal of Interventional Cardiology</i> , 2017, 30, 114-123.	0.5	3
15	Optical coherence tomography follow-up 18 months after titanium-nitride-oxide-coated versus everolimus-eluting stent implantation in patients with acute coronary syndrome. <i>Acta Radiologica</i> , 2017, 58, 1077-1084.	0.5	4
16	Outcome of octogenarians with atrial fibrillation undergoing percutaneous coronary intervention: insights from the AFCAS registry. <i>Clinical Cardiology</i> , 2017, 40, 1264-1270.	0.7	2
17	Incidence and predictors of atrial fibrillation after coronary artery bypass surgery: detection by event loop recorder monitoring from a contemporary multicentre cohort. <i>Acta Cardiologica</i> , 2017, 72, 311-317.	0.3	7
18	Outcome of poor initial TIMI flow in patients presenting with acute coronary syndrome. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 248-254.	0.4	3

#	ARTICLE	IF	CITATIONS
19	Usefulness of Post-coronary Dilation to Prevent Recurrent Myocardial Infarction in Patients Treated With Percutaneous Coronary Intervention for Acute Coronary Syndrome (from the BASE ACS Trial). <i>American Journal of Cardiology</i> , 2017, 119, 345-350.	0.7	16
20	Titanium-nitride-oxide-coated coronary stents: insights from the available evidence. <i>Annals of Medicine</i> , 2017, 49, 299-309.	1.5	17
21	Impact of Preexisting Vascular Disease on the Outcome of Patients With Acute Coronary Syndrome: Insights From the Comparison of Bioactive Stent to the Everolimus-Eluting Stent in Acute Coronary Syndrome Trial. <i>Angiology</i> , 2017, 68, 513-518.	0.8	6
22	Long-term clinical outcome of elderly patients with acute coronary syndrome treated with early percutaneous coronary intervention: Insights from the BASE ACS randomized controlled trial. <i>European Journal of Internal Medicine</i> , 2017, 37, 43-48.	1.0	7
23	Comparison of two different sampling intervals for optical coherence tomography evaluation of neointimal healing response after coronary stent implantation. <i>International Journal of Cardiology</i> , 2017, 227, 194-200.	0.8	1
24	Local Intracoronary Infusion of Glycoprotein IIb/IIIa Inhibitors via a Perfusion Catheter versus Intracoronary Guiding Catheter Injection during Primary Percutaneous Coronary Intervention: A Pilot Observational Study. <i>Acta Cardiologica Sinica</i> , 2017, 33, 258-265.	0.1	1
25	Clinical outcome of titanium-nitride-oxide-coated cobalt-chromium stents in patients with de novo coronary lesions: 12-month results of the <sc>OPTIMAX</sc> first-in-man study. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, E122-7.	0.7	5
26	Long-term clinical outcome of titanium-nitride-oxide-coated stents versus everolimus-eluting stents in acute coronary syndrome: Final report of the BASE ACS trial. <i>International Journal of Cardiology</i> , 2016, 222, 275-280.	0.8	22
27	Renal sympathetic denervation for treatment of patients with atrial fibrillation: Reappraisal of the available evidence. <i>Heart Rhythm</i> , 2016, 13, 2388-2394.	0.3	20
28	<i>P</i> wave dispersion and atrial electromechanical delay: do they vary with the extent of mitral annular calcification?. <i>Acta Cardiologica</i> , 2016, 71, 449-455.	0.3	2
29	Early vascular healing after titanium-nitride-oxide-coated stent versus platinum-chromium everolimus-eluting stent implantation in patients with acute coronary syndrome. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 1031-1039.	0.7	14
30	Long-term outcome of early percutaneous coronary intervention in diabetic patients with acute coronary syndrome: insights from the BASE ACS trial. <i>Annals of Medicine</i> , 2016, 48, 376-383.	1.5	3
31	Transcatheter leadless pacemaker implantation in a patient with a transvenous dual-chamber pacemaker already in place. <i>Journal of Electrocardiology</i> , 2016, 49, 554-556.	0.4	1
32	4-Year outcome of bioactive stents versus everolimus-eluting stents in acute coronary syndrome. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 218-223.	0.4	9
33	Atrial Fibrillation After Coronary Artery Bypass Surgery: Can Ivabradine Reduce Its Occurrence?. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 670-676.	0.8	18
34	Impact of pre-infarction angina on angiographic and echocardiographic outcomes in patients with acute anterior wall myocardial infarction managed by primary percutaneous coronary intervention. <i>Egyptian Heart Journal</i> , 2016, 68, 141-146.	0.4	0
35	Acute Beta Blockade at Peak Stress: Will It Alter the Sensitivity of Dobutamine Stress Echocardiography in Patients with Normal Resting Wall Motion?. <i>Acta Cardiologica Sinica</i> , 2016, 32, 89-95.	0.1	2
36	Cutoff Value of Admission N-Terminal Pro-Brain Natriuretic Peptide Which Predicts Poor Myocardial Perfusion after Primary Percutaneous Coronary Intervention for ST-Segment-Elevation Myocardial Infarction. <i>Acta Cardiologica Sinica</i> , 2016, 32, 649-655.	0.1	4

#	ARTICLE	IF	CITATIONS
37	P wave dispersion and atrial electromechanical delay: do they vary with the extent of mitral annular calcification?. <i>Acta Cardiologica</i> , 2016, 71, 449-55.	0.3	0
38	Impact of high dose versus low dose atorvastatin on contrast induced nephropathy in diabetic patients with acute coronary syndrome undergoing early percutaneous coronary intervention. <i>Egyptian Heart Journal</i> , 2015, 67, 329-336.	0.4	3
39	Early Neointimal Coverage and Vasodilator Response Following Biodegradable Polymer Sirolimus-Eluting vs. Durable Polymer Zotarolimus-Eluting Stents in Patients With Acute Coronary Syndrome. <i>Circulation Journal</i> , 2015, 79, 360-367.	0.7	26
40	Left Atrial Volume Index at Peak Dobutamine Stress Echocardiography Predicts the Extent of Coronary Artery Disease in Patients with Normal Resting Wall Motion. <i>Echocardiography</i> , 2015, 32, 1662-1669.	0.3	3
41	Dobutamine-Induced Strain and Strain Rate Predict Viability Following Fibrinolytic Therapy in Patients with ST-Elevation Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2015, 2, 12.	1.1	2
42	Gender-based analysis of randomized comparison of bioactive versus everolimus-eluting stents in acute coronary syndrome. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 197-203.	0.6	3
43	Prevalence of prediabetes in patients with acute coronary syndrome: impact on in-hospital outcomes. <i>Internal Medicine Journal</i> , 2015, 45, 183-188.	0.5	8
44	Ventricular rate during acute atrial fibrillation and outcome of electrical cardioversion: The FinCV Study. <i>Annals of Medicine</i> , 2015, 47, 341-345.	1.5	5
45	CD4+CD28null T cells in acute coronary syndrome: lower with ST-elevation myocardial infarction. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 325-330.	0.4	1
46	Excellent very early neointimal coverage of bioactive stents by optical coherence tomography. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 280-285.	0.4	4
47	If current inhibitor ivabradine in patients with idiopathic dilated cardiomyopathy: Impact on the exercise tolerance and quality of life. <i>Cardiology Journal</i> , 2015, 22, 227-232.	0.5	16
48	Lower limb pneumatic compression during dobutamine stress echocardiography in patients with normal resting wall motion: will it increase diagnostic accuracy?. <i>Kardiologia Polska</i> , 2015, 73, 620-626.	0.3	0
49	Impact of anaemia on clinical outcome in patients with atrial fibrillation undergoing percutaneous coronary intervention: insights from the AFCAS registry. <i>BMJ Open</i> , 2014, 4, e004700.	0.8	15
50	Optimal stent design: past, present and future. <i>Interventional Cardiology</i> , 2014, 6, 29-44.	0.0	9
51	Predictors of pocket hematoma in patients on antithrombotic therapy undergoing cardiac rhythm device implantation: insights from the FinPAC trial. <i>Annals of Medicine</i> , 2014, 46, 177-181.	1.5	6
52	Prevalence and pattern of abnormal myocardial perfusion in patients with isolated coronary artery ectasia: study by 99mTc-sestamibi radionuclide scintigraphy. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 425-430.	0.7	7
53	Mid-term Clinical Outcome of Titanium-nitride-oxide-coated Cobalt-chromium Stents in Patients With de Novo Coronary Lesions: OPTIMAX First-in-man Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 958-959.	0.4	0
54	Resultados clínicos a medio plazo de los stents de cobalto-cromo recubiertos de oxinitruro de titanio en pacientes con lesiones coronarias de novo: primer estudio humano de OPTIMAX. <i>Revista Espanola De Cardiologia</i> , 2014, 67, 958-959.	0.6	4

#	ARTICLE	IF	CITATIONS
55	Bivalirudin use during percutaneous coronary intervention in patients on chronic warfarin therapy. <i>Thrombosis Research</i> , 2014, 133, 695-696.	0.8	8
56	Pooled Analysis of Two Randomized Trials Comparing Titanium-nitride-oxide-coated Stent Versus Drug-eluting Stent in STEMI. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 531-537.	0.4	4
57	Bare-Metal vs. Drug-Eluting Stents in Patients With Atrial Fibrillation Undergoing Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2014, 78, 2674-2681.	0.7	21
58	Feasibility and safety of frequency-domain optical coherence tomography for coronary artery evaluation: a single-center study. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 997-1005.	0.7	18
59	Prevalence of internal pudendal artery disease in diabetic patients with erectile dysfunction and angiographically documented multi-vessel coronary artery disease. <i>Egyptian Heart Journal</i> , 2013, 65, 87-91.	0.4	2
60	Neointimal coverage and vasodilator response to titanium-nitride-oxide-coated bioactive stents and everolimus-eluting stents in patients with acute coronary syndrome: insights from the BASE-ACS trial. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1693-1703.	0.7	19
61	Five-year clinical outcome of titanium-nitride-oxide-coated bioactive stents versus paclitaxel-eluting stents in patients with acute myocardial infarction: Long-term follow-up from the TITAX AMI trial. <i>International Journal of Cardiology</i> , 2013, 168, 1214-1219.	0.8	39
62	Neointimal reaction in overlap segments of drug-eluting stents: Is it "one-size-fits-all"? <i>American Heart Journal</i> , 2013, 166, e29.	1.2	0
63	Stent-oriented versus patient-oriented outcome in patients undergoing early percutaneous coronary intervention for acute coronary syndrome: 2-year report from the BASE-ACS trial. <i>Annals of Medicine</i> , 2013, 45, 488-493.	1.5	14
64	Optical coherence tomography for evaluation of coronary stents <i>in vivo</i> . <i>Expert Review of Cardiovascular Therapy</i> , 2013, 11, 577-588.	0.6	14
65	Extent of angiographic coronary artery disease in khat users. <i>Anatolian Journal of Cardiology</i> , 2013, 13, 410-1.	0.4	0
66	Near-fatal cardiac arrest due to cardiac tamponade during percutaneous mitral valvuloplasty. <i>Global Cardiology Science & Practice</i> , 2013, 2013, 23.	0.3	1
67	Cardioversion in Acute Atrial Fibrillation Without Anticoagulation. <i>Journal of Atrial Fibrillation</i> , 2013, 6, 970.	0.5	0
68	Vascular healing early after titanium-nitride-oxide-coated stent implantation assessed by optical coherence tomography. <i>Journal of Invasive Cardiology</i> , 2013, 25, 186-9.	0.4	9
69	Intermittent fasting and laboratory findings in patients with prosthetic valves. <i>Anatolian Journal of Cardiology</i> , 2012, 13, 189.	0.4	1
70	Towards a reappraisal of the TACTICS TIMI 18 trial in the era of modern pharmacological and interventional therapies. <i>Heart Asia</i> , 2012, 4, 135-136.	1.1	0
71	Letter by Nammas Regarding Article, "Stent Thrombosis With Everolimus-Eluting Stents: Meta-Analysis of Comparative Randomized Controlled Trials"; <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, e72; author reply e73.	1.4	0
72	Drug-eluting stents at a crossroads: the good, the bad and the ugly. <i>Future Cardiology</i> , 2012, 8, 1-3.	0.5	1

#	ARTICLE	IF	CITATIONS
73	Would corrected QT dispersion predict left ventricular hypertrophy in hypertensive patients?. <i>Blood Pressure</i> , 2012, 21, 249-254.	0.7	1
74	Khat chewing and cardiovascular risk profile in a cohort of Yemeni patients with angiographically documented coronary artery disease. <i>Heart Asia</i> , 2012, 4, 164-167.	1.1	3
75	Letter by Namas Regarding Article, "Should We Recommend Oral Anticoagulation Therapy in Patients With Atrial Fibrillation Undergoing Coronary Artery Stenting With a High HAS-BLED Bleeding Risk Score?" <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, e88.	1.4	0
76	Optical coherence tomography: On the way to decipher the "Rosetta stone". <i>International Journal of Cardiology</i> , 2012, 159, 79-81.	0.8	2
77	Does resting echocardiography predict a positive response to subsequent low-dose dobutamine stress echocardiography in patients with ischaemic cardiomyopathy?. <i>Acta Cardiologica</i> , 2012, 67, 693-699.	0.3	0
78	Titanium-nitride-oxide-coated stents multicenter registry in diabetic patients: the TIBET registry. <i>Heart and Vessels</i> , 2012, 27, 151-158.	0.5	12
79	A prospective randomised comparison of titanium-nitride-oxide-coated bioactive stents with everolimus-eluting stents in acute coronary syndrome: the BASE-ACS trial. <i>EuroIntervention</i> , 2012, 8, 306-315.	1.4	48
80	Alternate-day versus daily atorvastatin in coronary artery disease: a randomized study. <i>Anatolian Journal of Cardiology</i> , 2012, 12, 90-6.	0.4	6
81	Gender-based analysis of the 3-year outcome of bioactive stents versus paclitaxel-eluting stents in patients with acute myocardial infarction: an insight from the TITAX-AMI trial. <i>Journal of Invasive Cardiology</i> , 2012, 24, 104-8.	0.4	3
82	Letter to the editor: Feasibility of frequency-domain optical coherence tomography for coronary stent imaging: a matter of definitions. <i>Journal of Invasive Cardiology</i> , 2012, 24, A46-7.	0.4	0
83	Delayed arterial healing 5 years after implantation of sirolimus-eluting stents: No smoke without fire. <i>American Heart Journal</i> , 2011, 162, e29.	1.2	0
84	Titanium-nitride-oxide-coated bioactive stents: A novel evolution of stent technology. <i>International Journal of Cardiology</i> , 2011, 146, 456.	0.8	2
85	Preditores de viabilidade em pacientes com resposta negativa à ecocardiografia de estresse com dobutamina de baixa dose. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 96, 188-195.	0.3	1
86	Early atropine-dobutamine echocardiography in diabetic patients. <i>Acta Cardiologica</i> , 2011, 66, 595-601.	0.3	3
87	Coronary air embolism during mitral valvuloplasty. <i>Acta Cardiologica</i> , 2011, 66, 665-667.	0.3	2
88	Bioactive stents for percutaneous coronary intervention: a new forerunner on the track. <i>Interventional Cardiology</i> , 2011, 3, 527-529.	0.0	3
89	Effect of Intravenous Dipyridamole on Coronary Flow Parameters in Patients with Isolated Coronary Artery Ectasia: Assessment by Transesophageal Echocardiography. <i>Echocardiography</i> , 2011, 28, 350-357.	0.3	2
90	Five-Year Clinical Outcome of Titanium-Nitride-Oxide-Coated Bioactive Stent Implantation in a Real-World Population: A Comparison with Paclitaxel-eluting Stents: The PORI Registry. <i>Journal of Interventional Cardiology</i> , 2011, 24, 1-8.	0.5	28

#	ARTICLE	IF	CITATIONS
91	Would coronary collaterals to the infarct-related artery serve as a marker of viability in patients with prior myocardial infarction? A study with trimetazidine-99mTc-sestamibi imaging. <i>Cardiovascular Revascularization Medicine</i> , 2011, 12, 41-46.	0.3	2
92	Percutaneous valvuloplasty for mitral valve restenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 596-596.	0.7	1
93	QT Interval and QT Dispersion in Patients Undergoing Hemodialysis: Revisiting the Old Theory. <i>Nephron Extra</i> , 2011, 1, 1-8.	1.1	20
94	Percutaneous mitral valvuloplasty: the debate is there. <i>Anatolian Journal of Cardiology</i> , 2011, 11, 521-2.	0.4	0
95	Predictors of myocardial contractile recovery after coronary revascularization in patients with prior myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2010, 11, 2-7.	0.3	5
96	Low-Dose Statin Therapy Improves Endothelial Function in Type 2 Diabetic Patients With Normal Serum Total Cholesterol: A Randomized Placebo-Controlled Study. <i>Journal of Clinical Hypertension</i> , 2010, 12, 820-825.	1.0	11
97	Wandering coronary stenoses: Adrenaline-induced coronary artery spasm in a patient resuscitated from cardiac arrest. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 75, 1056-1059.	0.7	3
98	The EXTREME registry: Titanium-nitride-oxide coated stents in small coronary arteries. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 76, 281-287.	0.7	7
99	Assessment of Coronary Flow Parameters by Transesophageal Echocardiography in Patients with Isolated Coronary Artery Ectasia: Effect of Intravenous Nitroglycerin. <i>Echocardiography</i> , 2010, 27, 1004-1010.	0.3	5
100	Immediate and Long-Term Outcome of Redo Percutaneous Mitral Valvuloplasty: Comparison with Initial Procedure in Patients with Rheumatic Mitral Restenosis. <i>Journal of Interventional Cardiology</i> , 2010, 23, 1-6.	0.5	6
101	Cardiac tamponade after mitral valvuloplasty in a pregnant woman. <i>Acta Cardiologica</i> , 2010, 65, 699-701.	0.3	3
102	Long-Term Results of Mitral Balloon Valvuloplasty. <i>Asian Cardiovascular and Thoracic Annals</i> , 2010, 18, 401-401.	0.2	0
103	QT dispersion: Does it worsen with the increasing number of affected coronary vessels?. <i>Anatolian Journal of Cardiology</i> , 2010, 10, 183-184.	0.4	0
104	Predictors of contractile recovery after revascularization in patients with anterior myocardial infarction who received thrombolysis. <i>International Journal of Angiology</i> , 2010, 19, e78-e82.	0.2	6
105	Proximal Endovascular Occlusion for Carotid Artery Stenting. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1661-1667.	1.2	103
106	The Combined Pharmacological Stress Echocardiography Protocol for Predicting Improvement of Global Left Ventricular Systolic Function After Revascularisation. <i>Heart Lung and Circulation</i> , 2010, 19, 81-89.	0.2	0
107	Low-molecular-weight heparin versus unfractionated heparin in acute ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention with drug-eluting stents. <i>American Heart Journal</i> , 2010, 160, e13.	1.2	0
108	Titanium-nitride-oxide-coated Titan-2 bioactive coronary stent: a new horizon for coronary intervention. <i>Expert Review of Medical Devices</i> , 2010, 7, 599-604.	1.4	6

#	ARTICLE	IF	CITATIONS
109	Immediate and long-term outcome of multiple percutaneous interventions in patients with rheumatic valvular stenosis. <i>EuroIntervention</i> , 2010, 6, 227-232.	1.4	6
110	The modified Selvester QRS score: can we predict successful ST segment resolution in patients with myocardial infarction receiving fibrinolytic therapy?. <i>Cardiology Journal</i> , 2010, 17, 367-73.	0.5	2
111	Right heart thrombus-in-transit with pulmonary embolism in a patient with primary hypercoagulable state. <i>Cardiology Journal</i> , 2010, 17, 408-11.	0.5	5
112	Multi-slice computed tomography: Can it adequately rule out left main coronary disease in patients with an intermediate probability of coronary artery disease?. <i>Cardiology Journal</i> , 2010, 17, 594-8.	0.5	1
113	Head-to-head comparison between redo percutaneous mitral valvuloplasty for mitral restenosis and percutaneous mitral valvuloplasty for de novo mitral stenosis. <i>Indian Heart Journal</i> , 2010, 62, 303-7.	0.2	1
114	QT interval dispersion pattern in patients with acute ischemic stroke: Does the site of infarction matter?. <i>International Journal of Angiology</i> , 2009, 18, 177-181.	0.2	9
115	Percutaneous mitral valvotomy versus closed surgical commissurotomy. Up to 15 years of follow-up of a prospective randomized study. <i>Journal of Cardiology</i> , 2009, 53, 28-34.	0.8	30
116	Right atrial wall hematoma following percutaneous mitral valvuloplasty. <i>Journal of Cardiology</i> , 2009, 54, 144-147.	0.8	4
117	Left ventricular transient ischemic dilation during dobutamine stress echocardiography predicts multi-vessel coronary artery disease. <i>Journal of Cardiology</i> , 2009, 54, 255-261.	0.8	6
118	Can a Novel Echocardiographic Score Better Predict Outcome after Percutaneous Balloon Mitral Valvuloplasty?. <i>Echocardiography</i> , 2009, 26, 119-127.	0.3	20
119	Which Protocol for Which Segment: A Comparative Study of Different Pharmacological Stress Echocardiography Protocols for Predicting Viability in Segments with Varying Degrees of Dyssynergy. <i>Echocardiography</i> , 2009, 26, 541-548.	0.3	3
120	Trimetazidine: Does it Actually Reduce QT Dispersion After First Acute Myocardial Infarction?. <i>Current Drug Therapy</i> , 2009, 4, 59-64.	0.2	0
121	Prevalence and Predictors of Renal Artery Stenosis in Hypertensive Patients Undergoing Elective Coronary Procedures. <i>Journal of Clinical Hypertension</i> , 2008, 10, 844-849.	1.0	5
122	The CIAO (Coronary Interventions Antiplatelet-based Only) Study. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1293-1298.	1.2	56
123	Use of endovascular clamping as neuroprotection during carotid stenting in the presence of a critical ipsilateral stenosis of the external carotid artery. <i>EuroIntervention</i> , 2008, 3, 588-592.	1.4	12