

Kadri Altundag

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8787715/kadri-altundag-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

374
papers

3,179
citations

27
h-index

50
g-index

385
ext. papers

3,520
ext. citations

3.2
avg, IF

5.15
L-index

#	Paper	IF	Citations
374	Letter comments on: Drug-drug interactions between palbociclib and proton pump inhibitors may significantly affect clinical outcome of patients with metastatic breast cancer.. <i>ESMO Open</i> , 2022 , 7, 100382	6.382	0
373	Are predictive factors for locoregional recurrence in skin-sparing and nipple-sparing mastectomies time-dependent?. <i>Journal of Surgical Oncology</i> , 2021 ,	2.8	
372	A positive conversion in Hormone Receptor and HER2 status and other metastatic sites might have an impact on survival for breast cancer patients with ovarian metastases. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021 , 50, 102090	1.9	
371	Is there any association between a delay in surgery and nodal positivity in the ER-negative Her2 negative breast cancer subgroups?. <i>Journal of Surgical Oncology</i> , 2021 , 124, 154	2.8	
370	Specific Histological Subgroups in Invasive Lobular Carcinoma Might Affect Management Strategy in Invasive Lobular Carcinoma of the Breast. <i>Annals of Surgical Oncology</i> , 2021 , 28, 779	3.1	
369	Probable association between increased systemic recurrence and the use of scalp cooling in breast cancer patients receiving (neo)adjuvant chemotherapy. <i>Supportive Care in Cancer</i> , 2021 , 29, 1151	3.9	
368	Association between HER2 status in residual disease and sensitivity to trastuzumab emtansine. <i>Annals of Oncology</i> , 2021 , 32, 1191	10.3	1
367	Breast cancer subtypes in transplant patients: Does it really matter?. <i>Clinical Imaging</i> , 2021 , 78, 93	2.7	
366	Is there any association between absolute lymphocyte count and increased tumor-infiltrating lymphocytes in metastatic sites in advanced breast cancer patients who get benefit from eribulin treatment?. <i>Breast Cancer Research and Treatment</i> , 2020 , 181, 691	4.4	1
365	HER2-positivity in mucinous cancer might be related to accompanying infiltrating ductal carcinoma histology. <i>Breast Cancer Research and Treatment</i> , 2020 , 180, 829	4.4	0
364	Late relapse rates in patients with early-stage hormone receptor-positive and HER2+ breast cancer treated with adjuvant chemotherapy and neoadjuvant chemotherapy. <i>Journal of Surgical Oncology</i> , 2020 , 121, 1042	2.8	
363	Efficacy of Palbociclib and Endocrine Treatment in Heavily Pretreated Hormone Receptor-positive/HER2-negative Advanced Breast Cancer: Retrospective Multicenter Trial. <i>Balkan Medical Journal</i> , 2020 , 37, 104-107	1.5	1
362	Do multifocal or multicentric pT1a node-negative HER2+ breast cancers get benefit from systemic treatment?. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 763	4.4	
361	Luminal subtypes and response to neoadjuvant chemotherapy for hormone receptor-positive HER2-negative patients. <i>Breast Cancer Research and Treatment</i> , 2020 , 184, 999	4.4	
360	Complete response to systemic treatment might predict better survival rates regardless of their metastatic patterns in de novo stage IV breast cancer patients undergoing primary surgery. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 222	3.6	
359	Orbital metastases in breast cancer patients with invasive lobular carcinoma. <i>Journal of Surgical Oncology</i> , 2020 , 122, 568	2.8	1
358	Significant Family History of Breast Cancer may Further Increase Risk of Pre-malignant and Malignant Lesions in Specimens from Breast Reduction Surgery. <i>Pathology and Oncology Research</i> , 2019 , 25, 1671	2.6	

357	Multicentric Ipsilateral Invasive Breast Carcinomas Might have Higher 21-Gene Recurrence Score Compared with Multifocal Ipsilateral Invasive Breast Carcinomas. <i>Annals of Surgical Oncology</i> , 2019 , 26, 309	3.1	
356	HER2 positive breast cancer patients having HER2 loss after neoadjuvant chemotherapy should still be treated with adjuvant anti-HER2 treatment. <i>Breast Cancer Research and Treatment</i> , 2019 , 175, 261	4.4	
355	Metaplastic breast cancer: Some concerns about hormone receptor status and treatment schedules. <i>Breast Journal</i> , 2019 , 25, 1057	1.2	
354	HER2+ and triple-negative phenotypes in invasive lobular carcinoma might have different specific biological features. <i>Breast Cancer Research and Treatment</i> , 2019 , 176, 719	4.4	3
353	Oral or intravenous vinorelbine plus capecitabine in heavily pretreated HER2 negative metastatic breast cancer; similar effect or quality of life?. <i>Breast Cancer Research and Treatment</i> , 2019 , 176, 477	4.4	
352	Characteristics of Patients With Breast Cancer With Brain Metastases Who Live Longer Than 60 Months. <i>Clinical Breast Cancer</i> , 2019 , 19, e406	3	1
351	Neo-adjuvant treatment in invasive apocrine carcinoma of the breast. <i>Breast Journal</i> , 2019 , 25, 568	1.2	
350	Prognostic Significance of Obesity and Diabetes Mellitus in Women With Brain Metastases From Breast Cancer Should Be Revisited. <i>Clinical Breast Cancer</i> , 2019 , 19, e399	3	
349	Medication-related osteonecrosis of the jaw incidence in patients exposed concomitantly to bone resorption inhibitors and vascular endothelial growth factor receptor tyrosine kinase inhibitors: is it generalizable to all solid tumors?. <i>Supportive Care in Cancer</i> , 2019 , 27, 1961	3.9	
348	Younger breast cancer patients under the age of 35 might have a better disease-free survival if they received ovarian function suppression more than 3 years. <i>Breast Cancer</i> , 2019 , 26, 263	3.4	
347	Questions about the primary tumor resection for de-novo metastatic breast cancers. <i>Cancer Treatment and Research Communications</i> , 2019 , 20, 100131	2	
346	Patients with invasive lobular and ductal carcinoma or pleomorphic lobular carcinoma might increase pathologic complete response rate and lower mastectomy rates compared to classical lobular type. <i>Journal of Surgical Oncology</i> , 2019 , 120, 565	2.8	
345	ER(+)/HER2(+) and ER-/HER2(+) breast cancers might have different intracranial recurrence patterns after brain-directed radiation for brain metastases. <i>Breast Cancer Research and Treatment</i> , 2019 , 177, 233	4.4	
344	A closer look at familial Mediterranean fever cases in a large breast cancer dataset. <i>Rheumatology International</i> , 2019 , 39, 1477	3.6	1
343	Favorable results of patients with pT1a, b, c, lymph node-negative early breast cancer in the long interval. <i>Journal of Cancer Research and Therapeutics</i> , 2019 , 15, 1051-1056	1.2	
342	Lower Percentage of the Patients in Breast Reconstruction After Mastectomy Group Who Received Adjuvant Radiotherapy Might Be Associated With Higher Work Ability and Productivity. <i>Annals of Plastic Surgery</i> , 2019 , 82, 359	1.7	
341	Regular exercise might be associated with higher skeletal muscle volume, favorable prognostic factor in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2019 , 173, 239	4.4	
340	Pure or mixed type invasive lobular carcinoma; are they different from each other?. <i>Breast</i> , 2019 , 43, 151	3.6	

339	Evaluating the World Health Organization's International Classification of Functioning, Disability and Health Framework as a Participation Model for Cancer Survivors in Turkey. <i>Rehabilitation Counseling Bulletin</i> , 2019 , 62, 222-233	1	5
338	Larger Tumor Size Detected by Sonography Might Not Always Reflect Increased Risk of Axillary Lymph Node Metastasis in Patients With Breast Cancer. <i>Journal of Ultrasound in Medicine</i> , 2019 , 38, 252-259	2.9	0
337	Extranodular extension in sentinel lymph node-positive breast cancer might predict further initiation of completion axillary lymph node dissection. <i>Breast Cancer Research and Treatment</i> , 2019 , 173, 485	4.4	
336	Better pathological tumor characteristics might occur in recurrent metastatic breast cancer patients after 10-year metastatic free interval. <i>Breast Cancer Research and Treatment</i> , 2019 , 173, 483	4.4	
335	Different Clinical and Pathologic Determinants Might be Possible to Predict Invasive Breast Cancer in Ductal Carcinoma In Situ in Ultrasound-Guided Core Needle Biopsy. <i>Journal of Ultrasound in Medicine</i> , 2019 , 38, 1649	2.9	0
334	Administering docetaxel, doxorubicin, and cyclophosphamide as a neoadjuvant treatment may decrease lymphedema risk in breast cancer patients. <i>Supportive Care in Cancer</i> , 2018 , 26, 1687	3.9	
333	A positive conversion in hormone receptor and HER2 status might have an impact on survival after liver resection for breast cancer metastases. <i>Irish Journal of Medical Science</i> , 2018 , 187, 907	1.9	1
332	Quilting Sutures after Latissimus Dorsi Breast Reconstruction in Breast Cancer Patients Might Lead to Reduced Risk of Developing Arm Lymphedema by Reducing Seroma Risk. <i>Plastic and Reconstructive Surgery</i> , 2018 , 141, 611e	2.7	
331	Long-term overall survival of patients diagnosed with pure tubular carcinoma of the breast might be affected by increased co-morbidities. <i>Journal of Surgical Oncology</i> , 2018 , 117, 1614	2.8	
330	Breast cancer subtypes and local recurrence rate after surgery for bone metastasis to the extremities. <i>Journal of Surgical Oncology</i> , 2018 , 117, 1616	2.8	1
329	Role of endocrine therapy in weak estrogen/progesterone receptor expression in HER2 negative breast cancer. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 539	3.6	2
328	Is there a role of breast pathologist in diagnostic challenges of discordances in ER, PR, and HER2 between primary breast cancer and brain metastasis?. <i>Journal of Neuro-Oncology</i> , 2018 , 138, 219	4.8	2
327	Detailed information about chemotherapy in breast control arm might affect cognitive sequelae compared with endocrine therapy patients. <i>Breast Cancer Research and Treatment</i> , 2018 , 169, 203	4.4	
326	Enhanced pre-operative axillary staging using intradermal microbubbles and contrast-enhanced ultrasound to detect biopsy sentinel lymph nodes in breast cancer: does molecular subtype matter?. <i>British Journal of Radiology</i> , 2018 , 91, 20170870	3.4	0
325	Diagnosis of patients with inflammatory breast cancer is a problematic issue. <i>Cancer</i> , 2018 , 124, 865	6.4	1
324	Taxane use in breast cancer and risk of brain metastases. <i>Medical Oncology</i> , 2018 , 35, 44	3.7	1
323	Receptor conversion in breast cancer patients with liver metastases after hepatectomy might affect survival. <i>Breast Cancer Research and Treatment</i> , 2018 , 170, 441	4.4	1
322	Association between preoperative serum vitamin D and high-density lipoprotein-cholesterol levels and effects on breast cancer prognosis. <i>Breast</i> , 2018 , 37, 215	3.6	

321	Do We Consider Locoregional Treatment of Primary Site in Patients With De Novo Stage IV Breast Cancer?: Numerous Data Are Accumulating!. <i>Clinical Breast Cancer</i> , 2018 , 18, e299	3	
320	Prognostic effect of neutrophil-lymphocyte ratio during concurrent chemo-radiotherapy period in glioblastoma patients who did not receive dexamethasone. <i>Journal of Neuro-Oncology</i> , 2018 , 136, 217	4.8	1
319	Is HER2 loss after neoadjuvant chemotherapy determinant for the choice of adjuvant treatment in HER2 positive breast cancer patients?. <i>Journal of Surgical Oncology</i> , 2018 , 117, 328	2.8	1
318	Duration of trastuzumab in HER2-positive metastatic breast cancer after complete remission: still debatable issue?. <i>Breast Cancer Research and Treatment</i> , 2018 , 167, 815	4.4	1
317	Does the Tumor Size Affect the Signal Enhancement Ratio in Luminal Breast Cancers?. <i>Academic Radiology</i> , 2018 , 25, 139	4.3	1
316	Predictive role of loco-regional radiotherapy among metastatic breast cancer patients who had undergone primary tumor surgery. <i>Breast Cancer Research and Treatment</i> , 2018 , 167, 303	4.4	1
315	Extent of metastases other than brain metastases may affect outcome in a breast cancer patients underwent resection of a brain metastases. <i>Breast Journal</i> , 2018 , 24, 1140	1.2	
314	Elevated BMI might more significantly affect the outcome negatively in luminal type breast cancer patients with brain metastases. <i>Breast Cancer Research and Treatment</i> , 2018 , 172, 509	4.4	
313	Locally advanced non-inflammatory breast cancer may be misdiagnosed as inflammatory breast cancer. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1280	3.6	
312	Digital breast tomosynthesis findings may be different in HER2 positive breast cancer patients according to hormone receptor status. <i>British Journal of Radiology</i> , 2018 , 91, 20170730	3.4	2
311	Clinical Associations with ABO Blood Group and Rhesus Blood Group Status in Patients with Breast Cancer: A Nationwide Retrospective Study of 3,944 Breast Cancer Patients in Turkey. <i>Medical Science Monitor</i> , 2018 , 24, 4698-4703	3.2	3
310	Behçet's disease and breast cancer: A case series study. <i>Journal of Cancer Research and Therapeutics</i> , 2018 , 14, 1184-1190	1.2	1
309	The Effect of Total Size of Lesions in Multifocal/Multicentric Breast Cancer on Survival. <i>Clinical Breast Cancer</i> , 2018 , 18, 320-327	3	2
308	Serum endocan level and its prognostic significance in breast cancer patients. <i>Journal of Oncological Science</i> , 2018 , 4, 15-18	0.4	3
307	Does tacrolimus have any positive impact on outcome of post-transplant breast cancer patients?. <i>Breast Cancer Research and Treatment</i> , 2018 , 168, 283	4.4	
306	Questions About In-Breast Tumor Recurrence in Patients Treated with Breast-Conserving Therapy. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3778	3.1	1
305	Questions about Ki67 staining in luminal breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018 , 167, 599	4.4	
304	Dose adjustment in obese breast cancer patients receiving neoadjuvant chemotherapy might have an impact on survival. <i>Breast Cancer Research and Treatment</i> , 2018 , 167, 821	4.4	

303	Is there any association between use of granulocyte colony-stimulating factor and chemotherapy-induced oral mucositis?. <i>European Journal of Cancer Care</i> , 2018 , 27, e12921	2.4	1
302	Adjuvant radiotherapy as a risk factor for developing capsular contracture in women after breast implant surgery. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2018 , 71, e65	1.7	2
301	Pure or mixed-type classical invasive lobular carcinoma might show different imaging features. <i>Breast Cancer Research and Treatment</i> , 2018 , 172, 507	4.4	
300	Molecular subtypes might affect chemotherapy-induced peripheral neuropathy in breast cancer patients receiving neoadjuvant chemotherapy. <i>Journal of Psychosomatic Research</i> , 2018 , 110, 11	4.1	
299	The relationship between tumour size and nodal status is more incompatible in triple-negative tumours. <i>Breast Cancer Research and Treatment</i> , 2018 , 171, 513	4.4	1
298	Receptor conversion in breast cancer brain metastases may affect survival. <i>Clinical Neurology and Neurosurgery</i> , 2018 , 171, 194	2	1
297	Obesity is an independent prognostic factor of decreased pathological complete response to neoadjuvant chemotherapy in breast cancer patients. <i>Breast</i> , 2017 , 32, 237-244	3.6	39
296	Do cut-off values of lymph node ratio and presence of perineural invasion affect survival in breast cancer patients with pathologic N3a lymph node stage?. <i>Breast</i> , 2017 , 35, 218	3.6	0
295	Have all triple-negative breast cancer patients worse breast cancer-specific survival?. <i>Breast</i> , 2017 , 36, 102	3.6	1
294	The effects of laterality in stage IV breast cancer patients at initial diagnosis; much work is needed!. <i>Breast Cancer Research and Treatment</i> , 2017 , 161, 617	4.4	
293	Do metastasis-free interval less or more than 24 months for recurrent metastatic breast cancer and primary surgery for de novo metastatic breast cancer matter for survival?. <i>Breast Cancer Research and Treatment</i> , 2017 , 162, 395-396	4.4	
292	Molecular Subtypes and Lower Inner Quadrant Tumors in Breast Cancer: Debate Is Still Ongoing. <i>Clinical Breast Cancer</i> , 2017 , 17, e165	3	1
291	Flap Fixation Using Tissue Glue or Sutures After Mastectomy Might Also Reduce Risk of Developing Lymphedema in Breast Cancer. <i>Clinical Breast Cancer</i> , 2017 , 17, e167	3	1
290	Association between aspirin use triple negative breast cancer: More benefit is expected. <i>Cancer Epidemiology</i> , 2017 , 48, 157	2.8	
289	Considerations to include while setting policy and standards for psycho-oncological care in breast cancer services in Europe. <i>Breast</i> , 2017 , 33, 207	3.6	1
288	Higher Pretreatment and Aromatase Inhibitor Treatment-Related Cardiovascular Disease Risks in Postmenopausal Hormone Receptor-Positive Patients with Early Stage Breast Cancer. <i>Breast Journal</i> , 2017 , 23, 376	1.2	
287	Genomic Profiling of Brain Metastasis and Matched Primary Triple-negative Breast Cancer. <i>Clinical Breast Cancer</i> , 2017 , 17, e161	3	2
286	New Data About First-line All-oral Vinorelbine and Capecitabine in HER2-negative Metastatic Breast Cancer Confirms Results of Meta-analysis. <i>Clinical Breast Cancer</i> , 2017 , 17, e163	3	

285	Tumor types, breast tumor subtypes and extension of systemic disease may influence outcome in cancer patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2017 , 132, 523	4.8	
284	Does longer disease-free interval affect the complete remission in metastatic breast cancer?. <i>Breast Cancer</i> , 2017 , 24, 490	3.4	
283	Perioperative tamoxifen use and risk of deep vein thrombosis. <i>Phlebology</i> , 2017 , 32, 289	2	
282	Coadministration of proton pump inhibitors and the efficacy of capecitabine in patients with advanced adenocarcinoma of the small bowel or ampulla of vater. <i>Cancer</i> , 2017 , 123, 1074	6.4	1
281	Metastatic patterns of pure invasive lobular carcinoma or mixed type; does it really matter?. <i>Journal of Surgical Oncology</i> , 2017 , 115, 358	2.8	
280	Biopsy from Recurrent Lesion May Change Further Treatment Plan in Metastatic Breast Cancer. <i>Nuclear Medicine and Molecular Imaging</i> , 2017 , 51, 197	1.9	
279	Letter to the Editor. Characteristics influencing preoperative neutrophil-to-lymphocyte ratio. <i>Journal of Neurosurgery</i> , 2017 , 127, 447	3.2	
278	HER2 loss after neoadjuvant treatment: is the adjuvant trastuzumab treatment feasible?. <i>Human Pathology</i> , 2017 , 65, 247	3.7	1
277	HER2 status might be independent determinant associated with no residual disease at surgical resection in patients with DCIS. <i>Journal of Surgical Oncology</i> , 2017 , 116, 790	2.8	
276	Safety Analysis of Premenopausal Breast Cancer Patients in PALOMA-3 Study: Is It Worth Mentioning?. <i>Oncologist</i> , 2017 , 22, 754	5.7	1
275	Why do younger breast cancer patients with blood group O have favorable prognosis?. <i>Medical Oncology</i> , 2017 , 34, 120	3.7	
274	Breast Cancer Molecular Subtypes and Chemotherapy Schedules Used in Neoadjuvant or Adjuvant Setting May Show Different Effects in Nipple-Sparing Mastectomy. <i>Plastic and Reconstructive Surgery</i> , 2017 , 140, 495e	2.7	2
273	Playing brass instruments by breast cancer patients: A way of combating anxiety. <i>Medical Hypotheses</i> , 2017 , 103, 108	3.8	1
272	Some pathological and clinical factors are important to describe association between Ki67 expression and recurrences in breast cancer patients receiving neoadjuvant chemotherapy. <i>Human Pathology</i> , 2017 , 68, 204	3.7	
271	Bisphosphonate-Related Osteonecrosis and Metastasis Within the Same Site of the Jaw: Expected for Multiple Myeloma, But Unusual for Breast Cancer. <i>Journal of Oral and Maxillofacial Surgery</i> , 2017 , 75, 1309-1310	1.8	
270	Pure invasive lobular carcinoma versus mixed invasive lobular cancer and invasive ductal carcinoma: metastatic patterns differ?. <i>Breast Cancer</i> , 2017 , 24, 795	3.4	1
269	Radio-sensitising effect of T-DM1 should not be discarded for the efficacy of radiosurgery in the management of brain metastases in patients with HER2-positive metastatic breast cancer. <i>Journal of Neuro-Oncology</i> , 2017 , 132, 525	4.8	
268	Perioperative Tamoxifen Use and Risk of Deep Vein Thrombosis: Role of Caprini Risk Assessment Model Should Not Be Discarded. <i>Annals of Plastic Surgery</i> , 2017 , 78, 476	1.7	

267	Comment on 'Nomogram to predict pathologic complete response in HER2-positive breast cancer treated with neoadjuvant systemic therapy'. <i>British Journal of Cancer</i> , 2017 , 116, e10	8.7	
266	Robust predictive markers are needed for early detection of trastuzumab-related cardiac dysfunction in breast cancer. <i>Breast Cancer</i> , 2017 , 24, 794	3.4	1
265	Are all basal-like breast cancers associated with worse prognosis?. <i>Breast</i> , 2017 , 33, 200	3.6	
264	Characteristics of breast cancer patients with brain metastases who live longer than 18 months. <i>Breast</i> , 2017 , 34, 132-133	3.6	0
263	Immune evasion might affect survival in laryngeal cancer patients with blood group O. <i>Chinese Journal of Cancer</i> , 2017 , 36, 54		
262	Comment on "Chemotherapy-Induced Left Ventricular Dysfunction in Patients with Breast Cancer". <i>Journal of Breast Cancer</i> , 2017 , 20, 112-113	3	
261	Comment on "Histomorphological Factors Predicting the Response to Neoadjuvant Chemotherapy in Triple-Negative Breast Cancer". <i>Journal of Breast Cancer</i> , 2017 , 20, 114-115	3	
260	Questions about lower inner zone tumors in early-stage breast cancer. <i>Breast Cancer</i> , 2017 , 24, 796	3.4	
259	Her2 positive subtype and breast cancer brain metastasis: any effect of anti-Her2 targeted therapy?. <i>Journal of Neuro-Oncology</i> , 2017 , 135, 639	4.8	0
258	Association between Computer-aided Diagnosis-measured Peak Enhancement and Washout Component at Preoperative MR Imaging and Operable Hormone Receptor-positive Breast Cancer. <i>Radiology</i> , 2017 , 284, 604	20.5	
257	Chemotherapy during Pregnancy: Cases of Hodgkin's and Non-Hodgkin's Lymphoma, Chronic Myeloid Leukemia, Breast Cancer, Nasopharyngeal Cancer, and Choriocarcinoma. <i>Oncology Research and Treatment</i> , 2017 , 40, 441-445	2.8	4
256	Imaging modalities for the detection of distant metastases in breast cancer patients diagnosed in the 1970s and 1990s: Does it make any sense?. <i>Cancer Cytopathology</i> , 2017 , 125, 954	3.9	1
255	Re: Unusual Cause of Horner Syndrome 13 Years After Ductal Carcinoma. <i>Neuro-Ophthalmology</i> , 2017 , 41, 108	0.9	
254	Increased pathologic complete response are expected in HER2-positive and triple-negative locally advanced breast cancers. <i>Chinese Journal of Cancer</i> , 2017 , 36, 44		
253	Clinical and pathological factors related to brain relapse-free survival in breast cancer patients. <i>Human Pathology</i> , 2017 , 69, 141-142	3.7	
252	The association between body mass index and immunohistochemical subtypes in breast cancer. <i>Breast</i> , 2017 , 32, 227-236	3.6	19
251	Primary Surgery After or Before Systemic Treatment May Affect the Survival Results in Stage IV Breast Cancer Patients. <i>Breast Journal</i> , 2017 , 23, 118	1.2	
250	Final Results of the Randomized Phase II NorCap-CA223 Trial Comparing First-Line All-Oral Versus Taxane-Based Chemotherapy for HER2-Negative Metastatic Breast Cancer. <i>Clinical Breast Cancer</i> , 2017 , 17, 91-99.e1	3	9

249	First-line all-oral NORCAP (vinorelbine/capecitabine) might be alternative to taxane-based chemotherapy for HER2-negative metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017 , 161, 385	4.4	
248	Invasive Pleomorphic Lobular Histology is an Adverse Prognostic Factor on Survival in Patients with Breast Cancer. <i>American Surgeon</i> , 2017 , 83, 359-364	0.8	3
247	More predictive markers were identified for trastuzumab-induced cardiotoxicity. <i>Medical Oncology</i> , 2017 , 35, 8	3.7	2
246	Regular daily consumption of turmeric may be a complementary agent for the adjuvant treatment of hormone receptor positive breast cancer. <i>Journal of B U on</i> , 2017 , 22, 556		
245	Coadministration of proton pump inhibitors may decrease the efficacy of capecitabine in metastatic breast cancer patients. <i>Journal of B U on</i> , 2017 , 22, 559-560		
244	Predictive markers for trastuzumab-associated cardiac dysfunction in patients with early-stage human epidermal growth factor receptor 2-positive breast cancer receiving trastuzumab. <i>Journal of B U on</i> , 2017 , 22, 801		
243	Histopathological definition of medullary breast cancer should be revisited. <i>Journal of B U on</i> , 2017 , 22, 803-804		
242	Do systemic recurrences increase after the use of scalp cooling in patients treated for breast cancer with chemotherapy?. <i>Journal of B U on</i> , 2017 , 22, 1362-1363		2
241	A comprehensive review of denosumab for bone metastasis in patients with solid tumors. <i>Current Medical Research and Opinion</i> , 2016 , 32, 133-45	2.5	48
240	Patients' understanding of treatment goals and disease course and their relationship with optimism, hope, and quality of life: a preliminary study among advanced breast cancer outpatients before receiving palliative treatment. <i>Supportive Care in Cancer</i> , 2016 , 24, 3481-8	3.9	27
239	Management of hair loss associated with endocrine therapy in patients with breast cancer: an overview. <i>SpringerPlus</i> , 2016 , 5, 585		4
238	Assessment of psychosocial factors and distress in women having adjuvant endocrine therapy for breast cancer: the relationship among emotional distress and patient and treatment-related factors. <i>SpringerPlus</i> , 2016 , 5, 486		56
237	The relation between Body Mass Index, molecular subtypes, and histopathological features in breast cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e13100-e13100	2.2	
236	Comparison of clinical outcomes in patents with early stage ER-/PR+, HER2- breast cancer patients with triple negatives.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e12556-e12556	2.2	
235	Comment to "Patients with Concordant Triple-Negative Phenotype between Primary Breast Cancers and Corresponding Metastases Have Poor Prognosis". <i>Journal of Breast Cancer</i> , 2016 , 19, 465	3	
234	More data along with further definitions are required. <i>Breast</i> , 2016 , 30, 228-229	3.6	
233	Serum vitamin D levels and response to molecular subtypes in breast cancer. <i>Breast</i> , 2016 , 27, 185-6	3.6	
232	Handedness and breast cancer characteristics. <i>Journal of B U on</i> , 2016 , 21, 576-9		2

231	Left laterality is an independent prognostic factor for metastasis in N3 stage breast cancer. <i>Journal of B U on</i> , 2016 , 21, 851-858		1
230	Do yoga and aerobic exercise training have impact on functional capacity, fatigue, peripheral muscle strength, and quality of life in breast cancer survivors?. <i>Integrative Cancer Therapies</i> , 2015 , 14, 125-32	3	51
229	Trastuzumab in metastatic breast cancer after complete remission: How long is enough?. <i>Medical Oncology</i> , 2015 , 32, 211	3.7	2
228	Serpentine supravenuous hyperpigmentation resulting from vinorelbine administration. <i>Breast Journal</i> , 2015 , 21, 311-2	1.2	3
227	Comparison of the long term cardiac effects associated with 9 and 52 weeks of trastuzumab in HER2-positive early breast cancer. <i>Current Medical Research and Opinion</i> , 2015 , 31, 547-56	2.5	9
226	Advances in PARP inhibitors for the treatment of breast cancer. <i>Expert Opinion on Pharmacotherapy</i> , 2015 , 16, 2751-8	4	34
225	Role of obesity on the efficacy of exemestane plus ovarian suppression in hormone receptor-positive premenopausal breast cancer. <i>Future Oncology</i> , 2015 , 11, 905-7	3.6	1
224	Pertuzumab-induced cardiotoxicity: safety compared with trastuzumab. <i>Future Oncology</i> , 2015 , 11, 13-5	3.6	10
223	Signet ring cell carcinoma of breast: Single center experience.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e11513-e11513	2.2	2
222	Efficacy and safety of eribulin monotherapy in patients with heavily pretreated metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12036-e12036	2.2	1
221	Brain specific progression free survival (bsPFS) according to breast cancer subtypes in patients with brain metastases.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e13040-e13040	2.2	1
220	Does estrogen receptor determination affect prognosis in early stage breast cancers?. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 21454-9		9
219	Comparison of three different induction regimens for nasopharyngeal cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 59-63	1.7	2
218	Associations among physical activity, comorbidity, functional capacity, peripheral muscle strength and depression in breast cancer survivors. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 585-9	1.7	28
217	Efficacy of dose dense doxorubicin and cyclophosphamide followed by paclitaxel versus conventional dose doxorubicin, cyclophosphamide followed by paclitaxel or docetaxel in patients with node-positive breast cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 1471-7	1.7	3
216	Study of the impact of Charlson comorbidity index on the efficacy of aromatase inhibitors in patients with hormone-receptor-positive postmenopausal breast cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e11565-e11565	2.2	
215	Geographic variations of clinical characteristics in breast cancer: Analysis of Turkish National Breast Cancer Registry.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12656-e12656	2.2	
214	Correlation of educational status and clinicopathological characteristics of breast cancer: A single center experience.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e11549-e11549	2.2	

213	Association of age with breast cancer clinical and pathological factors: Analysis of Turkish National Breast Cancer Registry.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12653-e12653	2.2	
212	Neuroendocrine breast cancer: A single center experience.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12037-e12037		
211	Efficacy of capecitabine monotherapy as the first-line treatment of metastatic HER-2 negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12035-e12035	2.2	
210	Tumor locations significantly affect disease free survival and overall survival.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12590-e12590	2.2	
209	Association of obesity with breast cancer clinical and pathological factors: Analysis of Turkish National Breast Cancer Registry.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12657-e12657	2.2	
208	Turkish National Breast Cancer Registry.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12654-e12654	2.2	
207	Which sequence best protects the heart against trastuzumab and anthracycline toxicity? An electron microscopy study in rats. <i>Anticancer Research</i> , 2015 , 35, 857-64	2.3	3
206	Chemotherapy and biological treatment options in breast cancer patients with brain metastasis: an update. <i>Expert Opinion on Pharmacotherapy</i> , 2014 , 15, 1643-58	4	16
205	The efficacy of adjuvant trastuzumab in HER-2 positive breast cancer with axillary lymph node metastases according to the treatment duration. <i>Current Medical Research and Opinion</i> , 2014 , 30, 2535-42	2.5	6
204	Impact of acetylsalicylic Acid on the clinicopathological characteristics and prognosis of patients with invasive breast cancer. <i>Breast Care</i> , 2014 , 9, 261-6	2.4	0
203	Impact of locoregional treatment on survival in patients presented with metastatic breast carcinoma. <i>Breast</i> , 2014 , 23, 775-83	3.6	11
202	Cetuximab-induced esophageal ulcer: the first report in literature. <i>Libyan Journal of Medicine</i> , 2014 , 9, 23723	1.4	1
201	Complete response and long-term remission to anti-HER2 combined therapy in a patient with breast cancer presented with bone marrow metastases. <i>Journal of Oncology Pharmacy Practice</i> , 2014 , 20, 141-5	1.7	6
200	Everolimus: a new hope for patients with breast cancer. <i>Current Medical Research and Opinion</i> , 2014 , 30, 75-87	2.5	20
199	Three-arm randomized phase II study evaluating oral vinorelbine plus capecitabine versus paclitaxel plus gemcitabine versus docetaxel plus gemcitabine as first-line chemotherapy in patients with metastatic breast cancer: Final results (NorCap-CA223 trial).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1044-1044	2.2	2
198	Effect of body mass index on metastatic pattern in early breast cancer patients.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e11553-e11553	2.2	1
197	Metaplastic breast carcinoma: a heterogeneous disease. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 2851-6	1.7	11
196	Comparison of three different induction regimen in nasopharyngeal cancer: CF versus DC versus DCF.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 6075-6075	2.2	

195	Which sequence prevents the heart from trastuzumab and anthracycline toxicity: Electron microscopy study in rats.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e11595-e11595	2.2	
194	Response rates of taxane rechallenging in metastatic breast cancer patients, previously treated with adjuvant taxanes.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1073-1073	2.2	1
193	Comparison of long-term cardiac effects of 9- and 52-week trastuzumab in HER2-positive early breast cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e11582-e11582	2.2	
192	Is there any correlation between molecular subtypes and blood groups in breast cancer?. <i>Journal of Clinical Oncology</i> , 2014 , 32, e11554-e11554	2.2	
191	Turkish Breast Cancer Registry: A multicenter epidemiologic study.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e12518-e12518	2.2	
190	Outcomes of locally advanced breast cancer patients with ≥ 10 positive axillary lymph nodes. <i>Medical Oncology</i> , 2013 , 30, 615	3.7	19
189	Association between Tumor Characteristics and Bone Mineral Density in Postmenopausal Breast Cancer Patients. <i>Breast Journal</i> , 2013 , 19, 431-4	1.2	0
188	Cardiotoxicity of novel HER2-targeted therapies. <i>Current Medical Research and Opinion</i> , 2013 , 29, 1015-24.5	2.5	61
187	Trastuzumab emtansine (T-DM1) for HER2-positive breast cancer. <i>Current Medical Research and Opinion</i> , 2013 , 29, 405-14	2.5	63
186	The significance of heat shock proteins in breast cancer therapy. <i>Medical Oncology</i> , 2013 , 30, 575	3.7	8
185	Association between common risk factors and molecular subtypes in breast cancer patients. <i>Breast</i> , 2013 , 22, 344-50	3.6	97
184	Safety of tamoxifen during pregnancy: 3 case reports and review of the literature. <i>Breast Care</i> , 2013 , 8, 453-4	2.4	7
183	Association of breast cancer subtypes and body mass index. <i>Tumori</i> , 2013 , 99, 129-33	1.7	9
182	Inflammatory markers in metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e11545-e11545.2	2.2	
181	Association of the neutrophil to lymphocyte ratio with survival patients with in metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e11544-e11544	2.2	
180	Outcomes of patients with HER2-negative breast cancer with central nervous system metastasis treated with capecitabine.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e11553-e11553	2.2	
179	Can all beta blockers improve the breast cancer survival?. <i>Breast</i> , 2012 , 21, 107-8	3.6	8
178	Efficacy of angiotensin-receptor blockers on demographic and clinico-pathological characteristics of breast cancer. <i>Breast</i> , 2012 , 21, 419-20	3.6	5

177	Prognosis of breast cancer in patients with peritoneal metastasis. <i>Breast</i> , 2012 , 21, 420-1	3.6	4
176	Increased mean corpuscular volume of erythrocytes predicts the response to metronomic cyclophosphamide, capecitabine and bevacizumab treatment: is it true for capecitabine treatment or more?. <i>Breast</i> , 2012 , 21, 612-3	3.6	1
175	Pertuzumab in HER2-positive breast cancer. <i>Current Medical Research and Opinion</i> , 2012 , 28, 1709-16	2.5	26
174	Leptin and breast cancer: an overview. <i>Medical Oncology</i> , 2012 , 29, 1510-4	3.7	38
173	Frequency of HCV infection in renal cell carcinoma patients. <i>Medical Oncology</i> , 2012 , 29, 1892-5	3.7	8
172	Demographic and clinico-pathological characteristics of breast cancer patients with history of oral alendronate use. <i>Medical Oncology</i> , 2012 , 29, 2601-5	3.7	6
171	Evaluation of cardiac safety of lapatinib therapy for ErbB2-positive metastatic breast cancer: a single center experience. <i>Medical Oncology</i> , 2012 , 29, 3232-9	3.7	12
170	Lymphatic and Capillary Invasion Patterns in Triple Negative Breast Cancer. <i>American Surgeon</i> , 2012 , 78, 1238-1242	0.8	11
169	Stem cell-related markers in primary breast cancers and associated metastatic lesions. <i>Modern Pathology</i> , 2012 , 25, 949-55	9.8	29
168	Vismodegib in advanced basal-cell carcinoma. <i>New England Journal of Medicine</i> , 2012 , 367, 969-70; author reply 970	59.2	4
167	Ifosfamide and doxorubicin combination chemotherapy for recurrent nasopharyngeal carcinoma patients. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 2225-8	1.7	7
166	Invasive papillary carcinoma of the breast: an overview of twenty-four cases. <i>American Surgeon</i> , 2012 , 78, E144-5	0.8	4
165	Does androgen receptor have a prognostic role in patients with estrogen/progesterone-negative and c-erbB-2-positive breast cancer?. <i>American Surgeon</i> , 2012 , 78, 992-9	0.8	2
164	Lymphatic and capillary invasion patterns in triple negative breast cancer. <i>American Surgeon</i> , 2012 , 78, 1238-42	0.8	6
163	What is the mechanism of progression with trastuzumab treatment--escape or resistance?. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 5915-6	1.7	1
162	Variation in hormone receptor and HER-2 status between primary and metastatic breast cancer: review of the literature. <i>Expert Opinion on Therapeutic Targets</i> , 2011 , 15, 21-30	6.4	46
161	Sequential taxane and anthracycline-containing neo-adjuvant regimens; any rationale behind the sequence?. <i>Breast</i> , 2011 , 20, 291	3.6	
160	Breast cancer subtypes and outcomes of central nervous system metastases. <i>Breast</i> , 2011 , 20, 562-7	3.6	41

159	Zoledronic acid and atrial fibrillation in cancer patients. <i>Supportive Care in Cancer</i> , 2011 , 19, 425-30	3.9	19
158	Comparative study of the immunohistochemical detection of hormone receptor status and HER-2 expression in primary and paired recurrent/metastatic lesions of patients with breast cancer. <i>Medical Oncology</i> , 2011 , 28, 57-63	3.7	54
157	Acute promyelocytic leukemia in a young patient with breast cancer. <i>Medical Oncology</i> , 2011 , 28, 249-50	3.7	1
156	Optimal timing of adjuvant treatment in patients with early breast cancer. <i>Medical Oncology</i> , 2011 , 28, 1255-9	3.7	18
155	Aspirin intake may prevent metastasis in patients with triple-negative breast cancer. <i>Medical Oncology</i> , 2011 , 28, 1308-10	3.7	4
154	Demographic and clinico-pathological characteristics in patients with triple-negative and non-triple-negative breast cancer. <i>Medical Oncology</i> , 2011 , 28 Suppl 1, S75-9	3.7	7
153	Emerging drugs in metastatic breast cancer: an update. <i>Expert Opinion on Emerging Drugs</i> , 2011 , 16, 647-57	3.7	7
152	Ipsilateral breast cancer in a patient with Poland's syndrome. <i>American Surgeon</i> , 2011 , 77, 234-5	0.8	0
151	Median, ulnar, and radial nerve entrapments in a patient with breast cancer after treatment for lymphedema. <i>American Surgeon</i> , 2011 , 77, 248-9	0.8	0
150	Oral contraceptive use and estrogen receptor-negative breast cancer. <i>American Surgeon</i> , 2011 , 77, E33	0.8	0
149	Clinical and pathological characteristics of breast cancer patients with history of appendectomy. <i>American Surgeon</i> , 2011 , 77, 382-3	0.8	0
148	Ductal carcinoma in situ and bilateral atypical ductal hyperplasia in a 23-year-old man with gynecomastia. <i>American Surgeon</i> , 2011 , 77, 1272-3	0.8	6
147	Intracystic papillary carcinoma: a rare clinical entity. <i>American Surgeon</i> , 2011 , 77, E284	0.8	0
146	Mechanisms behind the anti-tumour effects of zoledronic acid use in multiple myeloma. <i>British Journal of Haematology</i> , 2010 , 151, 530-1	4.5	1
145	Maxillary Sinus Carcinoma Metastases Mimicking Malignant Pleural Mesothelioma. <i>American Surgeon</i> , 2010 , 76, 80-82	0.8	1
144	EGFR expression and gene copy number in triple-negative breast carcinoma. <i>Cancer Genetics and Cytogenetics</i> , 2010 , 203, 222-9		55
143	Systemic treatment in breast-cancer patients with brain metastasis. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 1089-100	4	34
142	The role of zoledronic acid in the adjuvant treatment of breast cancer: current perspectives. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 2715-25	4	6

141	Renal safety and osteonecrosis of the jaw in cancer patients receiving intravenous bisphosphonates. <i>Medical Oncology</i> , 2010 , 27, 568	3.7	0
140	Serum levels of CEA and CA 15-3 in triple-negative breast cancer at the time of diagnosis. <i>Medical Oncology</i> , 2010 , 27, 1429	3.7	5
139	Does the sequence of taxane administration affect the outcome of patients with breast cancer in the adjuvant and neoadjuvant settings?. <i>Medical Oncology</i> , 2010 , 27, 1430	3.7	
138	Blood ABO groups and risk of breast cancer. <i>Medical Oncology</i> , 2010 , 27, 1433	3.7	16
137	Other malignancies in patients with breast cancer: a single institute experience. <i>Medical Oncology</i> , 2010 , 27, 1434-5	3.7	
136	Probable sorafenib-induced reversible encephalopathy in a patient with hepatocellular carcinoma. <i>Medical Oncology</i> , 2010 , 27, 1436-7	3.7	21
135	Current and emerging treatment options in triple-negative breast cancer. <i>Oncology Reviews</i> , 2010 , 4, 5-13	4.3	3
134	Clinical and pathological characteristics of breast cancer patients with history of cesarean delivery. <i>Breast</i> , 2010 , 19, 67-8	3.6	2
133	Clinical and pathological characteristics of breast cancer patients with history of tonsillectomy. <i>Breast</i> , 2010 , 19, 152	3.6	0
132	How can Nolvadex abolish arthralgia in women taking newer generic Tamoxifen preparations?. <i>Breast</i> , 2010 , 19, 436	3.6	1
131	Probable hepatotoxicity related to Nerium oleander extract in a patient with metastatic synovial sarcoma of the knee. <i>Journal of Alternative and Complementary Medicine</i> , 2009 , 15, 113	2.4	8
130	Sonographic and electrodiagnostic evaluations in patients with aromatase inhibitor-related arthralgia. <i>Journal of Clinical Oncology</i> , 2009 , 27, 4955-60	2.2	58
129	Probable Hepatotoxicity Related to Nerium oleander Extract: More Comments. <i>Journal of Alternative and Complementary Medicine</i> , 2009 , 15, 1271-1271	2.4	2
128	Emerging drugs in metastatic breast cancer. <i>Expert Opinion on Emerging Drugs</i> , 2009 , 14, 85-98	3.7	5
127	Clinical features associated with a favorable outcome following neoadjuvant chemotherapy in women with localized breast cancer aged 35 years or younger. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009 , 135, 141-8	4.9	10
126	Stroke due to doxorubicin-induced cardiac toxicity. <i>Medical Oncology</i> , 2009 , 26, 506-7	3.7	4
125	Propylthiouracil may play a role in the pathogenesis of thyroid lymphoma. <i>Bioscience Hypotheses</i> , 2009 , 2, 270-271		
124	Pharmacotherapy of triple-negative breast cancer. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 2081-93		26

123	Familial chemosensitivity test: can it be a predictive factor in the management of familial breast cancer?. <i>Breast</i> , 2008 , 17, 5	3.6	2
122	Vitamin D supplementation and response to aromatase inhibitors in postmenopausal women with hormone-receptor positive breast cancer. <i>Breast</i> , 2008 , 17, 120	3.6	2
121	Definition of postmenopausal status, age of the breast cancer patients and the outcome of aromatase inhibitors treatment. <i>Breast</i> , 2008 , 17, 433-5	3.6	4
120	Pure or mixed-type invasive lobular carcinoma?. <i>Human Pathology</i> , 2008 , 39, 1121; author reply 1121	3.7	4
119	Re: Adjuvant chemotherapy with sequential or concurrent anthracycline and docetaxel: Breast International Group 02-98 randomized trial. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 683	9.7	1
118	Characteristics of breast cancer patients with central nervous system metastases: a single-center experience. <i>Journal of the National Medical Association</i> , 2008 , 100, 521-6	2.3	21
117	Dasatinib may also inhibit c-Kit in triple negative breast cancer cell lines. <i>Breast Cancer Research and Treatment</i> , 2008 , 107, 303	4.4	9
116	Vitamin D intake may be a predictor of response to aromatase inhibitors in postmenopausal women with hormone receptor positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2008 , 109, 403	4.4	2
115	Post-diagnosis statin use and breast recurrence sites in early stage breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2008 , 110, 541	4.4	3
114	Prognostic factors in long-term breast cancer survivors with brain metastases. <i>Breast Cancer Research and Treatment</i> , 2008 , 112, 215	4.4	1
113	Role of trastuzumab in patients with brain metastases from Her2 positive breast cancer. <i>Journal of Neuro-Oncology</i> , 2008 , 86, 241	4.8	0
112	Prognostic factors in breast cancer patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2008 , 87, 193	4.8	
111	Response to taxanes in triple negative breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 63, 189	3.5	8
110	Clinical characteristics and outcome of patients with stage III esophageal carcinoma: a single-center experience from Turkey. <i>Medical Oncology</i> , 2008 , 25, 63-8	3.7	4
109	Medulloblastoma/primitive neuroectodermal tumor in adults: prognostic factors and treatment results: a single-center experience from Turkey. <i>Medical Oncology</i> , 2008 , 25, 69-72	3.7	7
108	Renal safety of zoledronic acid administration beyond 24 months in breast cancer patients with bone metastases. <i>Medical Oncology</i> , 2008 , 25, 356-9	3.7	8
107	Efficacy of chemotherapy for brain metastases from breast carcinoma: in regard to Le Scodan et al. (Int J Radiat Oncol Biol Phys 2007;69:839-845). <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 1615	4	
106	Frequency and risk factors associated with osteonecrosis of the jaw in cancer patients treated with intravenous bisphosphonates. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 826-36	6.3	466

105	Manipulating the chemokine-chemokine receptor network to treat cancer. <i>Cancer</i> , 2007 , 109, 2392-404	6.4	101
104	Clinicopathologic characteristics and prognostic factors in 420 metastatic breast cancer patients with central nervous system metastasis. <i>Cancer</i> , 2007 , 110, 2640-7	6.4	122
103	Preoperative Doppler sonography for prevention of perioperative stroke in head and neck cancer patients undergoing neck dissection: is it beneficial?. <i>Journal of Clinical Ultrasound</i> , 2007 , 35, 38-9	1	9
102	Influence of smoking history on breast cancer prognosis: retrospective study of 240 operable breast cancer patients who received adjuvant cyclophosphamide, doxorubicin, and 5-fluorouracil chemotherapy regimen. <i>Breast Journal</i> , 2007 , 13, 431-2	1.2	6
101	Potential molecular targeted therapies in the management of the basal-like subtype of breast cancer. <i>Breast</i> , 2007 , 16, 111-2	3.6	8
100	Aromatase inhibitor-associated arthralgias: Pathogenesis, frequency and management. <i>Joint Bone Spine</i> , 2007 , 74, 662-3	2.9	4
99	Thymic epithelial neoplasia: a study of 58 cases. <i>Medical Oncology</i> , 2007 , 24, 197-201	3.7	10
98	Does breast cancer associated with CHEK2 1100delC carry characteristics of basal phenotype?. <i>Breast Cancer Research and Treatment</i> , 2007 , 103, 371	4.4	
97	Hormone receptor status as a prognostic factor affecting the outcome of brain metastases. <i>Supportive Care in Cancer</i> , 2007 , 15, 347	3.9	
96	Pentoxifylline and alpha-tocopherol in prevention of radiation-induced lung toxicity in patients with lung cancer. <i>Medical Oncology</i> , 2007 , 24, 308-11	3.7	38
95	The results of hypofractionated radiotherapy in 31 patients with high-grade gliomas. <i>Medical Oncology</i> , 2007 , 24, 379-83	3.7	3
94	Adjuvant use of epidermal growth factor receptor kinase inhibitors may prevent bone metastases in patients with non-small cell lung carcinoma. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 1136	8.9	4
93	Warfarin-induced skin necrosis and leukocytoclastic vasculitis in a patient with acquired protein C and protein S deficiency. <i>Blood Coagulation and Fibrinolysis</i> , 2007 , 18, 805-6	1	11
92	Bone mineral density in breast cancer patients with estrogen receptor-negative tumor. <i>Maturitas</i> , 2007 , 58, 324	5	
91	Bisphosphonate use and prevalence of breast arterial calcification on mammography. <i>Maturitas</i> , 2007 , 58, 323	5	0
90	Intraductal trastuzumab treatment may be effective in the management of ductal carcinoma in situ of the breast with HER-2 overexpression. <i>Medical Hypotheses</i> , 2007 , 68, 235	3.8	1
89	Estrogen or testosterone may be effective agents in the management of both multiple myeloma and Alzheimer's disease. <i>Medical Hypotheses</i> , 2007 , 68, 231-2	3.8	3
88	Global warming may increase the incidence and geographic range of Crimean-Congo Hemorrhagic Fever. <i>Medical Hypotheses</i> , 2007 , 68, 924-5	3.8	10

87	Rituximab-related viral infections in lymphoma patients. <i>Leukemia and Lymphoma</i> , 2007 , 48, 1307-12	1.9	209
86	Serum lactate dehydrogenase level is a prognostic factor in patients with locoregionally advanced nasopharyngeal carcinoma treated with chemoradiotherapy. <i>Cancer Investigation</i> , 2007 , 25, 315-21	2.1	36
85	Differential alteration of drug metabolizing enzyme activities after cyclophosphamide/adriamycin administration in breast cancer patients. <i>FASEB Journal</i> , 2007 , 21, A1191	0.9	
84	Gastric cancer and the coincidental finding of herpetic esophagitis immediately after pregnancy: a case report. <i>Journal of reproductive medicine, The</i> , 2007 , 52, 425-7		3
83	Inactivation of E-cadherin and less sensitivity of lobular breast carcinoma cells to chemotherapy. <i>Breast</i> , 2006 , 15, 300	3.6	7
82	Primary breast cancer phenotypes associated with propensity for central nervous system metastases. <i>Cancer</i> , 2006 , 107, 2521-2; author reply 2522	6.4	2
81	Coffee and breast cancer risk. <i>International Journal of Cancer</i> , 2006 , 118, 1852	7.5	0
80	Recent findings for anti-metastatic potential of heparin. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006 , 12, 376-7	3.3	1
79	Aromatase inhibitors in breast cancer: an overview. <i>Oncologist</i> , 2006 , 11, 553-62	5.7	94
78	Angiotensin-converting enzyme inhibitors for bevacizumab-induced hypertension. <i>Annals of Pharmacotherapy</i> , 2006 , 40, 2278-9	2.9	58
77	Unilateral diaphragm paralysis possibly due to cervical spine involvement in multiple myeloma. <i>Medical Principles and Practice</i> , 2006 , 15, 242-4	2.1	2
76	Pericardial tamponade in a patient with thalassemia major due to hypothyroidism. <i>Acta Haematologica</i> , 2006 , 116, 141-2	2.7	
75	Mucosa associated lymphoid tissue lymphoma of the sub-mandibular gland presenting with relapse in the lacrimal gland. <i>Leukemia and Lymphoma</i> , 2006 , 47, 1982-4	1.9	1
74	Neoadjuvant chemotherapy with weekly paclitaxel in breast cancer patients may increase release of cancer cells into circulation by decreasing interstitial fluid pressure. <i>Medical Hypotheses</i> , 2006 , 66, 857-8	3.8	
73	Adjuvant trastuzumab use in high-risk breast cancer patients may prevent development of contralateral estrogen receptor-negative breast tumors. <i>Medical Hypotheses</i> , 2006 , 66, 1045-6	3.8	2
72	Aromatase inhibitors may be effective in the management of advanced hepatocellular carcinoma. <i>Medical Hypotheses</i> , 2006 , 66, 1257	3.8	2
71	Is it feasible to adjust bisphosphonate dose according to bone mineral density value in postmenopausal breast cancer patients with bone metastases?. <i>Medical Hypotheses</i> , 2006 , 66, 1254-5	3.8	
70	Prophylactic human papilloma virus vaccines for cervical cancer may also prevent development of breast and oropharyngeal cancers in women. <i>Medical Hypotheses</i> , 2006 , 67, 431-2	3.8	4

69	Treatment of comorbidities besides the treatment of primary tumor may further increase effective management of cancer. <i>Medical Hypotheses</i> , 2006 , 67, 744-6	3.8	5
68	Coincidence of increased pulmonary artery pressure and patent septum foramen ovale in patients with solid tumors may have a propensity to develop central nervous system metastases. <i>Medical Hypotheses</i> , 2006 , 67, 996	3.8	
67	Statins may decrease skeletal-related events in breast cancer patients with bone metastases. <i>Medical Hypotheses</i> , 2006 , 67, 1146-7	3.8	5
66	Low bone mineral density value at the time of diagnosis of primary tumor in postmenopausal patients with operable breast cancer may increase bone metastasis risk. <i>Medical Hypotheses</i> , 2006 , 67, 1465	3.8	
65	Synchronous presentation of nasopharyngeal and renal cell carcinomas. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2006 , 32, 310-2	2	4
64	Possible association between nanobacteria and malignant microcalcifications in breast cancer. <i>Breast Journal</i> , 2006 , 12, 287	1.2	11
63	Why adjuvant trastuzumab led to better outcomes in women with high-risk HER-2-positive breast cancer. <i>Breast Journal</i> , 2006 , 12, 497-8	1.2	1
62	Peripheral T-cell lymphoma and Job's syndrome: a rare association. <i>Medical Oncology</i> , 2006 , 23, 141-4	3.7	11
61	Effect of concomitant use of pentoxifylline and alpha-tocopherol with radiotherapy on the clinical outcome of patients with stage IIIB non-small cell lung cancer: a randomized prospective clinical trial. <i>Medical Oncology</i> , 2006 , 23, 185-9	3.7	12
60	Anal tumor diagnosed after the recovery of Fournier gangrene. <i>Digestive Diseases and Sciences</i> , 2006 , 51, 889-90	4	4
59	Overcoming trastuzumab resistance with nordihydroguaiaretic acid?. <i>Breast Cancer Research and Treatment</i> , 2006 , 96, 301	4.4	
58	Which is better in neoadjuvant treatment of breast cancer? Taxane followed by anthracycline or vice versa. <i>Breast Cancer Research and Treatment</i> , 2006 , 97, 221	4.4	
57	Albumin-bound paclitaxel, ABI-007 may show better efficacy than paclitaxel in basal-like breast cancers: association between caveolin-1 expression and ABI-007. <i>Breast Cancer Research and Treatment</i> , 2006 , 100, 329-30	4.4	16
56	Metastatic osteosarcoma to the brain in adult patient. <i>Journal of Neuro-Oncology</i> , 2006 , 76, 213	4.8	
55	Unusual location of hydatid cyst: soft tissue mass in the neck. <i>European Archives of Oto-Rhino-Laryngology</i> , 2006 , 263, 1147-50	3.5	12
54	Non-Hodgkin's lymphoma presenting with granulomatous hepatitis and hemophagocytosis. <i>Leukemia and Lymphoma</i> , 2006 , 47, 767-9	1.9	3
53	Neoadjuvant chemotherapy with cyclophosphamide, mitoxantrone, and 5-fluorouracil in locally advanced breast cancer. <i>Oncology Research and Treatment</i> , 2005 , 28, 81-5	2.8	7
52	A phase II study on the safety and efficacy of 5-fluorouracil, epirubicin, cyclophosphamide (FEC) followed by paclitaxel in the adjuvant treatment of breast cancer. <i>Cancer Investigation</i> , 2005 , 23, 215-21	2.1	6

51	SRL172 (killed Mycobacterium vaccae) may augment the efficacy of trastuzumab in metastatic breast cancer patients. <i>Medical Hypotheses</i> , 2005 , 64, 248-51	3.8	3
50	Selenium supplementation may increase the efficacy of cetuximab in metastatic colorectal cancer patients. <i>Medical Hypotheses</i> , 2005 , 64, 1162-5	3.8	5
49	Pure and mixed hormone receptor positive breast tumors: are they different from therapeutic point of view?. <i>Medical Hypotheses</i> , 2005 , 65, 194	3.8	
48	Acidosis might make breast cancer cells more susceptible to metastasize by shifting CXCL12 monomer-dimer equilibrium to monomeric state. <i>Medical Hypotheses</i> , 2005 , 65, 626-7	3.8	
47	Imatinib may be useful in the management of patients with glioblastoma. <i>Medical Hypotheses</i> , 2005 , 65, 1205-6	3.8	2
46	Incidence of mandibular osteoradionecrosis may be low in head and neck cancer patients treated with concurrent radiation and weekly paclitaxel. <i>Medical Hypotheses</i> , 2005 , 65, 994-5	3.8	2
45	Anterior abdominal wall synovial sarcoma: a rare presentation. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2005 , 28, 323-4	2.7	8
44	Closure of large scalp defects by modified Gillies triple scalp flaps in patients with scalp tumors. <i>Plastic and Reconstructive Surgery</i> , 2005 , 116, 1813-4	2.7	
43	Treatment of thymoma and prognostic factors: In regard to Zhu et al. (Int J Radiat Oncol Biol Phys 2004;60:1113-1119). <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 62, 942	4	1
42	Acute tumor lysis syndrome triggered by zoledronic Acid in a patient with metastatic lung adenocarcinoma. <i>Medical Oncology</i> , 2005 , 22, 203-6	3.7	10
41	Rationale for the use of trastuzumab in patients with cerebral metastases who previously receive trastuzumab-based therapy for metastatic breast cancer. <i>Breast</i> , 2005 , 14, 425	3.6	6
40	Association between cyclooxygenase and epidermal growth factor receptor pathways in non-small cell lung cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 130, 1484-5; author reply 1485	1.5	
39	Possible association between Budd-Chiari Syndrome and gemtuzumab ozogamicin treatment in a patient with refractory acute myelogenous leukemia. <i>American Journal of Hematology</i> , 2005 , 80, 213-5	7.1	2
38	Nanobacteria and breast implant capsule contracture and calcification: a hypothesis. <i>Aesthetic Plastic Surgery</i> , 2005 , 29, 582	2	5
37	Is there an association between high heparanase level and osteoporosis risk in breast cancer patients without clinical evidence of bone metastases?. <i>Osteoporosis International</i> , 2005 , 16, 2195-6	5.3	1
36	Treatment of recurrent cerebellar hemangioblastoma with external radiotherapy in a patient with von Hippel-Lindau disease: a case report and review of the literature. <i>Journal of Neuro-Oncology</i> , 2005 , 73, 273-5	4.8	10
35	Brain metastasis of cardiac myxoma: case report and review of the literature. <i>Journal of Neuro-Oncology</i> , 2005 , 75, 181-4	4.8	36
34	Endogenous estrogen levels, bone mineral density and estrogen receptor status in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2005 , 89, 213	4.4	

33	Possible role of CXCR4-mediated chemotaxis in breast cancer patients with central nervous system metastases. <i>Breast Cancer Research and Treatment</i> , 2005 , 89, 317	4.4	1
32	Re: Cetuximab therapy and symptomatic hypomagnesemia. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1791-2	9.7	9
31	Monoclonal antibody-based targeted therapy in breast cancer. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2005 , 5, 99-106		13
30	Adjuvant chemotherapy in patients 80-89 years of age with non-small cell lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2005 , 28, 911-2; author reply 912	3	
29	Herpes simplex type-2 encephalitis masked by diabetic ketoacidosis. <i>Journal of the National Medical Association</i> , 2005 , 97, 722-4	2.3	4
28	Hormone receptor status of primary tumor as a prognostic factor in patients with liver metastases from breast cancer treated with transcatheter arterial chemoembolization. <i>World Journal of Gastroenterology</i> , 2005 , 11, 7057	5.6	
27	Brucella glomerulonephritis: case report and review of the literature. <i>Southern Medical Journal</i> , 2005 , 98, 1216-7	0.6	11
26	Re: Granulocyte-macrophage colony-stimulating factor gene-modified autologous tumor vaccines in non-small-cell lung cancer. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 558-9	9.7	3
25	Obesity may be a independent prognostic factor in premenopausal breast cancer patients. <i>Breast</i> , 2004 , 13, 536	3.6	
24	Possible association between c-erbB-2 and human papillomavirus-16 in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2004 , 87, 109	4.4	1
23	Salvage ifosfamide-doxorubicin chemotherapy in patients with recurrent nasopharyngeal carcinoma pretreated with Cisplatin-based chemotherapy. <i>Medical Oncology</i> , 2004 , 21, 211-5	3.7	15
22	Epithelioid sarcoma of vulva: a case report and review of the literature. <i>Medical Oncology</i> , 2004 , 21, 367-372	3.7	23
21	Hepatotoxicity due to a possible interaction between cytosine arabinoside and dipyridamole: a case report. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 455-6	2.8	6
20	Isolated granulocytic sarcoma of the head and neck preceding acute myeloid leukemia. <i>American Journal of Hematology</i> , 2004 , 76, 95-6	7.1	9
19	Granulocytic sarcoma of the urinary bladder. <i>American Journal of Hematology</i> , 2004 , 75, 262-3	7.1	8
18	Isolated hyperbilirubinemia following standard dose cytosine arabinoside in a patient with relapsed acute myeloid leukemia. <i>American Journal of Hematology</i> , 2004 , 75, 263-4	7.1	8
17	Systemic anaphylactic reaction following intrathecal administration of methotrexate in adult patient with primary central nervous system lymphoma. <i>American Journal of Hematology</i> , 2004 , 75, 265	7.1	5
16	Extramedullary plasmacytoma of nasopharynx and larynx: synchronous presentation. <i>American Journal of Hematology</i> , 2004 , 75, 264-5	7.1	5

15	The role of aromatase inhibitors in the adjuvant treatment of breast carcinoma: the M. D. Anderson Cancer Center evidence-based approach. <i>Cancer</i> , 2004 , 101, 1482-9	6.4	26
14	Addition of granulocyte-colony stimulating factor (G-CSF) to adjuvant treatment may increase survival in patients with operable breast cancer: interaction of G-CSF with dormant micrometastatic breast cancer cells. <i>Medical Hypotheses</i> , 2004 , 63, 56-8	3.8	8
13	Adjuvant targeted therapy with trastuzumab may decrease metastatic capacity in specific group of oropharyngeal cancer patients: downregulation of E-cadherin-catenin complex by cooperative effect of erbB-2 and human papillomavirus type 16 E6/E7 protooncogenes. <i>Medical Hypotheses</i> , 2004 , 63, 277-80	3.8	3
12	DNA methylation inhibitor, procainamide, may decrease the tamoxifen resistance by inducing overexpression of the estrogen receptor beta in breast cancer patients. <i>Medical Hypotheses</i> , 2004 , 63, 684-7	3.8	17
11	Possible interaction between activator protein-1 and proto-oncogene B-cell lymphoma gene 6 in breast cancer patients resistant to tamoxifen. <i>Medical Hypotheses</i> , 2004 , 63, 823-6	3.8	7
10	Calcium and vitamin D supplementation during bisphosphonate administration may increase osteoclastic activity in patients with bone metastasis. <i>Medical Hypotheses</i> , 2004 , 63, 1010-3	3.8	8
9	Does letrozole have any place in adjuvant setting in breast cancer patients with documented hypercoagulability?. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2004 , 27, 210-1	2.7	5
8	Weekly paclitaxel in pretreated metastatic breast cancer: retrospective analysis of 52 patients. <i>Tohoku Journal of Experimental Medicine</i> , 2004 , 203, 205-10	2.4	9
7	Biweekly irinotecan plus bolus 5-fluorouracil and folinic acid in patients with advanced stage colorectal cancer. <i>Japanese Journal of Clinical Oncology</i> , 2003 , 33, 580-3	2.8	1
6	Superior vena cava thrombosis in chronic lead exposure--a case report. <i>Angiology</i> , 2003 , 54, 481-3	2.1	4
5	Recurrent cholestasis due to ampicillin. <i>Annals of Pharmacotherapy</i> , 2003 , 37, 395-7	2.9	14
4	Interleukin-2-induced reversible hyperbilirubinemia and cholestasis in a patient with Gilbert's syndrome. <i>Journal of Gastroenterology</i> , 2002 , 37, 145-6	6.9	36
3	Myasthenia gravis and lymphoblastic lymphoma involving the thymus: a rare association. <i>Leukemia and Lymphoma</i> , 2001 , 42, 527-31	1.9	8
2	Sublingual piroxicam for cancer pain. <i>Medical Oncology</i> , 1998 , 15, 137-9	3.7	5
1	Maintenance therapy with alpha-interferon following first-line VAD in multiple myeloma. <i>European Journal of Haematology</i> , 1997 , 59, 100-4	3.8	8