

# Ratchaneewan Khiaosa-ard

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8788945/ratchaneewan-khiaosa-ard-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40  
papers

751  
citations

17  
h-index

26  
g-index

44  
ext. papers

983  
ext. citations

2.7  
avg, IF

4.2  
L-index

#	Paper	IF	Citations
40	Fungal species and mycotoxins in mouldy spots of grass and maize silages in Austria.. <i>Mycotoxin Research</i> , <b>2022</b> , 1	4	2
39	Mycotoxins, Phytoestrogens and Other Secondary Metabolites in Austrian Pastures: Occurrences, Contamination Levels and Implications of Geo-Climatic Factors. <i>Toxins</i> , <b>2021</b> , 13,	4.9	5
38	Models to predict the risk of subacute ruminal acidosis in dairy cows based on dietary and cow factors: A meta-analysis. <i>Journal of Dairy Science</i> , <b>2021</b> , 104, 7761-7780	4	4
37	Milk fatty acid composition reflects metabolic adaptation of early lactation cows fed hay rich in water-soluble carbohydrates with or without concentrates. <i>Animal Feed Science and Technology</i> , <b>2020</b> , 264, 114470	3	3
36	Betaine addition as a potent ruminal fermentation modulator under hyperthermal and hyperosmotic conditions in vitro. <i>Journal of the Science of Food and Agriculture</i> , <b>2020</b> , 100, 2261-2271	4.3	5
35	Betaine Modulates Rumen Archaeal Community and Functioning during Heat and Osmotic Stress Conditions. <i>Archaea</i> , <b>2020</b> , 2020, 8875773	2	2
34	Physicochemical stressors and mixed alkaloid supplementation modulate ruminal microbiota and fermentation in vitro. <i>Anaerobe</i> , <b>2020</b> , 65, 102263	2.8	3
33	Adaptive responses in short-chain fatty acid absorption, gene expression, and bacterial community of the bovine rumen epithelium recovered from a continuous or transient high-grain feeding. <i>Journal of Dairy Science</i> , <b>2019</b> , 102, 5361-5378	4	9
32	Factors related to variation in the susceptibility to subacute ruminal acidosis in early lactating Simmental cows fed the same grain-rich diet. <i>Animal Feed Science and Technology</i> , <b>2018</b> , 238, 111-122	3	10
31	Metabolic and stress responses in dairy cows fed a concentrate-rich diet and submitted to intramammary lipopolysaccharide challenge. <i>Animal</i> , <b>2018</b> , 12, 741-749	3.1	7
30	Diet-induced inflammation: From gut to metabolic organs and the consequences for the health and longevity of ruminants. <i>Research in Veterinary Science</i> , <b>2018</b> , 120, 17-27	2.5	18
29	Signals for identifying cows at risk of subacute ruminal acidosis in dairy veterinary practice. <i>Journal of Animal Physiology and Animal Nutrition</i> , <b>2018</b> , 102, 380-392	2.6	25
28	Restoration of in situ fiber degradation and the role of fibrolytic microbes and ruminal pH in cows fed grain-rich diets transiently or continuously. <i>Animal</i> , <b>2017</b> , 11, 2193-2202	3.1	3
27	Modulation of ruminal fermentation profile and microbial abundance in cows fed diets treated with lactic acid, without or with inorganic phosphorus supplementation. <i>Animal Feed Science and Technology</i> , <b>2017</b> , 230, 1-12	3	4
26	A meta-analysis of feeding sugar beet pulp in dairy cows: Effects on feed intake, ruminal fermentation, performance, and net food production. <i>Animal Feed Science and Technology</i> , <b>2017</b> , 224, 78-89	3	20
25	Intramammary infusion of Escherichia coli lipopolysaccharide negatively affects feed intake, chewing, and clinical variables, but some effects are stronger in cows experiencing subacute rumen acidosis. <i>Journal of Dairy Science</i> , <b>2017</b> , 100, 1363-1377	4	14
24	Gastrointestinal endotoxin and metabolic responses in cows fed and recovered from two different grain-rich challenges. <i>Livestock Science</i> , <b>2017</b> , 203, 120-123	1.7	7

23	Changes in fibre-adherent and fluid-associated microbial communities and fermentation profiles in the rumen of cattle fed diets differing in hay quality and concentrate amount. <i>FEMS Microbiology Ecology</i> , <b>2017</b> , 93,	4.3	22
22	Temporal dynamics of in-situ fiber-adherent bacterial community under ruminal acidotic conditions determined by 16S rRNA gene profiling. <i>PLoS ONE</i> , <b>2017</b> , 12, e0182271	3.7	7
21	Rumen microbial abundance and fermentation profile during severe subacute ruminal acidosis and its modulation by plant derived alkaloids in vitro. <i>Anaerobe</i> , <b>2016</b> , 39, 4-13	2.8	32
20	Evidence of In Vivo Absorption of Lactate and Modulation of Short Chain Fatty Acid Absorption from the Reticulorumen of Non-Lactating Cattle Fed High Concentrate Diets. <i>PLoS ONE</i> , <b>2016</b> , 11, e0164192	3.7	30
19	Transient feeding of a concentrate-rich diet increases the severity of subacute ruminal acidosis in dairy cattle. <i>Journal of Animal Science</i> , <b>2016</b> , 94, 726-38	0.7	29
18	Substitution of common concentrates with by-products modulated ruminal fermentation, nutrient degradation, and microbial community composition in vitro. <i>Journal of Dairy Science</i> , <b>2015</b> , 98, 4762-71	4	14
17	Apparent recovery of C18 polyunsaturated fatty acids from feed in cow milk: a meta-analysis of the importance of dietary fatty acids and feeding regimens in diets without fat supplementation. <i>Journal of Dairy Science</i> , <b>2015</b> , 98, 6399-414	4	23
16	Fortification of dried distillers grains plus solubles with grape seed meal in the diet modulates methane mitigation and rumen microbiota in Rusitec. <i>Journal of Dairy Science</i> , <b>2015</b> , 98, 2611-26	4	21
15	Pomegranate seed pulp, pistachio hulls, and tomato pomace as replacement of wheat bran increased milk conjugated linoleic acid concentrations without adverse effects on ruminal fermentation and performance of Saanen dairy goats. <i>Animal Feed Science and Technology</i> , <b>2015</b> , 210, 46-55	3	24
14	Effects of black seed oil and <i>Ferula elaeochytris</i> supplementation on ruminal fermentation as tested in vitro with the rumen simulation technique (Rusitec). <i>Animal Production Science</i> , <b>2015</b> , 55, 736	1.4	15
13	Cattle's variation in rumen ecology and metabolism and its contributions to feed efficiency. <i>Livestock Science</i> , <b>2014</b> , 162, 66-75	1.7	33
12	Evaluation of various chemical and thermal feed processing methods for their potential to enhance resistant starch content in barley grain. <i>Starch/Staerke</i> , <b>2014</b> , 66, 558-565	2.3	25
11	Meta-analysis of the effects of essential oils and their bioactive compounds on rumen fermentation characteristics and feed efficiency in ruminants. <i>Journal of Animal Science</i> , <b>2013</b> , 91, 1819-30	0.7	78
10	A meta-analysis of effects of chemical composition of incubated diet and bioactive compounds on in vitro ruminal fermentation. <i>Animal Feed Science and Technology</i> , <b>2012</b> , 176, 61-69	3	23
9	Effects of species-diverse high-alpine forage on in vitro ruminal fermentation when used as donor cow's feed or directly incubated. <i>Animal</i> , <b>2012</b> , 6, 1764-73	3.1	6
8	Influence of alpine forage either employed as donor cow's feed or as incubation substrate on in vitro ruminal fatty acid biohydrogenation. <i>Livestock Science</i> , <b>2011</b> , 140, 80-87	1.7	21
7	Enrichment with n-3 fatty acid by tuna oil feeding of pigs: changes in composition and properties of bacon and different sausages as affected by the supplementation period. <i>Canadian Journal of Animal Science</i> , <b>2011</b> , 91, 87-95	0.9	3
6	Transfer of linoleic and linolenic acid from feed to milk in cows fed isoenergetic diets differing in proportion and origin of concentrates and roughages. <i>Journal of Dairy Research</i> , <b>2010</b> , 77, 331-6	1.6	29

5	Methods of emulsifying linoleic acid in biohydrogenation studies in vitro may bias the resulting fatty acid profiles. <i>Lipids</i> , <b>2010</b> , 45, 651-7	1.6	5
4	Evidence for the inhibition of the terminal step of ruminal alpha-linolenic acid biohydrogenation by condensed tannins. <i>Journal of Dairy Science</i> , <b>2009</b> , 92, 177-88	4	141
3	Early deposition of n-3 fatty acids from tuna oil in lean and adipose tissue of fattening pigs is mainly permanent. <i>Journal of Animal Science</i> , <b>2009</b> , 87, 693-703	0.7	14
2	Increasing the Slaughter Weight of Boars: Effects on Performance and Pork Quality. <i>Journal of Applied Animal Research</i> , <b>2006</b> , 30, 19-24	1.7	4
1	. <i>ScienceAsia</i> , <b>2006</b> , 32, 297	1.4	9