

Ming Jiang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8790139/publications.pdf>

Version: 2024-02-01

37
papers

5,318
citations

293460

24
h-index

406436

35
g-index

37
all docs

37
docs citations

37
times ranked

13802
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of autophagy aggravated 4-nitrophenol-induced oxidative stress and apoptosis in NHPRE1 human normal prostate epithelial progenitor cells. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 87, 88-94.	1.3	15
2	Advances in prostate cancer research models: From transgenic mice to tumor xenografting models. <i>Asian Journal of Urology</i> , 2016, 3, 64-74.	0.5	25
3	Androgen receptor differentially regulates the proliferation of prostatic epithelial cells <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2016, 7, 70404-70419.	0.8	10
4	Functions of Peroxisome Proliferator-Activated Receptor Gamma (PPAR γ) in Gynecologic Disorders. <i>Clinical Medicine Insights: Oncology</i> , 2015, 9, CMO.S23527.	0.6	6
5	Evaluation of public cancer datasets and signatures identifies TP53 mutant signatures with robust prognostic and predictive value. <i>BMC Cancer</i> , 2015, 15, 179.	1.1	15
6	TR4 nuclear receptor enhances prostate cancer initiation via altering the stem cell population and EMT signals in the PPARG-deleted prostate cells. <i>Oncoscience</i> , 2015, 2, 142-150.	0.9	12
7	Peroxisome proliferator-activated receptor gamma signaling in human sperm physiology. <i>Asian Journal of Andrology</i> , 2015, 17, 942.	0.8	36
8	ALCAM/CD166 Is a TGF- β Responsive Marker and Functional Regulator of Prostate Cancer Metastasis to Bone. <i>Cancer Research</i> , 2014, 74, 1404-1415.	0.4	69
9	Deficiency in Metabolic Regulators PPAR γ and PTEN Cooperates to Drive Keratinizing Squamous Metaplasia in Novel Models of Human Tissue Regeneration. <i>American Journal of Pathology</i> , 2013, 182, 449-459.	1.9	22
10	SPARCL1 suppresses metastasis in prostate cancer. <i>Molecular Oncology</i> , 2013, 7, 1019-1030.	2.1	32
11	Cathepsin D acts as an essential mediator to promote malignancy of benign prostatic epithelium. <i>Prostate</i> , 2013, 73, 476-488.	1.2	29
12	Glandular Stem Cells (GSCs): Stem Cells in Glandular Organs. , 2013, , 223-233.		0
13	Suppressor role of androgen receptor in proliferation of prostate basal epithelial and progenitor cells. <i>Journal of Endocrinology</i> , 2012, 213, 173-182.	1.2	39
14	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
15	The Stress Response Mediator ATF3 Represses Androgen Signaling by Binding the Androgen Receptor. <i>Molecular and Cellular Biology</i> , 2012, 32, 3190-3202.	1.1	38
16	PPAR γ : A molecular link between systemic metabolic disease and benign prostate hyperplasia. <i>Differentiation</i> , 2011, 82, 220-236.	1.0	41
17	Altered TGF- β Signaling in a Subpopulation of Human Stromal Cells Promotes Prostatic Carcinogenesis. <i>Cancer Research</i> , 2011, 71, 1272-1281.	0.4	158
18	Interplay between autophagy and metabolism in Ras mutation-induced tumorigenesis. <i>Asian Journal of Andrology</i> , 2011, 13, 610-611.	0.8	1

#	ARTICLE	IF	CITATIONS
19	Functional Remodeling of Benign Human Prostatic Tissues <i>In Vivo</i> by Spontaneously Immortalized Progenitor and Intermediate Cells. <i>Stem Cells</i> , 2010, 28, 344-356.	1.4	68
20	Autophagy in nuclear receptor PPAR β -deficient mouse prostatic carcinogenesis. <i>Autophagy</i> , 2010, 6, 175-176.	4.3	20
21	Spontaneous immortalization of human dermal microvascular endothelial cells. <i>World Journal of Stem Cells</i> , 2010, 2, 114.	1.3	8
22	Activation of β -Catenin in mouse prostate causes HGPIN and continuous prostate growth after castration. <i>Prostate</i> , 2009, 69, 249-262.	1.2	92
23	Methodologies in Assaying Prostate Cancer Stem Cells. <i>Methods in Molecular Biology</i> , 2009, 568, 85-138.	0.4	34
24	Oncogenic viral protein HPV E7 up-regulates the SIRT1 longevity protein in human cervical cancer cells. <i>Aging</i> , 2009, 1, 316-327.	1.4	50
25	JNK2-dependent regulation of SIRT1 protein stability. <i>Cell Cycle</i> , 2008, 7, 3091-3097.	1.3	114
26	Temporally controlled ablation of PTEN in adult mouse prostate epithelium generates a model of invasive prostatic adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 2521-2526.	3.3	86
27	Critical and Distinct Roles of p16 and Telomerase in Regulating the Proliferative Life Span of Normal Human Prostate Epithelial Progenitor Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 27957-27972.	1.6	32
28	Tissue-Specific Consequences of Cyclin D1 Overexpression in Prostate Cancer Progression. <i>Cancer Research</i> , 2007, 67, 8188-8197.	0.4	59
29	Selective Silencing of Viral Gene E6 and E7 Expression in HPV-Positive Human Cervical Carcinoma Cells Using Small Interfering RNAs. , 2005, 292, 401-420.		21
30	Forkhead box A1 regulates prostate ductal morphogenesis and promotes epithelial cell maturation. <i>Development (Cambridge)</i> , 2005, 132, 3431-3443.	1.2	157
31	Cancer-Specific Functions of SIRT1 Enable Human Epithelial Cancer Cell Growth and Survival. <i>Cancer Research</i> , 2005, 65, 10457-10463.	0.4	297
32	A bi-functional siRNA construct induces RNA interference and also primes PCR amplification for its own quantification. <i>Nucleic Acids Research</i> , 2005, 33, e151-e151.	6.5	18
33	Gel-Based Application of siRNA to Human Epithelial Cancer Cells Induces RNAi-Dependent Apoptosis. <i>Oligonucleotides</i> , 2004, 14, 239-248.	2.7	42
34	Approaches to understanding the importance and clinical implications of peroxisome proliferator-activated receptor gamma (PPAR γ) signaling in prostate cancer. <i>Journal of Cellular Biochemistry</i> , 2004, 91, 513-527.	1.2	27
35	Bcl-2 constitutively suppresses p53-dependent apoptosis in colorectal cancer cells. <i>Genes and Development</i> , 2003, 17, 832-837.	2.7	131
36	Selective silencing of viral gene expression in HPV-positive human cervical carcinoma cells treated with siRNA, a primer of RNA interference. <i>Oncogene</i> , 2002, 21, 6041-6048.	2.6	347

#	ARTICLE	IF	CITATIONS
37	p53 binds the nuclear matrix in normal cells: binding involves the proline-rich domain of p53 and increases following genotoxic stress. <i>Oncogene</i> , 2001, 20, 5449-5458.	2.6	45