

Kadri Suija

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8791434/publications.pdf>

Version: 2024-02-01

24
papers

431
citations

840776

11
h-index

752698

20
g-index

25
all docs

25
docs citations

25
times ranked

667
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in adipokine levels and metabolic profiles following bariatric surgery. <i>BMC Endocrine Disorders</i> , 2022, 22, 33.	2.2	12
2	A Natural History of Erectile Dysfunction in Elderly Men: A Population-Based, Twelve-Year Prospective Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2146.	2.4	4
3	Long-term mortality following SARS-CoV-2 infection: A national cohort study from Estonia. <i>Lancet Regional Health - Europe</i> , The, 2022, 18, 100394.	5.6	22
4	Elevated One-Hour Post-Load Glucose Is Independently Associated with Albuminuria: A Cross-Sectional Population Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 4124.	2.4	2
5	Reduction of cardiovascular risk factors among young men with hypertension using an interactive decision aid: cluster-randomized control trial. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 543.	1.7	4
6	The use of peer-teaching in general practice: advantages and lessons learned. <i>International Journal of Medical Education</i> , 2020, 11, 173-174.	1.2	0
7	Validation of the Zung self-rating depression scale (SDS) in older adults. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 353-357.	1.5	95
8	Food choices, physical activity and metabolic health in obese patients. <i>Papers on Anthropology</i> , 2019, 28, 9-20.	0.1	0
9	Patient Involvement in Geriatric Care – Results and Experiences from a Mixed Models Design Study within Project INTEGRATE. <i>International Journal of Integrated Care</i> , 2018, 18, 12.	0.2	11
10	How to Improve Integrated Care for People with Chronic Conditions: Key Findings from EU FP-7 Project INTEGRATE and Beyond. <i>International Journal of Integrated Care</i> , 2017, 17, 7.	0.2	47
11	The association between impaired glucose tolerance and soluble CD40 ligand: a 15-year prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 1243-1249.	2.9	6
12	The Role of General Practitioners in Cancer Care: A Mixed Method Design. <i>Journal of Cancer Education</i> , 2016, 31, 136-141.	1.3	17
13	Challenges of audit of care on clinical quality indicators for hypertension and type 2 diabetes across four European countries. <i>Family Practice</i> , 2015, 32, 69-74.	1.9	11
14	The association between erectile dysfunction, depressive symptoms and testosterone levels among middle-aged men. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 677-682.	2.3	14
15	The association between physical fitness and depressive symptoms among young adults: results of the Northern Finland 1966 birth cohort study. <i>BMC Public Health</i> , 2013, 13, 535.	2.9	46
16	Patients' experience with cancer care: A qualitative study in family practice. <i>European Journal of General Practice</i> , 2013, 19, 111-116.	2.0	11
17	Validation of the Whooley questions and the Beck Depression Inventory in older adults. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 259-264.	1.5	21
18	Palliative Home Care for Cancer Patients in Estonia. <i>Journal of Pain and Symptom Management</i> , 2012, 43, e4-e5.	1.2	0

#	ARTICLE	IF	CITATIONS
19	Factors associated with recurrent depression: a prospective study in family practice. <i>Family Practice</i> , 2011, 28, 22-28.	1.9	16
20	Physical activity of Estonian family doctors and their counselling for a healthy lifestyle: a cross-sectional study. <i>BMC Family Practice</i> , 2010, 11, 48.	2.9	35
21	Depression and musculoskeletal problems. <i>British Journal of General Practice</i> , 2009, 59, 51.1-51.	1.4	2
22	Patients with depressive disorder, their co-morbidity, visiting rate and disability in relation to self-evaluation of physical and mental health: a cross-sectional study in family practice. <i>BMC Family Practice</i> , 2009, 10, 38.	2.9	15
23	Physical activity of depressed patients and their motivation to exercise: Nordic Walking in family practice. <i>International Journal of Rehabilitation Research</i> , 2009, 32, 132-138.	1.3	39
24	Co-morbid condition as an important factor influencing depression treatment. <i>European Journal of General Practice</i> , 2008, 14, 136-137.	2.0	1