

Cory Hogaboam

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8792294/cory-hogaboam-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

308
papers

18,993
citations

74
h-index

123
g-index

330
ext. papers

21,289
ext. citations

6.1
avg, IF

6.35
L-index

#	Paper	IF	Citations
308	An official American Thoracic Society/European Respiratory Society statement: Update of the international multidisciplinary classification of the idiopathic interstitial pneumonias. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 188, 733-48	10.2	2176
307	The link between fungi and severe asthma: a summary of the evidence. <i>European Respiratory Journal</i> , 2006 , 27, 615-26	13.6	592
306	Murine models of pulmonary fibrosis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2008 , 294, L152-60	5.8	548
305	TLR3 is an endogenous sensor of tissue necrosis during acute inflammatory events. <i>Journal of Experimental Medicine</i> , 2008 , 205, 2609-21	16.6	357
304	CCR2-mediated recruitment of fibrocytes to the alveolar space after fibrotic injury. <i>American Journal of Pathology</i> , 2005 , 166, 675-84	5.8	356
303	Epigenetic regulation of the alternatively activated macrophage phenotype. <i>Blood</i> , 2009 , 114, 3244-54	2.2	338
302	TGF-beta driven lung fibrosis is macrophage dependent and blocked by Serum amyloid P. <i>International Journal of Biochemistry and Cell Biology</i> , 2011 , 43, 154-62	5.6	265
301	Animal models of fibrotic lung disease. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2013 , 49, 167-79	5.7	244
300	Pulmonary arterial remodeling induced by a Th2 immune response. <i>Journal of Experimental Medicine</i> , 2008 , 205, 361-72	16.6	199
299	IL-10 is a major mediator of sepsis-induced impairment in lung antibacterial host defense. <i>Journal of Immunology</i> , 1999 , 162, 392-9	5.3	192
298	Negative regulation of myofibroblast differentiation by PTEN (Phosphatase and Tensin Homolog Deleted on chromosome 10). <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 173, 112-21	10.2	175
297	Chronic airway hyperreactivity, goblet cell hyperplasia, and peribronchial fibrosis during allergic airway disease induced by <i>Aspergillus fumigatus</i> . <i>American Journal of Pathology</i> , 2000 , 156, 723-32	5.8	163
296	Future directions in idiopathic pulmonary fibrosis research. An NHLBI workshop report. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 214-22	10.2	159
295	Endogenous monocyte chemoattractant protein-1 (MCP-1) protects mice in a model of acute septic peritonitis: cross-talk between MCP-1 and leukotriene B4. <i>Journal of Immunology</i> , 1999 , 163, 6148-54	5.3	159
294	Protection from fluorescein isothiocyanate-induced fibrosis in IL-13-deficient, but not IL-4-deficient, mice results from impaired collagen synthesis by fibroblasts. <i>Journal of Immunology</i> , 2004 , 172, 4068-76	5.3	152
293	Infectious disease, the innate immune response, and fibrosis. <i>Journal of Clinical Investigation</i> , 2007 , 117, 530-8	15.9	152
292	PPAR-gamma agonists inhibit profibrotic phenotypes in human lung fibroblasts and bleomycin-induced pulmonary fibrosis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2008 , 294, L891-901	5.8	149

291	Serum amyloid P therapeutically attenuates murine bleomycin-induced pulmonary fibrosis via its effects on macrophages. <i>PLoS ONE</i> , 2010 , 5, e9683	3.7	148
290	Epigenetic regulation of dendritic cell-derived interleukin-12 facilitates immunosuppression after a severe innate immune response. <i>Blood</i> , 2008 , 111, 1797-804	2.2	136
289	Enhanced pulmonary allergic responses to <i>Aspergillus</i> in CCR2 ^{-/-} mice. <i>Journal of Immunology</i> , 2000 , 165, 2603-11	5.3	134
288	Bleomycin induces molecular changes directly relevant to idiopathic pulmonary fibrosis: a model for "active" disease. <i>PLoS ONE</i> , 2013 , 8, e59348	3.7	129
287	Prostaglandin E(2) inhibits collagen expression and proliferation in patient-derived normal lung fibroblasts via E prostanoind 2 receptor and cAMP signaling. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2007 , 292, L405-13	5.8	129
286	Respiratory syncytial virus predisposes mice to augmented allergic airway responses via IL-13-mediated mechanisms. <i>Journal of Immunology</i> , 2001 , 167, 1060-5	5.3	129
285	Therapeutic effect of IL-13 immunoneutralization during chronic experimental fungal asthma. <i>Journal of Immunology</i> , 2001 , 166, 5219-24	5.3	129
284	The chemokine RANTES is a crucial mediator of the progression from acute to chronic colitis in the rat. <i>Journal of Immunology</i> , 2001 , 166, 552-8	5.3	128
283	Therapeutic attenuation of pulmonary fibrosis via targeting of IL-4- and IL-13-responsive cells. <i>Journal of Immunology</i> , 2003 , 171, 2684-93	5.3	125
282	Airway hyperresponsiveness, but not airway remodeling, is attenuated during chronic pulmonary allergic responses to <i>Aspergillus</i> in CCR4 ^{-/-} mice. <i>FASEB Journal</i> , 2002 , 16, 1313-5	0.9	124
281	Cytokine induced phenotypic and epigenetic signatures are key to establishing specific macrophage phenotypes. <i>PLoS ONE</i> , 2013 , 8, e78045	3.7	120
280	Amelioration of sepsis by inhibiting sialidase-mediated disruption of the CD24-SiglecG interaction. <i>Nature Biotechnology</i> , 2011 , 29, 428-35	44.5	118
279	Epigenetic changes in bone marrow progenitor cells influence the inflammatory phenotype and alter wound healing in type 2 diabetes. <i>Diabetes</i> , 2015 , 64, 1420-30	0.9	117
278	Exaggerated hepatic injury due to acetaminophen challenge in mice lacking C-C chemokine receptor 2. <i>American Journal of Pathology</i> , 2000 , 156, 1245-52	5.8	116
277	Interleukin 10 gene transfer prevents experimental colitis in rats. <i>Gut</i> , 2000 , 46, 344-9	19.2	115
276	Hyper-responsiveness of IPF/UIP fibroblasts: interplay between TGFbeta1, IL-13 and CCL2. <i>International Journal of Biochemistry and Cell Biology</i> , 2008 , 40, 2174-82	5.6	114
275	TLR9 differentiates rapidly from slowly progressing forms of idiopathic pulmonary fibrosis. <i>Science Translational Medicine</i> , 2010 , 2, 57ra82	17.5	112
274	The Toll-like receptor 3 L412F polymorphism and disease progression in idiopathic pulmonary fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 188, 1442-50	10.2	110

273	MMP mediated degradation of type IV collagen alpha 1 and alpha 3 chains reflects basement membrane remodeling in experimental and clinical fibrosis--validation of two novel biomarker assays. <i>PLoS ONE</i> , 2013 , 8, e84934	3.7	110
272	Reversal of long-term sepsis-induced immunosuppression by dendritic cells. <i>Blood</i> , 2005 , 105, 3588-95	2.2	110
271	Airway remodeling is absent in CCR1 ^{-/-} mice during chronic fungal allergic airway disease. <i>Journal of Immunology</i> , 2000 , 165, 1564-72	5.3	110
270	Prostaglandin E(2) induces fibroblast apoptosis by modulating multiple survival pathways. <i>FASEB Journal</i> , 2009 , 23, 4317-26	0.9	109
269	MIP-1alpha[CCL3] acting on the CCR1 receptor mediates neutrophil migration in immune inflammation via sequential release of TNF-alpha and LTB4. <i>Journal of Leukocyte Biology</i> , 2005 , 78, 167-77	6.5	108
268	Expression and contribution of endogenous IL-13 in an experimental model of sepsis. <i>Journal of Immunology</i> , 2000 , 164, 2738-44	5.3	107
267	Hypermethylation of PTGER2 confers prostaglandin E2 resistance in fibrotic fibroblasts from humans and mice. <i>American Journal of Pathology</i> , 2010 , 177, 2245-55	5.8	104
266	The antifibrotic effects of plasminogen activation occur via prostaglandin E2 synthesis in humans and mice. <i>Journal of Clinical Investigation</i> , 2010 , 120, 1950-60	15.9	104
265	Novel roles for chemokines and fibroblasts in interstitial fibrosis. <i>Kidney International</i> , 1998 , 54, 2152-9	9.9	103
264	Novel CXCR2-dependent liver regenerative qualities of ELR-containing CXC chemokines. <i>FASEB Journal</i> , 1999 , 13, 1565-74	0.9	102
263	A micro RNA processing defect in rapidly progressing idiopathic pulmonary fibrosis. <i>PLoS ONE</i> , 2011 , 6, e21253	3.7	102
262	Macrophages in allergic asthma: fine-tuning their pro- and anti-inflammatory actions for disease resolution. <i>Journal of Interferon and Cytokine Research</i> , 2011 , 31, 485-91	3.5	101
261	Effect of C-C chemokine receptor 2 (CCR2) knockout on type-2 (schistosomal antigen-elicited) pulmonary granuloma formation: analysis of cellular recruitment and cytokine responses. <i>American Journal of Pathology</i> , 1999 , 154, 1407-16	5.8	100
260	Prostaglandins inhibit inflammatory mediator release from rat mast cells. <i>Gastroenterology</i> , 1993 , 104, 122-9	13.3	99
259	Therapeutic effects of interleukin-4 gene transfer in experimental inflammatory bowel disease. <i>Journal of Clinical Investigation</i> , 1997 , 100, 2766-76	15.9	97
258	The chronic consequences of severe sepsis. <i>Journal of Leukocyte Biology</i> , 2004 , 75, 408-12	6.5	96
257	Stat6-deficient mice develop airway hyperresponsiveness and peribronchial fibrosis during chronic fungal asthma. <i>American Journal of Pathology</i> , 2002 , 160, 481-90	5.8	96
256	Differential monocyte chemoattractant protein-1 and chemokine receptor 2 expression by murine lung fibroblasts derived from Th1- and Th2-type pulmonary granuloma models. <i>Journal of Immunology</i> , 1999 , 163, 2193-201	5.3	96

255	Tapeworm infection reduces epithelial ion transport abnormalities in murine dextran sulfate sodium-induced colitis. <i>Infection and Immunity</i> , 2001 , 69, 4417-23	3.7	95
254	TLR9 regulates the mycobacteria-elicited pulmonary granulomatous immune response in mice through DC-derived Notch ligand delta-like 4. <i>Journal of Clinical Investigation</i> , 2009 , 119, 33-46	15.9	93
253	Targeting interleukin-13 with tralokinumab attenuates lung fibrosis and epithelial damage in a humanized SCID idiopathic pulmonary fibrosis model. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2014 , 50, 985-94	5.7	92
252	The post sepsis-induced expansion and enhanced function of regulatory T cells create an environment to potentiate tumor growth. <i>Blood</i> , 2010 , 115, 4403-11	2.2	92
251	Pivotal role of signal transducer and activator of transcription (Stat)4 and Stat6 in the innate immune response during sepsis. <i>Journal of Experimental Medicine</i> , 2001 , 193, 679-88	16.6	92
250	Serum amyloid P attenuates M2 macrophage activation and protects against fungal spore-induced allergic airway disease. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 126, 712-721.e7	11.5	91
249	Pivotal role of the CC chemokine, macrophage-derived chemokine, in the innate immune response. <i>Journal of Immunology</i> , 2000 , 164, 5362-8	5.3	91
248	Targeted deletion of CCR2 impairs deep vein thrombosis resolution in a mouse model. <i>Journal of Immunology</i> , 2006 , 177, 3388-97	5.3	90
247	Microbes Are Associated with Host Innate Immune Response in Idiopathic Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 208-219	10.2	89
246	Therapeutic targeting of IL-4- and IL-13-responsive cells in pulmonary fibrosis. <i>Immunologic Research</i> , 2004 , 30, 339-49	4.3	88
245	Chemokines and asthma: redundancy of function or a coordinated effort?. <i>Journal of Clinical Investigation</i> , 1999 , 104, 995-9	15.9	88
244	Interleukin-33 contributes to both M1 and M2 chemokine marker expression in human macrophages. <i>BMC Immunology</i> , 2010 , 11, 52	3.7	86
243	Assessment of Brd4 inhibition in idiopathic pulmonary fibrosis lung fibroblasts and in vivo models of lung fibrosis. <i>American Journal of Pathology</i> , 2013 , 183, 470-9	5.8	85
242	Chemokines provide the sustained inflammatory bridge between innate and acquired immunity. <i>Cytokine and Growth Factor Reviews</i> , 2005 , 16, 553-60	17.9	83
241	Negative regulation of lung inflammation and immunopathology by TNF- α during acute influenza infection. <i>American Journal of Pathology</i> , 2011 , 179, 2963-76	5.8	81
240	STAT3-mediated signaling dysregulates lung fibroblast-myofibroblast activation and differentiation in UIP/IPF. <i>American Journal of Pathology</i> , 2012 , 180, 1398-412	5.8	79
239	A critical role for CCR2/MCP-1 interactions in the development of idiopathic pneumonia syndrome after allogeneic bone marrow transplantation. <i>Blood</i> , 2004 , 103, 2417-26	2.2	78
238	Interleukin-17-mediated immunopathogenesis in experimental hypersensitivity pneumonitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009 , 179, 705-16	10.2	76

237	CCR5 deficiency drives enhanced natural killer cell trafficking to and activation within the liver in murine T cell-mediated hepatitis. <i>American Journal of Pathology</i> , 2007 , 170, 1975-88	5.8	76
236	A novel mechanism for CCR4 in the regulation of macrophage activation in bleomycin-induced pulmonary fibrosis. <i>American Journal of Pathology</i> , 2008 , 172, 1209-21	5.8	74
235	Immunomodulatory role of CXCR2 during experimental septic peritonitis. <i>Journal of Immunology</i> , 2003 , 171, 3775-84	5.3	74
234	IL-13 is pivotal in the fibro-obliterative process of bronchiolitis obliterans syndrome. <i>Journal of Immunology</i> , 2007 , 178, 511-9	5.3	73
233	CCL3/MIP-1alpha is pro-inflammatory in murine T cell-mediated hepatitis by recruiting CCR1-expressing CD4(+) T cells to the liver. <i>European Journal of Immunology</i> , 2004 , 34, 2907-18	6.1	73
232	Type 1/type 2 cytokine paradigm and the progression of pulmonary fibrosis. <i>Chest</i> , 2001 , 120, 5S-8S	5.3	73
231	Curcumin inhibits fibrosis-related effects in IPF fibroblasts and in mice following bleomycin-induced lung injury. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2010 , 298, L616-25	5.8	72
230	IFN-gamma-inducible protein-10 (CXCL10) is hepatoprotective during acute liver injury through the induction of CXCR2 on hepatocytes. <i>Journal of Immunology</i> , 2001 , 167, 7077-83	5.3	71
229	Multiple roles for IL-12 in a model of acute septic peritonitis. <i>Journal of Immunology</i> , 1999 , 162, 5437-43	5.3	71
228	Lack of chemokine receptor CCR5 promotes murine fulminant liver failure by preventing the apoptosis of activated CD1d-restricted NKT cells. <i>Journal of Immunology</i> , 2005 , 174, 8027-37	5.3	69
227	Serological investigation of the collagen degradation profile of patients with chronic obstructive pulmonary disease or idiopathic pulmonary fibrosis. <i>Biomarker Insights</i> , 2012 , 7, 119-26	3.5	68
226	Endogenous MCP-1 influences systemic cytokine balance in a murine model of acute septic peritonitis. <i>Experimental and Molecular Pathology</i> , 2000 , 68, 77-84	4.4	68
225	CXCR2 is necessary for the development and persistence of chronic fungal asthma in mice. <i>Journal of Immunology</i> , 2002 , 168, 1447-56	5.3	67
224	Potential of tumor necrosis factor-alpha-mediated cytotoxicity of mast cells by their production of nitric oxide. <i>Journal of Immunology</i> , 1991 , 147, 3060-5	5.3	67
223	Quercetin Enhances Ligand-induced Apoptosis in Senescent Idiopathic Pulmonary Fibrosis Fibroblasts and Reduces Lung Fibrosis In Vivo. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2019 , 60, 28-40	5.7	65
222	Notch signaling mediates TGF- β -induced epithelial-mesenchymal transition through the induction of Snai1. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 776-89	5.6	65
221	Toll-like receptor 9 regulates the lung macrophage phenotype and host immunity in murine pneumonia caused by Legionella pneumophila. <i>Infection and Immunity</i> , 2008 , 76, 2895-904	3.7	64
220	Variable prostaglandin E2 resistance in fibroblasts from patients with usual interstitial pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 177, 66-74	10.2	63

219	Therapeutic targeting of CC ligand 21 or CC chemokine receptor 7 abrogates pulmonary fibrosis induced by the adoptive transfer of human pulmonary fibroblasts to immunodeficient mice. <i>American Journal of Pathology</i> , 2007 , 170, 1152-64	5.8	63
218	Septic mice are susceptible to pulmonary aspergillosis. <i>American Journal of Pathology</i> , 2003 , 163, 2605-17	5.8	63
217	The selective beneficial effects of nitric oxide inhibition in experimental colitis. <i>American Journal of Physiology - Renal Physiology</i> , 1995 , 268, G673-84	5.1	63
216	Modulation of rat mast cell reactivity by IL-1 beta. Divergent effects on nitric oxide and platelet-activating factor release. <i>Journal of Immunology</i> , 1993 , 151, 3767-74	5.3	63
215	Innate Immunity of the Lung: From Basic Mechanisms to Translational Medicine. <i>Journal of Innate Immunity</i> , 2018 , 10, 487-501	6.9	62
214	ATLa, an aspirin-triggered lipoxin A4 synthetic analog, prevents the inflammatory and fibrotic effects of bleomycin-induced pulmonary fibrosis. <i>Journal of Immunology</i> , 2009 , 182, 5374-81	5.3	62
213	Cell-to-cell and cell-to-matrix interactions mediate chemokine expression: an important component of the inflammatory lesion. <i>Journal of Leukocyte Biology</i> , 1997 , 62, 612-9	6.5	62
212	Antifungal and airway remodeling roles for murine monocyte chemoattractant protein-1/CCL2 during pulmonary exposure to <i>Aspergillus fumigatus</i> conidia. <i>Journal of Immunology</i> , 2001 , 166, 1832-42	5.3	62
211	The critical role of Notch ligand Delta-like 1 in the pathogenesis of influenza A virus (H1N1) infection. <i>PLoS Pathogens</i> , 2011 , 7, e1002341	7.6	61
210	The protective role of TLR6 in a mouse model of asthma is mediated by IL-23 and IL-17A. <i>Journal of Clinical Investigation</i> , 2011 , 121, 4420-32	15.9	61
209	Deleterious role of TLR3 during hyperoxia-induced acute lung injury. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 178, 1227-37	10.2	60
208	The role of chemokines in the immunopathology of the liver. <i>Immunological Reviews</i> , 2000 , 177, 8-20	11.3	60
207	Stem cell factor restores hepatocyte proliferation in IL-6 knockout mice following 70% hepatectomy. <i>Journal of Clinical Investigation</i> , 2003 , 112, 1407-18	15.9	60
206	Toll-like receptor 9 modulates immune responses to <i>Aspergillus fumigatus</i> conidia in immunodeficient and allergic mice. <i>Infection and Immunity</i> , 2009 , 77, 108-19	3.7	59
205	Stem cell factor induces eosinophil activation and degranulation: mediator release and gene array analysis. <i>Blood</i> , 2002 , 100, 4291-7	2.2	59
204	Idiopathic pulmonary fibrosis fibroblasts migrate and proliferate to CC chemokine ligand 21. <i>European Respiratory Journal</i> , 2007 , 29, 1082-93	13.6	58
203	Inhibition of SCF attenuates peribronchial remodeling in chronic cockroach allergen-induced asthma. <i>Laboratory Investigation</i> , 2006 , 86, 557-65	5.9	57
202	C-C chemokine ligand 2/monocyte chemoattractant protein-1 directly inhibits NKT cell IL-4 production and is hepatoprotective in T cell-mediated hepatitis in the mouse. <i>Journal of Immunology</i> , 2003 , 170, 5252-9	5.3	57

201	CCR1 and CC chemokine ligand 5 interactions exacerbate innate immune responses during sepsis. <i>Journal of Immunology</i> , 2004 , 173, 6938-48	5.3	57
200	Human pulmonary fibroblasts exhibit altered interleukin-4 and interleukin-13 receptor subunit expression in idiopathic interstitial pneumonia. <i>American Journal of Pathology</i> , 2004 , 164, 1989-2001	5.8	57
199	Immunomodulatory role of C10 chemokine in a murine model of allergic bronchopulmonary aspergillosis. <i>Journal of Immunology</i> , 1999 , 162, 6071-9	5.3	54
198	Respiratory viral infections drive chemokine expression and exacerbate the asthmatic response. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 118, 295-302; quiz 303-4	11.5	53
197	Mitogenic properties of endogenous and pharmacological doses of macrophage inflammatory protein-2 after 70% hepatectomy in the mouse. <i>American Journal of Pathology</i> , 2003 , 163, 563-70	5.8	52
196	The role of CC chemokine receptor 5 (CCR5) and RANTES/CCL5 during chronic fungal asthma in mice. <i>FASEB Journal</i> , 2002 , 16, 228-30	0.9	52
195	Macrophage inflammatory protein-2 gene therapy attenuates adenovirus- and acetaminophen-mediated hepatic injury. <i>Gene Therapy</i> , 1999 , 6, 573-84	4	51
194	Role of CCR4 ligands, CCL17 and CCL22, during <i>Schistosoma mansoni</i> egg-induced pulmonary granuloma formation in mice. <i>American Journal of Pathology</i> , 2004 , 165, 1211-21	5.8	50
193	Stem cell factor-induced airway hyperreactivity in allergic and normal mice. <i>American Journal of Pathology</i> , 1999 , 154, 1259-65	5.8	50
192	Heterogeneity in fibroblast proliferation and survival in idiopathic pulmonary fibrosis. <i>Frontiers in Pharmacology</i> , 2014 , 5, 2	5.6	49
191	TLR9 is expressed in idiopathic interstitial pneumonia and its activation promotes in vitro myofibroblast differentiation. <i>Histochemistry and Cell Biology</i> , 2008 , 130, 979-92	2.4	49
190	Severe sepsis exacerbates cell-mediated immunity in the lung due to an altered dendritic cell cytokine profile. <i>American Journal of Pathology</i> , 2006 , 168, 1940-50	5.8	49
189	Chemokines in the pathogenesis of liver disease: so many players with poorly defined roles. <i>Clinical Science</i> , 2003 , 104, 47	6.5	49
188	Integrated phosphoproteomic and metabolomic profiling reveals NPM-ALK-mediated phosphorylation of PKM2 and metabolic reprogramming in anaplastic large cell lymphoma. <i>Blood</i> , 2013 , 122, 958-68	2.2	48
187	Toll-like receptor 9 signaling is critical for early experimental deep vein thrombosis resolution. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 43-9	9.4	48
186	Dendritic cells at the interface of innate and acquired immunity: the role for epigenetic changes. <i>Journal of Leukocyte Biology</i> , 2008 , 83, 439-46	6.5	48
185	IL-13 fusion cytotoxin ameliorates chronic fungal-induced allergic airway disease in mice. <i>Journal of Immunology</i> , 2001 , 167, 6583-92	5.3	48
184	Expansion of commensal fungus <i>Wallemia mellicola</i> in the gastrointestinal mycobiota enhances the severity of allergic airway disease in mice. <i>PLoS Pathogens</i> , 2018 , 14, e1007260	7.6	48

183	Role of interleukin-13 in cancer, pulmonary fibrosis, and other T(H)2-type diseases. <i>Vitamins and Hormones</i> , 2006 , 74, 479-504	2.5	47
182	<i>Aspergillus</i> and asthma--any link?. <i>Medical Mycology</i> , 2005 , 43 Suppl 1, S197-202	3.9	47
181	Mannose-binding lectin deficiency alters the development of fungal asthma: effects on airway response, inflammation, and cytokine profile. <i>Journal of Leukocyte Biology</i> , 2004 , 75, 805-14	6.5	47
180	Single-Cell Reconstruction of Human Basal Cell Diversity in Normal and Idiopathic Pulmonary Fibrosis Lungs. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 1540-1550	10.2	47
179	T regulatory cells and attenuated bleomycin-induced fibrosis in lungs of CCR7 ^{-/-} mice. <i>Fibrogenesis and Tissue Repair</i> , 2010 , 3, 18		46
178	Reactive nitrogen species augment fibroblast-mediated collagen gel contraction, mediator production, and chemotaxis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2006 , 34, 592-9	5.7	46
177	Danger-associated molecular patterns and danger signals in idiopathic pulmonary fibrosis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2014 , 51, 163-8	5.7	45
176	Heterogeneity of Fibroblasts and Myofibroblasts in Pulmonary Fibrosis. <i>Current Pathobiology Reports</i> , 2017 , 5, 101-110	2	45
175	Measurement of MMP-9 and -12 degraded elastin (ELM) provides unique information on lung tissue degradation. <i>BMC Pulmonary Medicine</i> , 2012 , 12, 34	3.5	44
174	Collagen deposition in a non-fibrotic lung granuloma model after nitric oxide inhibition. <i>American Journal of Pathology</i> , 1998 , 153, 1861-72	5.8	44
173	Chemokines and innate immunity. <i>Reviews in Immunogenetics</i> , 2000 , 2, 339-58		44
172	CCR4 is a key modulator of innate immune responses. <i>Journal of Immunology</i> , 2006 , 177, 7531-9	5.3	43
171	The chemokine CCL6 promotes innate immunity via immune cell activation and recruitment. <i>Journal of Immunology</i> , 2007 , 179, 5474-82	5.3	43
170	Targeting of TAM Receptors Ameliorates Fibrotic Mechanisms in Idiopathic Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 1443-1456	10.2	42
169	Monocyte chemoattractant protein-1 synthesis by murine lung fibroblasts modulates CD4 ⁺ T cell activation. <i>Journal of Immunology</i> , 1998 , 160, 4606-14	5.3	42
168	Marked improvement of severe lung immunopathology by influenza-associated pneumococcal superinfection requires the control of both bacterial replication and host immune responses. <i>American Journal of Pathology</i> , 2013 , 183, 868-80	5.8	41
167	Role of M-CSF-dependent macrophages in colitis is driven by the nature of the inflammatory stimulus. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 294, G770-7	5.1	41
166	Impact of interleukin-13 responsiveness on the synthetic and proliferative properties of Th1- and Th2-type pulmonary granuloma fibroblasts. <i>American Journal of Pathology</i> , 2003 , 162, 1475-86	5.8	41

165	Chemokine C10 promotes disease resolution and survival in an experimental model of bacterial sepsis. <i>Infection and Immunity</i> , 2000 , 68, 6108-14	3.7	41
164	Mitochondrial dysfunction contributes to the senescent phenotype of IPF lung fibroblasts. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5847-5861	5.6	41
163	A systemic granulomatous response to <i>Schistosoma mansoni</i> eggs alters responsiveness of bone-marrow-derived macrophages to Toll-like receptor agonists. <i>Journal of Leukocyte Biology</i> , 2008 , 83, 314-24	6.5	40
162	Toll-like receptors, Notch ligands, and cytokines drive the chronicity of lung inflammation. <i>Proceedings of the American Thoracic Society</i> , 2007 , 4, 635-41		40
161	Obligatory role for interleukin-13 in obstructive lesion development in airway allografts. <i>American Journal of Pathology</i> , 2006 , 169, 47-60	5.8	40
160	Augmented pulmonary IL-4 and IL-13 receptor subunit expression in idiopathic interstitial pneumonia. <i>Journal of Clinical Pathology</i> , 2004 , 57, 477-86	3.9	40
159	Macrophage/fibroblast coculture induces macrophage inflammatory protein-1alpha production mediated by intercellular adhesion molecule-1 and oxygen radicals. <i>Journal of Leukocyte Biology</i> , 1998 , 64, 636-41	6.5	40
158	Mast cells produce ENA-78, which can function as a potent neutrophil chemoattractant during allergic airway inflammation. <i>Journal of Leukocyte Biology</i> , 1998 , 63, 746-51	6.5	40
157	Axl receptor blockade ameliorates pulmonary pathology resulting from primary viral infection and viral exacerbation of asthma. <i>Journal of Immunology</i> , 2014 , 192, 3569-81	5.3	39
156	TLR9 activation is a key event for the maintenance of a mycobacterial antigen-elicited pulmonary granulomatous response. <i>European Journal of Immunology</i> , 2007 , 37, 2847-55	6.1	38
155	Enhanced monocyte chemoattractant protein-3/CC chemokine ligand-7 in usual interstitial pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004 , 170, 508-15	10.2	36
154	IL-18 modulates chronic fungal asthma in a murine model; putative involvement of Toll-like receptor-2. <i>Inflammation Research</i> , 2001 , 50, 552-60	7.2	36
153	PD-L1 on invasive fibroblasts drives fibrosis in a humanized model of idiopathic pulmonary fibrosis. <i>JCI Insight</i> , 2019 , 4,	9.9	36
152	Alteration of the cytokine phenotype in an experimental lung granuloma model by inhibiting nitric oxide. <i>Journal of Immunology</i> , 1997 , 159, 5585-93	5.3	36
151	Statins inhibit matrix metalloproteinase release from human lung fibroblasts. <i>European Respiratory Journal</i> , 2010 , 35, 637-46	13.6	35
150	Chemokine receptors in asthma: searching for the correct immune targets. <i>Journal of Immunology</i> , 2003 , 171, 11-5	5.3	35
149	Chemokines in the pathogenesis of liver disease: so many players with poorly defined roles. <i>Clinical Science</i> , 2003 , 104, 47-63	6.5	35
148	Activation of T lymphocytes by syngeneic murine intestinal smooth muscle cells. <i>Gastroenterology</i> , 1996 , 110, 1456-66	13.3	35

147	Antifibrotic role of vascular endothelial growth factor in pulmonary fibrosis. <i>JCI Insight</i> , 2017 , 2,	9.9	34
146	Deficient repair response of IPF fibroblasts in a co-culture model of epithelial injury and repair. <i>Fibrogenesis and Tissue Repair</i> , 2014 , 7, 7		34
145	STAT4 signal pathways regulate inflammation and airway physiology changes in allergic airway inflammation locally via alteration of chemokines. <i>Journal of Immunology</i> , 2003 , 170, 3859-65	5.3	34
144	Therapeutic effects of nitric oxide inhibition during experimental fecal peritonitis: role of interleukin-10 and monocyte chemoattractant protein 1. <i>Infection and Immunity</i> , 1998 , 66, 650-5	3.7	34
143	Conversion of the LIMA1 tumour suppressor into an oncogenic LMO-like protein by API2-MALT1 in MALT lymphoma. <i>Nature Communications</i> , 2015 , 6, 5908	17.4	33
142	Role of macrophage chemoattractant protein-1 in acute inflammation after lung contusion. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2012 , 46, 797-806	5.7	33
141	Inhibition of platelet aggregation by capsaicin. An effect unrelated to actions on sensory afferent neurons. <i>European Journal of Pharmacology</i> , 1991 , 202, 129-31	5.3	33
140	Triggering receptor expressed on myeloid cells-1 (TREM-1) modulates immune responses to <i>Aspergillus fumigatus</i> during fungal asthma in mice. <i>Immunological Investigations</i> , 2011 , 40, 692-722	2.9	31
139	Toll like receptor 3 plays a critical role in the progression and severity of acetaminophen-induced hepatotoxicity. <i>PLoS ONE</i> , 2013 , 8, e65899	3.7	31
138	Repeated exposure to <i>Aspergillus fumigatus</i> conidia results in CD4+ T cell-dependent and -independent pulmonary arterial remodeling in a mixed Th1/Th2/Th17 microenvironment that requires interleukin-4 (IL-4) and IL-10. <i>Infection and Immunity</i> , 2012 , 80, 388-97	3.7	30
137	Contrasting roles for CXCR2 during experimental colitis. <i>Experimental and Molecular Pathology</i> , 2004 , 76, 1-8	4.4	30
136	Chemokines and cytokines: axis and allies in asthma and allergy. <i>Cytokine and Growth Factor Reviews</i> , 2003 , 14, 503-10	17.9	30
135	Capsaicin effects on non-neuronal plasma membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1991 , 1070, 43-50	3.8	30
134	miR-323a-3p regulates lung fibrosis by targeting multiple profibrotic pathways. <i>JCI Insight</i> , 2016 , 1, e90304	3.9	30
133	Targeting ST2L potentiates CpG-mediated therapeutic effects in a chronic fungal asthma model. <i>American Journal of Pathology</i> , 2011 , 179, 104-15	5.8	29
132	TLR9-induced interferon β s associated with protection from gammaherpesvirus-induced exacerbation of lung fibrosis. <i>Fibrogenesis and Tissue Repair</i> , 2011 , 4, 18		29
131	Airway delivery of soluble mycobacterial antigens restores protective mucosal immunity by single intramuscular plasmid DNA tuberculosis vaccination: role of proinflammatory signals in the lung. <i>Journal of Immunology</i> , 2008 , 181, 5618-26	5.3	29
130	Intrapulmonary targeting of RANTES/CCL5-responsive cells prevents chronic fungal asthma. <i>European Journal of Immunology</i> , 2003 , 33, 3080-90	6.1	29

129	Stem cell factor attenuates liver damage in a murine model of acetaminophen-induced hepatic injury. <i>Laboratory Investigation</i> , 2003 , 83, 199-206	5.9	29
128	CD154-CD40 interactions drive hepatocyte apoptosis in murine fulminant hepatitis. <i>Hepatology</i> , 2005 , 42, 372-80	11.2	29
127	IL-13 immunotoxin accelerates resolution of lung pathological changes triggered by silica particles in mice. <i>Journal of Immunology</i> , 2013 , 191, 5220-9	5.3	28
126	Focal interstitial CC chemokine receptor 7 (CCR7) expression in idiopathic interstitial pneumonia. <i>Journal of Clinical Pathology</i> , 2006 , 59, 28-39	3.9	28
125	The therapeutic potential in targeting CCR5 and CXCR4 receptors in infectious and allergic pulmonary disease 2005 , 107, 314-28		27
124	Syndecan-1 Controls Lung Tumorigenesis by Regulating miRNAs Packaged in Exosomes. <i>American Journal of Pathology</i> , 2018 , 188, 1094-1103	5.8	26
123	Chemokines in allergic aspergillosis--from animal models to human lung diseases. <i>Inflammation and Allergy: Drug Targets</i> , 2006 , 5, 219-28		26
122	An orally active non-selective endothelin receptor antagonist, bosentan, markedly reduces injury in a rat model of colitis. <i>European Journal of Pharmacology</i> , 1996 , 309, 261-9	5.3	26
121	Anti-fibrotic Effects of CXCR4-Targeting i-body AD-114 in Preclinical Models of Pulmonary Fibrosis. <i>Scientific Reports</i> , 2018 , 8, 3212	4.9	25
120	Inefficient lymph node sensitization during respiratory viral infection promotes IL-17-mediated lung pathology. <i>Journal of Immunology</i> , 2010 , 185, 4137-47	5.3	25
119	Novel protective effects of stem cell factor in a murine model of acute septic peritonitis. Dependence on MCP-1. <i>American Journal of Pathology</i> , 2000 , 157, 1177-86	5.8	25
118	Neonatal monocytes exhibit a unique histone modification landscape. <i>Clinical Epigenetics</i> , 2016 , 8, 99	7.7	24
117	CC chemokine receptor 4 modulates Toll-like receptor 9-mediated innate immunity and signaling. <i>European Journal of Immunology</i> , 2008 , 38, 2290-302	6.1	24
116	III. Chemokines and other mediators, 8. Chemokines and their receptors in cell-mediated immune responses in the lung. <i>Microscopy Research and Technique</i> , 2001 , 53, 298-306	2.8	24
115	Syndecan-1 promotes lung fibrosis by regulating epithelial reprogramming through extracellular vesicles. <i>JCI Insight</i> , 2019 , 5,	9.9	24
114	Intact Toll-like receptor 9 signaling in neutrophils modulates normal thrombogenesis in mice. <i>Journal of Vascular Surgery</i> , 2016 , 64, 1450-1458.e1	3.5	23
113	Role of Th1/Th17 balance regulated by T-bet in a mouse model of Mycobacterium avium complex disease. <i>Journal of Immunology</i> , 2014 , 192, 1707-17	5.3	23
112	Toll-like receptor 6 drives interleukin-17A expression during experimental hypersensitivity pneumonitis. <i>Immunology</i> , 2010 , 130, 125-36	7.8	23

111	Plasmin overcomes resistance to prostaglandin E2 in fibrotic lung fibroblasts by reorganizing protein kinase A signaling. <i>Journal of Biological Chemistry</i> , 2011 , 286, 32231-43	5.4	23
110	CCR7 deficiency on dendritic cells enhances fungal clearance in a murine model of pulmonary invasive aspergillosis. <i>Journal of Immunology</i> , 2009 , 183, 5171-9	5.3	23
109	Prostacyclin analogs inhibit fibroblast contraction of collagen gels through the cAMP-PKA pathway. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2007 , 37, 113-20	5.7	23
108	Cytokines and chemokines in allergic bronchopulmonary aspergillosis (ABPA) and experimental Aspergillus-induced allergic airway or asthmatic disease. <i>Frontiers in Bioscience - Landmark</i> , 2003 , 8, e147-56	2.8	23
107	Eotaxin/CCL11 is involved in acute, but not chronic, allergic airway responses to Aspergillus fumigatus. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2002 , 283, L198-204	5.8	23
106	Alterations in cytokine/chemokine expression during organ-to-organ communication established via acetaminophen-induced toxicity. <i>Experimental and Molecular Pathology</i> , 2003 , 75, 187-93	4.4	23
105	SCF-induced airway hyperreactivity is dependent on leukotriene production. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2001 , 280, L1242-9	5.8	23
104	Platelet-activating factor synthesis by peritoneal mast cells and its inhibition by two quinoline-based compounds. <i>British Journal of Pharmacology</i> , 1992 , 105, 87-92	8.6	23
103	Superantigen immune stimulation evokes epithelial monocyte chemoattractant protein 1 and RANTES production. <i>Infection and Immunity</i> , 1999 , 67, 6198-202	3.7	23
102	Epigenetic mechanisms through which Toll-like receptor-9 drives idiopathic pulmonary fibrosis progression. <i>Proceedings of the American Thoracic Society</i> , 2012 , 9, 172-6		22
101	Absence of CC chemokine receptor 8 enhances innate immunity during septic peritonitis. <i>FASEB Journal</i> , 2006 , 20, 302-4	0.9	22
100	The role of CCL3/macrophage inflammatory protein-1alpha in experimental colitis. <i>European Journal of Pharmacology</i> , 2004 , 497, 343-9	5.3	22
99	Chemokines and their role in airway hyper-reactivity. <i>Respiratory Research</i> , 2000 , 1, 54-61	7.3	22
98	Divergent effects of Tlr9 deletion in experimental late venous thrombosis resolution and vein wall injury. <i>Thrombosis and Haemostasis</i> , 2015 , 114, 1028-37	7	21
97	Inhibition of lung metastasis by chemokine CCL17-mediated in vivo silencing of genes in CCR4+ Tregs. <i>Journal of Immunotherapy</i> , 2013 , 36, 258-67	5	21
96	Toll-like receptor 9 activation is a key mechanism for the maintenance of chronic lung inflammation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009 , 180, 1227-38	10.2	21
95	Cytokine modulation of T-lymphocyte activation by intestinal smooth muscle cells. <i>Gastroenterology</i> , 1997 , 112, 1986-95	13.3	21
94	Mice genetically lacking endothelial selectins are resistant to the lethality in septic peritonitis. <i>Experimental and Molecular Pathology</i> , 2002 , 72, 68-76	4.4	21

93	Immunosuppressive effects of CCL17 on pulmonary antifungal responses during pulmonary invasive aspergillosis. <i>Infection and Immunity</i> , 2005 , 73, 7198-207	3.7	21
92	Interleukin-13 fusion cytotoxin arrests <i>Schistosoma mansoni</i> egg-induced pulmonary granuloma formation in mice. <i>American Journal of Pathology</i> , 2002 , 161, 1283-97	5.8	21
91	Dysregulated macrophage-inflammatory protein-2 expression drives illness in bacterial superinfection of influenza. <i>Journal of Immunology</i> , 2010 , 184, 2001-13	5.3	20
90	The chemokine receptor CCR6 is an important component of the innate immune response. <i>European Journal of Immunology</i> , 2007 , 37, 2487-98	6.1	20
89	TLR3 modulates immunopathology during a <i>Schistosoma mansoni</i> egg-driven Th2 response in the lung. <i>European Journal of Immunology</i> , 2008 , 38, 3436-49	6.1	20
88	Analysis of the temporal expression of chemokines and chemokine receptors during experimental granulomatous inflammation: role and expression of MIP-1alpha and MCP-1. <i>British Journal of Pharmacology</i> , 2001 , 134, 1166-79	8.6	20
87	Therapeutic effects of the endothelin receptor antagonist Ro 48-5695 in the TNBS/DNBS rat model of colitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2000 , 12, 257-65	2.2	20
86	CCR10+ epithelial cells from idiopathic pulmonary fibrosis lungs drive remodeling. <i>JCI Insight</i> , 2018 , 3,	9.9	20
85	Intranasal CpG therapy attenuated experimental fungal asthma in a TLR9-dependent and -independent manner. <i>International Archives of Allergy and Immunology</i> , 2010 , 152, 98-112	3.7	18
84	Remission of chronic fungal asthma in the absence of CCR8. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 119, 997-1004	11.5	18
83	Toll like receptor-2 modulates both innate and adaptive immune responses during chronic fungal asthma in mice. <i>Inflammation Research</i> , 2008 , 57, 379-87	7.2	18
82	Acute inhibition of nitric oxide exacerbates airway hyperresponsiveness, eosinophilia and C-C chemokine generation in a murine model of fungal asthma. <i>Inflammation Research</i> , 2000 , 49, 297-304	7.2	18
81	Aberrant innate immune sensing leads to the rapid progression of idiopathic pulmonary fibrosis. <i>Fibrogenesis and Tissue Repair</i> , 2012 , 5, S3		17
80	MHV68 latency modulates the host immune response to influenza A virus. <i>Inflammation</i> , 2013 , 36, 1295-303		17
79	Divergent roles for Clusterin in Lung Injury and Repair. <i>Scientific Reports</i> , 2017 , 7, 15444	4.9	17
78	Double-Stranded RNA Interacts With Toll-Like Receptor 3 in Driving the Acute Inflammatory Response Following Lung Contusion. <i>Critical Care Medicine</i> , 2016 , 44, e1054-e1066	1.4	17
77	Characterization of CD28 T cells in idiopathic pulmonary fibrosis. <i>Mucosal Immunology</i> , 2019 , 12, 212-222	2	17
76	Dynamic interactions between lung fibroblasts and leukocytes: implications for fibrotic lung disease. <i>Proceedings of the Association of American Physicians</i> , 1998 , 110, 313-20		17

75	Delta-like 4 differentially regulates murine CD4 T cell expansion via BMI1. <i>PLoS ONE</i> , 2010 , 5, e12172	3.7	16
74	Update in diffuse parenchymal lung disease 2006. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 655-60	10.2	16
73	Therapeutic targeting of CCR1 attenuates established chronic fungal asthma in mice. <i>British Journal of Pharmacology</i> , 2005 , 145, 1160-72	8.6	15
72	Modeling Idiopathic Pulmonary Fibrosis in Humanized Severe Combined Immunodeficient Mice. <i>American Journal of Pathology</i> , 2018 , 188, 891-903	5.8	14
71	Deletion of cysteine-cysteine receptor 7 promotes fibrotic injury in experimental post-thrombotic vein wall remodeling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 377-85	9.4	14
70	Engagement of two distinct binding domains on CCL17 is required for signaling through CCR4 and establishment of localized inflammatory conditions in the lung. <i>PLoS ONE</i> , 2013 , 8, e81465	3.7	14
69	Acute Myocardial Infarction and Pulmonary Diseases Result in Two Different Degradation Profiles of Elastin as Quantified by Two Novel ELISAs. <i>PLoS ONE</i> , 2013 , 8, e60936	3.7	14
68	Alterations in Enteric Nerve and Smooth-Muscle Function in Inflammatory Bowel Diseases. <i>Inflammatory Bowel Diseases</i> , 1997 , 3, 38-48	4.5	14
67	Effects of oral L-NAME during <i>Trichinella spiralis</i> infection in rats. <i>American Journal of Physiology - Renal Physiology</i> , 1996 , 271, G338-46	5.1	14
66	Acute cigarette smoke exposure activates apoptotic and inflammatory programs but a second stimulus is required to induce epithelial to mesenchymal transition in COPD epithelium. <i>Respiratory Research</i> , 2017 , 18, 82	7.3	13
65	Role of growth arrest-specific gene 6 in the development of fungal allergic airway disease in mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2014 , 51, 615-25	5.7	13
64	Approaches to evaluation of fibrogenic pathways in surgical lung biopsy specimens. <i>Methods in Molecular Medicine</i> , 2005 , 117, 209-21		13
63	ST2/IL-33 signaling promotes malignant development of experimental squamous cell carcinoma by decreasing NK cells cytotoxicity and modulating the intratumoral cell infiltrate. <i>Oncotarget</i> , 2018 , 9, 30894-30904	3.3	13
62	Recognition of <i>Candida albicans</i> by gingival fibroblasts: The role of TLR2, TLR4/CD14, and MyD88. <i>Cytokine</i> , 2018 , 106, 67-75	4	13
61	Alterations in enteric nerve and smooth-muscle function in inflammatory bowel diseases. <i>Inflammatory Bowel Diseases</i> , 1997 , 3, 38-48	4.5	11
60	Therapeutic DNA vaccine reduces schistosoma mansoni-induced tissue damage through cytokine balance and decreased migration of myofibroblasts. <i>American Journal of Pathology</i> , 2011 , 179, 223-9	5.8	10
59	Update in diffuse parenchymal lung disease 2007. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 177, 580-4	10.2	10
58	IL-4 gene transfer to the small bowel serosa leads to intestinal inflammation and smooth muscle hyperresponsiveness. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, G385-94	5.1	10

57	CCR5 antagonists: the answer to inflammatory disease?. <i>Expert Opinion on Therapeutic Patents</i> , 2006 , 16, 1051-65	6.8	10
56	Therapeutic use of chemokines. <i>Current Pharmaceutical Design</i> , 2000 , 6, 651-63	3.3	10
55	Circulating monocytes from prostate cancer patients promote invasion and motility of epithelial cells. <i>Cancer Medicine</i> , 2018 , 7, 4639-4649	4.8	9
54	Axl receptor blockade protects from invasive pulmonary aspergillosis in mice. <i>Journal of Immunology</i> , 2014 , 193, 3559-65	5.3	9
53	Senescent stromal cell-induced divergence and therapeutic resistance in T cell acute lymphoblastic leukemia/lymphoma. <i>Oncotarget</i> , 2016 , 7, 83514-83529	3.3	9
52	Herpesvirus-associated pulmonary hypertension?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005 , 172, 1485-6	10.2	8
51	Notch signaling regulates cell density-dependent apoptosis of NIH 3T3 through an IL-6/STAT3 dependent mechanism. <i>European Journal of Cell Biology</i> , 2018 , 97, 512-522	6.1	8
50	Cytokine phenotypes serve as a paradigms for experimental immune-mediated lung diseases and remodeling. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2003 , 29, S63-6	5.7	8
49	Surrogate antibodies that specifically bind and neutralize CCL17 but not CCL22. <i>Monoclonal Antibodies in Immunodiagnosis and Immunotherapy</i> , 2013 , 32, 162-71	1.9	7
48	New Frontiers in Cytokine Involvement during Experimental Sepsis. <i>ILAR Journal</i> , 1999 , 40, 142-150	1.7	7
47	Immunopathology of NSAID-gastropathy: inhibitory effects of interleukin-I and cyclosporin A. <i>Annals of the New York Academy of Sciences</i> , 1992 , 664, 400-7	6.5	7
46	Therapeutic efficacy of Cintredekin Besudotox (IL13-PE38QQR) in murine lung fibrosis is unaffected by immunity to <i>Pseudomonas aeruginosa</i> exotoxin A. <i>PLoS ONE</i> , 2010 , 5, e8721	3.7	6
45	Generation of bleomycin-induced lung fibrosis is independent of IL-16. <i>Cytokine</i> , 2009 , 46, 17-23	4	6
44	CCR7 impairs hematopoiesis after hematopoietic stem cell transplantation increasing susceptibility to invasive aspergillosis. <i>Blood</i> , 2010 , 116, 5383-93	2.2	6
43	Intestinal platelet-activating factor synthesis during <i>Nippostrongylus brasiliensis</i> infection in the rat. <i>Journal of Lipid Mediators</i> , 1991 , 4, 211-24		6
42	Differential Responses to Targeting Matrix Metalloproteinase 9 in Idiopathic Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 203, 458-470	10.2	6
41	DNA-PKcs modulates progenitor cell proliferation and fibroblast senescence in idiopathic pulmonary fibrosis. <i>BMC Pulmonary Medicine</i> , 2019 , 19, 165	3.5	5
40	Intrapulmonary, adenovirus-mediated overexpression of KARAP/DAP12 enhances fungal clearance during invasive aspergillosis. <i>Infection and Immunity</i> , 2005 , 73, 8402-6	3.7	5

39	Categorization of lung mesenchymal cells in development and fibrosis. <i>IScience</i> , 2021 , 24, 102551	6.1	5
38	Targeting MAP3K19 prevents human lung myofibroblast activation both in vitro and in a humanized SCID model of idiopathic pulmonary fibrosis. <i>Scientific Reports</i> , 2019 , 9, 19796	4.9	5
37	Diabetes Downregulates Allergen-Induced Airway Inflammation in Mice. <i>Mediators of Inflammation</i> , 2018 , 2018, 6150843	4.3	5
36	TRAIL-Dependent Resolution of Pulmonary Fibrosis. <i>Mediators of Inflammation</i> , 2018 , 2018, 7934362	4.3	5
35	Intranasal Flunisolide Suppresses Pathological Alterations Caused by Silica Particles in the Lungs of Mice. <i>Frontiers in Endocrinology</i> , 2020 , 11, 388	5.7	4
34	Toll-like receptor 3 L412F polymorphism promotes a persistent clinical phenotype in pulmonary sarcoidosis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018 , 111, 217-224	2.7	4
33	Neuromuscular regulation of T-cell activation. <i>Journal of Neuroimmunology</i> , 1997 , 75, 123-34	3.5	4
32	Definition and Signatures of Lung Fibroblast Populations in Development and Fibrosis in Mice and Men		4
31	Chemokine C10 Promotes Disease Resolution and Survival in an Experimental Model of Bacterial Sepsis. <i>Infection and Immunity</i> , 2000 , 68, 6108-6114	3.7	4
30	Chemokines: Central Mediators of the Innate Response to Sepsis. <i>Current Immunology Reviews</i> , 2005 , 1, 237-260	1.3	3
29	Antibody-mediated depletion of CCR10+EphA3+ cells ameliorates fibrosis in IPF. <i>JCI Insight</i> , 2021 , 6,	9.9	3
28	Host-Microbial Interactions: Idiopathic Pulmonary Fibrosis in Technicolor. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 1554-1556	10.2	2
27	Gas6 Pivotal in the Innate Immune Response during Experimental Asthma. <i>Annals of the American Thoracic Society</i> , 2014 , 11 Suppl 5, S303-5	4.7	2
26	PF-5901 inhibits gastrointestinal platelet-activating factor synthesis in vivo. <i>European Journal of Pharmacology</i> , 1992 , 216, 315-8	5.3	2
25	CCR4 expression on host T cells is a driver for alloreactive responses and lung rejection. <i>JCI Insight</i> , 2019 , 5,	9.9	2
24	Chemokines and Their Receptors in Fibrosis 2007 , 295-317		2
23	Inhibition of the stem cell factor 248 isoform attenuates the development of pulmonary remodeling disease. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2020 , 318, L200-L211	5.8	2
22	Mesenchymal growth hormone receptor deficiency leads to failure of alveolar progenitor cell function and severe pulmonary fibrosis. <i>Science Advances</i> , 2021 , 7,	14.3	2

21	Epithelial Plasticity and Innate Immune Activation Promote Lung Tissue Remodeling following Respiratory Viral Infection		2
20	Reply to D'Alessandro-Gabazza et al.: Risks of Treating Idiopathic Pulmonary Fibrosis with a TAM Receptor Kinase Inhibitor. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 198, 971-973 ^{10.2}		1
19	The Innate and Acquired Pulmonary Immune Response to <i>Aspergillus fumigatus</i> 2005 , 229-239		1
18	Targeting Lysyl oxidase-like 2 in Idiopathic Pulmonary Fibrosis		1
17	The Role of CC Chemokines in Th1- and Th2-Type Pulmonary Inflammation Models 1999 , 139-149		1
16	Pulmonary arterial remodeling induced by a Th2 immune response. <i>Journal of Cell Biology</i> , 2008 , 180, i9-i9	7.3	1
15	Sensitization of the UPR by loss of PPP1R15A promotes fibrosis and senescence in IPF. <i>Scientific Reports</i> , 2021 , 11, 21584	4.9	0
14	An Assessment of Epithelial and Mesenchymal Phenotypes in Experimental and Clinical Pulmonary Fibrosis. <i>ISRN Pulmonology</i> , 2012 , 2012, 1-11		
13	T-Cell and Intestinal Smooth-Muscle Cell Interactions. <i>Inflammatory Bowel Diseases</i> , 1997 , 3, 152-153	4.5	
12	M. Breitenbach, R. Cramer, and S. B. Lehrer. Fungal Allergy and Pathogenicity.. <i>Mycopathologia</i> , 2004 , 157, 139-140	2.9	
11	Role of Smooth Muscle in Intestinal Inflammation. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 1996 , 10, 249-253		
10	Chemokines in animal models of inflammation 2007 , 3-17		
9	A Novel FBXO45-Gef-H1 Axis Controls Oncogenic Signaling in B-Cell Lymphoma. <i>Blood</i> , 2021 , 138, 711-711		
8	SCF-Induced Chemokine Production, Allergic Airway Inflammation and Airway Hyper-reactivity 2000 , 609-621		
7	Regulation of Lung Immunity: Significance of the Cytokine Environment 2001 , 53-69		
6	Cytokine Phenotypes and the Progression of Chronic Pulmonary Fibrosis. <i>Lung Biology in Health and Disease</i> , 2003 , 303-320		
5	Immunoregulatory role of Toll-like receptor 9 in septic peritonitis. <i>FASEB Journal</i> , 2008 , 22, 672.5	0.9	
4	CCR4-deficient Mice are Susceptible to CpG Challenge in an Acute Exacerbation Model of Bleomycin-induced Fibrosis as a Result of Phenotypic Changes in Macrophage Polarization. <i>FASEB Journal</i> , 2008 , 22, 425-425	0.9	

- 3 Gastric mucosal injury: interactions of mast cells, cytokines and nitric oxide **1994**, 188-197
- 2 Targeting Chemokine Receptors in Allergy **2010**, 253-265
- 1 The Role of the Innate Immune System in Interstitial Lung Disease **2022**, 135-143