

Andrzej J Olszewski

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8793291/andrzej-j-olszewski-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

687
papers

24,166
citations

71
h-index

122
g-index

740
ext. papers

27,862
ext. citations

4.5
avg, IF

3.92
L-index

#	Paper	IF	Citations
687	The PHOBOS perspective on discoveries at RHIC. <i>Nuclear Physics A</i> , 2005 , 757, 28-101	1.3	1602
686	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , 2010 , 70, 823-874	4.2	817
685	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2518	4.2	276
684	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017 , 77, 317	4.2	272
683	System size, energy, pseudorapidity, and centrality dependence of elliptic flow. <i>Physical Review Letters</i> , 2007 , 98, 242302	7.4	270
682	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , 2016 , 76, 292	4.2	263
681	Significance of the fragmentation region in ultrarelativistic heavy-ion collisions. <i>Physical Review Letters</i> , 2003 , 91, 052303	7.4	246
680	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	232
679	Charged-particle multiplicity near midrapidity in central Au+Au collisions at $\sqrt{s_{NN}}=56$ and 130 GeV. <i>Physical Review Letters</i> , 2000 , 85, 3100-4	7.4	218
678	Performance of missing transverse momentum reconstruction in proton-proton collisions at ($\sqrt{s} = 7 \sim \text{TeV}$) with ATLAS. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	217
677	Jet energy measurement with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=7 \text{ TeV}$). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	209
676	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 299	4.2	202
675	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	199
674	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 17	4.2	194
673	Charged-particle multiplicity and pseudorapidity distributions measured with the PHOBOS detector in Au+Au, Cu+Cu, d+Au, and p+p collisions at ultrarelativistic energies. <i>Physical Review C</i> , 2011 , 83,	2.7	189
672	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
671	Centrality dependence of charged-hadron transverse-momentum spectra in d+Au collisions at $\sqrt{s_{NN}}=200$ GeV. <i>Physical Review Letters</i> , 2003 , 91, 072302	7.4	188

670	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185
669	Evidence for intermittent patterns of fluctuations in particle production in high-energy interactions in nuclear emulsion. <i>Physical Review Letters</i> , 1989 , 62, 733-736	7.4	179
668	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490	4.2	177
667	Importance of correlations and fluctuations on the initial source eccentricity in high-energy nucleus-nucleus collisions. <i>Physical Review C</i> , 2008 , 77,	2.7	176
666	Centrality and pseudorapidity dependence of elliptic flow for charged hadrons in Au+Au collisions at sNN=200 GeV. <i>Physical Review C</i> , 2005 , 72,	2.7	168
665	Luminosity determination in pp collisions at ($\sqrt{s} = 7$) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	167
664	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 3130	4.2	166
663	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 2941	4.2	160
662	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	160
661	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306	4.2	153
660	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 45	4.2	152
659	High transverse momentum triggered correlations over a large pseudorapidity acceptance in Au + Au collisions at square root(s_{NN}) = 200 GeV. <i>Physical Review Letters</i> , 2010 , 104, 062301	7.4	150
658	Charged-particle pseudorapidity density distributions from Au+Au collisions at $\sqrt{s_{NN}}=130$ GeV. <i>Physical Review Letters</i> , 2001 , 87, 102303	7.4	149
657	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581	4.2	148
656	Centrality dependence of the charged particle multiplicity near midrapidity in Au+Au collisions at sNN=130 and 200 GeV. <i>Physical Review C</i> , 2002 , 65,	2.7	145
655	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ($\sqrt{s_{NN}} = 2.76$ TeV) with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	143
654	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ($\sqrt{s}=7$) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	138
653	Charged hadron transverse momentum distributions in Au+Au collisions at sNN=200 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 578, 297-303	4.2	127

652	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	126
651	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	124
650	Combined measurements of Higgs boson production and decay using up to 80 fb ⁻¹ of proton-proton collision data at $\sqrt{s}=13$ TeV collected with the ATLAS experiment. <i>Physical Review D</i> , 2020 , 101,	4.9	121
649	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at (\sqrt{s}) = 8TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	120
648	Search for charged Higgs bosons decaying via $H \rightarrow \tau \nu$ (\overline{t}) events using pp collision data at ($\sqrt{s} = 7$;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	112
647	Pseudorapidity and centrality dependence of the collective flow of charged particles in Au+Au collisions at $\sqrt{s(NN)}=130$ GeV. <i>Physical Review Letters</i> , 2002 , 89, 222301	7.4	110
646	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510	4.2	109
645	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ($\sqrt{s}=8$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	108
644	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3109	4.2	107
643	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476	4.2	104
642	Search for doubly charged Higgs bosons in like-sign dilepton final states at ($\sqrt{s} = 7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	104
641	Collision geometry scaling of Au+Au pseudorapidity density from $\sqrt{sNN}=19.6$ to 200 GeV. <i>Physical Review C</i> , 2004 , 70,	2.7	104
640	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	103
639	Energy dependence of particle multiplicities in central Au+Au collisions. <i>Physical Review Letters</i> , 2002 , 88, 022302	7.4	101
638	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	101
637	Energy dependence of elliptic flow over a large pseudorapidity range in Au+Au collisions at the BNL relativistic heavy ion collider. <i>Physical Review Letters</i> , 2005 , 94, 122303	7.4	99
636	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349	4.2	94
635	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	92

634	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	91
633	Pseudorapidity distribution of charged particles in d+Au collisions at $\sqrt{s_{NN}}=200$ GeV. <i>Physical Review Letters</i> , 2004 , 93, 082301	7.4	87
632	Scaling of charged particle production in d+Au collisions at $s_{NN}=200$ GeV. <i>Physical Review C</i> , 2005 , 72,	2.7	87
631	The PHOBOS detector at RHIC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2003 , 499, 603-623	1.2	83
630	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2043	4.2	82
629	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 1193-1236	4.2	82
628	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb ⁻¹ of pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	81
627	Measurement of the Z/ Γ boson transverse momentum distribution in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
626	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2039	4.2	78
625	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2056	4.2	78
624	Charged-particle pseudorapidity distributions in Au+Au collisions at $s_{NN}=62.4$ GeV. <i>Physical Review C</i> , 2006 , 74,	2.7	78
623	One- and two-dimensional analysis of the factorial moments in 200 GeV/nucleon p, 16O, and 32S interactions with Ag and Br nuclei. <i>Physical Review C</i> , 1989 , 40, 2449-2453	2.7	77
622	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	76
621	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2465	4.2	76
620	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	74
619	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 209	4.2	73
618	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	72
617	System size dependence of cluster properties from two-particle angular correlations in Cu+Cu and Au+Au collisions at $s_{NN}=200$ GeV. <i>Physical Review C</i> , 2010 , 81,	2.7	72

616	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2509	4.2	71
615	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ($\sqrt{s} = 7$ mbox{~TeV}). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	70
614	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , 2010 , 70, 787-821	4.2	70
613	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 5	4.2	68
612	Centrality dependence of charged particle multiplicity at midrapidity in Au+Au collisions at $\sqrt{s_{NN}}=130$ GeV. <i>Physical Review C</i> , 2002 , 65,	2.7	68
611	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	67
610	Jet mass and substructure of inclusive jets in ($\sqrt{s} = 7$; {text{TeV}}) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	67
609	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 412	4.2	66
608	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-39	5.4	66
607	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903	4.2	66
606	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	65
605	Search for the (\overline{b}) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	64
604	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	64
603	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 291	4.2	63
602	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 69	4.2	62
601	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195	4.2	61
600	No correlation between wine intolerance and histamine content of wine. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 107, 375-8	11.5	61
599	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 92	4.2	60

598	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using (\sqrt{s}) = 7 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	60
597	Measurement of the γ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110	4.2	59
596	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at (\sqrt{s})=8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	59
595	Measurement of the W \rightarrow and Z/ γ \rightarrow production cross sections in proton-proton collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	58
594	A search for (χ_{\pm}) resonances using lepton-plus-jets events in proton-proton collisions at (\sqrt{s})=8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	57
593	Search for charged Higgs bosons decaying via $H \rightarrow \tau\tau$ in fully hadronic final states using pp collision data at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	56
592	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335	4.2	56
591	Precision measurement and interpretation of inclusive γ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367	4.2	56
590	Centrality dependence of charged hadron transverse momentum spectra in Au+Au collisions from $\sqrt{s_{NN}}$ =62.4 to 200 GeV. <i>Physical Review Letters</i> , 2005 , 94, 082304	7.4	56
589	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 199	4.2	55
588	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at (\sqrt{s})=7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	55
587	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at (\sqrt{s}) = 7 TeV. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	55
586	Summary of the searches for squarks and gluinos using (\sqrt{s})=8 TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	55
585	Energy dependence of directed flow over a wide range of pseudorapidity in Au + Au collisions at the BNL Relativistic Heavy Ion Collider. <i>Physical Review Letters</i> , 2006 , 97, 012301	7.4	55
584	Guanidine alkaloid analogs as inhibitors of HIV-1 Nef interactions with p53, actin, and p56lck. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 14079-84	11.5	55
583	Measurements of the χ_{\pm} production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 82	4.2	54
582	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at (\sqrt{s})=8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	54
581	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	54

580	Measurement of $W \mp Z$ production in proton-proton collisions at $(\sqrt{s}=7\text{ TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	54
579	Non-flow correlations and elliptic flow fluctuations in Au+Au collisions at $\sqrt{s_{NN}}=200$ GeV. <i>Physical Review C</i> , 2010 , 81,	2.7	54
578	Central collisions of 14.6, 60, and 200 GeV/nucleon ^{16}O nuclei in nuclear emulsion. <i>Physical Review Letters</i> , 1988 , 60, 405-407	7.4	54
577	Search for squarks and gluinos in final states with jets and missing transverse momentum at $[\text{Formula: see text}] = 13$ $[\text{Formula: see text}]$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 392	4.2	53
576	Search for new phenomena in events with at least three photons collected in collisions at $[\text{Formula: see text}] = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210	4.2	53
575	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	53
574	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $(\sqrt{s}=7\text{ TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	53
573	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016 , 76, 666	4.2	53
572	Search for direct top-squark pair production in final states with two leptons in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	52
571	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 70	4.2	52
570	Search for dark matter at $[\text{Formula: see text}]$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393	4.2	52
569	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $[\text{Formula: see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157	4.2	52
568	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52
567	Performance of the ATLAS muon trigger in pp collisions at $[\text{Formula: see text}]$ TeV. <i>European Physical Journal C</i> , 2015 , 75, 120	4.2	51
566	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	51
565	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P12006-P12006	1	51
564	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	50
563	Evidence for the $(H \rightarrow \overline{b}b)$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	50

562	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 208	4.2	50
561	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in ($\sqrt{s}=13$) (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	50
560	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 303	4.2	49
559	Measurement of charged-particle spectra in Pb+Pb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	49
558	Search for high-mass resonances decaying to dilepton final states in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	49
557	Search for resonances in diphoton events at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	49
556	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995	4.2	49
555	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 538	4.2	48
554	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 259	4.2	48
553	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 428	4.2	48
552	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb of ($\sqrt{s} = 7$; TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	48
551	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	48
550	Measurement of the prompt [Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 76	4.2	47
549	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 24	4.2	47
548	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	47
547	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263	4.2	46
546	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3023	4.2	46
545	Search for lepton-flavour-violating $H \rightarrow \tau\mu$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	46

544	Event-by-event fluctuations of azimuthal particle anisotropy in Au+Au collisions at square root(s_{NN}) = 200 GeV. <i>Physical Review Letters</i> , 2010 , 104, 142301	7.4	46
543	Forward-backward multiplicity correlations in $s_{NN}=200$ GeV Au+Au collisions. <i>Physical Review C</i> , 2006 , 74,	2.7	46
542	Ratios of charged antiparticles-to-particles near mid-rapidity in Au + Au collisions at $\sqrt{s_{NN}}=130$ GeV. <i>Physical Review Letters</i> , 2001 , 87, 102301	7.4	46
541	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ($\sqrt{s}=8$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	45
540	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	45
539	Measurement of ZZ production in pp collisions at ($\sqrt{s}=7$) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	45
538	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , 2014 , 74, 3034	4.2	45
537	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ($\sqrt{s}=7$;mathrm{TeV}) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
536	Pseudorapidity distributions of charged particles in d+Au and p+p collisions at. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2004 , 30, S1133-S1137	2.9	45
535	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 318	4.2	44
534	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 154	4.2	44
533	Measurement of isolated-photon pair production in pp collisions at ($\sqrt{s}=7$;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
532	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 7$ mbox{TeV}). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	44
531	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	44
530	Angular analysis of $B \rightarrow D^* \ell \bar{\nu}_\ell$ decays in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	44
529	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
528	Measurement of the cross section for top-quark pair production in pp collisions at ($\sqrt{s} = \{7\}$;{text{TeV}}) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
527	ATLAS b-jet identification performance and efficiency measurement with ($t\bar{t}$) events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	43

526	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42
525	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 283	4.2	42
524	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , 2012 , 72, 2046	4.2	42
523	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 [Interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	42
522	Search for heavy resonances in the and final states using proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 293	4.2	41
521	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883	4.2	41
520	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	41
519	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in ($\sqrt{s}=7\sim m_{\text{box}}\{\text{TeV}\}$) proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	41
518	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 723-753	4.2	41
517	Centrality and energy dependence of charged-particle multiplicities in heavy ion collisions in the context of elementary reactions. <i>Physical Review C</i> , 2006 , 74,	2.7	41
516	Cluster properties from two-particle angular correlations in p+p collisions at $s=200$ and 410 GeV. <i>Physical Review C</i> , 2007 , 75,	2.7	41
515	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	40
514	System size and centrality dependence of charged hadron transverse momentum spectra in Au + Au and Cu + Cu collisions at square root of $S_{NN} = 62.4$ and 200 GeV. <i>Physical Review Letters</i> , 2006 , 96, 212301	7.4	40
513	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 199	4.2	39
512	Search for supersymmetry at (\sqrt{s}) = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	39
511	A search for (\overline{t}) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	39
510	Search for charged Higgs bosons decaying into top and bottom quarks at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
509	Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text]= 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 241	4.2	38

508	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 229	4.2	38
507	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
506	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at ($\sqrt{s} = 13$) (text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	37
505	Measurement of the production of a W boson in association with a charm quark in pp collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
504	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	37
503	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in ($\sqrt{s} = 7, \text{TeV}$) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
502	Limits on the production of the standard model Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
501	Search for massive colored scalars in four-jet final states in ($\sqrt{s}=7\sim\text{TeV}$) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
500	System size, energy, and centrality dependence of pseudorapidity distributions of charged particles in relativistic heavy-ion collisions. <i>Physical Review Letters</i> , 2009 , 102, 142301	7.4	37
499	Flow and bose-einstein correlations in Au-Au collisions at RHIC. <i>Nuclear Physics A</i> , 2003 , 715, 611c-614c	1.3	37
498	Single-particle and multiparticle analysis of nucleus-nucleus collisions at 14.6, 60, and 200 GeV/nucleon. <i>Physical Review C</i> , 1989 , 39, 1385-1394	2.7	37
497	Charged-particle distributions at low transverse momentum in [Formula: see text]TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 502	4.2	37
496	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	36
495	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	36
494	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 142	4.2	35
493	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 171	4.2	35
492	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 322	4.2	35
491	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379	4.2	35

490	Search for second generation scalar leptoquarks in pp collisions at ($\sqrt{s}=7\text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	35
489	Is Tsallis thermodynamics nonextensive?. <i>Physical Review Letters</i> , 2002 , 88, 020601	7.4	35
488	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	34
487	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	34
486	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
485	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 565	4.2	34
484	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017 , 77, 673	4.2	33
483	Search for charged Higgs bosons in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at ($\sqrt{s}=8$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	33
482	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
481	Search for charged Higgs bosons decaying via $H \rightarrow b\bar{b}$ in the $b\bar{b}$ jets and $b\bar{b}$ lepton final states with 36 fb ⁻¹ of pp collision data recorded at ($\sqrt{s}=13$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
480	Measurement of the top quark mass in the $t\bar{t} \rightarrow b\bar{b}$ and $t\bar{t} \rightarrow b\bar{b} + \text{jet}$ channels using $\sqrt{s}=7$ TeV ATLAS data. <i>European Physical Journal C</i> , 2015 , 75, 330	4.2	32
479	Fragmentation and multifragmentation of 10.6A GeV gold nuclei. <i>Physical Review C</i> , 1995 , 52, 2652-2662.	7.7	32
478	Search for pair production of Higgs bosons in the $(\gamma\gamma)$ final state using proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
477	Constraints on mediator-based dark matter and scalar dark energy models using ($\sqrt{s}) = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
476	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS experiment. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31
475	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ($\sqrt{s}=7$) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	31
474	Measurement of the production and lepton charge asymmetry of Z bosons in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23	4.2	31
473	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3134	4.2	31

472	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ($\sqrt{s} = 8$) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3 ¹
471	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	3 ¹
470	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ($\sqrt{s}=7$ mathrm{TeV}) proton-proton collisions. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	3 ¹
469	Inclusive search for same-sign dilepton signatures in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	3 ¹
468	Searches for electroweak production of supersymmetric particles with compressed mass spectra in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2020 , 101,	4.9	3 ¹
467	Measurements of b-jet tagging efficiency with the ATLAS detector using (\overline{t}) events at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3 ¹
466	Search for third generation scalar leptoquarks in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	3 ⁰
465	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3 ⁰
464	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ($\sqrt{s}=8$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3 ⁰
463	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2328	4.2	3 ⁰
462	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ($\sqrt{s}=900$) GeV and ($\sqrt{s}=7$) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	3 ⁰
461	Pseudorapidity dependence of charged hadron transverse momentum spectra in d+Au collisions at $s_{NN}=200$ GeV. <i>Physical Review C</i> , 2004 , 70,	2.7	3 ⁰
460	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3 ⁰
459	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 125, 051801	7.4	3 ⁰
458	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	2 ⁹
457	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	2 ⁹
456	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 332	4.2	2 ⁹
455	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2 ⁹

454	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
453	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 466	4.2	28
452	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 250	4.2	28
451	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295	4.2	28
450	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 55	4.2	28
449	Identified hadron transverse momentum spectra in Au+Au collisions at $\sqrt{s_{NN}}=62.4$ GeV. <i>Physical Review C</i> , 2007 , 75,	2.7	28
448	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585	4.2	28
447	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
446	Fiducial, total and differential cross-section measurements of γ -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 531	4.2	27
445	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	27
444	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	27
443	Transverse momentum and rapidity dependence of Hanbury-Brown-Twiss correlations in Au+Au collisions at $\sqrt{s_{NN}}=62.4$ and 200 GeV. <i>Physical Review C</i> , 2006 , 73,	2.7	27
442	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 513	4.2	27
441	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	26
440	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	26
439	Measurement of $t\bar{t}$ production with (\sqrt{s}) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
438	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 361	4.2	26
437	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26

436	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	26
435	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658	4-2	26
434	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25
433	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2362	4-2	25
432	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	25
431	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 165	4-2	25
430	Flow in Au+Au collisions at RHIC. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2004 , 30, S1243-S1246	6-9	25
429	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547	4-2	25
428	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	25
427	Measurement of the top quark mass in the $(\bar{t} \rightarrow \ell \nu)$ lepton+jets channel from ($\sqrt{s}=8$) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	24
426	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	24
425	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	24
424	Measurement of the production cross section of prompt J/ Υ mesons in association with a W boson in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	24
423	Measurement of the differential cross-section of B + meson production in pp collisions at ($\sqrt{s}=7$) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	24
422	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	24
421	Combination of searches for Higgs boson pairs in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135103	4-2	24
420	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 442	4-2	24
419	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 154	4-2	23

4 ¹⁸	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	23
4 ¹⁷	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	23
4 ¹⁶	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 401	4-2	23
4 ¹⁵	Search for Higgs boson pair production in the $(\gamma\gamma b\bar{b})$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	23
4 ¹⁴	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762	4-2	23
4 ¹³	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 26	4-2	22
4 ¹²	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	22
4 ¹¹	Search for heavy long-lived multi-charged particles in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 362	4-2	22
4 ¹⁰	Search for W W/W Z resonance production in $\bar{q}q$ final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	22
4 ⁰⁹	A search for prompt lepton-jets in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	22
4 ⁰⁸	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb of $(\sqrt{s}=13)$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	22
4 ⁰⁷	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	22
4 ⁰⁶	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	22
4 ⁰⁵	Particle production in interactions of 200 GeV/nucleon oxygen and sulfur nuclei in nuclear emulsion. <i>Physical Review D</i> , 1993 , 47, 1751-1761	4-9	22
4 ⁰⁴	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	22
4 ⁰³	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	21
4 ⁰²	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 79	4-2	21
4 ⁰¹	Measurements of fiducial cross-sections for $(\gamma\gamma)$ production with one or two additional jets in collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 11	4-2	21

400	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3195	4.2	21
399	Study of hard double-parton scattering in four-jet events in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
398	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
397	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 135980	4.2	21
396	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007	4.2	21
395	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	21
394	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21
393	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58	4.2	20
392	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
391	Searches for heavy diboson resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
390	Measurement of ($W^{\pm}Z$) production cross sections and gauge boson polarisation in pp collisions at ($\sqrt{s}=13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	20
389	Searches for the Z decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
388	Particle production at very low transverse momenta in Au+Au collisions at $\sqrt{s_{NN}}=200$ GeV. <i>Physical Review C</i> , 2004 , 70,	2.7	20
387	Ratios of charged antiparticles to particles near midrapidity in Au+Au collisions at $\sqrt{s_{NN}}=200$ GeV. <i>Physical Review C</i> , 2003 , 67,	2.7	20
386	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
385	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 565	4.2	20
384	Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017 , 77, 264	4.2	19
383	Performance of top-quark and (W)-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19

382	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19
381	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 872	4.2	19
380	Charged antiparticle to particle ratios near midrapidity in p+p collisions at $\sqrt{s_{NN}}=200\text{GeV}$. <i>Physical Review C</i> , 2005 , 71,	2.7	19
379	Operation of the ATLAS trigger system in Run 2. <i>Journal of Instrumentation</i> , 2020 , 15, P10004-P10004	1	19
378	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 403	4.2	19
377	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 228	4.2	18
376	Search for long-lived neutral particles in pp collisions at ($\sqrt{s} = 13\sim\text{TeV}$) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	18
375	Searches for third-generation scalar leptoquarks in ($\sqrt{s} = 13\text{ TeV}$) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
374	Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	18
373	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2982	4.2	18
372	Measurement of the low-mass Drell-Yan differential cross section at ($\sqrt{s} = 7\text{ TeV}$) using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
371	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2676	4.2	18
370	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
369	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-65	5.4	18
368	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015 , 75, 407	4.2	18
367	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at ($\sqrt{\mathbf{s}}=7\text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	18
366	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in ($\sqrt{s}=7$) TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	18
365	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 87	4.2	18

364	Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2020 , 101,	4.9	17
363	Searches for heavy ZZ and ZW resonances in the $\bar{t}q$ and $\bar{t}q$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	17
362	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	17
361	Measurement of polarization in τ -decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2062	4.2	17
360	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117	4.2	17
359	Search for a scalar partner of the top quark in the all-hadronic ($t\bar{t}$) plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	17
358	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s}=13$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 517	4.2	17
357	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
356	ATLAS data quality operations and performance for 2015-2018 data-taking. <i>Journal of Instrumentation</i> , 2020 , 15, P04003-P04003	1	16
355	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
354	Search for the Standard Model Higgs boson decaying into ($\bar{b}b$) produced in association with top quarks decaying hadronically in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
353	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 580	4.2	16
352	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
351	Search for new phenomena in events with three or more charged leptons in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
350	Measurement of the ($\bar{t}W$) and ($\bar{t}Z$) production cross sections in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
349	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
348	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3168	4.2	16
347	Measurement of the production cross-section of ($\bar{t}S$) \rightarrow $\bar{t}q$ in pp collisions at ($\sqrt{s}=7$) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	16

346	Search for anomalous production of prompt like-sign lepton pairs at ($\sqrt{s}=7\text{;}\mathrm{TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	16
345	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	16
344	Charged particle production in the Pb+Pb system at 158 GeV/c per nucleon. <i>Physical Review C</i> , 2000 , 62,	2.7	16
343	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016 , 76, 526	4.2	16
342	Search for the Higgs boson produced in association with a boson and decaying to four τ -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 605	4.2	16
341	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 12	4.2	16
340	Measurement of fiducial and differential (W^+W^-) production cross-sections at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
339	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02\text{--}5.76$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
338	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
337	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of ($\sqrt{s}=13$) TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	15
336	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 231	4.2	15
335	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 124, 031802	7.4	15
334	Measurement of the top quark charge in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
333	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ($\sqrt{s}=7\text{;}\mathrm{TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
332	Measurements of $\chi(3512)$ and $\chi(3872) \rightarrow J/\psi \eta'$ production in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
331	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017 , 77, 563	4.2	15
330	Determination of the top-quark pole mass using (\overline{t}) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	15
329	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 043009	2.9	15

328	Search for diphoton events with large missing transverse energy with 36 pb ⁻¹ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	15
327	Scaling properties in bulk and pT-dependent particle production near midrapidity in relativistic heavy ion collisions. <i>Physical Review C</i> , 2009 , 80,	2.7	15
326	Analysis of dynamic multiplicity fluctuations at PHOBOS. <i>Journal of Physics: Conference Series</i> , 2005 , 27, 128-133	0.3	15
325	Dijet Resonance Search with Weak Supervision Using $\sqrt{s}=13$ TeV pp Collisions in the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 131801	7.4	15
324	CP Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}\rightarrow H$ and tH Processes Using $H\rightarrow b\bar{b}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 061802	7.4	15
323	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
322	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in \sqrt{s} collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625	4.2	15
321	Measurement of the $\sigma_{\text{had}}^{\text{had}}(\sqrt{s})$ and $\sigma_{\text{had}}^{\text{had}}(\sqrt{s})$ production cross sections in multilepton final states using 3.2 fb ⁻¹ of $\sqrt{s}=13$ TeV collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 40	4.2	14
320	Measurements of electroweak $\sigma_{\text{had}}^{\text{had}}(\sqrt{s})$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4.2	14
319	Search for single production of vector-like quarks decaying into Wb in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
318	Measurement of the $\sigma_{\text{had}}^{\text{had}}(\sqrt{s})$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
317	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
316	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at (\sqrt{s}) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	14
315	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	14
314	Search for charged Higgs bosons through the violation of lepton universality in $\tau\rightarrow e\gamma$ events using pp collision data at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
313	Study of $(W/Z)H$ production and Higgs boson couplings using $H\rightarrow W^*W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
312	A search for $\sigma_{\text{had}}^{\text{had}}(\sqrt{s})$ resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2012 , 72, 2083	4.2	14
311	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , 2010 , 70, 875-916	4.2	14

310	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	14
309	Centrality dependence of charged antiparticle to particle ratios near midrapidity in d+Au collisions at $\sqrt{s_{NN}}=200\text{GeV}$. <i>Physical Review C</i> , 2004 , 70,	2.7	14
308	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	14
307	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow \gamma\gamma \rightarrow 4b$ channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
306	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292	4.2	13
305	Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141	4.2	13
304	Search for top-quark decays $t \rightarrow Hq$ with 36 fb ⁻¹ of pp collision data at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
303	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\mu$ with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
302	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
301	Identification of high transverse momentum top quarks in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
300	Addendum to Measurement of the $(t\bar{t})$ production cross-section using (emu) events with b-tagged jets in pp collisions at (\sqrt{s}) = 7 and 8 (TeV) with the ATLAS detector [<i>European Physical Journal C</i> , 2016 , 76, 1	4.2	13
299	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 4	4.2	13
298	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	13
297	Search for R-parity-violating supersymmetry in events with four or more leptons in ($\sqrt{s}=7;\text{TeV}$) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
296	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
295	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
294	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb ⁻¹ of ATLAS data. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	13
293	Interactions of 10.6 GeV/nucleon gold nuclei in nuclear emulsion. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1994 , 62, 25-29		13

292	Searches for lepton-flavour-violating decays of the Higgs boson in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135069	4.2	13
291	Fluctuations of anisotropic flow in Pb+Pb collisions at $(\sqrt{s}_{NN}) = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
290	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , 2020 , 15, P09015-P090151		13
289	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
288	Search for direct stau production in events with two hadronic leptons in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2020 , 101,	4.9	13
287	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	13
286	Measurements of top-quark pair differential and double-differential cross-sections in the $(\ell\ell)$ +jets channel with pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	13
285	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018 , 78, 987	4.2	13
284	Measurements of W and Z boson production in pp collisions at $(\sqrt{s}=5.02)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	12
283	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	12
282	Higgs boson production cross-section measurements and their EFT interpretation in the (4ℓ) decay channel at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	12
281	Search for long-lived, massive particles in events with a displaced vertex and a muon with large impact parameter in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2020 , 102,	4.9	12
280	Search for new phenomena with photon+jet events in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
279	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
278	Search for strong gravity in multijet final states produced in pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
277	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 232	4.2	12
276	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1-46	5.4	12
275	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12

274	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
273	The differential production cross section of the $[Formula: see text](1020)$ meson in $[Formula: see text] = 7\sqrt{TeV}$ $[Formula: see text]$ collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2895	4.2	12
272	Measurement of the inclusive jet cross-sections in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
271	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
270	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$ in $(\sqrt{s}=13)$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
269	Measurements of top quark spin observables in (\overline{t}) events using dilepton final states in $(\sqrt{s}=8)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
268	Measurement of the flavour composition of dijet events in pp collisions at $(\sqrt{s}=7\sqrt{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	12
267	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010 , 70, 755-785	4.2	12
266	High-multiplicity lead-lead interactions at 158 GeV/c per nucleon. <i>Physical Review C</i> , 1996 , 53, 3044-3050.	2.7	12
265	Measurement of the azimuthal anisotropy of charged-particle production in Xe+Xe collisions at $\sqrt{s_{NN}}=5.44$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2020 , 101,	2.7	12
264	Measurement of the top-quark mass in $(\overline{t}) + 1$ -jet events collected with the ATLAS detector in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
263	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $(\sqrt{s}=8\sqrt{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	11
262	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 129	4.2	11
261	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13\sqrt{TeV}$. <i>European Physical Journal C</i> , 2019 , 79,	4.2	11
260	Measurement of lepton differential distributions and the top quark mass in production in collisions at \sqrt{s} TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 804	4.2	11
259	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
258	Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , 2017 , 77, 646	4.2	11
257	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $(\sqrt{s}=7)$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11

256	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
255	Measurement of W and Z production in proton-proton collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	11
254	Global observations from PHOBOS. <i>Nuclear Physics A</i> , 2003 , 715, 65c-74c	1.3	11
253	Universal behavior of charged particle production in heavy ion collisions. <i>Nuclear Physics A</i> , 2003 , 715, 490c-493c	1.3	11
252	Identified particles in Au+Au collisions at GeV. <i>Nuclear Physics A</i> , 2003 , 715, 510c-513c	1.3	11
251	Search for long-lived neutral particles produced in pp collisions at $\sqrt{s}=13$ TeV decaying into displaced hadronic jets in the ATLAS inner detector and muon spectrometer. <i>Physical Review D</i> , 2020 , 101,	4.9	11
250	Measurement of soft-drop jet observables in pp collisions with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2020 , 101,	4.9	11
249	Jet energy scale and resolution measured in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	11
248	Search for heavy neutral Higgs bosons produced in association with b-quarks and decaying into b-quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2020 , 102,	4.9	10
247	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ($\sqrt{s}=13$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
246	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
245	Measurement of the CP-violating phase ϕ_s and the B^0_s meson decay width difference with $B^0_s \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
244	Search for diboson resonances in hadronic final states in 139 fb $^{-1}$ of pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
243	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , 2012 , 72, 2040	4.2	10
242	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765	4.2	10
241	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
240	Fragmentation and particle production in interactions of 10.6 GeV/N gold nuclei with hydrogen, light and heavy targets. <i>European Physical Journal C</i> , 1998 , 5, 641-650	4.2	10
239	Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135114	4.2	10

238	Search for new phenomena in events with an energetic jet and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2021 , 103,	4.9	10
237	Search for Higgs boson decays into two new low-mass spin-0 particles in the 4b channel with the ATLAS detector using pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	9
236	Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in $\mu\mu$ dilepton events from pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80,	4.2	9
235	Measurement of the ZZ production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV using the ZZ $\rightarrow \ell\ell$ and (ZZto $\ell\ell^+\ell\ell^+\nu\bar{\nu}$) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
234	Measurement of charged-particle distributions sensitive to the underlying event in ($\sqrt{s}=13$) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
233	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb ⁻¹ of (\sqrt{s}) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	9
232	Charged particle multiplicity fluctuations in Au+Au collisions at. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2004 , 30, S1377-S1380	2.9	9
231	Search for the Higgs boson decays $H \rightarrow e\bar{e}$ and $H \rightarrow e\mu$ in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135148	4.2	9
230	A search for the Z decay mode of the Higgs boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135754	4.2	9
229	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
228	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell\ell)$ decay channel at (\sqrt{s}) = 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	9
227	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
226	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
225	Measurement of VH , ($\text{H} \rightarrow \text{b}\bar{\text{b}}$) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
224	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in (\sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
223	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 124, 082301	7.4	8
222	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
221	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016 , 11, P05013-P05013	1	8

220	Search for scalar resonances decaying into $\mu\mu$ events with and without b-tagged jets produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
219	Measurement of splitting scales in $\tau\tau$ events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2432	4.2	8
218	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 144	4.2	8
217	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
216	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 158	4.2	8
215	Identified charged antiparticle to particle ratios near midrapidity in Cu+Cu collisions at $\sqrt{s_{NN}}=62.4$ and 200 GeV. <i>Physical Review C</i> , 2008 , 77,	2.7	8
214	Charged hadron transverse momentum distributions in Au+Au collisions at $\sqrt{s_{NN}}=200$ GeV. <i>Nuclear Physics A</i> , 2003 , 715, 745c-748c	1.3	8
213	Multifractal analysis of nucleus-nucleus interactions. <i>Physical Review D</i> , 1993 , 48, 3174-3181	4.9	8
212	Interactions of 10.6 GeV/n gold nuclei with light and heavy target nuclei in nuclear emulsion. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1994 , 63, 549-556		8
211	Interaction mean free path in nuclear emulsion of fragments of ^{22}Ne nuclei with momentum 4.1 AGeV/c and the problem of anomalous. <i>Zeitschrift für Physik A</i> , 1985 , 321, 249-254		8
210	Evidence for $(\bar{t}t)$ production in the multilepton final state in proton-proton collisions at $(\sqrt{s}=13)$ (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
209	Search for light long-lived neutral particles produced in pp collisions at $(\sqrt{s} = 13\text{-TeV})$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
208	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
207	Measurements of top-quark pair spin correlations in the $(\mu\mu)$ channel at $(\sqrt{s} = 13)$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
206	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
205	Search for heavy resonances decaying into a pair of Z bosons in the $(\ell\ell^+\ell\ell^-)$ and $(\ell\ell^+\ell\ell^-\nu\bar{\nu})$ final states using 139 fb^{-1} of proton-proton collisions at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	8
204	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
203	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $(\sqrt{s}=8)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8

202	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb ⁻¹ of (\sqrt{s}) = 13 TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
201	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8
200	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
199	Measurements of inclusive and differential fiducial cross-sections of ($\bar{t}t\gamma$) production in leptonic final states at ($\sqrt{s}=13$ -text {TeV}) in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
198	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using (\sqrt{s}) = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
197	Transverse momentum and process dependent azimuthal anisotropies in ($\sqrt{s}_{\text{NN}}=8.16$) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
196	Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 102	4.2	7
195	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 683	4.2	7
194	Measurement of differential cross sections and W^+/W^- cross-section ratios for W boson production in association with jets at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
193	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
192	Measurement of the ($\overline{t}t\gamma$) production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
191	Measurements of top-quark pair to Z-boson cross-section ratios at ($\sqrt{s}=13$), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
190	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
189	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ($\sqrt{s}=13$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
188	Studies of $Z\ell\bar{\ell}$ production in association with a high-mass dijet system in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
187	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
186	Vertex reconstruction using a single layer silicon detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 570, 536-542	1.2	7
185	Identified hadron spectra from PHOBOS. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2004 , 30, S1143-S1147		

184	Evidence for a nuclear phase transition in target nuclei after relativistic nuclear interactions. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1993 , 59, 399-403		7
183	Neutrino production of charmed particles in a hybrid experiment E-564. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1990 , 45, 557-565		7
182	Infrared Spectra of $\text{Mn}_x\text{Zn}_{1-x}\text{Te}$ Mixed Crystals. <i>Physica Status Solidi (B): Basic Research</i> , 1981 , 104, K155-K157		7
181	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
180	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $(\sqrt{s} = 13, \text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
179	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $(\ell\ell b\bar{b})$ and $(\ell\ell W\bar{W})$ final states in pp collisions at $(\sqrt{s}=13)$ (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
178	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 670	4.2	7
177	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 541	4.2	7
176	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 81	4.2	7
175	Measurement of $(W^{\pm} \mu^{\pm})$ boson production in Pb+Pb collisions at $(\sqrt{s_{\text{NN}}}) = 5.02$ (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
174	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
173	Measurements of WH and ZH production in the $(H \rightarrow b\bar{b})$ decay channel in pp collisions at $(13, \text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
172	Increase of prostaglandin E2 in the reversal of fetal ductal constriction after polyphenol restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 617-622	5.8	7
171	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 221802	7.4	6
170	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 238	4.2	6
169	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	6
168	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
167	Top-quark mass measurement in the all-hadronic (\overline{t}) decay channel at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6

166	Strange hadron production at low transverse momenta. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2004 , 30, S93-S102	2.9	6
165	Fragmentation of nuclei as a function of centrality of collision in interactions of gold projectiles at 10.6 A GeV. <i>Nuclear Physics A</i> , 2001 , 693, 777-786	1.3	6
164	Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2020 , 102,	4.9	6
163	Search for (\overline{t}) resonances in fully hadronic final states in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
162	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb ⁻¹ of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135082	4.2	6
161	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
160	Search for new phenomena in final states with b-jets and missing transverse momentum in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
159	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
158	Measurement of the $(Z \rightarrow \nu \overline{\nu})$ production cross section in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
157	Search for exclusive Higgs and Z boson decays to τ and μ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
156	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 220	4.2	5
155	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $(\sqrt{s}) = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
154	Test of CP invariance in vector-boson fusion production of the Higgs boson in the H-channel in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135426	4.2	5
153	Z boson production in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135262	4.2	5
152	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , 2018 , 78, 186	4.2	5
151	Participant and spectator scaling of spectator fragments in Au + Au and Cu + Cu collisions at $\sqrt{s_{NN}}=19.6$ and 22.4 GeV. <i>Physical Review C</i> , 2016 , 94,	2.7	5
150	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
149	Measurement of four-jet differential cross sections in $(\sqrt{s}=8)$ TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-76	5.4	5

148	Using multiplicity as a fractional cross-section estimation for centrality in PHOBOS. <i>Journal of Physics: Conference Series</i> , 2005 , 5, 46-54	0.3	5
147	First performance results of the Phobos silicon detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2001 , 473, 197-204	1.2	5
146	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , 2020 , 125, 261801	7.4	5
145	Evidence for electroweak production of two jets in association with a Z pair in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135341	4.2	5
144	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
143	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
142	Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s})=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
141	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
140	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
139	Measurement of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136204	4.2	5
138	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 375	4.2	5
137	Measurement of the relative width difference of the $(\{B\}^0 \text{ system})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
136	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
135	Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
134	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , 2018 , 78, 847	4.2	5
133	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 487	4.2	5
132	Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 124, 222002	7.4	4
131	Measurement of jet activity in top quark events using the e final state with two b-tagged jets in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4

130	Comparison of particle production in collisions with the VENUS and FRITIOF models. <i>Nuclear Physics A</i> , 1998 , 633, 357-372	1.3	4
129	The landscape of particle production: results from PHOBOS. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2004 , 30, S683-S691	2.9	4
128	Rapidity and k_T dependence of HBT correlations in Au+Au collisions at 200 GeV with PHOBOS. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2004 , 30, S1049-S1052	2.9	4
127	Backward emitted protons in interactions of neutrinos with nuclei in photoemulsion. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1992 , 56, 391-393		4
126	Nucleus-nucleus interactions at 14.6, 60 and 200 GeV/nucleon. <i>Nuclear Physics A</i> , 1989 , 498, 535-539	1.3	4
125	Search for heavy diboson resonances in semileptonic final states in pp collisions at (\sqrt{s})=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
124	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
123	Measurement of J/ψ production in association with a W boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
122	Fragmentation and particle production in interactions of 10.6 GeV/N gold nuclei with hydrogen, light and heavy targets 1998 , 5, 641		4
121	Search for non-resonant Higgs boson pair production in the bb final state with the ATLAS detector in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135145	4.2	4
120	Measurement of the $t\bar{t}$ production cross-section in the lepton+jets channel at $s=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 810, 135797	4.2	4
119	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021 , 17, 819-825	16.2	4
118	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	4
117	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at (\sqrt{s})=13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
116	Search for dark matter produced in association with a single top quark in (\sqrt{s})=13 TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	4
115	Search for dijet resonances in events with an isolated charged lepton using (\sqrt{s}) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
114	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at (\sqrt{s})=8 and 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
113	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 163	4.2	3

112	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \approx 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019 , 79,	4.2	3
111	Measurement of the k_t splitting scales in $Z \rightarrow \mu\mu$ events in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
110	The ATLAS software installation system for LCG/EGEE. <i>Journal of Physics: Conference Series</i> , 2008 , 119, 052013	0.3	3
109	Recent results from PHOBOS at RHIC. <i>Brazilian Journal of Physics</i> , 2004 , 34, 829-832	1.2	3
108	REMARKS ON SYMMETRIES OF GENERALIZED ROTOR SPACE. <i>International Journal of Modern Physics E</i> , 2004 , 13, 37-45	0.7	3
107	Overview of results from PHOBOS experiment at RHIC. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2002 , 28, 1801-1807	2.9	3
106	Measurement of charge of heavy ions in emulsion using a CCD camera. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1999 , 431, 252-263	1.2	3
105	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 251802	7.4	3
104	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	3
103	Determination of jet calibration and energy resolution in proton-proton collisions at $(\sqrt{s} = 8\text{-}13\text{ TeV})$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
102	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector 2015 , 2015, 1		3
101	Reconstruction and identification of boosted di-jets in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
100	Polish Contribution to the Worldwide LHC Computing. <i>Lecture Notes in Computer Science</i> , 2012 , 285-300	0.9	3
99	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
98	Measurement of hadronic event shapes in high-pT multijet final states at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
97	Medium-Induced Modification of Z-Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 126, 072301	7.4	3
96	Search for resonances decaying into photon pairs in 139 fb ⁻¹ of pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 822, 136651	4.2	3
95	Properties of jet fragmentation using charged particles measured with the ATLAS detector in pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	2

94	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
93	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , 2020 , 15, P11016-P11016	1	2
92	Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
91	Measurement of the $Z(\rightarrow \mu\mu)$ production cross-section in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
90	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	2
89	Transverse momenta of helium fragments in gold fragmentation at 10.6 GeV/nucleon. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1997 , 73, 449-454		2
88	New PHOBOS results on event-by-event fluctuations. <i>AIP Conference Proceedings</i> , 2006 ,	0	2
87	Evidence of final-state suppression of high- p_{\perp} hadrons in Au + Au collisions using d + Au measurements at RHIC. <i>European Physical Journal C</i> , 2004 , 33, s606-s608	4.2	2
86	Elliptic flow in Au+Au collisions at RHIC. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2005 , 31, S41-S47	4.7	2
85	How strange is PHOBOS? First RHIC physics results and future prospects. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2001 , 27, 659-669	2.9	2
84	Intermittency in 197Au fragmentation. <i>Physical Review C</i> , 1996 , 53, 1532-1540	2.7	2
83	Measurement of the (\overline{t}) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector 2014 , 74, 1		2
82	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}=8\sim)$ TeV with the ATLAS detector 2015 , 75, 1		2
81	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $(\sqrt{s} = 13\text{TeV})$ proton-proton collision data. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
80	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
79	Measurement of the inclusive isolated-photon cross section in pp collisions at $(\sqrt{s}) = 13$ TeV using 36 fb ⁻¹ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
78	Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 807, 135595	4.2	2
77	Measurements of inclusive and differential cross-sections of combined $(\overline{t}\gamma)$ and $t\overline{W}$ production in the e \overline{t} channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2

76	Measurement of isolated-photon plus two-jet production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
75	Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into $W^{\pm}W^{\pm}$ or ZZ in Fully Hadronic Final States from $\sqrt{s}=13$ TeV pp Collisions Recorded with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 126, 121802	7.4	2
74	Longitudinal Flow Decorrelations in Xe+Xe Collisions at $\sqrt{s_{NN}}=5.44$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 126, 122301	7.4	2
73	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
72	Search for Displaced Leptons in $\sqrt{s}=13$ TeV pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 127, 051802	7.4	2
71	Two-particle azimuthal correlations in photonuclear ultraperipheral Pb+Pb collisions at 5.02 TeV with ATLAS. <i>Physical Review C</i> , 2021 , 104,	2.7	2
70	Search for supersymmetry in events with four or more charged leptons in 139 fb ⁻¹ of $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
69	Measurement of ZZ production in the final state with the ATLAS detector in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
68	Measurement of (W^{\pm}) -boson and Z-boson production cross-sections in pp collisions at $(\sqrt{s}=2.76)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
67	Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136412	4.2	2
66	Exclusive dimuon production in ultraperipheral Pb+Pb collisions at $s_{NN}=5.02$ TeV with ATLAS. <i>Physical Review C</i> , 2021 , 104,	2.7	2
65	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $(\sqrt{s}) = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
64	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016 , 18, 073021	2.9	1
63	ATLAS computing operations within the GridKa Cloud. <i>Journal of Physics: Conference Series</i> , 2010 , 219, 072039	0.3	1
62	Particle production in nuclear collisions over a broad centrality range from the PHOBOS experiment. <i>European Physical Journal D</i> , 2006 , 56, A39-A52		1
61	IRREDUCIBLE REPRESENTATIONS OF DOUBLE POINT GROUPS WITHIN THE HARMONIC OSCILLATOR BASIS. <i>International Journal of Modern Physics E</i> , 2004 , 13, 357-360	0.7	1
60	Results from the PHOBOS experiment at RHIC. <i>Nuclear Physics A</i> , 2004 , 734, 61-64	1.3	1
59	Computerized thermography based diagnosis in perinatology		1

58	Phase space dependence of the correlations among particles produced in high energy nuclear collisions. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 68, 65-71		1
57	Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>Physical Review D</i> , 2022 , 105,	4.9	1
56	Operation and performance of the ATLAS semiconductor tracker in LHC Run2. <i>Journal of Instrumentation</i> , 2022 , 17, P01013	1	1
55	Search for Higgs boson decays into a pair of pseudoscalar particles in the $b\bar{b}$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2022 , 105,	4.9	1
54	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector 2015 , 75, 1		1
53	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s}=8, \text{TeV}$) with the ATLAS detector 2016 , 76, 1		1
52	Measurement of the W-boson mass in pp collisions at ($\sqrt{s}=7, \text{TeV}$) with the ATLAS detector 2018 , 78, 1		1
51	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s}=13, \text{TeV}$) 2018 , 78, 1		1
50	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	1
49	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector 2018 , 2018, 1		1
48	Measurement of differential cross sections for single diffractive dissociation in (\sqrt{s}) = 8 TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
47	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
46	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
45	Measurement of the CP-violating phase ϕ_s in $B_{s^0} \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV. <i>European Physical Journal C</i> , 2021 , 81,	4.2	1
44	Test of the universality of κ and λ lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021 , 17, 813-818	16.2	1
43	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
42	A search for the decays of stopped long-lived particles at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
41	Measurement of single top-quark production in association with a W boson in the single-lepton channel at ($\sqrt{s} = 8, \text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1

40	Measurements of the inclusive and differential production cross sections of a top-quark \bar{t} antiquark pair in association with a Z boson at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
39	Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at $\sqrt{s}=13$ TeV Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 127, 141801	7.4	1
38	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
37	Search for chargino $\bar{\nu}$ neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
36	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
35	Search for new phenomena in pp collisions in final states with tau leptons, b-jets, and missing transverse momentum with the ATLAS detector. <i>Physical Review D</i> , 2021 , 104,	4.9	1
34	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	1
33	A first look at Au+Au collisions at RHIC energies using the PHOBOS detector 2003 , 60, 921-931		0
32	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
31	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
30	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
29	Measurement of the $t\bar{t}$ production cross section in pp collisions at ($\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
28	Search for new phenomena in three- or four-lepton events in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 824, 136832	4.2	0
27	Observation of photon-induced $W+W\bar{\nu}$ production in pp collisions at $s=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136190	4.2	0
26	Measurements of $W+W\bar{\nu}$ jet production cross-sections in pp collisions at ($\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
25	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at ($\sqrt{s}=13$, TeV). <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0
24	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
23	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0

22	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
21	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022 , 6, 1	6	o
20	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \rightarrow \pi^{\pm} \nu_{\tau} \nu_{\tau}$ events in Run2 data. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	o
19	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	o
18	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	o
17	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	o
16	Search for Lepton-Flavor Violation in Z-Boson Decays with Leptons with the ATLAS Detector.. <i>Physical Review Letters</i> , 2021 , 127, 271801	7.4	o
15	Measurement of b-quark fragmentation properties in jets using the decay $B^{\pm} \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	o
14	ATLAS operations in the GridKa T1/T2 Cloud. <i>Journal of Physics: Conference Series</i> , 2011 , 331, 072047	0.3	
13	Recent results from PHOBOS on particle production at high p T. <i>European Physical Journal C</i> , 2009 , 61, 575-582	4.2	
12	Strangeness measurements with the PHOBOS experiment. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2006 , 32, S69-S76	2.9	
11	PHOBOS Overview. <i>Journal of Physics: Conference Series</i> , 2006 , 50, 34-41	0.3	
10	Low-p T spectra of identified charged particles in $(\sqrt{s_{NN}}) = 200$ GeV Au+Au collisions from PHOBOS experiment at RHIC. <i>European Physical Journal C</i> , 2004 , 33, s600-s602	4.2	
9	Performance of the PHOBOS silicon sensors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2002 , 478, 299-302	1.2	
8	PHOBOS at RHIC: Some global observations 2003 , 61, 865-876		
7	Recent results from PHOBOS at RHIC. <i>Nuclear Physics A</i> , 2003 , 721, C227-C230	1.3	
6	Measuring mid-rapidity multiplicity in PHOBOS. <i>Journal of Physics: Conference Series</i> , 2005 , 5, 97-104	0.3	
5	Ultra-relativistic Au+Au and d+Au collisions: Experimental studies by PHOBOS. <i>International Journal of Modern Physics A</i> , 2005 , 20, 4405-4411	1.2	

- 4 FIRST RESULTS FROM THE PHOBOS EXPERIMENT AT THE RHIC COLLIDER. *International Journal of Modern Physics A*, **2001**, 16, 1265-1267 1.2
- 3 Domain-Oriented Services for High Energy Physics in Polish Computing Centers. *Lecture Notes in Computer Science*, **2014**, 226-237 0.9
- 2 Measurement of the jet mass in high transverse momentum $Z(\rightarrow b\bar{b})\ell$ production at $\sqrt{s}=13\text{TeV}$ using the ATLAS detector. *Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics*, **2021**, 812, 135991 4.2
- 1 The ATLAS inner detector trigger performance in pp collisions at 13TeV during LHC Run 2. *European Physical Journal C*, **2022**, 82, 1 4.2