

Yi Tao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/879469/yi-tao-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

727
citations

12
h-index

25
g-index

54
ext. papers

899
ext. citations

3.5
avg, IF

4.29
L-index

#	Paper	IF	Citations
50	Rapid screening and identification of α-glucosidase inhibitors from mulberry leaves using enzyme-immobilized magnetic beads coupled with HPLC/MS and NMR. <i>Biomedical Chromatography</i> , 2013 , 27, 148-55	1.7	234
49	Ultrafiltration coupled with high-performance liquid chromatography and quadrupole-time-of-flight mass spectrometry for screening lipase binders from different extracts of <i>Dendrobium officinale</i> . <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 6081-93	4.4	48
48	Preparation and Characterization of Water-Soluble Chitosan Nanoparticles as Protein Delivery System. <i>Journal of Nanomaterials</i> , 2010 , 2010, 1-5	3.2	45
47	Simultaneous determination of ten alkaloids of crude and wine-processed <i>Rhizoma Coptidis</i> aqueous extracts in rat plasma by UHPLC-ESI-MS/MS and its application to a comparative pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 105, 64-73	3.5	44
46	Immobilized magnetic beads based multi-target affinity selection coupled with high performance liquid chromatography-mass spectrometry for screening anti-diabetic compounds from a Chinese medicine "Tang-Zhi-Qing". <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 78-79, 190-201	3.5	43
45	Hollow fiber based affinity selection combined with high performance liquid chromatography-mass spectroscopy for rapid screening lipase inhibitors from lotus leaf. <i>Analytica Chimica Acta</i> , 2013 , 785, 75-81	6.6	37
44	Integrated analysis of serum and liver metabolome in liver transplanted rats by gas chromatography coupled with mass spectrometry. <i>Analytica Chimica Acta</i> , 2009 , 633, 65-70	6.6	17
43	Global and untargeted metabolomics evidence of the protective effect of different extracts of <i>Dipsacus asper</i> Wall. ex C.B. Clarke on estrogen deficiency after ovariectomy in rats. <i>Journal of Ethnopharmacology</i> , 2017 , 199, 20-29	5	16
42	Rapid magnetic solid-phase extraction combined with ultra-high performance liquid chromatography and quadrupole-time-of-flight mass spectrometry for analysis of thrombin binders from a crude extract and injection of <i>Erigeron breviscapus</i> . <i>RSC Advances</i> , 2016 , 6, 34782-34790	3.7	15
41	Magnetic solid-phase extraction coupled with HPLC-Q-TOF-MS for rapid analysis of tyrosinase binders from San-Bai decoction by Box-Behnken statistical design. <i>RSC Advances</i> , 2016 , 6, 109730-109741	3.7	14
40	Pharmacokinetic comparisons of six components from raw and vinegar-processed <i>Daphne genkwa</i> aqueous extracts following oral administration in rats by employing UHPLC-MS/MS approaches. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1076, 24-30	3.2	13
39	Development and validation of an UHPLC-MS/MS approach for simultaneous quantification of five bioactive saponins in rat plasma: Application to a comparative pharmacokinetic study of aqueous extracts of raw and salt-processed <i>Achyranthes bidentata</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 151, 164-169	3.5	13
38	Untargeted serum metabolomics reveals Fu-Zhu-Jiang-Tang tablet and its optimal combination improve an impaired glucose and lipid metabolism in type II diabetic rats. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1040, 222-232	3.2	12
37	Rapid characterization and determination of isoflavones and triterpenoid saponins in Fu-Zhu-Jiang-Tang tablets using UHPLC-Q-TOF/MS and HPLC-UV. <i>Analytical Methods</i> , 2016 , 8, 4211-4219	3.2	12
36	UHPLC-MS/MS quantification combined with chemometrics for the comparative analysis of different batches of raw and wine-processed <i>Dipsacus asper</i> . <i>Journal of Separation Science</i> , 2017 , 40, 1686-1693	3.4	10
35	Integrating UHPLC-MS/MS quantification and DAS analysis to investigate the effects of wine-processing on the tissue distributions of bioactive constituents of herbs in rats: Exemplarily shown for <i>Dipsacus asper</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1055-1056, 135-143	3.2	10
34	Zeolite based solid-phase extraction coupled with UPLC-Q-TOF-MS for rapid analysis of acetylcholinesterase binders from crude extract of <i>Corydalis yanhusuo</i> . <i>RSC Advances</i> , 2016 , 6, 98476-98486	3.7	10

33	Fabrication and evaluation of magnetic phosphodiesterase-5 linked nanoparticles as adsorbent for magnetic dispersive solid-phase extraction of inhibitors from Chinese herbal medicine prior to ultra-high performance liquid chromatography-quadrupole time-of-flight mass spectrometry analysis. <i>Journal of Chromatography A</i> , 2018 , 1532, 58-67	4.5	10
32	Simultaneous Determination of 10 Flavonoids in Crude and Wine-Processed Radix scutellariae by UHPLC. <i>Journal of Chromatographic Science</i> , 2016 , 54, 312-7	1.4	9
31	A simple and sensitive LC-MS/MS approach for simultaneous quantification of six bioactive compounds in rats following oral administration of aqueous extract and ultrafine powder of Astragalus propinquus: Application to a comparative pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1096, 31-38	3.2	9
30	Techniques for biological fingerprinting of traditional Chinese medicine. <i>TrAC - Trends in Analytical Chemistry</i> , 2017 , 97, 272-282	14.6	9
29	Integrated metallomic and metabolomic profiling of plasma and tissues provides deep insights into the protective effect of raw and salt-processed <i>Achyranthes bidentata</i> Blume extract in ovariectomia rats. <i>Journal of Ethnopharmacology</i> , 2019 , 234, 85-95	5	9
28	Establishment of a rapid and sensitive UPLC-MS/MS method for pharmacokinetic determination of nine alkaloids of crude and processed <i>Corydalis turtchaninovii</i> Besser aqueous extracts in rat plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1121, 218-225	3.2	7
27	Preparation and Characterization of Water-Soluble Chitosan Microparticles Loaded with Insulin Using the Polyelectrolyte Complexation Method. <i>Journal of Nanomaterials</i> , 2011 , 2011, 1-6	3.2	7
26	A sensitive UPLC-MS/MS method for simultaneous determination of polyphenols in rat plasma: Application to a pharmacokinetic study of dispensing granules and standard decoction of <i>Cinnamomum cassia</i> twigs. <i>Biomedical Chromatography</i> , 2019 , 33, e4534	1.7	6
25	LABEL-FREE BIO-AFFINITY MASS SPECTROMETRY FOR SCREENING AND LOCATING BIOACTIVE MOLECULES. <i>Mass Spectrometry Reviews</i> , 2021 , 40, 53-71	11	6
24	Rapid Screening and Quantitative Determination of Active Components in Qing-Hua-Yu-Re-Formula Using UHPLC-Q-TOF/MS and HPLC-UV. <i>Journal of Analytical Methods in Chemistry</i> , 2018 , 2018, 8535127	2	6
23	Comparative pharmacokinetic analysis of extracts of crude and wine-processed <i>Dipsacus asper</i> in rats by a sensitive ultra performance liquid chromatography-tandem mass spectrometry approach. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1036-1037, 33-41	3.2	5
22	Pharmacokinetic study of six triterpenoids of raw and processed <i>Alisma plantago-aquatica</i> in rat plasma by using ultra performance liquid chromatography-tandem mass spectrometry approach. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1121, 226-230	3.2	4
21	Traditional uses, processing methods, phytochemistry, pharmacology and quality control of <i>Dipsacus asper</i> Wall. ex C.B. Clarke: A review. <i>Journal of Ethnopharmacology</i> , 2020 , 258, 112912	5	4
20	Tailored Biosensors for Drug Screening, Efficacy Assessment, and Toxicity Evaluation. <i>ACS Sensors</i> , 2021 , 6, 3146-3162	9.2	4
19	Determination of major components from Radix <i>Achyranthes bidentata</i> using ultra high performance liquid chromatography with triple quadrupole tandem mass spectrometry and an evaluation of their anti-osteoporosis effect in vitro. <i>Journal of Separation Science</i> , 2019 , 42, 2214-2221	3.4	3
18	Chemical Fingerprint of Dachaihu Granule and Its Chemical Correlation Between Raw Herbs. <i>Journal of Chromatographic Science</i> , 2017 , 55, 405-410	1.4	3
17	A UPLC-MS/MS approach for simultaneous determination of eight flavonoids in rat plasma, and its application to pharmacokinetic studies of Fu-Zhu-Jiang-Tang tablet in rats. <i>Biomedical Chromatography</i> , 2017 , 31, e3828	1.7	3
16	Immunotherapy for Triple-Negative Breast Cancer.. <i>Pharmaceutics</i> , 2021 , 13,	6.4	3

15	A biochemometrics strategy for tracing diuretic components of crude and processed <i>Alisma orientale</i> based on quantitative determination and pharmacological evaluation. <i>Biomedical Chromatography</i> , 2020 , 34, e4744	1.7	3
14	Simultaneous Determination of Ten Bioactive Components in Raw and Processed <i>Radix Dipsaci</i> by UPLC-Q-TOF-MS. <i>Journal of Chromatographic Science</i> , 2019 , 57, 122-129	1.4	3
13	HPLC fingerprinting-based multivariate analysis of chemical components in <i>Tetrastigma Hemsleyanum</i> Diels et Gilg: Correlation to their antioxidant and neuraminidase inhibition activities. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 205, 114314	3.5	3
12	A reliable LC-MS/MS method for the quantification of five bioactive saponins of crude and processed <i>Bupleurum scorzonerifolium</i> in rat plasma and its application to a pharmacokinetic study. <i>Biomedical Chromatography</i> , 2019 , 33, e4570	1.7	2
11	Development of an ultra-high-performance liquid chromatography coupled with triple quadrupole mass spectrometry method for comparative pharmacokinetics of six triterpenoids in rat plasma and application to different forms of <i>Phytolacca acinosa</i> . <i>Journal of Separation Science</i> , 2020 , 43, 1248-1255	3.4	2
10	Validation of an analytical method using UPLC-MS/MS to quantify four bioactive components in rat plasma and its application to pharmacokinetic study of traditional and dispensing granules decoction of <i>Ziziphi Spinosae Semen</i> . <i>Biomedical Chromatography</i> , 2020 , 34, e4797	1.7	2
9	A biochemometrics strategy combining quantitative determination, bioactivity evaluation and relationship analysis for identification of analgesic alkaloids of raw and vinegar-processed <i>Corydalis turtschaninovii</i> . <i>Journal of Separation Science</i> , 2020 , 43, 1183-1189	3.4	2
8	An efficient high-speed countercurrent chromatography method for preparative isolation of highly potent anti-cancer compound antroquinonol from <i>Antrodia camphorata</i> after experimental design optimized extraction. <i>Journal of Separation Science</i> , 2021 , 44, 2655-2662	3.4	2
7	A liquid chromatography-tandem mass spectrometry approach for study the tissue distributions of five components of crude and salt-processed <i>Radix Achyranthes</i> in rats. <i>Biomedical Chromatography</i> , 2019 , 33, e4483	1.7	2
6	Integrated response surface methodology and UHPLC coupled with triple quadrupole time-of-flight MS quantitation to investigate the salt-processing chemistry of traditional Chinese medicines: A case study on <i>Achyranthes bidentata</i> . <i>Separation Science Plus</i> , 2018 , 1, 439-445	1.1	2
5	Simultaneous Quantitation of Five Bioactive Ingredients in Raw and Processed <i>Fallopia multiflora</i> by Employing UHPLC-Q-TOF-MS. <i>Journal of Chromatographic Science</i> , 2019 , 57, 618-624	1.4	1
4	Towards the identification of alkaline phosphatase binding ligands in Li-Dan-Hua-Shi pills: A Box-Behnken design optimized affinity selection approach tandem with UHPLC-Q-TOF/MS analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 154, 486-491	3.5	1
3	Layer-by-layer assembly strategy for fabrication of polydopamine-polyethyleneimine hybrid modified fibers and their application to solid-phase microextraction of bioactive molecules from medicinal plant samples followed by surface plasmon resonance biosensor validation. <i>Analytica Chimica Acta</i> , 2021 , 1146, 155-165	6.6	1
2	Tracing anti-osteoporosis components from raw and salt-processed semen of <i>Cuscuta chinensis</i> by employing a biochemometrics strategy that integrates ultrasonic-assisted extraction, quantitation, efficacy assessment in zebrafish, and grey relationship analysis. <i>Journal of Separation Science</i> , 2021 , 44, 3223-3236	3.4	1
1	Multivariate Statistical Analysis Uncovers Spectrum Effect Relationship between HPLC Fingerprints and Antioxidant Activity of Saffron. <i>Journal of Chemistry</i> , 2021 , 2021, 1-15	2.3	