

# Ming-B Xiao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8794957/publications.pdf>

Version: 2024-02-01

48  
papers

1,162  
citations

393982

19  
h-index

414034

32  
g-index

48  
all docs

48  
docs citations

48  
times ranked

1925  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comparison of Traditional and Novel Methods for the Separation of Exosomes from Human Samples. <i>BioMed Research International</i> , 2018, 2018, 1-9.	0.9	150
2	Long non-coding RNA SNHG20 predicts a poor prognosis for HCC and promotes cell invasion by regulating the epithelial-to-mesenchymal transition. <i>Biomedicine and Pharmacotherapy</i> , 2017, 89, 857-863.	2.5	81
3	The expressions and clinical significances of tissue and serum galectin-3 in pancreatic carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 1035-1043.	1.2	71
4	S100 family signaling network and related proteins in pancreatic cancer (Review). <i>International Journal of Molecular Medicine</i> , 2014, 33, 769-776.	1.8	64
5	Identifying cancer-associated fibroblasts as emerging targets for hepatocellular carcinoma. <i>Cell and Bioscience</i> , 2020, 10, 127.	2.1	51
6	High expression of S100A11 in pancreatic adenocarcinoma is an unfavorable prognostic marker. <i>Medical Oncology</i> , 2012, 29, 1886-1891.	1.2	43
7	The Presence of IGHG1 in Human Pancreatic Carcinomas Is Associated With Immune Evasion Mechanisms. <i>Pancreas</i> , 2011, 40, 753-761.	0.5	41
8	High NUSAP1 expression predicts poor prognosis in colon cancer. <i>Pathology Research and Practice</i> , 2018, 214, 968-973.	1.0	38
9	Characterization and proteomic profiling of pancreatic cancerâ€derived serum exosomes. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 988-999.	1.2	36
10	Diagnosis of Hepatocellular Carcinoma by Quantitative Detection of Hepatoma-Specific Bands of Serum Î³-Glutamyltransferase. <i>American Journal of Clinical Pathology</i> , 1998, 110, 743-749.	0.4	35
11	A Tumor-Specific Super-Enhancer Drives Immune Evasion by Guiding Synchronous Expression of PD-L1 and PD-L2. <i>Cell Reports</i> , 2019, 29, 3435-3447.e4.	2.9	33
12	DNA primase subunit 1 deteriorated progression of hepatocellular carcinoma by activating AKT/mTOR signaling and UBE2C-mediated P53 ubiquitination. <i>Cell and Bioscience</i> , 2021, 11, 42.	2.1	30
13	Comparative proteomic analysis of differentially expressed proteins in human pancreatic cancer tissue. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2009, 8, 193-200.	0.6	28
14	Serum GP73 is complementary to AFP and GGT-II for the diagnosis of hepatocellular carcinoma. <i>Oncology Letters</i> , 2013, 6, 1152-1158.	0.8	27
15	Detection of clarithromycin-resistant <i>Helicobacter pylori</i> in clinical specimens by molecular methods: A review. <i>Journal of Global Antimicrobial Resistance</i> , 2016, 4, 35-41.	0.9	27
16	Progress in the application of exosomes as therapeutic vectors in tumor-targeted therapy. <i>Cytótherapy</i> , 2019, 21, 509-524.	0.3	24
17	S100A11 promotes human pancreatic cancer PANCâ€1 cell proliferation and is involved in the PI3K/AKT signaling pathway. <i>Oncology Letters</i> , 2018, 15, 175-182.	0.8	23
18	Decreased Expression and Prognostic Role of Mitogen-Activated Protein Kinase Phosphatase 4 in Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2013, 17, 756-765.	0.9	21

#	ARTICLE	IF	CITATIONS
19	Ubiquitin-specific protease 7 is a drug-able target that promotes hepatocellular carcinoma and chemoresistance. <i>Cancer Cell International</i> , 2020, 20, 28.	1.8	20
20	Targeting the TXNIP-NLRP3 interaction with PSSM1443 to suppress inflammation in sepsis-induced myocardial dysfunction. <i>Journal of Cellular Physiology</i> , 2021, 236, 4625-4639.	2.0	20
21	Overexpressed nuclear BAG1 in human hepatocellular carcinoma is associated with poor prognosis and resistance to doxorubicin. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 2120-2130.	1.2	19
22	High expression of Anxa2 and Stat3 promote progression of hepatocellular carcinoma and predict poor prognosis. <i>Pathology Research and Practice</i> , 2019, 215, 152386.	1.0	19
23	A super-enhancer controls TGF- $\beta$ 2 signaling in pancreatic cancer through downregulation of TGFBR2. <i>Cellular Signalling</i> , 2020, 66, 109470.	1.7	19
24	USP7 mediates pathological hepatic de novo lipogenesis through promoting stabilization and transcription of ZNF638. <i>Cell Death and Disease</i> , 2020, 11, 843.	2.7	19
25	Combined analysis of serum $\gamma$ -glutamyl transferase isoenzyme II, $\alpha$ -L-fucosidase and $\alpha$ -fetoprotein detected using a commercial kit in the diagnosis of hepatocellular carcinoma. <i>Experimental and Therapeutic Medicine</i> , 2013, 5, 89-94.	0.8	18
26	$\beta$ 2-AR regulates the expression of AKR1B1 in human pancreatic cancer cells and promotes their proliferation via the ERK1/2 pathway. <i>Molecular Biology Reports</i> , 2018, 45, 1863-1871.	1.0	18
27	The AKR1B1 inhibitor epalrestat suppresses the progression of cervical cancer. <i>Molecular Biology Reports</i> , 2020, 47, 6091-6103.	1.0	18
28	Serum galectin-3 as a biomarker for screening, early diagnosis, prognosis and therapeutic effect evaluation of pancreatic cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 11583-11591.	1.6	15
29	Human umbilical cord mesenchymal stem cell-derived exosomes carrying hsa-miRNA-128-3p suppress pancreatic ductal cell carcinoma by inhibiting Galectin-3. <i>Clinical and Translational Oncology</i> , 2022, 24, 517-531.	1.2	14
30	Overexpression of DIXDC1 correlates with enhanced cell growth and poor prognosis in human pancreatic ductal adenocarcinoma. <i>Human Pathology</i> , 2016, 57, 182-192.	1.1	13
31	SRPK1 is a poor prognostic indicator and a novel potential therapeutic target for human colorectal cancer. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 5359-5370.	1.0	13
32	Chronic pouchitis is associated with pouch polyp formation in patients with underlying ulcerative colitis. <i>Journal of Crohn's and Colitis</i> , 2014, 8, 363-369.	0.6	12
33	Identification and Validation of Ubiquitin-Specific Proteases as a Novel Prognostic Signature for Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 629327.	1.3	11
34	The endoribonuclease N4BP1 prevents psoriasis by controlling both keratinocytes proliferation and neutrophil infiltration. <i>Cell Death and Disease</i> , 2021, 12, 488.	2.7	11
35	RACK1 overexpression associates with pancreatic ductal adenocarcinoma growth and poor prognosis. <i>Experimental and Molecular Pathology</i> , 2016, 101, 176-186.	0.9	10
36	MKP-4 suppresses hepatocarcinogenesis by targeting ERK1/2 pathway. <i>Cancer Cell International</i> , 2019, 19, 61.	1.8	10

#	ARTICLE	IF	CITATIONS
37	Identification of prognostic risk factors for pancreatic cancer using bioinformatics analysis. PeerJ, 2020, 8, e9301.	0.9	9
38	Actin related protein 3 (ARP3) promotes apoptosis of intestinal epithelial cells in ulcerative colitis. Pathology Research and Practice, 2019, 215, 235-242.	1.0	8
39	Glycylproline dipeptidyl aminopeptidase isoenzyme in diagnosis of primary hepatocellular carcinoma. World Journal of Gastroenterology, 2003, 9, 710.	1.4	8
40	Correlation between S100A11 and the TGF- $\beta$ 1/SMAD4 pathway and its effects on the proliferation and apoptosis of pancreatic cancer cell line PANC-1. Molecular and Cellular Biochemistry, 2019, 450, 53-64.	1.4	7
41	The small molecule PSSM0332 disassociates the CRL4A <sup>&lt;sup&gt;</sup> DCAF8 <sup>&lt;/sup&gt; E3 ligase complex to decrease the ubiquitination of NcoR1 and inhibit the inflammatory response in a mouse sepsis-induced myocardial dysfunction model. International Journal of Biological Sciences, 2020, 16, 2974-2988.</sup>	2.6	7
42	Expression pattern of BCCIP in hepatocellular carcinoma is correlated with poor prognosis and enhanced cell proliferation. Tumor Biology, 2016, 37, 16305-16315.	0.8	6
43	Nucleolar spindle-associated protein 1 promotes tumorigenesis and predicts poor prognosis in human esophageal squamous cell carcinoma. Journal of Cellular Biochemistry, 2019, 120, 11726-11737.	1.2	6
44	EHD2 Overexpression Suppresses the Proliferation, Migration, and Invasion in Human Colon Cancer. Cancer Investigation, 2021, 39, 1-13.	0.6	3
45	Correlation between thymidylate synthase genotype and susceptibility to gastric carcinoma. Chinese Journal of Clinical Oncology, 2008, 5, 448-452.	0.0	2
46	Sex comb on midleg like-2 is a novel specific marker for the diagnosis of gastroenteropancreatic neuroendocrine tumors. Experimental and Therapeutic Medicine, 2017, 14, 1749-1755.	0.8	2
47	Clinical value of hepatoma-specific alpha-fetoprotein in the diagnosis of hepatocellular carcinoma. Chinese Journal of Clinical Oncology, 2006, 3, 153-157.	0.0	1
48	AKR1B1 promotes pancreatic cancer metastasis by regulating lysosome-guided exosome secretion. Nano Research, 0, , 1.	5.8	1