

Roberto Passera

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8795012/publications.pdf>

Version: 2024-02-01

145
papers

7,254
citations

71102

41
h-index

62596

80
g-index

146
all docs

146
docs citations

146
times ranked

9951
citing authors

#	ARTICLE	IF	CITATIONS
1	Home parenteral nutrition versus artificial hydration in malnourished patients with cancer in palliative care: a prospective, cohort survival study. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, 114-120.	1.6	17
2	A systematic review and meta-analysis of endoscopic mucosal resection vs endoscopic submucosal dissection for colorectal sessile/non-polypoid lesions. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2022, 31, 835-847.	1.2	7
3	Risk factors for Low Anterior Resection Syndrome (LARS) in patients undergoing laparoscopic surgery for rectal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 6059-6066.	2.4	12
4	Event-free survival after ⁶⁸ Ga-PSMA-11 PET/CT in recurrent hormone-sensitive prostate cancer (HSPC) patients eligible for salvage therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 3257-3268.	6.4	19
5	A Clinical Prognostic Model Based on Machine Learning from the Fondazione Italiana Linfomi (FIL) MCL0208 Phase III Trial. <i>Cancers</i> , 2022, 14, 188.	3.7	6
6	Predictors of Bone Metastases at ⁶⁸ Ga-PSMA-11 PET/CT in Hormone-Sensitive Prostate Cancer (HSPC) Patients with Early Biochemical Recurrence or Persistence. <i>Diagnostics</i> , 2022, 12, 1309.	2.6	5
7	Predictive factors of a worse response to radioactive Iodine-131 treatment in hyperthyroidism: outcome analysis in 424 patients. A single centre experience. <i>Endocrine</i> , 2021, 73, 107-115.	2.3	4
8	Oral neomycin and bacitracin are effective in preventing surgical site infections in elective colorectal surgery: a multicentre, randomized, parallel, single-blinded trial (COLORAL-1). <i>Updates in Surgery</i> , 2021, 73, 1775-1786.	2.0	6
9	Appendectomy during the COVID-19 pandemic in Italy: a multicenter ambispective cohort study by the Italian Society of Endoscopic Surgery and new technologies (the CRAC study). <i>Updates in Surgery</i> , 2021, 73, 2205-2213.	2.0	14
10	Machine Learning Techniques in Prostate Cancer Diagnosis According to Prostate-Specific Antigen Levels and Prostate Cancer Gene 3 Score. <i>The Korean Journal of Urological Oncology</i> , 2021, 19, 164-173.	0.1	1
11	Predictive Value of Baseline [¹⁸ F]FDG PET/CT for Response to Systemic Therapy in Patients with Advanced Melanoma. <i>Journal of Clinical Medicine</i> , 2021, 10, 4994.	2.4	4
12	An Advanced Surgical Dressing for High-risk Patients Undergoing Breast Cancer Surgery: A Case-control Study. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2021, 9, e3911.	0.6	0
13	Management of Invasive Fungal Infections in Patients Undergoing Allogeneic Hematopoietic Stem Cell Transplantation: The Turin Experience. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 805514.	3.9	7
14	Long-term Oncologic Results After Stenting as a Bridge to Surgery Versus Emergency Surgery for Malignant Left-sided Colonic Obstruction. <i>Annals of Surgery</i> , 2020, 272, 703-708.	4.2	34
15	¹⁸ F-FDG Pet Parameters and Radiomics Features Analysis in Advanced Nsclc Treated with Immunotherapy as Predictors of Therapy Response and Survival. <i>Cancers</i> , 2020, 12, 1163.	3.7	70
16	Clinical characteristics and predictive factors of survival of 761 cancer patients on home parenteral nutrition: A prospective, cohort study. <i>Cancer Medicine</i> , 2020, 9, 4686-4698.	2.8	16
17	Intraoperative use of fluorescence with indocyanine green reduces anastomotic leak rates in rectal cancer surgery: an individual participant data analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 4281-4290.	2.4	48
18	⁶⁸ Ga-PSMA-11 PET/CT in recurrent hormone-sensitive prostate cancer (HSPC): a prospective single-centre study in patients eligible for salvage therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2804-2815.	6.4	27

#	ARTICLE	IF	CITATIONS
19	[18F]FDG PET/CT for evaluating early response to neoadjuvant chemotherapy in pediatric patients with sarcoma: a prospective single-center trial. <i>EJNMMI Research</i> , 2020, 10, 122.	2.5	8
20	Risk of Gleason Score 3+4=7 prostate cancer upgrading at radical prostatectomy is significantly reduced by targeted versus standard biopsy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 360-368.	3.9	17
21	How bothersome double-J ureteral stents are after semirigid and flexible ureteroscopy: a prospective single-institution observational study. <i>World Journal of Urology</i> , 2019, 37, 201-207.	2.2	30
22	Individual participant data pooled-analysis of risk factors for recurrence after neoadjuvant radiotherapy and transanal local excision of rectal cancer: the PARTTLE study. <i>Techniques in Coloproctology</i> , 2019, 23, 831-842.	1.8	13
23	Effect of low-level BCR-ABL1 kinase domain mutations identified by next-generation sequencing in patients with chronic myeloid leukaemia: a population-based study. <i>Lancet Haematology</i> , 2019, 6, e276-e284.	4.6	46
24	Response. <i>Gastrointestinal Endoscopy</i> , 2019, 90, 705-706.	1.0	2
25	Prolonged survival in the absence of disease-recurrence in advanced-stage follicular lymphoma following chemo-immunotherapy: 13-year update of the prospective, multicenter randomized GITMO-III trial. <i>Haematologica</i> , 2019, 104, 2241-2248.	3.5	13
26	Intracorporeal or Extracorporeal Ileocolic Anastomosis After Laparoscopic Right Colectomy. <i>Annals of Surgery</i> , 2019, 270, 762-767.	4.2	127
27	Intraoperative air leak test reduces the rate of postoperative anastomotic leak: analysis of 777 laparoscopic left-sided colon resections. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 1592-1599.	2.4	36
28	The use of 3D laparoscopic imaging systems in surgery: EAES consensus development conference 2018. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 3251-3274.	2.4	75
29	The role of side-specific biopsy and dominant tumor location at radical prostatectomy in predicting the side of nodal metastases in organ confined prostate cancer: is lymphatic spread really unpredictable?. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 146-153.	3.9	2
30	Indication to pelvic lymph nodes dissection for prostate cancer: the role of multiparametric magnetic resonance imaging when the risk of lymph nodes invasion according to Briganti updated nomogram is $\leq 5\%$. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 85-91.	3.9	14
31	Single-incision laparoscopic cholecystectomy is responsible for increased adverse events: results of a meta-analysis of randomized controlled trials. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 3739-3753.	2.4	41
32	Yttrium-90 ibritumomab tiuxetan (Zevalin) followed by BEAM (Z-BEAM) conditioning regimen and autologous stem cell transplantation (ASCT) in relapsed or refractory high-risk B-cell non-Hodgkin lymphoma (NHL): a single institution Italian experience. <i>Annals of Hematology</i> , 2018, 97, 1619-1626.	1.8	4
33	Hematopoietic cell transplantation comorbidity index and risk of developing invasive fungal infections after allografting. <i>Bone Marrow Transplantation</i> , 2018, 53, 1304-1310.	2.4	12
34	Highly sensitive MYD88 ^{L265P} mutation detection by droplet digital polymerase chain reaction in Waldenström macroglobulinemia. <i>Haematologica</i> , 2018, 103, 1029-1037.	3.5	61
35	Five-year Outcomes for a Prospective Randomised Controlled Trial Comparing Laparoscopic and Robot-assisted Radical Prostatectomy. <i>European Urology Focus</i> , 2018, 4, 80-86.	3.1	62
36	Progressive telomere shortening is part of the natural history of chronic lymphocytic leukaemia and impacts clinical outcome: evidences from long term follow-up. <i>British Journal of Haematology</i> , 2018, 181, 693-695.	2.5	1

#	ARTICLE	IF	CITATIONS
37	Efficacy of Mesoglycan in Pain Control after Excisional Hemorrhoidectomy: A Pilot Comparative Prospective Multicenter Study. <i>Gastroenterology Research and Practice</i> , 2018, 2018, 1-8.	1.5	15
38	Safety of single-incision robotic cholecystectomy for benign gallbladder disease: a systematic review. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 4716-4727.	2.4	19
39	Haplo-identical allografting with post-transplant cyclophosphamide in high-risk patients. <i>Annals of Hematology</i> , 2018, 97, 2205-2215.	1.8	4
40	Comparing Image-guided targeted Biopsies to Radical Prostatectomy Specimens for Accurate Characterization of the Index Tumor in Prostate Cancer. <i>Anticancer Research</i> , 2018, 38, 3043-3047.	1.1	8
41	The Engineered MIPI (e-MIPI), a Candidate Data-Mining Based Mantle Cell Lymphoma Prognostic Index Developed from the Dataset of the Fondazione Italiana Linfomi (FIL) MCL0208 Phase III Trial. <i>Blood</i> , 2018, 132, 2890-2890.	1.4	0
42	Multiparametric Magnetic Resonance/Ultrasound Fusion Prostate Biopsy: Number and Spatial Distribution of Cores for Better Index Tumor Detection and Characterization. <i>Journal of Urology</i> , 2017, 198, 58-64.	0.4	52
43	Stent as bridge to surgery for left-sided malignant colonic obstruction reduces adverse events and stoma rate compared with emergency surgery: results of a systematic review and meta-analysis of randomized controlled trials. <i>Gastrointestinal Endoscopy</i> , 2017, 86, 416-426.	1.0	166
44	Long-term follow-up of allogeneic stem cell transplantation in relapsed/refractory Hodgkin lymphoma. <i>Bone Marrow Transplantation</i> , 2017, 52, 1208-1211.	2.4	8
45	Colonic stenting as a bridge to surgery versus emergency surgery for malignant colonic obstruction: results of a multicentre randomised controlled trial (ESCO trial). <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 3297-3305.	2.4	140
46	Cost analysis of laparoendoscopic rendezvous versus preoperative ERCP and laparoscopic cholecystectomy in the management of cholecystocholedocholithiasis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 3291-3296.	2.4	9
47	Violation of prophylactic vancomycin administration timing is a potential risk factor for rate of surgical site infections in cardiac surgery patients: a prospective cohort study. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 73.	1.7	15
48	Magnetic resonance imaging for cerebral lesions during minimal invasive mitral valve surgery: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 76.	1.6	1
49	Multi-port versus single-port cholecystectomy: results of a multi-centre, randomised controlled trial (MUSIC trial). <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 2872-2880.	2.4	54
50	The role of stents in the management of colorectal complications: a systematic review. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 2720-2730.	2.4	21
51	Diagnostic Pathway with Multiparametric Magnetic Resonance Imaging Versus Standard Pathway: Results from a Randomized Prospective Study in Biopsy-naïve Patients with Suspected Prostate Cancer. <i>European Urology</i> , 2017, 72, 282-288.	1.9	168
52	Internet Addiction Disorder: Personality characteristics and risk of pathological overuse in adolescents. <i>Psychiatry Research</i> , 2017, 248, 1-5.	3.3	46
53	Longitudinal study of quality of life in advanced cancer patients on home parenteral nutrition. <i>Cancer Medicine</i> , 2017, 6, 1799-1806.	2.8	75
54	Minimal residual disease after transplantation or lenalidomide-based consolidation in myeloma patients: a prospective analysis. <i>Oncotarget</i> , 2017, 8, 5924-5935.	1.8	33

#	ARTICLE	IF	CITATIONS
55	Impact of Radioguided Occult Lesion Localization (ROLL) in the management of cervical recurrences from differentiated thyroid cancer. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2017, , .	0.7	2
56	Perineal stapled prolapse resection for full-thickness external rectal prolapse: a multicentre prospective study. Colorectal Disease, 2016, 18, 1094-1100.	1.4	17
57	Transanal Endoscopic Operation under spinal anaesthesia. British Journal of Surgery, 2016, 103, 916-920.	0.3	17
58	Use of a simplified consent form to facilitate patient understanding of informed consent for laparoscopic cholecystectomy. Open Medicine (Poland), 2016, 11, 564-573.	1.3	16
59	Intraoperative neuromonitoring versus visual nerve identification for prevention of recurrent laryngeal nerve injury in adults undergoing thyroid surgery. The Cochrane Library, 2016, , .	2.8	31
60	Systematic review and meta-analysis of endoscopic submucosal dissection vs endoscopic mucosal resection for colorectal lesions. United European Gastroenterology Journal, 2016, 4, 18-29.	3.8	122
61	Long-Lasting Protective Effect of Posaconazole Prophylaxis in Patients with Acute Myeloid Leukemia Receiving Allogeneic Hematopoietic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2016, 22, 2214-2219.	2.0	13
62	Multiple myeloma: New surface antigens for the characterization of plasma cells in the era of novel agents. Cytometry Part B - Clinical Cytometry, 2016, 90, 81-90.	1.5	45
63	High prostate cancer gene 3 (<scp>PCA</scp>3) scores are associated with elevated Prostate Imaging Reporting and Data System (<scp>PI</scp>-<scp>RADS</scp>) grade and biopsy Gleason score, at magnetic resonance imaging/ultrasonography fusion software-based targeted prostate biopsy after a previous negative standard biopsy. BJU International, 2016, 118, 723-730.	2.5	25
64	[\hat{a}^2]proPSA versus ultrasensitive PSA fluctuations over time in the first year from radical prostatectomy, in a high-risk prostate cancer population: A first report. BMC Urology, 2016, 16, 14.	1.4	4
65	A Single-Center Pilot Prospective Study of Topical Application of Platelet-Derived Eye Drops for Patients with Ocular Chronic Graft-versus-Host Disease. Biology of Blood and Marrow Transplantation, 2016, 22, 1664-1670.	2.0	15
66	A phase 2 study of three low-dose intensity subcutaneous bortezomib regimens in elderly frail patients with untreated multiple myeloma. Leukemia, 2016, 30, 1320-1326.	7.2	38
67	Addition of Rituximab to Involved-Field Radiation Therapy Prolongs Progression-free Survival in Stage I-II Follicular Lymphoma: Results of a Multicenter Study. International Journal of Radiation Oncology Biology Physics, 2016, 94, 783-791.	0.8	35
68	Role of Chemotherapy and Allografting in the Treatment of Acute Lymphoblastic Leukemia. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 96-103.	0.4	1
69	Radioimmunotherapy in relapsed/refractory mantle cell lymphoma patients: final results of a European MCL Network Phase II Trial. Leukemia, 2016, 30, 984-987.	7.2	11
70	Prospective molecular monitoring of minimal residual disease after non-myeloablative allografting in newly diagnosed multiple myeloma. Leukemia, 2016, 30, 1211-1214.	7.2	33
71	Total Anatomical Reconstruction During Robot-assisted Radical Prostatectomy: Implications on Early Recovery of Urinary Continence. European Urology, 2016, 69, 485-495.	1.9	92
72	A Multicenter, Open Label Phase I/II Study of Carfilzomib, Pomalidomide and Dexamethasone in Relapsed and/or Refractory Multiple Myeloma (MM) Patients. Blood, 2016, 128, 1145-1145.	1.4	6

#	ARTICLE	IF	CITATIONS
73	Multiparametric-Magnetic Resonance/Ultrasound Fusion Targeted Prostate Biopsy Improves Agreement Between Biopsy and Radical Prostatectomy Gleason Score. <i>Anticancer Research</i> , 2016, 36, 4833-4840.	1.1	42
74	Efficacy and safety of laparoendoscopic resections of colorectal neoplasia: A systematic review. <i>United European Gastroenterology Journal</i> , 2015, 3, 514-522.	3.8	8
75	The use of <i>ATG</i> abrogates the antileukemic effect of cytomegalovirus reactivation in patients with acute myeloid leukemia receiving grafts from unrelated donors. <i>American Journal of Hematology</i> , 2015, 90, E117-21.	4.1	19
76	Transperitoneal versus retroperitoneal laparoscopic adrenalectomy for adrenal tumours in adults. <i>The Cochrane Library</i> , 2015, , .	2.8	2
77	Robot-Assisted Extended Pelvic Lymph Nodes Dissection for Prostate Cancer: Personal Surgical Technique and Outcomes. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015, 41, 1209-1219.	1.5	13
78	Long-term efficacy of endoscopic vacuum therapy for the treatment of colorectal anastomotic leaks. <i>Digestive and Liver Disease</i> , 2015, 47, 342-345.	0.9	39
79	Laparoscopy for rectal cancer is oncologically adequate: a systematic review and meta-analysis of the literature. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015, 29, 334-348.	2.4	69
80	Clinical impact of immunophenotypic remission after allogeneic hematopoietic cell transplantation in multiple myeloma. <i>Bone Marrow Transplantation</i> , 2015, 50, 511-516.	2.4	6
81	Revised International Staging System for Multiple Myeloma: A Report From International Myeloma Working Group. <i>Journal of Clinical Oncology</i> , 2015, 33, 2863-2869.	1.6	1,525
82	Long-term results of the GIMEMA VEL-03-096 trial in MM patients receiving VTD consolidation after ASCT: MRD kinetics' impact on survival. <i>Leukemia</i> , 2015, 29, 689-695.	7.2	75
83	Prostate health index and prostate cancer gene 3 score but not percent-free Prostate Specific Antigen have a predictive role in differentiating histological prostatitis from PCa and other nonneoplastic lesions (BPH and HG-PIN) at repeat biopsy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 424.e17-424.e23.	1.6	10
84	Minimal Residual Disease Detection by Droplet Digital PCR in Multiple Myeloma, Mantle Cell Lymphoma, and Follicular Lymphoma. <i>Journal of Molecular Diagnostics</i> , 2015, 17, 652-660.	2.8	115
85	Laparoscopic right colectomy reduces short-term mortality and morbidity. Results of a systematic review and meta-analysis. <i>International Journal of Colorectal Disease</i> , 2015, 30, 1457-1472.	2.2	42
86	Fluctuation in prostate cancer gene 3 (<i>PCA3</i>) score in men undergoing first or repeat prostate biopsies. <i>BJU International</i> , 2014, 114, E56-E61.	2.5	9
87	The Roles of Multiparametric Magnetic Resonance Imaging, <i>PCA3</i> and Prostate Health Index—Which is the Best Predictor of Prostate Cancer after a Negative Biopsy?. <i>Journal of Urology</i> , 2014, 192, 60-66.	0.4	68
88	Systematic review and meta-analysis of endoscopic submucosal dissection versus transanal endoscopic microsurgery for large noninvasive rectal lesions. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 427-438.	2.4	136
89	Bortezomib, melphalan, prednisone (VMP) versus melphalan, prednisone, thalidomide (MPT) in elderly newly diagnosed multiple myeloma patients: A retrospective case-matched study. <i>American Journal of Hematology</i> , 2014, 89, 355-362.	4.1	24
90	Next-generation sequencing and real-time quantitative PCR for minimal residual disease detection in B-cell disorders. <i>Leukemia</i> , 2014, 28, 1299-1307.	7.2	257

#	ARTICLE	IF	CITATIONS
91	Bortezomib-Melphalan-Prednisone-Thalidomide Followed by Maintenance With Bortezomib-Thalidomide Compared With Bortezomib-Melphalan-Prednisone for Initial Treatment of Multiple Myeloma: Updated Follow-Up and Improved Survival. <i>Journal of Clinical Oncology</i> , 2014, 32, 634-640.	1.6	198
92	Survival improvement of poor-prognosis AML/MDS patients by maintenance treatment with low-dose chemotherapy and differentiating agents. <i>Annals of Hematology</i> , 2014, 93, 1391-1400.	1.8	27
93	High incidence of trocar site hernia after laparoscopic or robotic Roux-en-Y gastric bypass. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 2890-2898.	2.4	35
94	High XBP1 expression is a marker of better outcome in multiple myeloma patients treated with bortezomib. <i>Haematologica</i> , 2014, 99, e14-e16.	3.5	42
95	Chromosome 1 abnormalities in elderly patients with newly diagnosed multiple myeloma treated with novel therapies. <i>Haematologica</i> , 2014, 99, 1611-1617.	3.5	29
96	Rate of Primary Refractory Disease in B and T-Cell Non-Hodgkinâ€™s Lymphoma: Correlation with Long-Term Survival. <i>PLoS ONE</i> , 2014, 9, e106745.	2.5	18
97	Comparison of prostate cancer gene 3 score, prostate health index and percentage free prostate-specific antigen for differentiating histological inflammation from prostate cancer and other non-neoplastic alterations of the prostate at initial biopsy. <i>Anticancer Research</i> , 2014, 34, 7159-65.	1.1	6
98	Is single-incision laparoscopic cholecystectomy safe? Results of a systematic review and meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 2293-2304.	2.4	70
99	Laparoscopy for rectal cancer reduces short-term mortality and morbidity: results of a systematic review and meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 1485-1502.	2.4	113
100	Rituximab-based pre-emptive treatment of molecular relapse in follicular and mantle cell lymphoma. <i>Annals of Hematology</i> , 2013, 92, 1503-1511.	1.8	19
101	Multiple courses of G-CSF in patients with decompensated cirrhosis: consistent mobilization of immature cells expressing hepatocyte markers and exploratory clinical evaluation. <i>Hepatology International</i> , 2013, 7, 1075-1083.	4.2	21
102	Head-to-Head Comparison of Prostate Health Index and Urinary PCA3 for Predicting Cancer at Initial or Repeat Biopsy. <i>Journal of Urology</i> , 2013, 190, 496-501.	0.4	87
103	Allogeneic Hematopoietic Cell Transplantation from Unrelated Donors in Multiple Myeloma: Study from the Italian Bone Marrow Donor Registry. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 940-948.	2.0	20
104	Long-Term Results of Autologous Hematopoietic Stem-Cell Transplantation After High-Dose ⁹⁰Y-Ibritumomab Tiuxetan for Patients With Poor-Risk Non-Hodgkin Lymphoma Not Eligible for High-Dose BEAM. <i>Journal of Clinical Oncology</i> , 2013, 31, 2974-2976.	1.6	14
105	Intraoperative Vancomycin Pharmacokinetics in Cardiac Surgery With or Without Cardiopulmonary Bypass. <i>Annals of Pharmacotherapy</i> , 2013, 47, 455-463.	1.9	12
106	The lymphocyte to monocyte ratio improves the IPIâ€™s risk definition of diffuse large Bâ€™cell lymphoma when rituximab is added to chemotherapy. <i>American Journal of Hematology</i> , 2013, 88, 1062-1067.	4.1	54
107	Laparoscopy for extraperitoneal rectal cancer reduces shortâ€™term morbidity: Results of a systematic review and metaâ€™analysis. <i>United European Gastroenterology Journal</i> , 2013, 1, 32-47.	3.8	9
108	Bortezomib induction, reduced-intensity transplantation, and lenalidomide consolidation-maintenance for myeloma: updated results. <i>Blood</i> , 2013, 122, 1376-1383.	1.4	74

#	ARTICLE	IF	CITATIONS
109	Immunophenotypic Response After Allografting In Multiple Myeloma. <i>Blood</i> , 2013, 122, 3371-3371.	1.4	1
110	Long-Term Molecular Results Of The Gimema VEL-03-096 Trial: Molecular Remission Achievement and Loss Are Major Outcome Predictors. <i>Blood</i> , 2013, 122, 2077-2077.	1.4	0
111	Biopsy and radical prostatectomy pathological patterns influence Prostate cancer gene 3 (PCA3) score. <i>Anticancer Research</i> , 2013, 33, 4657-62.	1.1	7
112	Comparison of Visible and Near-Infrared Reflectance Spectroscopy to Authenticate Fresh and Frozen-Thawed Swordfish (<i>Xiphias gladius</i> L). <i>Journal of Aquatic Food Product Technology</i> , 2012, 21, 493-507.	1.4	38
113	Should Laparoscopic Colorectal Surgery Still be Considered Unsafe?. <i>Annals of Surgery</i> , 2012, 255, e22.	4.2	0
114	Multicenter Experience Using Total Lymphoid Irradiation and Antithymocyte Globulin as Conditioning for Allografting in Hematological Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1600-1607.	2.0	25
115	A short course of granulocyte colony-stimulating factor to accelerate wound repair in patients undergoing surgery for sacrococcygeal pilonidal cyst: proof of concept. <i>Cytotherapy</i> , 2012, 14, 1101-1109.	0.7	4
116	Interim 18-FDG-PET/CT failed to predict the outcome in diffuse large B-cell lymphoma patients treated at the diagnosis with rituximab-CHOP. <i>Blood</i> , 2012, 119, 2066-2073.	1.4	217
117	Daily administration of low molecular weight heparin increases Hepatocyte Growth Factor serum levels in gynaecological patients: pharmacokinetic parameters and clinical implications. <i>BMC Research Notes</i> , 2012, 5, 517.	1.4	3
118	Histological chronic prostatitis and high-grade prostate intraepithelial neoplasia do not influence urinary prostate cancer gene 3 score. <i>BJU International</i> , 2012, 110, E778-82.	2.5	9
119	Telomere loss in Philadelphia-negative hematopoiesis after successful treatment of chronic myeloid leukemia: Evidence for premature aging of the myeloid compartment. <i>Mechanisms of Ageing and Development</i> , 2012, 133, 479-488.	4.6	9
120	DCLK1 immunoreactivity in colorectal neoplasia. <i>Clinical and Experimental Gastroenterology</i> , 2012, 5, 35.	2.3	59
121	Multiple myeloma shows no intra-disease clustering of immunoglobulin heavy chain genes. <i>Haematologica</i> , 2012, 97, 849-853.	3.5	14
122	Long-term follow-up of myelodysplastic syndrome patients with moderate/severe anaemia receiving human recombinant erythropoietin + 13-cis-retinoic acid and dihydroxylated vitamin D ₃ : independent positive impact of erythroid response on survival. <i>British Journal of Haematology</i> , 2012, 158, 99-107.	2.5	8
123	Next-Generation Sequencing and Real-Time Quantitative PCR for Minimal Residual Disease (MRD) Detection Using the Immunoglobulin Heavy Chain Variable Region: A Methodical Comparison in Acute Lymphoblastic Leukemia (ALL), Mantle Cell Lymphoma (MCL) and Multiple Myeloma (MM). <i>Blood</i> , 2012, 120, 788-788.	1.4	1
124	The Peripheral Blood Lymphocyte to Monocyte Ratio At Diagnosis Is a Potent Outcome Predictor in Diffuse Large B-Cell Lymphoma Treated with R-CHOP: A Long-Term Analysis On 973 Patients Receiving Chemotherapy with or without Rituximab. <i>Blood</i> , 2012, 120, 1553-1553.	1.4	2
125	High Rates of Prolonged Molecular Remissions After Tandem Autologous-Nonmyeloablative Allografting in Newly Diagnosed Myeloma. <i>Blood</i> , 2012, 120, 4204-4204.	1.4	0
126	Stem cell mobilization in patients with newly diagnosed multiple myeloma after lenalidomide induction therapy. <i>Leukemia</i> , 2011, 25, 1627-1631.	7.2	51

#	ARTICLE	IF	CITATIONS
127	Complete response correlates with long-term progression-free and overall survival in elderly myeloma treated with novel agents: analysis of 1175 patients. <i>Blood</i> , 2011, 117, 3025-3031.	1.4	247
128	Myeloablative doses of yttrium-90-labeled anti-CD20 antibody rituximab and the risk of secondary myelodysplasia/acute myelogenous leukemia. <i>Cancer</i> , 2011, 117, 5074-5084.	4.1	23
129	Risk Factors for the Development of Secondary Malignancy After High-Dose Chemotherapy and Autograft, With or Without Rituximab: A 20-Year Retrospective Follow-Up Study in Patients With Lymphoma. <i>Journal of Clinical Oncology</i> , 2011, 29, 814-824.	1.6	151
130	Progressive Telomere Shortening Is Part of the Natural History of Chronic Lymphocytic Leukemia (CLL) and Impacts Clinical Outcome. <i>Blood</i> , 2011, 118, 2845-2845.	1.4	0
131	A retrospective study on 226 polycythemia vera patients: impact of median hematocrit value on clinical outcomes and survival improvement with anti-thrombotic prophylaxis and non-alkylating drugs. <i>Annals of Hematology</i> , 2010, 89, 691-699.	1.8	57
132	Major Tumor Shrinking and Persistent Molecular Remissions After Consolidation With Bortezomib, Thalidomide, and Dexamethasone in Patients With Autografted Myeloma. <i>Journal of Clinical Oncology</i> , 2010, 28, 2077-2084.	1.6	246
133	Telomere length is an independent predictor of survival, treatment requirement and Richter's syndrome transformation in chronic lymphocytic leukemia. <i>Leukemia</i> , 2009, 23, 1062-1072.	7.2	97
134	Pro-Inflammatory Cytokine Production in Chagasic Mothers and Their Uninfected Newborns. <i>Journal of Parasitology</i> , 2009, 95, 891-894.	0.7	20
135	Rituximab Improves the Efficacy of High-Dose Chemotherapy With Autograft for High-Risk Follicular and Diffuse Large B-Cell Lymphoma: A Multicenter Gruppo Italiano Terapie Innovative nei Linfomi Survey. <i>Journal of Clinical Oncology</i> , 2008, 26, 3166-3175.	1.6	68
136	Prospective, multicenter randomized GITMO/III trial comparing intensive (R-HDS) versus conventional (CHOP-R) chemoimmunotherapy in high-risk follicular lymphoma at diagnosis: the superior disease control of R-HDS does not translate into an overall survival advantage. <i>Blood</i> , 2008, 111, 4004-4013.	1.4	243
137	Pharmacokinetics of cyclosporine in recipients of marginal versus standard liver transplants. <i>Pharmacological Research</i> , 2006, 54, 287-292.	7.1	1
138	Gemcitabine and Oxaliplatin in Patients With Metastatic Breast Cancer Resistant to or Pretreated With Both Anthracyclines and Taxanes. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006, 29, 490-494.	1.3	15
139	Pharmacokinetic evaluation of gemcitabine and 2',2'-difluorodeoxycytidine-5'-triphosphate after prolonged infusion in patients affected by different solid tumors. <i>Annals of Oncology</i> , 2006, 17, v142-v147.	1.2	26
140	Incidence of Secondary Myelodysplastic Syndrome/Acute Leukemia in 1,266 Lymphoma Patients Following High-Dose Therapy and Autograft: A Study from GITIL (Gruppo Italiano Terapie Innovative nei Linfomi) Tj ETQqO OIArgBT /Overlock 10		
141	Paclitaxel and pegylated liposomal doxorubicin in recurrent head/neck cancer: An unexpected administration interval-dependent pharmacokinetic interaction. <i>Journal of Clinical Oncology</i> , 2006, 24, 2042-2042.	1.6	0
142	High dose methotrexate in adult patients with osteosarcoma: Clinical and pharmacokinetic results. <i>Acta Oncologica</i> , 2005, 44, 406-411.	1.8	46
143	Clinical and pharmacokinetic phase II study of pegylated liposomal doxorubicin and vinorelbine in heavily pretreated recurrent ovarian carcinoma. <i>Annals of Oncology</i> , 2005, 16, 300-306.	1.2	25
144	Gemcitabine plus vinorelbine chemotherapy regimens: a pharmacokinetic study of alternate administration sequences. <i>International Journal of Clinical Pharmacy</i> , 2004, 26, 238-241.	1.4	7

#	ARTICLE	IF	CITATIONS
145	Pharmacokinetic study of oxaliplatin iv chronomodulated infusion combined with 5-fluorouracil iv continuous infusion in the treatment of advanced colorectal cancer. <i>Il Farmaco</i> , 2003, 58, 1333-1338.	0.9	6