

Sandra Lauton-Santos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8795528/publications.pdf>

Version: 2024-02-01

37
papers

642
citations

516710
16
h-index

610901
24
g-index

37
all docs

37
docs citations

37
times ranked

1059
citing authors

#	ARTICLE	IF	CITATIONS
1	Resistance training improves cardiac function and cardiovascular autonomic control in doxorubicin-induced cardiotoxicity. <i>Cardiovascular Toxicology</i> , 2021, 21, 365-374.	2.7	7
2	Treino de Força Reduz Stress Oxidativo Cardíaco e Renal em Ratos com Hipertensão Renovascular. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 4-11.	0.8	6
3	SHORT-TERM HIIT DOES NOT PROMOTE OXIDATIVE STRESS OR MUSCLE DAMAGE. <i>Revista Brasileira De Medicina Do Esporte</i> , 2021, 27, 138-141.	0.2	2
4	Oxytocin induces anti-catabolic and anabolic effects on protein metabolism in the female rat oxidative skeletal muscle. <i>Life Sciences</i> , 2021, 279, 119665.	4.3	7
5	Resistance training increases insulin-induced vasodilation in the mesenteric artery of healthy rats. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20210222.	0.8	1
6	Naringenin complexed with hydroxypropyl- β -cyclodextrin improves the sciatic nerve regeneration through inhibition of p75NTR and JNK pathway. <i>Life Sciences</i> , 2020, 241, 117102.	4.3	17
7	Topical application of (S)-(α)-limonene is as effective as phonophoresis for improving oxidative parameters of injured skeletal muscle in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 2293-2300.	3.0	6
8	Post-ischemic reperfusion with diosmin attenuates myocardial injury through a nitric oxidase synthase-dependent mechanism. <i>Life Sciences</i> , 2020, 258, 118188.	4.3	2
9	Inclusion complex with β -cyclodextrin is a key determining factor for the cardioprotection induced by usnic acid. <i>Chemico-Biological Interactions</i> , 2020, 332, 109297.	4.0	5
10	Effects of high doses of glucocorticoids on insulin-mediated vasodilation in the mesenteric artery of rats. <i>PLoS ONE</i> , 2020, 15, e0230514.	2.5	6
11	NOX-dependent reactive oxygen species production underlies arrhythmias susceptibility in dexamethasone-treated rats. <i>Free Radical Biology and Medicine</i> , 2020, 152, 1-7.	2.9	12
12	<scpd>-Limonene Ameliorates Myocardial Infarction Injury by Reducing Reactive Oxygen Species and Cell Apoptosis in a Murine Model. <i>Journal of Natural Products</i> , 2019, 82, 3010-3019.	3.0	18
13	Ablation of B1- and B2-kinin receptors causes cardiac dysfunction through redox-nitroso unbalance. <i>Life Sciences</i> , 2019, 228, 121-127.	4.3	3
14	Specific Activation of the Alternative Cardiac Promoter of <i>Cacna1c</i> by the Mineralocorticoid Receptor. <i>Circulation Research</i> , 2018, 122, e49-e61.	4.5	15
15	Myrtenol protects against myocardial ischemia-reperfusion injury through antioxidant and anti-apoptotic dependent mechanisms. <i>Food and Chemical Toxicology</i> , 2018, 111, 557-566.	3.6	34
16	Efeito antioxidante da diosmina: revisão integrativa. <i>ABCS Health Sciences</i> , 2018, 43, .	0.3	2
17	Resistance exercise mediates remote ischemic preconditioning by limiting cardiac eNOS uncoupling. <i>Journal of Molecular and Cellular Cardiology</i> , 2018, 125, 61-72.	1.9	22
18	β -Terpineol reduces cancer pain via modulation of oxidative stress and inhibition of iNOS. <i>Biomedicine and Pharmacotherapy</i> , 2018, 105, 652-661.	5.6	35

#	ARTICLE	IF	CITATIONS
19	(-)-Terpinen-4-ol changes intracellular Ca ²⁺ handling and induces pacing disturbance in rat hearts. <i>European Journal of Pharmacology</i> , 2017, 807, 56-63.	3.5	17
20	Hydroalcoholic extract of Brazilian red propolis exerts protective effects on acetic acid-induced ulcerative colitis in a rodent model. <i>Biomedicine and Pharmacotherapy</i> , 2017, 85, 687-696.	5.6	36
21	Cardioprotective Action of Ginkgo biloba Extract against Sustained \hat{I}^2 -Adrenergic Stimulation Occurs via Activation of M2/NO Pathway. <i>Frontiers in Pharmacology</i> , 2017, 8, 220.	3.5	28
22	Vascular Kinin B1 and B2 Receptors Determine Endothelial Dysfunction through Neuronal Nitric Oxide Synthase. <i>Frontiers in Physiology</i> , 2017, 8, 228.	2.8	8
23	Effects of a Single Bout of Resistance Exercise in Different Volumes on Endothelium Adaptations in Healthy Animals. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 108, 436-442.	0.8	7
24	Ã“XIDO NÃ“TRICO E DINÃ“MICA DE CA ²⁺ EM CARDIOMIÃ“CITOS: INFLUÃ“NCIA DA CAPACIDADE DE EXERCÃ“CIO. <i>Revista Brasileira De Medicina Do Esporte</i> , 2016, 22, 31-34.	0.2	0
25	Increased Nitric Oxide Bioavailability and Decreased Sympathetic Modulation Are Involved in Vascular Adjustments Induced by Low-Intensity Resistance Training. <i>Frontiers in Physiology</i> , 2016, 7, 265.	2.8	35
26	Elucidating the role of oxidative stress in the therapeutic effect of rutin on experimental acute pancreatitis. <i>Free Radical Research</i> , 2016, 50, 1350-1360.	3.3	19
27	Thein vitro exposure to cypermethrin does not inhibit the proliferative response of peripheral blood mononuclear cells. <i>Drug and Chemical Toxicology</i> , 2016, 39, 53-58.	2.3	0
28	Endothelium adjustments to acute resistance exercise are intensity-dependent in healthy animals. <i>Life Sciences</i> , 2015, 142, 86-91.	4.3	19
29	Chemical composition and cytotoxicity analysis of the essential oil from leaves of <i>Croton argyrophyllus</i> Kunth. <i>Journal of Essential Oil Research</i> , 2014, 26, 446-451.	2.7	8
30	Functional Cross-Talk Between Aldosterone and Angiotensin-(1-7) in Ventricular Myocytes. <i>Hypertension</i> , 2013, 61, 425-430.	2.7	30
31	Epac enhances excitationâ€“transcription coupling in cardiac myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 52, 283-291.	1.9	64
32	Aqueous fraction from <i>Costus spiralis</i> (Jacq.) Roscoe leaf reduces contractility by impairing the calcium inward current in the mammalian myocardium. <i>Journal of Ethnopharmacology</i> , 2011, 138, 382-389.	4.1	4
33	R(+)-pulegone impairs Ca ²⁺ homeostasis and causes negative inotropism in mammalian myocardium. <i>European Journal of Pharmacology</i> , 2011, 672, 135-142.	3.5	24
34	Cardiac oxidative stress is involved in heart failure induced by thiamine deprivation in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H2039-H2045.	3.2	53
35	Exercise capacity is related to calcium transients in ventricular cardiomyocytes. <i>Journal of Applied Physiology</i> , 2009, 107, 593-598.	2.5	35
36	Kinin B1 receptor participates in the control of cardiac function in mice. <i>Life Sciences</i> , 2007, 81, 814-822.	4.3	26

#	ARTICLE	IF	CITATIONS
37	Abolition of reperfusion-induced arrhythmias in hearts from thiamine-deficient rats. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H394-H401.	3.2	29