

Jian Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8795845/publications.pdf>

Version: 2024-02-01

488
papers

24,858
citations

4641

85
h-index

14156

128
g-index

488
all docs

488
docs citations

488
times ranked

14430
citing authors

#	ARTICLE	IF	CITATIONS
1	Hybrid Zeolitic Imidazolate Frameworks with Catalytically Active TO ₄ Building Blocks. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 450-453.	7.2	347
2	Homochiral Crystallization of Microporous Framework Materials from Achiral Precursors by Chiral Catalysis. <i>Journal of the American Chemical Society</i> , 2008, 130, 12882-12883.	6.6	319
3	Water-Stable Metal-Organic Frameworks for Fast and High Dichromate Trapping via Single-Crystal-to-Single-Crystal Ion Exchange. <i>Chemistry of Materials</i> , 2015, 27, 205-210.	3.2	295
4	Doping copper into ZIF-67 for enhancing gas uptake capacity and visible-light-driven photocatalytic degradation of organic dye. <i>Journal of Materials Chemistry</i> , 2012, 22, 21849.	6.7	289
5	Metal-organic frameworks based upon non-zeotype 4-connected topology. <i>Coordination Chemistry Reviews</i> , 2014, 261, 1-27.	9.5	286
6	A multifunctional helical Cu(i) coordination polymer with mechanochromic, sensing and photocatalytic properties. <i>Chemical Communications</i> , 2013, 49, 5660.	2.2	273
7	Synthetic strategies, diverse structures and tuneable properties of polyoxo-titanium clusters. <i>Chemical Society Reviews</i> , 2018, 47, 404-421.	18.7	272
8	Integrating the g-C ₃ N ₄ Nanosheet with H Bonding Decorated Metal-Organic Framework for CO ₂ Activation and Photoreduction. <i>ACS Nano</i> , 2018, 12, 5333-5340.	7.3	263
9	Multiroute Synthesis of Porous Anionic Frameworks and Size-Tunable Extraframework Organic Cation-Controlled Gas Sorption Properties. <i>Journal of the American Chemical Society</i> , 2009, 131, 16027-16029.	6.6	247
10	Design and synthesis of multifunctional metal-organic zeolites. <i>Chemical Society Reviews</i> , 2018, 47, 2130-2144.	18.7	243
11	Luminescent MTN-Type Cluster-Organic Framework with 2.6 nm Cages. <i>Journal of the American Chemical Society</i> , 2012, 134, 17881-17884.	6.6	239
12	Zeolitic Imidazolate Framework as Formaldehyde Gas Sensor. <i>Inorganic Chemistry</i> , 2014, 53, 5411-5413.	1.9	238
13	Chiral chemistry of metal-camphorate frameworks. <i>Chemical Society Reviews</i> , 2016, 45, 3122-3144.	18.7	229
14	Two-Dimensional Copper(I) Coordination Polymer Materials as Photocatalysts for the Degradation of Organic Dyes. <i>Inorganic Chemistry</i> , 2013, 52, 12-14.	1.9	228
15	Versatile Structure-Directing Roles of Deep-Eutectic Solvents and Their Implication in the Generation of Porosity and Open Metal Sites for Gas Storage. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 3486-3490.	7.2	227
16	Zeolitic Boron Imidazolate Frameworks. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 2542-2545.	7.2	224
17	A Simultaneous Redox, Alkylation, Self-Assembly Reaction under Solvothermal Conditions Afforded a Luminescent Copper(I) Chain Polymer Constructed of Cu ³⁺ and Et ₅ -4-C ₅ H ₄ N+Et Components (Et =) Tj ETQq1 1 0.784314 23T /Over	6.7	223
18	Enhanced photocatalytic hydrogen production activity via dual modification of MOF and reduced graphene oxide on CdS. <i>Chemical Communications</i> , 2014, 50, 8533.	2.2	212

#	ARTICLE	IF	CITATIONS
19	Synthesis, Structure, and Luminescent Properties of Hybrid Inorganic-Organic Framework Materials Formed by Lead Aromatic Carboxylates: Inorganic Connectivity Variation from 0D to 3D. <i>Inorganic Chemistry</i> , 2009, 48, 6517-6525.	1.9	204
20	<i>In situ</i> synthesis of Bi_2MoO_6 & Bi_2S_3 heterojunctions for highly efficient photocatalytic removal of $\text{Cr}(\text{VI})$. <i>Journal of Materials Chemistry A</i> , 2018, 6, 22580-22589.	5.2	200
21	Integrated Molecular Chirality, Absolute Helicity, and Intrinsic Chiral Topology in Three-Dimensional Open-Framework Materials. <i>Journal of the American Chemical Society</i> , 2008, 130, 17246-17247.	6.6	196
22	Isolated Square-Planar Copper Center in Boron Imidazolate Nanocages for Photocatalytic Reduction of CO_2 to CO. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11752-11756.	7.2	194
23	A 3.6 nm Ti_2 Oxo Nanocluster with Precise Atomic Structure. <i>Journal of the American Chemical Society</i> , 2016, 138, 7480-7483.	6.6	193
24	Multiple Functions of Ionic Liquids in the Synthesis of Three-Dimensional Low-Connectivity Homochiral and Achiral Frameworks. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 5434-5437.	7.2	187
25	Tuning Structural Topologies of Three Photoluminescent Metal-Organic Frameworks via Isomeric Biphenyldicarboxylates. <i>Inorganic Chemistry</i> , 2012, 51, 9677-9682.	1.9	187
26	Hierarchical MoS_2 Hollow Architectures with Abundant Mo Vacancies for Efficient Sodium Storage. <i>ACS Nano</i> , 2019, 13, 5533-5540.	7.3	187
27	An Ultrastable Europium(III)-Organic Framework with the Capacity of Discriminating $\text{Fe}^{2+}/\text{Fe}^{3+}$ Ions in Various Solutions. <i>Inorganic Chemistry</i> , 2016, 55, 10114-10117.	1.9	186
28	Acid and Base Resistant Zirconium Polyphenolate-Metalloporphyrin Scaffolds for Efficient CO_2 Photoreduction. <i>Advanced Materials</i> , 2018, 30, 1704388.	11.1	184
29	Fullerene-like Polyoxotitanium Cage with High Solution Stability. <i>Journal of the American Chemical Society</i> , 2016, 138, 2556-2559.	6.6	183
30	Bandgap Engineering of Titanium Oxo Clusters: Labile Surface Sites Used for Ligand Substitution and Metal Incorporation. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 5160-5165.	7.2	181
31	Manganese and Magnesium Homochiral Materials: % Decoration of Honeycomb Channels with Homochiral Chains. <i>Journal of the American Chemical Society</i> , 2007, 129, 14168-14169.	6.6	180
32	Urothermal Synthesis of Crystalline Porous Materials. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 8876-8879.	7.2	179
33	MOF-Templated Synthesis of Ultrasmall Photoluminescent Carbon Nanodot Arrays for Optical Applications. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 6853-6858.	7.2	179
34	A Tale of Three Carboxylates: Cooperative Asymmetric Crystallization of a Three-Dimensional Microporous Framework from Achiral Precursors. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 1267-1270.	7.2	172
35	Comparative Study of Homochiral and Racemic Chiral Metal-Organic Frameworks Built from Camphoric Acid. <i>Chemistry of Materials</i> , 2007, 19, 5083-5089.	3.2	166
36	Zeolite RHO-Type Net with the Lightest Elements. <i>Journal of the American Chemical Society</i> , 2009, 131, 6111-6113.	6.6	161

#	ARTICLE	IF	CITATIONS
37	Anionic Lanthanide MOFs as a Platform for Iron-Selective Sensing, Systematic Color Tuning, and Efficient Nanoparticle Catalysis. <i>Inorganic Chemistry</i> , 2017, 56, 1402-1411.	1.9	157
38	Cobalt Boron Imidazolate Framework Derived Cobalt Nanoparticles Encapsulated in B/N Codoped Nanocarbon as Efficient Bifunctional Electrocatalysts for Overall Water Splitting. <i>Advanced Functional Materials</i> , 2018, 28, 1801136.	7.8	155
39	Hydrothermal Syntheses, Crystal Structures, and Properties of a Novel Class of 3,3',4,4'-Benzophenone-tetracarboxylate (BPTC) Polymers. <i>Inorganic Chemistry</i> , 2004, 43, 8085-8091.	1.9	153
40	Tunable MoS ₂ /SnO ₂ p-n Heterojunctions for an Efficient Trimethylamine Gas Sensor and 4-Nitrophenol Reduction Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 12375-12384.	3.2	151
41	Highly Selective and Sensitive Trimethylamine Gas Sensor Based on Cobalt Imidazolate Framework Material. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 22871-22875.	4.0	146
42	Water-Soluble and Ultrastable Ti ₄ L ₆ Tetrahedron with Coordination Assembly Function. <i>Journal of the American Chemical Society</i> , 2017, 139, 16845-16851.	6.6	145
43	Organic Cation and Chiral Anion Templated 3D Homochiral Open-Frame Materials with Unusual Square-Planar {M ₄ (OH)} Units. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 8388-8391.	7.2	143
44	Pore partition effect on gas sorption properties of an anionic metal-organic framework with exposed Cu ²⁺ coordination sites. <i>Chemical Communications</i> , 2011, 47, 10647.	2.2	139
45	Engineering the Coordination Sphere of Isolated Active Sites to Explore the Intrinsic Activity in Single-Atom Catalysts. <i>Nano-Micro Letters</i> , 2021, 13, 136.	14.4	138
46	Chiralization of Diamond Nets: Stretchable Helices and Chiral and Achiral Nets with Nearly Identical Unit Cells. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 6115-6118.	7.2	135
47	Interrupted Zeolite LTA and ATN-Type Boron Imidazolate Frameworks. <i>Journal of the American Chemical Society</i> , 2011, 133, 11884-11887.	6.6	134
48	Using alkaline-earth metal ions to tune structural variations of 1,3,5-benzenetricarboxylate coordination polymers. <i>Dalton Transactions</i> , 2013, 42, 2294-2301.	1.6	134
49	Topology Analysis and Nonlinear-Optical-Active Properties of Luminescent Metal-Organic Framework Materials Based on Zinc/Lead Isophthalates. <i>Inorganic Chemistry</i> , 2008, 47, 8286-8293.	1.9	132
50	A Confined Fabrication of Perovskite Quantum Dots in Oriented MOF Thin Film. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 28737-28742.	4.0	132
51	Metal-organic frameworks for electrochemical reduction of carbon dioxide: The role of metal centers. <i>Journal of Energy Chemistry</i> , 2020, 40, 156-170.	7.1	130
52	Epitaxial growth of oriented prussian blue analogue derived well-aligned CoFe ₂ O ₄ thin film for efficient oxygen evolution reaction. <i>Applied Catalysis B: Environmental</i> , 2019, 245, 1-9.	10.8	128
53	Host-Guest Chirality Interplay: A Mutually Induced Formation of a Chiral ZMOF and Its Double-Helix Polymer Guests. <i>Journal of the American Chemical Society</i> , 2016, 138, 786-789.	6.6	125
54	Water-Stable Metal-Organic Frameworks with Selective Sensing on Fe ³⁺ and Nitroaromatic Explosives, and Stimuli-Responsive Luminescence on Lanthanide Encapsulation. <i>Inorganic Chemistry</i> , 2019, 58, 1481-1491.	1.9	125

#	ARTICLE	IF	CITATIONS
55	Alkaline earth metal ion doped Zn(ii)-terephthalates. <i>CrystEngComm</i> , 2012, 14, 4843.	1.3	124
56	pH Influence on the Structural Variations of 4,4'-Oxydipthalate Coordination Polymers. <i>Crystal Growth and Design</i> , 2012, 12, 333-345.	1.4	124
57	Epitaxial growth and applications of oriented metal-organic framework thin films. <i>Coordination Chemistry Reviews</i> , 2019, 378, 513-532.	9.5	122
58	A Polar Luminescent Zn Polymer Containing an Unusual Noninterpenetrated utp Net. <i>Inorganic Chemistry</i> , 2006, 45, 3161-3163.	1.9	121
59	Cluster-Organic Framework Materials as Heterogeneous Catalysts for High Efficient Addition Reaction of Diethylzinc to Aromatic Aldehydes. <i>Chemistry of Materials</i> , 2012, 24, 4711-4716.	3.2	121
60	Tuning a layer to a pillared-layer metal-organic framework for adsorption and separation of light hydrocarbons. <i>Chemical Communications</i> , 2013, 49, 11323.	2.2	121
61	Isomerism in Titanium-Oxo Clusters: Molecular Anatase Model with Atomic Structure and Improved Photocatalytic Activity. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 1320-1323.	7.2	121
62	Three-Dimensional Open Framework Built from Cu-S Icosahedral Clusters and Its Photocatalytic Property. <i>Journal of the American Chemical Society</i> , 2008, 130, 15238-15239.	6.6	120
63	Surface step decoration of isolated atom as electron pumping: Atomic-level insights into visible-light hydrogen evolution. <i>Nano Energy</i> , 2018, 45, 109-117.	8.2	118
64	Recent Advances on Transition Metal Dichalcogenides for Electrochemical Energy Conversion. <i>Advanced Materials</i> , 2021, 33, e2008376.	11.1	114
65	Assembling Polyoxo-Titanium Clusters and CdS Nanoparticles to a Porous Matrix for Efficient and Tunable H ₂ -Evolution Activities with Visible Light. <i>Advanced Materials</i> , 2017, 29, 1603369.	11.1	113
66	Lanthanide-Thiophene-2,5-dicarboxylate Frameworks: Ionothermal Synthesis, Helical Structures, Photoluminescent Properties, and Single-Crystal-to-Single-Crystal Guest Exchange. <i>Inorganic Chemistry</i> , 2012, 51, 523-530.	1.9	112
67	Synthetic design of functional boron imidazolate frameworks. <i>Coordination Chemistry Reviews</i> , 2016, 307, 255-266.	9.5	108
68	Chiral Semiconductor Frameworks from Cadmium Sulfide Clusters. <i>Journal of the American Chemical Society</i> , 2007, 129, 8412-8413.	6.6	107
69	Synthesis, Structure, and Physical Properties of a New Anions-Controlled Cd(II)-Guanazole (3,5-Diamino-1,2,4-triazole) Hybrid Family. <i>Inorganic Chemistry</i> , 2008, 47, 4861-4876.	1.9	107
70	Three-Dimensional Homochiral Transition-Metal Camphorate Architectures Directed by a Flexible Auxiliary Ligand. <i>Inorganic Chemistry</i> , 2008, 47, 3495-3497.	1.9	106
71	Tunable Synthesis of Hollow Metal-Nitrogen-Carbon Capsules for Efficient Oxygen Reduction Catalysis in Proton Exchange Membrane Fuel Cells. <i>ACS Nano</i> , 2019, 13, 8087-8098.	7.3	106
72	New Zeolitic Imidazolate Frameworks: From Unprecedented Assembly of Cubic Clusters to Ordered Cooperative Organization of Complementary Ligands. <i>Chemistry of Materials</i> , 2008, 20, 7377-7382.	3.2	102

#	ARTICLE	IF	CITATIONS
73	A new approach towards tetrahedral imidazolate frameworks for high and selective CO ₂ uptake. <i>Chemical Communications</i> , 2011, 47, 5828.	2.2	102
74	Highly active nonprecious metal hydrogen evolution electrocatalyst: ultrafine molybdenum carbide nanoparticles embedded into a 3D nitrogen-implanted carbon matrix. <i>NPG Asia Materials</i> , 2016, 8, e293-e293.	3.8	100
75	A Series of Ca(II) or Ba(II) Inorganic-Organic Hybrid Frameworks Based on Aromatic Polycarboxylate Ligands with the Inorganic M-O-M (M = Ca, Ba) Connectivity from 1D to 3D. <i>Crystal Growth and Design</i> , 2012, 12, 3231-3238.	1.4	99
76	Atomically Precise Multimetallic Semiconductive Nanoclusters with Optical Limiting Effects. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11252-11256.	7.2	99
77	Synthesis of a Boron-Imidazolate Framework Nanosheet with Dimer Copper Units for CO ₂ Electroreduction to Ethylene. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 16687-16692.	7.2	99
78	Mesoporous Assembly of Aluminum Molecular Rings for Iodine Capture. <i>Journal of the American Chemical Society</i> , 2021, 143, 2325-2330.	6.6	98
79	Absolute helicity induction in three-dimensional homochiral frameworks. <i>Chemical Communications</i> , 2009, , 206-208.	2.2	96
80	Gas Sorption, Second-Order Nonlinear Optics, and Luminescence Properties of a Series of Lanthanide-Organic Frameworks Based on Nanosized Tris((4-carboxyl)phenyl)duryl)amine Ligand. <i>Inorganic Chemistry</i> , 2013, 52, 12758-12762.	1.9	96
81	Charge Matching on Designing Neutral Cadmium-Lanthanide-Organic Open Frameworks for Luminescence Sensing. <i>Chemistry - an Asian Journal</i> , 2012, 7, 1069-1073.	1.7	95
82	Highly Efficient C ₂ H ₄ Oxidative Activation by a Porous Mn ^{III} -Porphyrin Metal-Organic Framework under Mild Conditions. <i>Chemistry - A European Journal</i> , 2013, 19, 14316-14321.	1.7	95
83	Temperature dependent charge distribution in three-dimensional homochiral cadmium camphorates. <i>Chemical Communications</i> , 2008, , 444-446.	2.2	94
84	Supramolecular Isomerism and Various Chain/Layer Substructures in Silver(I) Compounds: Syntheses, Structures, and Luminescent Properties. <i>Crystal Growth and Design</i> , 2009, 9, 4884-4896.	1.4	93
85	A surface-mounted MOF thin film with oriented nanosheet arrays for enhancing the oxygen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2019, 7, 18519-18528.	5.2	92
86	Role of molar-ratio, temperature and solvent on the Zn/Cd 1,2,4-triazolate system with novel topological architectures. <i>CrystEngComm</i> , 2011, 13, 3536.	1.3	89
87	Dynamic microporous indium(^{III})-4,4'-oxybis(benzoate) framework with high selectivity for the adsorption of CO ₂ over N ₂ . <i>Chemical Communications</i> , 2011, 47, 770-772.	2.2	87
88	Homochiral metal-organic frameworks for enantioseparation. <i>Chemical Society Reviews</i> , 2021, 50, 5706-5745.	18.7	86
89	Interweaving 3D Network with Double Helical Tubes Filled by 1D Coordination Polymer Chains. <i>Inorganic Chemistry</i> , 2004, 43, 6525-6527.	1.9	85
90	Ionothermal Synthesis of Homochiral Framework with Acetate-Pillared Cobalt-Camphorate Architecture. <i>Inorganic Chemistry</i> , 2008, 47, 5567-5569.	1.9	85

#	ARTICLE	IF	CITATIONS
91	Interpenetrated Metal-Porphyrinic Framework for Enhanced Nonlinear Optical Limiting. <i>Journal of the American Chemical Society</i> , 2021, 143, 17162-17169.	6.6	85
92	A 3-D Noninterpenetrating Diamondoid Network of a Decanuclear Copper(I) Complex. <i>Inorganic Chemistry</i> , 2005, 44, 3386-3388.	1.9	83
93	Chiral Porous Metacrystals: Employing Liquid-Phase Epitaxy to Assemble Enantiopure Metal-Organic Nanoclusters into Molecular Framework Pores. <i>ACS Nano</i> , 2016, 10, 977-983.	7.3	83
94	Multifunctional Homochiral Lanthanide Camphorates with Mixed Achiral Terephthalate Ligands. <i>Inorganic Chemistry</i> , 2010, 49, 9257-9264.	1.9	82
95	Induction in urothermal synthesis of chiral porous materials from achiral precursors. <i>Chemical Communications</i> , 2011, 47, 4950.	2.2	80
96	Tuning MOF Stability and Porosity via Adding Rigid Pillars. <i>Inorganic Chemistry</i> , 2012, 51, 9649-9654.	1.9	79
97	A New Zeolitic Topology with Sixteen-Membered Ring and Multidimensional Large Pore Channels. <i>Chemistry - A European Journal</i> , 2008, 14, 7771-7773.	1.7	76
98	Highly Selective Sorption of Small Hydrocarbons and Photocatalytic Properties of Three Metal-Organic Frameworks Based on Tris(4-(1H-imidazol-1-yl)phenyl)amine Ligand. <i>Inorganic Chemistry</i> , 2014, 53, 4209-4214.	1.9	76
99	High Color Rendering Index White-Light Emission from UV-Driven LEDs Based on Single Luminescent Materials: Two-Dimensional Perovskites (C ₆ H ₅ C ₂ H ₄ NH ₃) ₂ PbBr _x Cl _{7-4x} . <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 15980-15987.	4.0	75
100	Anion-Induced Coordination Versatility of 1H-1,2,4-Triazole-3-thiol (HtrzSH) Affording a New Hybrid System of Cadmium(II) Polymers: Synthesis, Structure, and Luminescent Properties. <i>Crystal Growth and Design</i> , 2008, 8, 2562-2573.	1.4	74
101	Organically templated metal-organic framework with 2-fold interpenetrated {33.59.63}-lcy net. <i>Chemical Communications</i> , 2008, , 2532.	2.2	74
102	Open diamondoid amino-functionalized MOFs for CO ₂ capture. <i>Chemical Communications</i> , 2012, 48, 4842.	2.2	74
103	A new approach towards zeolitic tetrazolate-imidazolate frameworks (ZTIFs) with uncoordinated N-heteroatom sites for high CO ₂ uptake. <i>Chemical Communications</i> , 2014, 50, 12065-12068.	2.2	74
104	Hollow Cu-TiO ₂ /C nanospheres derived from a Ti precursor encapsulated MOF coating for efficient photocatalytic hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2018, 6, 7175-7181.	5.2	74
105	CuI Cluster-Based Organic Frameworks with Unusual 4- and 5-Connected Topologies. <i>Crystal Growth and Design</i> , 2011, 11, 29-32.	1.4	69
106	N-donor ligands enhancing luminescence properties of seven Zn/Cd MOFs based on a large rigid π -conjugated carboxylate ligand. <i>CrystEngComm</i> , 2015, 17, 9155-9166.	1.3	69
107	Dual-Emission SG7@MOF Sensor via SC-SC Transformation: Enhancing the Formation of Excimer Emission and the Range and Sensitivity of Detection. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 18012-18020.	4.0	68
108	Auto-controlled fabrication of a metal-porphyrin framework thin film with tunable optical limiting effects. <i>Chemical Science</i> , 2020, 11, 1935-1942.	3.7	68

#	ARTICLE	IF	CITATIONS
109	Breaking the Mirror: pH-Controlled Chirality Generation from a <i>meso</i> Ligand to a Racemic Ligand. <i>Chemistry - A European Journal</i> , 2009, 15, 989-1000.	1.7	67
110	Unusual parallel entanglement of metal-organic 2D frameworks with coexistence of polyrotaxane, polycatenane and interdigitation. <i>CrystEngComm</i> , 2009, 11, 1030.	1.3	67
111	Stable Mg-Metal-Organic Framework (MOF) and Unstable Zn-MOF Based on Nanosized Tris((4-carboxyl)phenyl)duryl)amine Ligand. <i>Crystal Growth and Design</i> , 2013, 13, 6-9.	1.4	67
112	1D chain structure, NLO and luminescence properties of. <i>Inorganic Chemistry Communication</i> , 2004, 7, 1139-1141.	1.8	66
113	General Synthetic Strategy for Libraries of Supported Multicomponent Metal Nanoparticles. <i>ACS Nano</i> , 2018, 12, 4594-4604.	7.3	66
114	Interface engineered <i>in situ</i> anchoring of Co ₉ S ₈ nanoparticles into a multiple doped carbon matrix: highly efficient zinc-air batteries. <i>Nanoscale</i> , 2018, 10, 2649-2657.	2.8	66
115	In Situ Synthesis of Tetradentate Dye for Construction of Three-Dimensional Homochiral Phosphor. <i>Chemistry of Materials</i> , 2008, 20, 5457-5459.	3.2	63
116	Tuning structural topologies of four Ni(II) coordination polymers through modifying the substitute group of organic ligand. <i>CrystEngComm</i> , 2013, 15, 6191.	1.3	63
117	Vertically Aligned MoS ₂ with In-Plane Selectively Cleaved Mo-S Bond for Hydrogen Production. <i>Nano Letters</i> , 2021, 21, 1848-1855.	4.5	63
118	A rare metal-organic 3D architecture with a pseudo-primitive cubic topology with double edges constructed from a 12-connected SBU. <i>New Journal of Chemistry</i> , 2005, 29, 995.	1.4	62
119	Surface modification of polyoxometalate host-guest supramolecular architectures: from metal-organic pseudorotaxane framework to molecular box. <i>Chemical Communications</i> , 2011, 47, 4150.	2.2	62
120	Large Titanium-Oxo Clusters as Precursors to Synthesize the Single Crystals of Ti-MOFs. , 2021, 3, 64-68.		62
121	Liquid-phase epitaxial growth of a homochiral MOF thin film on poly(<i>DOPA</i>) functionalized substrate for improved enantiomer separation. <i>Chemical Communications</i> , 2016, 52, 772-775.	2.2	60
122	Combining a Titanium-Organic Cage and a Hydrogen-Bonded Organic Cage for Highly Effective Third-Order Nonlinear Optics. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 2920-2923.	7.2	59
123	<i>Chemical Communications</i> , 2004, , 1046.	2.2	58
124	Microporous Zinc Tris[(4-carboxyl)phenyl)duryl]amine Framework with an Unusual Topological Net for Gas Storage and Separation. <i>Inorganic Chemistry</i> , 2012, 51, 1995-1997.	1.9	58
125	A Highly Energetic Ni^{II} Metal-Organic Framework as a New High-Energy-Density Material. <i>Chemistry - A European Journal</i> , 2016, 22, 1141-1145.	1.7	58
126	Guest inducing fluorescence switching in lanthanide-tris((4-carboxyl)phenyl)duryl)amine frameworks integrating porosity and flexibility. <i>Journal of Materials Chemistry C</i> , 2014, 2, 4436.	2.7	57

#	ARTICLE	IF	CITATIONS
127	Ag ₁₀ Ti ₂₈ O _x Cluster Containing Single-Atom Silver Sites: Atomic Structure and Synergistic Electronic Properties. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 10932-10935.	7.2	57
128	A new open framework material based on designed semi-rigid T-shaped tricarboxylate ligand. <i>Inorganic Chemistry Communication</i> , 2011, 14, 986-989.	1.8	56
129	Integration of rigid and flexible organic parts for the construction of a homochiral metal-organic framework with high porosity. <i>Chemical Communications</i> , 2015, 51, 2565-2568.	2.2	56
130	Epitaxial Growth of MOF Thin Film for Modifying the Dielectric Layer in Organic Field-Effect Transistors. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7259-7264.	4.0	56
131	Conformation Preference of a Flexible Cyclohexanetetracarboxylate Ligand in Three New Metal-Organic Frameworks: Structures, Magnetic and Luminescent Properties. <i>Inorganic Chemistry</i> , 2009, 48, 7194-7200.	1.9	55
132	Redox-active Cu(<i>i</i>) boron imidazolate framework for mechanochromic and catalytic applications. <i>Chemical Communications</i> , 2014, 50, 8754.	2.2	55
133	Structural Diversity and Photoluminescent Properties of Zinc Benzotriazole-5-carboxylate Coordination Polymers. <i>Inorganic Chemistry</i> , 2014, 53, 1500-1506.	1.9	55
134	Cadmium ^{II} Porphyrin Coordination Networks: Rich Coordination Modes and Three-Dimensional Four-Connected CdSO ₄ and (3,5)-Connected hms Nets. <i>Crystal Growth and Design</i> , 2007, 7, 2576-2581.	1.4	54
135	Nucleotide-Catalyzed Conversion of Racemic Zeolite-Type Zincophosphate into Enantioenriched Crystals. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 6049-6051.	7.2	54
136	Variable Lithium Coordination Modes in Two- and Three-Dimensional Lithium Boron Imidazolate Frameworks. <i>Chemistry of Materials</i> , 2009, 21, 3830-3837.	3.2	54
137	Interface Designing over WS ₂ /WC for Enhanced Hydrogen Evolution Catalysis. <i>ACS Applied Energy Materials</i> , 2018, 1, 3377-3384.	2.5	54
138	Designable Aluminum Molecular Rings: Ring Expansion and Ligand Functionalization. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 16735-16740.	7.2	54
139	Liquid-Phase Epitaxial Growth of Azapyrene-Based Chiral Metal-Organic Framework Thin Films for Circularly Polarized Luminescence. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 31421-31426.	4.0	53
140	A water-stable zeolite-like metal-organic framework for selective separation of organic dyes. <i>RSC Advances</i> , 2014, 4, 1480-1483.	1.7	52
141	Chiral-Induced Ultrathin Covalent Organic Framework Nanosheets with Tunable Circularly Polarized Luminescence. <i>Journal of the American Chemical Society</i> , 2022, 144, 7245-7252.	6.6	52
142	Paratactic Assembly of Two Distinct Units into a Unique 3D Architecture. <i>Crystal Growth and Design</i> , 2005, 5, 1313-1315.	1.4	51
143	Comparative Study of Activation Methods on Tuning Gas Sorption Properties of a Metal-Organic Framework with Nanosized Ligands. <i>Inorganic Chemistry</i> , 2012, 51, 11232-11234.	1.9	51
144	Zinc(II)-boron(III)-imidazolate framework (ZBIF) with unusual pentagonal channels prepared from deep eutectic solvent. <i>Dalton Transactions</i> , 2010, 39, 697-699.	1.6	50

#	ARTICLE	IF	CITATIONS
145	Homochiral porous metal-organic frameworks containing only achiral building blocks for enantioselective separation. <i>Journal of Materials Chemistry</i> , 2012, 22, 16288.	6.7	50
146	Tuning structural topologies of five photoluminescent Cd(II) coordination polymers through modifying the substitute group of organic ligand. <i>Journal of Solid State Chemistry</i> , 2013, 199, 42-48.	1.4	50
147	Porous <i>ctn</i> -Type Boron Imidazolate Framework for Gas Storage and Separation. <i>Chemistry - A European Journal</i> , 2013, 19, 11527-11530.	1.7	50
148	Titanium-Oxo Cluster Based Precise Assembly for Multidimensional Materials. <i>Chemistry of Materials</i> , 2017, 29, 2681-2684.	3.2	50
149	Boosting electrocatalytic hydrogen evolution by plasmon-driven hot-electron excitation. <i>Nanoscale</i> , 2018, 10, 2236-2241.	2.8	50
150	Spontaneous asymmetrical crystallization of a three-dimensional diamondoid framework material from achiral precursors. <i>Chemical Communications</i> , 2010, 46, 1449.	2.2	49
151	Facile synthesis of bimetal Au-Ag nanoparticles in a Cu boron imidazolate framework with mechanochromic properties. <i>Chemical Communications</i> , 2015, 51, 1353-1355.	2.2	49
152	Optical Resolution of the Water-Soluble $Ti_4(embonate)_6$ Cages for Enantioselective Recognition of Chiral Drugs. <i>Chemistry of Materials</i> , 2018, 30, 7769-7775.	3.2	49
153	Designable Assembly of Aluminum Molecular Rings for Sequential Confinement of Iodine Molecules. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 21426-21433.	7.2	49
154	Neutral and reduced Roussin's red salt ester $[Fe_2(\frac{1}{4}RS)_2(NO)_4]$ (R) Tj ETQq0 0 0 rgBT /Overloc spectroscopic, electrochemical and density functional theoretical investigations. <i>Dalton Transactions</i> , 2009, , 777-786.	1.6	48
155	Zeolitic BIF Crystal Directly Producing Noble-Metal Nanoparticles in Its Pores for Catalysis. <i>Scientific Reports</i> , 2014, 4, 3923.	1.6	48
156	Spontaneous Resolution of Racemic Camphorates in the Formation of Three-Dimensional Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2009, 48, 6356-6358.	1.9	47
157	Multifunctional Anionic MOF Material for Dye Enrichment and Selective Sorption of C_2 Hydrocarbons over Methane via Ag-Exchange. <i>Inorganic Chemistry</i> , 2014, 53, 12973-12976.	1.9	47
158	A stable zinc-4-carboxypyrazole framework with high uptake and selectivity of light hydrocarbons. <i>Dalton Transactions</i> , 2015, 44, 2893-2896.	1.6	47
159	Gas Sorption, Second-Order Nonlinear Optics, and Luminescence Properties of a Multifunctional srs-Type Metal-Organic Framework Built by Tris(4-carboxylphenyl)duryl)amine. <i>Inorganic Chemistry</i> , 2015, 54, 6653-6656.	1.9	47
160	Azole Functionalized Polyoxo-Titanium Clusters with Sunlight-Driven Dye Degradation Applications: Synthesis, Structure, and Photocatalytic Studies. <i>Inorganic Chemistry</i> , 2016, 55, 10294-10301.	1.9	47
161	Syntheses, Structures and Characterisation of Two CuII Polymers with 8-Connected Topologies Based on Highly Connected SBUs. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 2253-2258.	1.0	46
162	Visualizing Structural Transformation and Guest Binding in a Flexible Metal-Organic Framework under High Pressure and Room Temperature. <i>ACS Central Science</i> , 2018, 4, 1194-1200.	5.3	46

#	ARTICLE	IF	CITATIONS
163	Co (II) Boron Imidazolate Framework with Rigid Auxiliary Linkers for Stable Electrocatalytic Oxygen Evolution Reaction. <i>Advanced Science</i> , 2019, 6, 1801920.	5.6	46
164	Liquid-Phase Epitaxy Effective Encapsulation of Lanthanide Coordination Compounds into MOF Film with Homogeneous and Tunable White-Light Emission. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 28585-28590.	4.0	45
165	Highly efficient electrocatalysts for overall water splitting: mesoporous CoS/MoS ₂ with hetero-interfaces. <i>Chemical Communications</i> , 2021, 57, 4847-4850.	2.2	45
166	A ligand-conformation driving chiral generation and symmetry-breaking crystallization of a zinc(ii) organoarsenate. <i>Chemical Communications</i> , 2011, 47, 8862.	2.2	44
167	Ionothermal Synthesis of Chiral Metal Phosphite Open Frameworks with In Situ Generated Organic Templates. <i>Inorganic Chemistry</i> , 2013, 52, 5654-5656.	1.9	44
168	Zeolitic Metal-Organic Frameworks Based on Amino Acid. <i>Inorganic Chemistry</i> , 2014, 53, 10027-10029.	1.9	44
169	Structure versatility of coordination polymers constructed from a semirigid ligand and polynuclear metal clusters. <i>CrystEngComm</i> , 2014, 16, 8047-8057.	1.3	44
170	A structure-directing method to prepare semiconductive zeolitic cluster-organic frameworks with Cu ₃ L ₄ building units. <i>Chemical Communications</i> , 2015, 51, 8994-8997.	2.2	44
171	Anionic Metal-Organic Framework for Adsorption and Separation of Light Hydrocarbons. <i>Inorganic Chemistry</i> , 2015, 54, 3093-3095.	1.9	44
172	A boron imidazolate framework with mechanochromic and electrocatalytic properties. <i>Materials Horizons</i> , 2018, 5, 1151-1155.	6.4	44
173	Deliberate design of a neutral heterometallic organic framework containing a record 25-fold interpenetrating diamondoid network. <i>CrystEngComm</i> , 2012, 14, 6359.	1.3	43
174	The photoluminescence and gas sorption properties of three Cd(ii) MOFs based on 1,3,5-benzenetribenzoate with -NH ₂ or -OH groups. <i>Dalton Transactions</i> , 2014, 43, 4668.	1.6	43
175	Homochiral Metal-Organic Frameworks with Enantiopure Proline Units for the Catalytic Synthesis of β -Lactams. <i>Inorganic Chemistry</i> , 2014, 53, 12199-12204.	1.9	43
176	Two luminescent Cu(i) coordination polymers based on the 1-(4-tetrazolephenyl)imidazole ligand for sensing of nitrobenzene. <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 389.	3.0	43
177	Five porous zinc(II) coordination polymers functionalized with amide groups: cooperative and size-selective catalysis. <i>Journal of Materials Chemistry A</i> , 2015, 3, 20210-20217.	5.2	43
178	Novel Copper(I) and Copper(II) Guanazolate Complexes: Structure, Network Topologies, Photoluminescence, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2008, 8, 3735-3744.	1.4	42
179	Solvent controlled assembly of four Mn(ii)-2,5-thiophenedicarboxylate frameworks with rod-packing architectures and magnetic properties. <i>CrystEngComm</i> , 2013, 15, 6009.	1.3	42
180	Urothermal synthesis of photoluminescent lanthanide-organic frameworks with unusual topologies. <i>CrystEngComm</i> , 2013, 15, 315-323.	1.3	42

#	ARTICLE	IF	CITATIONS
181	Structural Transformation and Hysteretic Sorption of Light Hydrocarbons in a Flexible Zn ²⁺ -Pyrazole-Adenine Framework. <i>Chemistry - A European Journal</i> , 2015, 21, 5700-5703.	1.7	41
182	Surface-mounted MOF templated fabrication of homochiral polymer thin film for enantioselective adsorption of drugs. <i>Chemical Communications</i> , 2017, 53, 1470-1473.	2.2	41
183	Induction of Chirality in a Metal-Organic Framework Built from Achiral Precursors. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3087-3094.	7.2	41
184	In Situ Obtained Cu(II) Compound with Coexistence of Polycatenation and Polythreading. <i>Crystal Growth and Design</i> , 2009, 9, 20-23.	1.4	40
185	New mimic of zeolite: heterometallic organic host framework accommodating inorganic cations. <i>Chemical Communications</i> , 2010, 46, 3182.	2.2	40
186	Synthesis of boron imidazolate frameworks with cobalt clusters for efficient visible-light driven CO ₂ reduction. <i>Journal of Materials Chemistry A</i> , 2019, 7, 17272-17276.	5.2	40
187	Templated synthesis of cobalt subnanoclusters dispersed N/C nanocages from COFs for highly-efficient oxygen reduction reaction. <i>Chemical Engineering Journal</i> , 2020, 401, 126149.	6.6	40
188	Atomically defined Co on two-dimensional TiO ₂ nanosheet for photocatalytic hydrogen evolution. <i>Chemical Engineering Journal</i> , 2021, 420, 127681.	6.6	40
189	New Coordination Motifs of Melamine Directed by N-H...X (X = Cl or Br) Hydrogen Bonds. <i>Inorganic Chemistry</i> , 2007, 46, 5838-5840.	1.9	39
190	Serine-Based Homochiral Nanoporous Frameworks for Selective CO ₂ Uptake. <i>Inorganic Chemistry</i> , 2011, 50, 11527-11531.	1.9	39
191	Temperature-Dependent Crystal Self-Assembly, Disassembly, and Reassembly Among Three Cadmium(II) Carboxylate-Phosphinates. <i>Crystal Growth and Design</i> , 2012, 12, 2052-2058.	1.4	39
192	Diverse tetrahedral tetrazolate frameworks with N-rich surface. <i>Chemical Communications</i> , 2016, 52, 5625-5628.	2.2	39
193	Assembly of titanium-oxo cations with copper-halide anions to form supersalt-type cluster-based materials. <i>Chemical Communications</i> , 2017, 53, 3949-3951.	2.2	39
194	Host-Guest Thin Films by Confining Ultrafine Pt/C QDs into Metal-Organic Frameworks for Highly Efficient Hydrogen Evolution. <i>Small</i> , 2020, 16, e2005111.	5.2	39
195	Designable Al ₃₂ -Oxo Clusters with Hydrothermal-like Structures: Snapshots of Boundary Hydrolysis and Optical Limiting. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 4849-4854.	7.2	39
196	Black Titanium-Oxo Clusters with Ultralow Band Gaps and Enhanced Nonlinear Optical Performance. <i>Journal of the American Chemical Society</i> , 2022, 144, 8153-8161.	6.6	39
197	Single- or double-stranded helices-sustained molecular bilayer architecture. <i>CrystEngComm</i> , 2008, 10, 1345.	1.3	38
198	Ring-size controllable metallamacrocycles as building blocks for the construction of microporous metal-organic frameworks. <i>Chemical Communications</i> , 2012, 48, 3653.	2.2	38

#	ARTICLE	IF	CITATIONS
199	Chiral assembly of dodecahedral cavities into porous metal-organic frameworks. <i>Chemical Communications</i> , 2012, 48, 9424.	2.2	38
200	Zeolitic Boron Imidazolate Frameworks with 4-Connected Octahedral Metal Centers. <i>Chemistry - A European Journal</i> , 2012, 18, 11876-11879.	1.7	38
201	Microporous Metal-Organic Framework Based on Mixing Nanosized Tris((4-carboxyl)-phenyliduryl)amine and 4,4'-Bipyridine Ligands for Gas Storage and Separation. <i>Crystal Growth and Design</i> , 2012, 12, 2468-2471.	1.4	38
202	Tetrahedral Polyoxometalate Nanoclusters with Tetrameric Rare-Earth Cores and Germanotungstate Vertexes. <i>Crystal Growth and Design</i> , 2013, 13, 4368-4377.	1.4	38
203	Achievement of Bulky Homochirality in Zeolitic Imidazolate-Related Frameworks. <i>Inorganic Chemistry</i> , 2015, 54, 11064-11066.	1.9	38
204	CoMo-bimetallic N-doped porous carbon materials embedded with highly dispersed Pt nanoparticles as pH-universal hydrogen evolution reaction electrocatalysts. <i>Nanoscale</i> , 2020, 12, 19804-19813.	2.8	38
205	Threefold Collaborative Stabilization of Ag ₁₄ -Nanorods by Hydrophobic Ti ₁₆ -Oxo Clusters and Alkynes: Designable Assembly and Solid-State Optical Limiting Application. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12949-12954.	7.2	38
206	Co-chelation of a scorpion-shaped carboxylate ligand and phenanthroline lead to a 2-D interpenetratively tubular architecture. <i>CrystEngComm</i> , 2004, 6, 315.	1.3	37
207	A series of three-dimensional lanthanide(iii) coordination polymers of 2,5-dihydroxy-1,4-benzenedicarboxylic acid based on dinuclear lanthanide units. <i>CrystEngComm</i> , 2011, 13, 4981.	1.3	37
208	Interpenetrated Three-Dimensional Copper-Iodine Cluster-Based Framework with Enantiopure Porphyrin-like Templates. <i>Inorganic Chemistry</i> , 2016, 55, 1358-1360.	1.9	37
209	Connecting Titanium-Oxo Clusters by Nitrogen Heterocyclic Ligands to Produce Multiple Cluster Series with Photocatalytic H ₂ Evolution Activities. <i>Crystal Growth and Design</i> , 2017, 17, 3592-3595.	1.4	37
210	Selectivity of CO ₂ via pore space partition in zeolitic boron imidazolate frameworks. <i>Chemical Communications</i> , 2016, 52, 3552-3555.	2.2	36
211	Epitaxial encapsulation of homodispersed CeO ₂ in a cobalt-porphyrin network derived thin film for the highly efficient oxygen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2017, 5, 20126-20130.	5.2	36
212	Deep eutectic-solvothermal synthesis of titanium-oxo clusters protected by π -conjugated chromophores. <i>Chemical Communications</i> , 2017, 53, 8078-8080.	2.2	36
213	Liquid Phase Epitaxial Growth and Optical Properties of Photochromic Guest-Encapsulated MOF Thin Film. <i>Crystal Growth and Design</i> , 2016, 16, 5487-5492.	1.4	35
214	Enantiopure anion templated synthesis of a zeolitic metal-organic framework. <i>Chemical Communications</i> , 2016, 52, 1923-1925.	2.2	35
215	Use of aligned triphenylamine-based radicals in a porous framework for promoting photocatalysis. <i>Applied Catalysis B: Environmental</i> , 2018, 221, 664-669.	10.8	35
216	Nanocage-Based Porous Metal-Organic Frameworks Constructed from Icosahedrons and Tetrahedrons for Selective Gas Adsorption. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 20104-20109.	4.0	35

#	ARTICLE	IF	CITATIONS
217	Tetrahedral Geometry Induction of Stable Ag ⁺ /Ti Nanoclusters by Flexible Trifurcate TiL ₃ Metalloligand. <i>Journal of the American Chemical Society</i> , 2020, 142, 12784-12790.	6.6	35
218	Surface-coordinated metal-organic framework thin films (SURMOFs) for electrocatalytic applications. <i>Nanoscale</i> , 2020, 12, 12712-12730.	2.8	35
219	Homochiral Metal-Organic Framework with Intrinsic Chiral Topology and Helical Channels. <i>Crystal Growth and Design</i> , 2015, 15, 1568-1571.	1.4	34
220	Asymmetric induction in homochiral MOFs: from interweaving double helices to single helices. <i>Chemical Communications</i> , 2015, 51, 16331-16333.	2.2	34
221	Synthesis of homochiral zeolitic metal-organic frameworks with amino acid and tetrazolates for chiral recognition. <i>RSC Advances</i> , 2017, 7, 4872-4875.	1.7	34
222	van der Waals Epitaxial Growth of 2D Metal-Porphyrin Framework Derived Thin Films for Dye-Sensitized Solar Cells. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800985.	1.9	34
223	Tunable chiroptical application by encapsulating achiral lanthanide complexes into chiral MOF thin films. <i>Nano Research</i> , 2022, 15, 1102-1108.	5.8	34
224	Amine-Controlled Assembly of Metal-Sulfite Architecture from 1D Chains to 3D Framework. <i>Inorganic Chemistry</i> , 2007, 46, 6283-6290.	1.9	33
225	Homochiral assembly of polycatenated bilayers with mixing achiral ligands. <i>CrystEngComm</i> , 2012, 14, 789-791.	1.3	33
226	Tetrahedral tetrazolate frameworks for high CO ₂ and H ₂ uptake. <i>Dalton Transactions</i> , 2014, 43, 3210-3214.	1.6	33
227	Homochiral Cluster-Organic Frameworks Constructed from Enantiopure Lactate Derivatives. <i>Crystal Growth and Design</i> , 2015, 15, 4676-4686.	1.4	33
228	Synthesis of an Enantiopure Tetrazole-Based Homochiral Cu ^I ,II-MOF for Enantioselective Separation. <i>Inorganic Chemistry</i> , 2016, 55, 12520-12522.	1.9	33
229	Epitaxial Growth of Highly Transparent Metal-Porphyrin Framework Thin Films for Efficient Bifacial Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 1078-1083.	4.0	33
230	A twisting chiral α -dense™ 75.9 net, incorporating a helical sub-structure. <i>CrystEngComm</i> , 2005, 7, 177-178.	1.3	32
231	Two Cobalt(II) 5-Aminoisophthalate Complexes and Their Stable Supramolecular Microporous Frameworks. <i>Inorganic Chemistry</i> , 2006, 45, 6276-6281.	1.9	32
232	Cooperative ion-exchange and self-redox process to load catalytic metal nanoparticles into a MOF with Johnson-type cages. <i>Chemical Communications</i> , 2014, 50, 6153.	2.2	32
233	Epitaxial Growth of Oriented Metalloporphyrin Network Thin Film for Improved Selectivity of Volatile Organic Compounds. <i>Small</i> , 2017, 13, 1604035.	5.2	32
234	Helical carbon tubes derived from epitaxial Cu-MOF coating on textile for enhanced supercapacitor performance. <i>Dalton Transactions</i> , 2018, 47, 5558-5563.	1.6	32

#	ARTICLE	IF	CITATIONS
235	A novel 3D framework generated by unusual pillared 2D bilayer motifs. <i>New Journal of Chemistry</i> , 2005, 29, 421.	1.4	31
236	Polycatenated 3-connected hydrogen-bonding bilayer stabilized by argentophilic interactions. <i>CrystEngComm</i> , 2007, 9, 636.	1.3	31
237	One-pot synthesis of two isomeric zinc complexes with unusual polycatenation motifs. <i>CrystEngComm</i> , 2007, 9, 390.	1.3	31
238	Protonated 3-amino-1,2,4-triazole templated luminescent lanthanide isophthalates with a rare (3,6)-connected topology. <i>CrystEngComm</i> , 2009, 11, 2734.	1.3	31
239	Syntheses, crystal structures and properties of a series of 3D cadmium coordination polymers with different topologies. <i>Inorganica Chimica Acta</i> , 2010, 363, 1727-1734.	1.2	31
240	Enhancing CO ₂ adsorption enthalpy and selectivity via amino functionalization of a tetrahedral framework material. <i>CrystEngComm</i> , 2013, 15, 658-661.	1.3	31
241	Acid-Controlled Synthesis of Carboxylate-Stabilized Ti ₄₄ Oxo Clusters: Scaling up Preparation, Exchangeable Protecting Ligands, and Photophysical Properties. <i>Chemistry - A European Journal</i> , 2019, 25, 10450-10455.	1.7	31
242	A fluorescent Zn-benzotriazole 2D polymer with (6,3) topology. <i>Inorganic Chemistry Communication</i> , 2005, 8, 828-830.	1.8	30
243	Chiral transformations of achiral porous metal-organic frameworks via a stepwise approach. <i>Chemical Communications</i> , 2012, 48, 10419.	2.2	30
244	Controlling State of Breathing of Two Isoreticular Microporous Metal-Organic Frameworks with Triazole Homologues. <i>Chemistry - A European Journal</i> , 2012, 18, 10525-10529.	1.7	30
245	A spin-canted Ni ^{II} -based metal-organic framework with gas sorption properties and high adsorptive selectivity for light hydrocarbons. <i>Chemical Communications</i> , 2014, 50, 9161.	2.2	30
246	A new cadmium-doped titanium-oxo cluster with stable photocatalytic H ₂ evolution properties. <i>Dalton Transactions</i> , 2016, 45, 4501-4503.	1.6	30
247	Cooperative Self-Assembly of Chiral L-Malate and Achiral Succinate in the Formation of a Three-Dimensional Homochiral Framework. <i>Inorganic Chemistry</i> , 2008, 47, 8607-8609.	1.9	29
248	Size-Dependent Enantioselective Adsorption of Racemic Molecules through Homochiral Metal-Organic Frameworks Embedding Helicity. <i>Chemistry - A European Journal</i> , 2015, 21, 10236-10240.	1.7	29
249	Adsorption of Iodine Based on a Tetrazolate Framework with Microporous Cages and Mesoporous Cages. <i>Inorganic Chemistry</i> , 2016, 55, 13035-13038.	1.9	29
250	Selective Sorption of Light Hydrocarbons on a Family of Metal-Organic Frameworks with Different Imidazolate Pillars. <i>Inorganic Chemistry</i> , 2016, 55, 3928-3932.	1.9	29
251	Synthetic investigation, structural analysis and photocatalytic study of a carboxylate-phosphonate bridged Ti ₁₈ -oxo cluster. <i>Dalton Transactions</i> , 2017, 46, 803-807.	1.6	29
252	Cocrystal of {Ti ₄ } and {Ti ₆ } Clusters with Enhanced Photochemical Properties. <i>Inorganic Chemistry</i> , 2017, 56, 2367-2370.	1.9	28

#	ARTICLE	IF	CITATIONS
253	Syntheses of copper-iodine cluster-based frameworks for photocatalytic degradation of methylene blue. <i>CrystEngComm</i> , 2018, 20, 1232-1236.	1.3	28
254	Assembly of high-nuclearity Sn ₂₆ , Sn ₃₄ -oxo clusters: solvent strategies and inorganic Sn incorporation. <i>Chemical Science</i> , 2019, 10, 9125-9129.	3.7	28
255	Oriented Assembly of 2D Metal-Pyridylporphyrinic Framework Films for Giant Nonlinear Optical Limiting. <i>Nano Letters</i> , 2021, 21, 10012-10018.	4.5	28
256	Chiral and achiral imidazole-linked tetrahedral zinc phosphonate frameworks with photoluminescent properties. <i>Dalton Transactions</i> , 2014, 43, 285-289.	1.6	27
257	A Series of Homochiral Helical Metal-Organic Frameworks Based on Proline Derivatives. <i>Crystal Growth and Design</i> , 2015, 15, 5901-5909.	1.4	27
258	Synthesis, Structures, and Photocurrent Responses of Polyoxo-Titanium Clusters with Oxime Ligands: From Ti ₄ to Ti ₁₈ . <i>Inorganic Chemistry</i> , 2018, 57, 8850-8856.	1.9	27
259	Subnanometer iron clusters confined in a porous carbon matrix for highly efficient zinc-air batteries. <i>Nanoscale Horizons</i> , 2020, 5, 359-365.	4.1	27
260	Temperature-Pressure-Dependent Selective Separation of CO ₂ or Benzene in a Chiral Metal-Organic Framework Material. <i>ChemSusChem</i> , 2012, 5, 1597-1601.	3.6	26
261	Coordination polymers with free Brønsted acid sites for selective catalysis. <i>New Journal of Chemistry</i> , 2015, 39, 810-812.	1.4	26
262	Mechanochromic Cu(i) boron imidazolate frameworks with low-dimensional structures and reducing function. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 263-267.	3.0	26
263	Control of Interpenetration and Gas-Sorption Properties of Three Mn(II)-tris((4-carboxyl)phenyl)durylamine Frameworks by Tuning Solvent and Temperature. <i>Crystal Growth and Design</i> , 2017, 17, 290-294.	1.4	26
264	Double defects modified carbon nitride nanosheets with enhanced photocatalytic hydrogen evolution. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 17471-17476.	1.3	26
265	Alkali/alkaline earth metal and solvents-regulated construction of novel heterometallic coordination polymers based on a semirigid ligand and tetranuclear metal clusters. <i>Inorganica Chimica Acta</i> , 2014, 423, 62-71.	1.2	25
266	Step by Step Bisacrificial Templates Growth of Bimetallic Sulfide QDs-Attached MOF Nanosheets for Nonlinear Optical Limiting. <i>Advanced Optical Materials</i> , 2021, 9, 2002072.	3.6	25
267	Surface-coordinated metal-organic framework thin films (SURMOFs): From fabrication to energy applications. <i>EnergyChem</i> , 2021, 3, 100065.	10.1	25
268	A new enantiopure unsaturated dicarboxylate as a 4-connected unit in a flexible homochiral PtS-type framework. <i>Chemical Communications</i> , 2008, , 1756.	2.2	24
269	Host-Guest and Photophysical Behavior of Ti ₈ L ₁₂ Cube with Encapsulated [Ti(H ₂ O) ₆] Species. <i>Chemistry - A European Journal</i> , 2018, 24, 14358-14362.	1.7	24
270	One-Pot and Postsynthetic Phenol-Thermal Synthesis toward Highly Stable Titanium-Oxo Clusters. <i>Inorganic Chemistry</i> , 2019, 58, 13353-13359.	1.9	24

#	ARTICLE	IF	CITATIONS
271	Lead-Doped Titanium Oxo Clusters as Molecular Models of Perovskite-Type PbTiO_3 and Electron-Transport Material in Solar Cells. <i>Chemistry - A European Journal</i> , 2020, 26, 6894-6898.	1.7	24
272	Nanosized lanthanide oxide rods in LiO_3 hybrid organic-inorganic frameworks involving in situ ligand synthesis. <i>CrystEngComm</i> , 2008, 10, 1088.	1.3	23
273	Metal-organic framework architecture with polyhedron-in-polyhedron and further polyhedral assembly. <i>CrystEngComm</i> , 2013, 15, 1036-1038.	1.3	23
274	Self-Assembly of Metal Boron Imidazolate Cages. <i>Crystal Growth and Design</i> , 2015, 15, 2433-2436.	1.4	23
275	Chiral Chemistry of Homochiral Porous Thin Film with Different Growth Orientations. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 27332-27338.	4.0	23
276	Construction of unprecedented pillar-layered metal organic frameworks via a dual-ligand strategy for dye degradation. <i>Dalton Transactions</i> , 2018, 47, 4032-4035.	1.6	23
277	Synthesis of Ag-Doped Polyoxotitanium Nanoclusters for Efficient Electrocatalytic CO_2 Reduction. <i>Inorganic Chemistry</i> , 2020, 59, 11442-11448.	1.9	23
278	Oriented Growth of In Oxo Chain Based Metal-Porphyrin Framework Thin Film for High-Sensitive Photodetector. <i>Advanced Science</i> , 2021, 8, 2100548.	5.6	23
279	Energy Band Alignment and Redox-Active Sites in Metalloporphyrin-Spaced Metal-Catechol Frameworks for Enhanced CO_2 Photoreduction. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	23
280	Host-Guest Pore Space Partition in a Boron Imidazolate Framework for Ethylene Separation. <i>Chemistry of Materials</i> , 2022, 34, 307-313.	3.2	23
281	A rare twofold interpenetrated cds topology in a Zn-organic polymer $[\text{Zn}_2(\text{BDC})(\text{BPP})\text{Cl}_2]_n$. <i>Inorganic Chemistry Communication</i> , 2006, 9, 449-451.	1.8	22
282	Novel (3,6)-connected network and (4,6)-connected framework in two copper(II) and cadmium(II) complexes of flexible (2S,3S,4R,5R)-tetrahydrofuran tetracarboxylic acid: synthesis, structure, thermostability, and luminescence studies. <i>CrystEngComm</i> , 2009, 11, 1934.	1.3	22
283	Canted antiferromagnetic behaviours in isostructural Co(ii) and Ni(ii) frameworks with helical 1vt topology. <i>CrystEngComm</i> , 2010, 12, 2938.	1.3	22
284	Flexible Porous Zinc-Pyrazole-Adenine Framework for Hysteretic Sorption of Light Hydrocarbons. <i>Crystal Growth and Design</i> , 2015, 15, 1210-1213.	1.4	22
285	Zeolitic Tetrazolate-Imidazolate Frameworks with SOD Topology for Room Temperature Fixation of CO_2 to Cyclic Carbonates. <i>Crystal Growth and Design</i> , 2020, 20, 2866-2870.	1.4	22
286	Temperature-Controlled Syntheses of Substituted 1,2,4-Triazolelead(II) Complexes: Active Lone Pair and $\text{N} \cdots \text{H} \cdots \text{X}$ (X = Cl, Br, I) Hydrogen Bonds. <i>Inorganic Chemistry</i> , 2009, 48, 9992-9994.	1.9	21
287	Formation of Aminoxy and Oxo Complexes from the Reaction of $\text{Nb}(\text{NMe}_2)_5$ with O_2 and the Crystal Structure of $\text{Nb}(\text{NEt}_2)_5$. <i>Inorganic Chemistry</i> , 2010, 49, 4017-4022.	1.9	21
288	Structure-dependent mechanochromism of two Ag(imidazolate) chains. <i>CrystEngComm</i> , 2016, 18, 218-221.	1.3	21

#	ARTICLE	IF	CITATIONS
289	Facile Synthesis of Metal-Loaded Porous Carbon Thin Films via Carbonization of Surface-Mounted Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2017, 56, 3526-3531.	1.9	21
290	Synthesis and photocatalytic H ₂ evolution properties of four titanium-oxo-clusters based on a cyclohex-3-ene-1-carboxylate ligand. <i>Dalton Transactions</i> , 2017, 46, 10630-10634.	1.6	21
291	Ti ₄ (embonate) ₆ Cage-Ligand Strategy on the Construction of Metal-Organic Frameworks with High Stability and Gas Sorption Properties. <i>Inorganic Chemistry</i> , 2020, 59, 964-967.	1.9	21
292	Experimental and Theoretical Studies on Effects of Structural Modification of Tin Nanoclusters for Third-Order Nonlinear Optical Properties. <i>Inorganic Chemistry</i> , 2021, 60, 1885-1892.	1.9	21
293	Three Copper(II) Coordination Polymers Constructed by Both Rigid and Flexible Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 3053-3057.	0.6	20
294	Homochiral moganite-type metal-organic framework based on unusual (Ag ₂ Cl) _n skeletons. <i>CrystEngComm</i> , 2008, 10, 655.	1.3	20
295	A microporous indium-organic framework with high capacity and selectivity for CO ₂ or organosulfurs. <i>Dalton Transactions</i> , 2012, 41, 2873.	1.6	20
296	Interpreted Recognition Process: A Highly Sensitive and Selective Luminescence Chemosensor. <i>Chemistry - A European Journal</i> , 2015, 21, 11767-11772.	1.7	20
297	Synthesis of metal-adeninate frameworks with high separation capacity on C ₂ /C ₁ hydrocarbons. <i>Journal of Solid State Chemistry</i> , 2016, 238, 241-245.	1.4	20
298	Water-Stable Homochiral Cluster Organic Frameworks Built by Two Kinds of Large Tetrahedral Cluster Units. <i>Chemistry - A European Journal</i> , 2016, 22, 2611-2615.	1.7	20
299	Ligand dependent assembly of trinuclear titanium-oxo units into coordination tetrahedra and capsules. <i>Dalton Transactions</i> , 2018, 47, 663-665.	1.6	20
300	N-Heterocyclic Carbene as a Surface Platform for Assembly of Homochiral Metal-Organic Framework Thin Films in Chiral Sensing. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 38357-38364.	4.0	20
301	2D Boron Imidazolate Framework Nanosheets with Electrocatalytic Applications for Oxygen Evolution and Carbon Dioxide Reduction Reaction. <i>Small</i> , 2020, 16, e1907669.	5.2	20
302	Guest selectivity of a porous tetrahedral imidazolate framework material during self-assembly. <i>Journal of Materials Chemistry</i> , 2012, 22, 19732.	6.7	19
303	Organic Cation Templated Synthesis of Three Zinc-2,5-Thiophenedicarboxylate Frameworks for Selective Gas Sorption. <i>Crystal Growth and Design</i> , 2014, 14, 3493-3498.	1.4	19
304	Construction of Cluster Organic Frameworks with <i>hbn</i> Hexagonal BN Topologies. <i>Chemistry - A European Journal</i> , 2015, 21, 15511-15515.	1.7	19
305	Ti ₄ (embonate) ₆ Based Cage-Cluster Construction in a Stable Metal-Organic Framework for Gas Sorption and Separation. <i>Crystal Growth and Design</i> , 2020, 20, 29-32.	1.4	19
306	Syntheses and structures of two novel Ag(I) complexes: [1/43-2-(4-pyridyl)ethanesulfonato-N,O,O]·2-aqua-silver(I) and melamine-[2-(4-pyridyl)ethanesulfonato-N]-silver(I). <i>Journal of Molecular Structure</i> , 2004, 697, 185-189.	1.8	18

#	ARTICLE	IF	CITATIONS
307	A luminescent Cu(I) complex ligated by 1,3-bis(4-pyridyl)trisulfane generated in situ by the coupling of pyridine-4-thiol. <i>Inorganic Chemistry Communication</i> , 2008, 11, 164-166.	1.8	18
308	Ag(I)-Mediated In situ Dehydrogenative Coupling of 3-Amino-1,2,4-triazole into 3,3'-Azobis(1,2,4-triazole) in Cd(II) Coordination Polymers. <i>Inorganic Chemistry</i> , 2009, 48, 10859-10861.	1.9	18
309	Configuration determination of flexible tetracarboxylate ligands in two supramolecular structures. <i>CrystEngComm</i> , 2009, 11, 1201.	1.3	18
310	Synthesis of Metal-Organic Zeolites with Homochirality and High Porosity for Enantioselective Separation. <i>Inorganic Chemistry</i> , 2016, 55, 6355-6357.	1.9	18
311	Particular Handedness Excess through Symmetry-Breaking Crystallization of a 3D Cobalt Phosphonate. <i>Inorganic Chemistry</i> , 2016, 55, 537-539.	1.9	18
312	Insight into Fe(Salen) Encapsulated Co-Porphyrin Framework Derived Thin Film for Efficient Oxygen Evolution Reaction. <i>Crystal Growth and Design</i> , 2018, 18, 7150-7157.	1.4	18
313	HZIF-based hybrids for electrochemical energy applications. <i>Nanoscale</i> , 2019, 11, 15763-15769.	2.8	18
314	Engineering nanointerface of molybdenum-based heterostructures to boost the electrocatalytic hydrogen evolution reaction. <i>Journal of Energy Chemistry</i> , 2021, 58, 370-376.	7.1	18
315	A new polar supramolecular 3D framework [Zn(py ₂)(H ₂ O) ₄]pht. <i>Journal of Molecular Structure</i> , 2005, 750, 39-43.	1.8	17
316	Organic templates promoted photocatalytic and photoluminescent properties between two coordination polymers. <i>CrystEngComm</i> , 2013, 15, 10423.	1.3	17
317	A Rational Strategy To Construct a Neutral Boron Imidazolate Framework with Encapsulated Small-Size Au-Pd Nanoparticles for Catalysis. <i>Inorganic Chemistry</i> , 2015, 54, 6069-6071.	1.9	17
318	Zeolitic Tetrazolate-Imidazolate Frameworks with High Chemical Stability for Selective Separation of Small Hydrocarbons. <i>Crystal Growth and Design</i> , 2016, 16, 3063-3066.	1.4	17
319	Encapsulation of Ln ^{III} ions/Ag nanoparticles within Cd boron imidazolate frameworks for tuning luminescence emission. <i>Chemical Communications</i> , 2016, 52, 8577-8580.	2.2	17
320	Structures and photophysical performances of (fluoro)salicylate stabilized polyoxo-titanium clusters. <i>CrystEngComm</i> , 2018, 20, 5964-5968.	1.3	17
321	Hybrid Zeolitic Imidazolate Frameworks for Promoting Electrocatalytic Oxygen Evolution via a Dual-Site Relay Mechanism. <i>Inorganic Chemistry</i> , 2021, 60, 3074-3081.	1.9	17
322	Stepwise assembly and reversible structural transformation of ligated titanium coated bismuth-oxo cores: shell morphology engineering for enhanced chemical fixation of CO ₂ . <i>Chemical Science</i> , 2022, 13, 3395-3401.	3.7	17
323	Syntheses and Crystal Structures of Two Metal Succinates Modified by Bipyridines. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 2731-2735.	0.6	16
324	Syntheses, structures and photoluminescent properties of 1D, 2D, 3D silver (I) coordination polymers with flexible long-chain dinitriles and tetranitriles. <i>Polyhedron</i> , 2004, 23, 2209-2215.	1.0	16

#	ARTICLE	IF	CITATIONS
325	Controlled generation of acentric and homochiral coordination compounds from a versatile asymmetric ligand 4-(1H-1,2,4-triazol-3-yl)-4H-1,2,4-triazole. <i>Chemical Communications</i> , 2008, , 4159.	2.2	16
326	Visible Concentration-Sensitive Structural Transformation. <i>Crystal Growth and Design</i> , 2010, 10, 1464-1467.	1.4	16
327	The first anionic four-connected boron imidazolate framework. <i>Dalton Transactions</i> , 2010, 39, 2487.	1.6	16
328	Multiarlypolycarboxylate-Mediated Hybrid Cobalt Phosphate Frameworks with Supramolecular Zeolitic Topology and Unusual I2O2 Connectivity. <i>Inorganic Chemistry</i> , 2015, 54, 1209-1211.	1.9	16
329	High and selective sorption of C2 hydrocarbons in heterometal-organic frameworks built from tetrahedral units. <i>RSC Advances</i> , 2015, 5, 7794-7797.	1.7	16
330	Dicarboxylate Ligands Oriented Assembly of $\{Ti_3(\mu_4)_3-O\}$ Units: From Dimer to Coordination Triangles and Rectangles. <i>Inorganic Chemistry</i> , 2018, 57, 5642-5647.	1.9	16
331	Synthesis of homochiral zeolitic imidazolate frameworks <i>via</i> solvent-assisted linker exchange for enantioselective sensing and separation. <i>CrystEngComm</i> , 2018, 20, 5925-5928.	1.3	16
332	Stabilizing μ_3 -Alkyltin-oxo Keggin Ions by Borate Functionalization. <i>Inorganic Chemistry</i> , 2019, 58, 4534-4539.	1.9	16
333	Synthesis, structure, and fluorescence of two cadmium(II)-citrate coordination polymers with different coordination architectures. <i>Journal of Molecular Structure</i> , 2005, 740, 223-227.	1.8	15
334	Rare 4.82 net in a fluorescent Cd-organic framework. <i>Inorganic Chemistry Communication</i> , 2005, 8, 722-724.	1.8	15
335	Assembly between various molecular-building-blocks for network diversity of zinc-1,3,5-benzenetricarboxylate frameworks. <i>CrystEngComm</i> , 2012, 14, 8684.	1.3	15
336	Temperature-dependent urothermal synthesis of two distinct La(III)-naphthalenedicarboxylate frameworks. <i>Inorganic Chemistry Communication</i> , 2013, 29, 148-150.	1.8	15
337	Targeted design of a cubic boron imidazolate cage with sensing and reducing functions. <i>Dalton Transactions</i> , 2015, 44, 9367-9369.	1.6	15
338	Insight into the epitaxial encapsulation of Pd catalysts in an oriented metalloporphyrin network thin film for tandem catalysis. <i>Nanoscale</i> , 2017, 9, 7734-7738.	2.8	15
339	Synthesis, structure and proton conductivity of a metal-organic framework with rich hydrogen-bonds between the layers. <i>Inorganic Chemistry Communication</i> , 2017, 79, 37-40.	1.8	15
340	Electrooxidation of Pd-Cu NP loaded porous carbon derived from a Cu-MOF. <i>RSC Advances</i> , 2018, 8, 1803-1807.	1.7	15
341	A wide pH-range stable crystalline framework based on the largest tin-oxysulfide cluster [Sn ₂₀ O ₁₀ S ₃₄]. <i>Chemical Communications</i> , 2019, 55, 11083-11086.	2.2	15
342	Mixed Short and Long Ligands toward the Construction of Metal-Organic Frameworks with Large Pore Openings. <i>Crystal Growth and Design</i> , 2019, 19, 3120-3123.	1.4	15

#	ARTICLE	IF	CITATIONS
343	Co ₉ S ₈ integrated into nitrogen/sulfur dual-doped carbon nanofibers as an efficient oxygen bifunctional electrocatalyst for Zn–air batteries. <i>Sustainable Energy and Fuels</i> , 2020, 4, 1093-1098.	2.5	15
344	Composite of CsPbBr ₃ with Boron Imidazolate Frameworks as an Efficient Visible-Light Photocatalyst for CO ₂ Reduction. <i>ACS Applied Energy Materials</i> , 2022, 5, 1175-1182.	2.5	15
345	Magnetic investigation of two helical frameworks derived from mixed ligands. <i>Inorganica Chimica Acta</i> , 2007, 360, 3525-3532.	1.2	14
346	Hydrogen-bonded boron imidazolate frameworks. <i>Dalton Transactions</i> , 2010, 39, 1702-1704.	1.6	14
347	Optimization of Reaction Conditions towards Multiple Types of Framework Isomers and Periodic Increased Porosity: Luminescence Properties and Selective CO ₂ Adsorption over N ₂ . <i>ChemPhysChem</i> , 2013, 14, 3594-3599.	1.0	14
348	Catenation of Homochiral Metal–Organic Nanocages or Nanotubes. <i>Inorganic Chemistry</i> , 2016, 55, 5095-5097.	1.9	14
349	Structural Design of Zeolitic Cluster Organic Frameworks from Hexamethylenetetramine and Copper-Halide Clusters. <i>Crystal Growth and Design</i> , 2016, 16, 7139-7144.	1.4	14
350	Construction of molecular rectangles with titanium–oxo clusters and rigid aromatic carboxylate ligands. <i>Dalton Transactions</i> , 2017, 46, 16000-16003.	1.6	14
351	Synthesis of Homochiral Zeolitic Tetrazolate Frameworks Based on Enantiopure Porphyrin-like Subunits. <i>Crystal Growth and Design</i> , 2017, 17, 5393-5397.	1.4	14
352	Fast Synthesis of Hybrid Zeolitic Imidazolate Frameworks (HZIFs) with Exceptional Acid–Base Stability from ZIF-8 Precursors. <i>Crystal Growth and Design</i> , 2019, 19, 3430-3434.	1.4	14
353	Self-Assembly of a Ti ₄ (embonate) ₆ Cage toward Silver. <i>Inorganic Chemistry</i> , 2020, 59, 14861-14865.	1.9	14
354	Synthesis of Supramolecular Boron Imidazolate Frameworks for CO ₂ Photoreduction. <i>Inorganic Chemistry</i> , 2020, 59, 17851-17855.	1.9	14
355	Designable Aluminum Molecular Rings: Ring Expansion and Ligand Functionalization. <i>Angewandte Chemie</i> , 2020, 132, 16878-16883.	1.6	14
356	Design of Hybrid Zeolitic Imidazolate Framework–Derived Material with Ca–Mo–S Triatomic Coordination for Electrochemical Oxygen Reduction. <i>Small</i> , 2021, 17, e2003256.	5.2	14
357	Epitaxial growth of prussian blue analogue derived NiFeP thin film for efficient electrocatalytic hydrogen evolution reaction. <i>Journal of Solid State Chemistry</i> , 2021, 293, 121779.	1.4	14
358	Twofold parallelly interpenetrated 2D polymers of d10 zinc and cadmium based on mixed nicotinate/isonicotinate ligands. <i>Journal of Molecular Structure</i> , 2007, 827, 126-129.	1.8	13
359	A microporous nickel–organic framework with an unusual 10-connected bct net and high capacity for CO ₂ , H ₂ and hydrocarbons. <i>CrystEngComm</i> , 2013, 15, 9499.	1.3	13
360	Encapsulation of an Interpenetrated Diamondoid Inorganic Building Block in a Metal–Organic Framework. <i>Chemistry - A European Journal</i> , 2015, 21, 4931-4934.	1.7	13

#	ARTICLE	IF	CITATIONS
361	A couple of Co(II) enantiomers constructed from semirigid lactic acid derivatives. <i>Inorganic Chemistry Communication</i> , 2016, 73, 115-118.	1.8	13
362	Ligand-directed assembly engineering of trapezoidal $\{Ti_5\}$ building blocks stabilized by dimethylglyoxime. <i>Dalton Transactions</i> , 2019, 48, 9916-9919.	1.6	13
363	Amino-Polyalcohol-Solvothermal Synthesis of Titanium-Oxo Clusters: From Ti_6 to Ti_{19} with Structural Diversity. <i>Inorganic Chemistry</i> , 2019, 58, 7267-7273.	1.9	13
364	Pyrazole-thermal synthesis: a new approach towards N-rich titanium-oxo clusters with photochromic behaviors. <i>Dalton Transactions</i> , 2019, 48, 8049-8052.	1.6	13
365	Synthesis of Anionic Metal-Organic Zeolites for Selective Gas Adsorption and Ion Exchange. <i>Inorganic Chemistry</i> , 2019, 58, 4076-4079.	1.9	13
366	Chiral induction in a pcu -derived network from achiral precursors. <i>Chemical Communications</i> , 2019, 55, 4611-4614.	2.2	13
367	A supersalt-type copper(i)-thiolate cluster with applications for mechano/thermochromism and the oxygen evolution reaction. <i>Chemical Communications</i> , 2020, 56, 3967-3970.	2.2	13
368	Investigation on the variation regularity of the characteristic droplet diameters in the swirling flow field. <i>Chemical Engineering Science</i> , 2021, 229, 116153.	1.9	13
369	Tin Metal Cluster Compounds as New Third-Order Nonlinear Optical Materials by Computational Study. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 7537-7544.	2.1	13
370	Novel Third-Order Nonlinear Optical Materials with Craig-Möbius Aromaticity. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 11784-11789.	2.1	13
371	Optimizing Photodetectors in Two-Dimensional Metal-Metalloporphyrinic Framework Thin Films. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 33548-33554.	4.0	13
372	Doubly interpenetrated hms-type metal organic framework formed by perfect face-to-face π - π stacking interactions. <i>Inorganic Chemistry Communication</i> , 2010, 13, 1429-1431.	1.8	12
373	Hydrogen-bond-directed self-assembly of a novel 2D \rightarrow 3D polythreading with finite components based on rigid ligand. <i>Journal of Molecular Structure</i> , 2011, 994, 1-5.	1.8	12
374	Redox Reaction Induced Structural Transformation among Three Copper Coordination Polymers. <i>Crystal Growth and Design</i> , 2012, 12, 5164-5168.	1.4	12
375	Digital Controlled Luminescent Emission via Patterned Deposition of Lanthanide Coordination Compounds. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 12594-12599.	4.0	12
376	Halogen dependent symmetry change in two series of wheel cluster organic frameworks built from La_{18} tertiary building units. <i>Chemical Communications</i> , 2016, 52, 1455-1457.	2.2	12
377	Synthesis of a Homochiral Metal-Organic Zeolite for Enantioselective Sensing and Separation. <i>Crystal Growth and Design</i> , 2020, 20, 5644-5647.	1.4	12
378	Two Isostructural Titanium Metal-Organic Frameworks for Light Hydrocarbon Separation. <i>Inorganic Chemistry</i> , 2021, 60, 13955-13959.	1.9	12

#	ARTICLE	IF	CITATIONS
379	Assembly of Four Kinds of Cages into Porous Metal-Organic Framework for Selective Sorption of Light Hydrocarbons. <i>Crystal Growth and Design</i> , 2014, 14, 6467-6471.	1.4	11
380	Integration of a semi-rigid proline ligand and 4,4'-bipyridine in the synthesis of homochiral metal-organic frameworks with helices. <i>Dalton Transactions</i> , 2015, 44, 11052-11056.	1.6	11
381	A zeolitic Cd(II) boron imidazolate framework with sensing and catalytic properties. <i>Journal of Solid State Chemistry</i> , 2015, 231, 185-189.	1.4	11
382	A pair of novel 4-connected homochiral coordination polymers based on proline-tetrazole ligand. <i>Inorganic Chemistry Communication</i> , 2016, 67, 44-46.	1.8	11
383	Synthesis of zeolite-like metal-organic frameworks via a dual-ligand strategy. <i>CrystEngComm</i> , 2017, 19, 2549-2552.	1.3	11
384	Embonic Acid Functionalized Niobium Complexes with Selective Dye Sorption Properties. <i>Inorganic Chemistry</i> , 2018, 57, 4226-4229.	1.9	11
385	A core-shell type alkyl-Sn-oxo cluster of {Sn ₁₄ As ₁₆ } bridged by 4-aminophenylarsonate ligands and incorporated with a {Na ₆ } cluster. <i>Chemical Communications</i> , 2020, 56, 1433-1435.	2.2	11
386	Surface chiroselective assembly of enantiopure crystalline porous films containing bichiral building blocks. <i>Chemical Science</i> , 2021, 12, 12346-12352.	3.7	11
387	Molecular bixbyite-like In ₁₂ -oxo clusters with tunable functionalization sites for lithography patterning applications. <i>Chemical Science</i> , 2021, 12, 14414-14419.	3.7	11
388	Chiral induction in boron imidazolate frameworks: the construction of cage-based absolute helices. <i>Chemical Communications</i> , 2021, 57, 5020-5023.	2.2	11
389	Phosphorescent Calcium-Based Metal-Organic Framework with Second-Scale Long Afterglow. <i>Inorganic Chemistry</i> , 2021, 60, 10075-10078.	1.9	11
390	Synergistic Lewis acid and Pd active sites of metal-organic frameworks for highly efficient carbonylation of methyl nitrite to dimethyl carbonate. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2379-2388.	3.0	11
391	Urothermal synthesis and distinct thermal behavior of isostructural transition metal-based MIL-53 analogs. <i>Solid State Sciences</i> , 2012, 14, 1263-1266.	1.5	10
392	Syntheses, crystal structures and fluorescent properties of three metal-tris(4'-carboxybiphenyl)amine frameworks. <i>Journal of Solid State Chemistry</i> , 2017, 255, 200-205.	1.4	10
393	Syntheses, crystal structures and fluorescent properties of two metal-organic frameworks based on pamoic acid. <i>Journal of Solid State Chemistry</i> , 2019, 270, 335-338.	1.4	10
394	Construction of Metal-Organic Frameworks with Various Zinc-Tetrazolate Nanotubes. <i>Crystal Growth and Design</i> , 2021, 21, 28-32.	1.4	10
395	Polyoxo-titanium clusters promoted photocatalytic H ₂ evolution activity in a NiS modified CdS/MIL-101 system. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 6369-6379.	3.8	10
396	Aluminium nanorings: configuration deformation and structural transformation. <i>Chemical Communications</i> , 2021, 57, 2085-2088.	2.2	10

#	ARTICLE	IF	CITATIONS
397	Synthesis of a Boron-Imidazolate Framework Nanosheet with Dimer Copper Units for CO ₂ Electroreduction to Ethylene. <i>Angewandte Chemie</i> , 2021, 133, 16823-16828.	1.6	10
398	Design and synthesis of zeolitic tetrazolate-imidazolate frameworks. <i>Materials Today Advances</i> , 2021, 10, 100145.	2.5	10
399	Protection of Ag Clusters by Metal-Oxo Modules. <i>Chemistry - A European Journal</i> , 2021, 27, 15563-15570.	1.7	10
400	Sn ₆ and Na ₄ Oxo Clusters Based Non-centrosymmetric Framework for Solution Iodine Absorption and Second Harmonic Generation Response. <i>Inorganic Chemistry</i> , 2021, 60, 1985-1990.	1.9	10
401	Syntheses and Characterizations of Two Novel Silver(I) Complexes Constructed by Oxydipropionitrile Ligand. <i>Crystal Growth and Design</i> , 2005, 5, 73-75.	1.4	9
402	Urothermal synthesis of a photoluminescent zinc coordination polymer. <i>Inorganic Chemistry Communication</i> , 2011, 14, 355-357.	1.8	9
403	Synthesis and gas sorption properties of a homochiral metal-organic framework with octahedral cages. <i>CrystEngComm</i> , 2015, 17, 6107-6109.	1.3	9
404	Unique microporous NbO-type Coll/ZnII MOFs from double helical chains: Sorption and luminescent properties. <i>Journal of Solid State Chemistry</i> , 2016, 238, 170-174.	1.4	9
405	Improving the photocatalytic H ₂ evolution activities of TiO ₂ by modulating the stabilizing ligands of the nanoscale Ti ₈ O ₈ -cluster precursors. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 24737-24743.	3.8	9
406	Polycatenation tuned microporosity of two metal-tris(4-carboxybiphenyl)amine frameworks with multilayer structures. <i>Dalton Transactions</i> , 2017, 46, 13352-13355.	1.6	9
407	Synthesis of zeolitic tetrazolate-imidazolate frameworks (ZTIFs) in ethylene glycol. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 675-678.	3.0	9
408	Stepwise Coordination Assembly Approach toward Aluminum-Lanthanide-based Compounds. <i>Inorganic Chemistry</i> , 2020, 59, 13760-13766.	1.9	9
409	Supramolecular Co-assembly of the Ti ₈ L ₁₂ Cube with [Ti(DMF) ₆] Species and Ti ₁₂ -Oxo Cluster. <i>Inorganic Chemistry</i> , 2020, 59, 8291-8297.	1.9	9
410	Synergistic ligand effect for the construction of titanium-oxo clusters with planar chirality and high solution stability. <i>Dalton Transactions</i> , 2020, 49, 4030-4033.	1.6	9
411	Combining a Titanium-Organic Cage and a Hydrogen-Bonded Organic Cage for Highly Effective Third-Order Nonlinear Optics. <i>Angewandte Chemie</i> , 2021, 133, 2956-2959.	1.6	9
412	Single-Crystal Syntheses and Properties of Indium-Organic Frameworks Based on 1,1'-Ferrocenedicarboxylic Acid. <i>Inorganic Chemistry</i> , 2021, 60, 239-245.	1.9	9
413	Aluminum molecular rings bearing amino-polyalcohol for iodine capture. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 592-598.	3.0	9
414	Structural diversity and distinct photoluminescent properties of two new lanthanide-copper (I) frameworks based on mixed isonicitinate/oxalate ligands. <i>Inorganic Chemistry Communication</i> , 2010, 13, 938-940.	1.8	8

#	ARTICLE	IF	CITATIONS
415	Rare 5-connected BN topology in homochiral Cd(II) camphorate with 2-(4-pyridyl)benzimidazole. <i>Inorganic Chemistry Communication</i> , 2011, 14, 228-230.	1.8	8
416	Rational design of metal boron imidazolate cages to frameworks. <i>Inorganica Chimica Acta</i> , 2017, 460, 89-92.	1.2	8
417	Coordination Assembly of the Water-Soluble Ti ₄ (embonate) ₆ Cages with Mn ²⁺ Ions. <i>Israel Journal of Chemistry</i> , 2019, 59, 233-236.	1.0	8
418	A green separation process of Ag ⁺ via a Ti ₄ (embonate) ₆ cage. <i>Dalton Transactions</i> , 2020, 49, 17194-17199.	1.6	8
419	Synthesis and photocatalytic activities of two homochiral metal-organic frameworks with cages and hydrogen bonding helices. <i>CrystEngComm</i> , 2020, 22, 4206-4209.	1.3	8
420	Tin-oxychalcogenide supertetrahedral clusters maintained in a MTN zeolite-analog arrangement by coulombic interactions. <i>Chemical Communications</i> , 2020, 56, 8388-8391.	2.2	8
421	A metal-porphyrinic framework film as an efficient optical limiting layer in an electro-optical switchable device. <i>Chemical Communications</i> , 2021, 57, 10166-10169.	2.2	8
422	An Anionic MOF for Separation of Organic Dyes via Cationic-Exchange and Size-Exclusion. <i>Acta Chimica Sinica</i> , 2014, 72, 1228.	0.5	8
423	Tunable third-order nonlinear optical effect via modifying Ti ₄ (embonate) ₆ cage-based ionic pairs. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 1984-1991.	3.0	8
424	An inorganic-organic hybrid zinc phosphite framework with unusual topology. <i>Inorganic Chemistry Communication</i> , 2013, 30, 136-138.	1.8	7
425	A highly stable face-extended diamondoid cluster-organic framework incorporating infinite inorganic guests. <i>Chemical Communications</i> , 2015, 51, 17174-17177.	2.2	7
426	Sn ₁₃ -Oxo Clusters with an Open Hollow Structural Motif and Decorated by Different Functional Ligands. <i>Inorganic Chemistry</i> , 2019, 58, 15692-15695.	1.9	7
427	Heterometallic Ag ₂ Ti ₁₀ and Ag ₄ Ti ₈ -oxo clusters with different silver doping models: synthesis, structure, and theoretical studies. <i>Dalton Transactions</i> , 2020, 49, 11005-11009.	1.6	7
428	Optical Resolution Studies on Ti/Zr-Based Tetrahedral Cages. <i>Crystal Growth and Design</i> , 2020, 20, 6316-6320.	1.4	7
429	Assembly and packing models of [Ti ₆ Co ₁₂] ring based on the titanium-capped cobalt clathrochelates. <i>Chinese Chemical Letters</i> , 2021, 32, 923-925.	4.8	7
430	A Cu-based boron imidazolate framework for visible light driven CO ₂ reduction. <i>Dalton Transactions</i> , 2021, 50, 490-493.	1.6	7
431	A hybrid zeolitic imidazolate framework-derived ZnO/ZnMoO ₄ heterostructure for electrochemical hydrogen production. <i>Dalton Transactions</i> , 2021, 50, 11365-11369.	1.6	7
432	Coordination Assembly of Tetrahedral Zr ₄ (embonate) ₆ Cages with Eu ³⁺ Ions. <i>Inorganic Chemistry</i> , 2021, 60, 18178-18184.	1.9	7

#	ARTICLE	IF	CITATIONS
433	Acid- and base resistant ligand-modified molybdenum-sulfur clusters with enhanced photocatalytic activity towards hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2022, 10, 7138-7145.	5.2	7
434	A luminescent neutral cadmium(ii)-boron(iii)-imidazolate framework with sql net. <i>CrystEngComm</i> , 2014, 16, 2889.	1.3	6
435	Tuning Photoluminescence Emission of a Cadmium-Organic Framework by Excitation. <i>ChemPlusChem</i> , 2014, 79, 1080-1082.	1.3	6
436	An anionic Cd(ii) boron imidazolate framework with reversible structural transformation and biomolecular sensing properties. <i>Dalton Transactions</i> , 2017, 46, 10202-10204.	1.6	6
437	Wheel-Shape Heterometallic $Ti_{10}M_2$ Oxo Clusters (M = Ni, Co) with Effective Visible Light Absorption. <i>Chinese Journal of Chemistry</i> , 2019, 37, 233-236.	2.6	6
438	Synthesis and Structure of a Series of Ti_6 Oxo Clusters Functionalized by <i>in situ</i> Esterified Dicarboxylate Ligands. <i>Chinese Journal of Chemistry</i> , 2021, 39, 1259-1264.	2.6	6
439	Synthesis, Structures, and Fluorescence Properties of Dimeric Aluminum Oxo Clusters. <i>Inorganic Chemistry</i> , 2021, 60, 7089-7093.	1.9	6
440	Phenol-triggered supramolecular transformation of titanium-oxo cluster based coordination capsules. <i>Chinese Chemical Letters</i> , 2021, 32, 2415-2418.	4.8	6
441	Macrocyclic Inorganic Tin-Containing Oxo Clusters: Heterometallic Strategy for Configuration and Catalytic Activity Modulation. <i>Chemistry - A European Journal</i> , 2021, 27, 16117-16120.	1.7	6
442	Syntheses of new zeolitic imidazolate frameworks in dimethyl sulfoxide. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2011-2015.	3.0	6
443	Facile Synthesis of a Long Afterglow Calcium-Organic Framework in Water. <i>ACS Omega</i> , 2022, 7, 22015-22019.	1.6	6
444	Divergent Access to Polycyclic N-Heterocyclic Compounds through B-achner-Type Dearomatization Enabled Cycloisomerization of Diynamides under Gold Catalysis. <i>Organic Letters</i> , 2022, 24, 4298-4303.	2.4	6
445	Synthesis of borocarbonitride from a multifunctional Cu boron imidazolate framework. <i>Dalton Transactions</i> , 2016, 45, 5223-5228.	1.6	5
446	p-Arsanilic acid stabilizing titanium-oxo clusters with various core structures and light absorption behaviours. <i>Inorganic Chemistry Communication</i> , 2017, 86, 14-17.	1.8	5
447	Tuning a layer to a three-dimensional cobalt-tris(4-carboxybiphenyl)amine framework by introducing potassium ions. <i>Inorganic Chemistry Communication</i> , 2018, 90, 65-68.	1.8	5
448	Synthesis, structure and luminescent of Ag based homochiral metal tetrazolate coordination polymers. <i>Inorganic Chemistry Communication</i> , 2018, 89, 41-45.	1.8	5
449	Adjustment of the performance and stability of isostructural zeolitic tetrazolate-imidazolate frameworks. <i>Dalton Transactions</i> , 2020, 49, 4690-4693.	1.6	5
450	Unraveling the condensation reactions of heterometallic $\{BiNb_4\}$ moieties into hybrid $BixNby$ -oxo clusters with mass spectrometry. <i>Science China Chemistry</i> , 2021, 64, 413-418.	4.2	5

#	ARTICLE	IF	CITATIONS
451	Odd-membered cyclic hetero-polyoxotitanate nanoclusters with high stability and photocatalytic H ₂ evolution activity. <i>Chinese Journal of Catalysis</i> , 2021, 42, 1332-1337.	6.9	5
452	Induction of Chirality in Boron Imidazolate Frameworks: The Structure-Directing Effects of Substituents. <i>Inorganic Chemistry</i> , 2022, 61, 6861-6868.	1.9	5
453	Synthesis and photoluminescent properties of four homochiral supramolecular compounds with butterfly-like chains. <i>Inorganic Chemistry Communication</i> , 2014, 46, 219-222.	1.8	4
454	A pair of novel Cd(II) enantiomers based on lactate derivatives: Synthesis, crystal structures and properties. <i>Journal of Solid State Chemistry</i> , 2016, 241, 105-109.	1.4	4
455	One unique neutral boron imidazolate framework with fluorescent property. <i>Inorganic Chemistry Communication</i> , 2018, 95, 130-133.	1.8	4
456	Water-stable Zeolitic Tetrazolate-Imidazolate Frameworks (ZTIFs) with GIS topology. <i>Inorganic Chemistry Communication</i> , 2019, 105, 59-62.	1.8	4
457	Construction of Titanium-Based Metal-Organic Frameworks Based on the Ti/Cu Heteronuclear Cluster. <i>Inorganic Chemistry</i> , 2021, 60, 24-27.	1.9	4
458	Functional ligand directed assembly and electronic structure of Sn ₁₈ -oxo wheel nanoclusters. <i>Chemical Communications</i> , 2021, 57, 5159-5162.	2.2	4
459	Syntheses and Structural Studies of a Series of Ti ₄ (embonate) ₆ -based Complexes. <i>Acta Chimica Sinica</i> , 2020, 78, 1411.	0.5	4
460	Triethanolamine stabilized non-alkyl Sn ₄ Cd ₄ and alkyl Sn ₂ Cd ₁₂ oxo clusters with distinct electrocatalytic activities. <i>Chemical Communications</i> , 2022, 58, 4759-4762.	2.2	4
461	Synthesis and Third-Order Nonlinear Optical Properties of Metal-Organic Zeolites Built from Ti ₄ (embonate) ₆ Tetrahedra. <i>Crystal Growth and Design</i> , 2022, 22, 66-73.	1.4	4
462	Zeolitic metal-biomolecule frameworks based on supertetrahedral lithium clusters and hypoxanthine nucleobase. <i>Inorganic Chemistry Communication</i> , 2016, 71, 82-85.	1.8	3
463	A pair of homochiral porous metal-organic frameworks with a helical metal-carboxylate layer. <i>New Journal of Chemistry</i> , 2016, 40, 1927-1929.	1.4	3
464	Hydrogen bond-assisted homochiral lattice packing between inorganic helices built from heterometallic units. <i>Dalton Transactions</i> , 2018, 47, 2134-2137.	1.6	3
465	Synthesis and Photoelectric Properties of Metal-Organic Zeolites Built from TO ₄ and Organotin. <i>Inorganic Chemistry</i> , 2019, 58, 12521-12525.	1.9	3
466	Understanding the Efficiency and Selectivity of Two-Electron Production of Metalloporphyrin-Embedded Zirconium-Pyrogallol Scaffolds in Electrochemical CO ₂ Reduction. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 52588-52594.	4.0	3
467	In Situ Encapsulation of Organic Sulfates in Layered Structures of Zinc and Tris(4-(1H-imidazol-1-yl)phenyl)amine. <i>Crystal Growth and Design</i> , 2020, 20, 4228-4231.	1.4	3
468	Designable Al ₃₂ -Oxo Clusters with Hydroxal-like Structures: Snapshots of Boundary Hydrolysis and Optical Limiting. <i>Angewandte Chemie</i> , 2021, 133, 4899-4904.	1.6	3

#	ARTICLE	IF	CITATIONS
469	Asymmetric metal-organic frameworks with double helices for enantioselective recognition. <i>CrystEngComm</i> , 2021, 23, 4748-4751.	1.3	3
470	The Synthesis and Properties of TIPA-Dominated Porous Metal-Organic Frameworks. <i>Nanomaterials</i> , 2021, 11, 2791.	1.9	3
471	Heterometallic Al ₆ Zn ₁₂ nano-plate with π -conjugated ligand: synthesis and nonlinear absorption properties. <i>Chemical Communications</i> , 2021, 57, 12820-12823.	2.2	3
472	Synthesis, Structure, and Light Absorption Behaviors of Prismatic Titanium-Oxo Clusters Containing Lacunary Lindqvist-like Species. <i>Inorganic Chemistry</i> , 2022, 61, 1385-1390.	1.9	3
473	Heterometallic chiral [Mn ₁₃ Cu ₈] single-molecule magnets. <i>Dalton Transactions</i> , 2022, , .	1.6	3
474	Efficient access to 1,3,4-trisubstituted pyrroles via gold-catalysed cycloisomerization of 1,5-diyne. <i>Organic and Biomolecular Chemistry</i> , 2022, , .	1.5	3
475	Inorganic acid influenced formation of Ti ₂₆ and Ti ₄₄ oxysulfate clusters with toroidal and capsule structures. <i>Dalton Transactions</i> , 2022, , .	1.6	3
476	Preparation and Visible-Light Response of Salicylate-Stabilized Heterobimetallic Pb-Ti-Oxo Clusters Initiated via Auxiliary Quaternary Ammonium Salts and a Solvent Effect. <i>Inorganic Chemistry</i> , 2022, 61, 5017-5024.	1.9	3
477	Construction and two-dimensional assembly of double-shell Na@Sn ₆ L ₆ @Sn ₃ L ₃ clusters through tetrahedral citrate ligands. <i>Chemical Communications</i> , 2022, 58, 5650-5652.	2.2	3
478	Designable Assembly of Atomically Precise Al ₄ O ₄ Cubane Supported Mesoporous Heterometallic Architectures. <i>Chemical Science</i> , 0, , .	3.7	3
479	Designing Cage-Supported Cluster-Organic Framework for Highly Efficient Optical Limiting. , 2022, 4, 1397-1401.		3
480	Tuning the formations of metal-1,3,5-benzenetricarboxylate frameworks via the assistance of amino acids. <i>Journal of Solid State Chemistry</i> , 2015, 223, 44-52.	1.4	2
481	A pair of 3D homochiral helical metal-organic frameworks with heterometallic chains constructed by proline derivative ligands. <i>Polyhedron</i> , 2016, 118, 91-95.	1.0	2
482	Organocatalytic enantioselective Diels-Alder reaction between hydroxymaleimides and <i>in situ</i> generated nitrosoalkenes for direct preparation of chiral hemiketals with 1,2-oxazine skeleton. <i>Organic Chemistry Frontiers</i> , 2021, 8, 6215-6219.	2.3	2
483	Chiral Induction in Aluminum Oxo Sulfate Helical Chains. <i>Crystal Growth and Design</i> , 2022, 22, 3954-3960.	1.4	2
484	Synthesis and structural characterization of a dumbbell-like phenylphosphonate-stabilized Ti ₇ -oxide cluster. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018, 74, 1248-1251.	0.2	1
485	Synthesis and crystal structures of three metal-organic frameworks based on a triphenylamine-type polycarboxylic ligand. <i>Chinese Science Bulletin</i> , 2016, 61, 1781-1789.	0.4	1
486	Atomically Precise Zr-Oxo and Zr/Ti-Oxo Nanoclusters by Deep Eutectic-Solvothermal Synthesis. <i>Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica</i> , 2018, 34, 781-785.	2.2	1

#	ARTICLE	IF	CITATIONS
487	MAF-41 with intermediate-sized molecular sieving effect for highly selective separation of styrene. <i>Science China Chemistry</i> , 2019, 62, 1265-1266.	4.2	0
488	Rational assembly of metal-oxo clusters into molecular materials <i>via</i> a "wheel mounting" mode. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 4102-4106.	3.0	0