

# iftikhar Gul

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8797079/publications.pdf>

Version: 2024-02-01

23  
papers

673  
citations

471509

17  
h-index

677142

22  
g-index

23  
all docs

23  
docs citations

23  
times ranked

486  
citing authors

#	ARTICLE	IF	CITATIONS
1	2D MXenes: Synthesis, properties, and electrochemical energy storage for supercapacitors – A review. <i>Journal of Electroanalytical Chemistry</i> , 2022, 904, 115920.	3.8	72
2	Binder-free pseudocapacitive nickel cobalt sulfide/MWCNTs hybrid electrode directly grown on nickel foam for high rate supercapacitors. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021, 264, 114898.	3.5	32
3	Conversion of wheat husk to high surface area activated carbon for energy storage in high-performance supercapacitors. <i>Biomass and Bioenergy</i> , 2021, 144, 105909.	5.7	75
4	Transformation of wheat husk to 3D activated carbon/NiCo <sub>2</sub> S <sub>4</sub> frameworks for high-rate asymmetrical supercapacitors. <i>Journal of Energy Storage</i> , 2021, 37, 102477.	8.1	29
5	Hierarchical MnNiCo ternary metal oxide/graphene nanoplatelets composites as high rated electrode material for supercapacitors. <i>Ceramics International</i> , 2021, 47, 17008-17014.	4.8	36
6	Direct chemical synthesis of interlaced NiMn-LDH nanosheets on LSTN perovskite decorated Ni foam for high-performance supercapacitors. <i>Surface and Coatings Technology</i> , 2021, 421, 127455.	4.8	17
7	One-step sonochemical synthesis of NiMn-LDH for supercapacitors and overall water splitting. <i>Journal of Materials Science</i> , 2021, 56, 18636-18649.	3.7	36
8	The complementary advanced characterization and electrochemical techniques for electrode materials for supercapacitors. <i>Journal of Energy Storage</i> , 2021, 44, 103370.	8.1	23
9	ZIF-67 derived nitrogen doped CNTs decorated with sulfur and Ni(OH) <sub>2</sub> as potential electrode material for high-performance supercapacitors. <i>Electrochimica Acta</i> , 2020, 364, 137147.	5.2	48
10	High-Performance Supercapacitor Electrode Obtained by Directly Bonding 2D Materials: Hierarchal MoS <sub>2</sub> on Reduced Graphene Oxide. <i>Frontiers in Materials</i> , 2020, 7, .	2.4	35
11	Comprehensive study on structural, electrical, magnetic and photocatalytic degradation properties of Al <sup>3+</sup> ions substituted nickel ferrites nanoparticles. <i>Journal of Alloys and Compounds</i> , 2020, 848, 155795.	5.5	47
12	Improved Electrical Properties Displayed by Mg <sup>2+</sup> -Substituted Cobalt Ferrite Nano Particles, Prepared Via Co-precipitation Route. <i>Journal of Superconductivity and Novel Magnetism</i> , 2020, 33, 3133-3144.	1.8	15
13	Binder-free heterostructured MWCNTs/Al <sub>2</sub> S <sub>3</sub> decorated on NiCo foam as highly reversible cathode material for high-performance supercapacitors. <i>Electrochimica Acta</i> , 2020, 340, 135955.	5.2	37
14	Effect of rare earth and transition metal La-Mn substitution on electrical properties of co-precipitated M-type Ba-ferrites nanoparticles. <i>Journal of Rare Earths</i> , 2019, 37, 193-197.	4.8	24
15	Investigating mechanical, dielectric, and electromagnetic interference shielding properties of polymer blends and three component hybrid composites based on polyvinyl alcohol, polyaniline, and few layer graphene. <i>Polymer Composites</i> , 2018, 39, 3686-3695.	4.6	26
16	Experimental and theoretical correlation of reinforcement trends in acrylonitrile butadiene styrene/single-walled carbon nanotubes hybrid composites. <i>Polymer Composites</i> , 2018, 39, E902.	4.6	8
17	Dielectric properties evaluation of NiFe <sub>2</sub> O <sub>4</sub> /MWCNTs nanohybrid for microwave applications prepared via novel one step synthesis. <i>Ceramics International</i> , 2017, 43, 4090-4095.	4.8	18
18	Massive dielectric properties enhancement of MWCNTs/CoFe <sub>2</sub> O <sub>4</sub> nanohybrid for super capacitor applications. <i>Journal of Magnetism and Magnetic Materials</i> , 2017, 424, 382-387.	2.3	19

#	ARTICLE	IF	CITATIONS
19	Enhancing dielectric and mechanical behaviors of hybrid polymer nanocomposites based on polystyrene, polyaniline and carbon nanotubes coated with polyaniline. Chinese Journal of Polymer Science (English Edition), 2016, 34, 1500-1509.	3.8	22
20	Stiff, strong, yet tough free-standing dielectric films of graphene nanosheets-polyurethane nanocomposites with very high dielectric constant and loss. Electronic Materials Letters, 2016, 12, 91-99.	2.2	10
21	Influence of Reduced Graphene Oxide on Effective Absorption Bandwidth Shift of Hybrid Absorbers. PLoS ONE, 2016, 11, e0153544.	2.5	24
22	Ce-Substituted Co <sub>0.5</sub> Ni <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> : Structural, morphological, electrical, and dielectric properties. Electronic Materials Letters, 2015, 11, 100-108.	2.2	20
23	Synthesis and Investigation of Electrical Properties of Strontium Metal-Doped Hexaferrite Nanoparticles. Journal of Superconductivity and Novel Magnetism, 0, , 1.	1.8	0