

Mi Hee Lim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8797542/publications.pdf>

Version: 2024-02-01

156
papers

10,714
citations

36303

51
h-index

33894

99
g-index

179
all docs

179
docs citations

179
times ranked

10148
citing authors

#	ARTICLE	IF	CITATIONS
1	Crystallographic and Spectroscopic Characterization of a Nonheme Fe(IV)=O Complex. <i>Science</i> , 2003, 299, 1037-1039.	12.6	870
2	Towards an understanding of amyloid- β^2 oligomers: characterization, toxicity mechanisms, and inhibitors. <i>Chemical Society Reviews</i> , 2017, 46, 310-323.	38.1	405
3	Development of Multifunctional Molecules as Potential Therapeutic Candidates for Alzheimer's Disease, Parkinson's Disease, and Amyotrophic Lateral Sclerosis in the Last Decade. <i>Chemical Reviews</i> , 2019, 119, 1221-1322.	47.7	360
4	Misfolded proteins in Alzheimer's disease and type II diabetes. <i>Chemical Society Reviews</i> , 2012, 41, 608-621.	38.1	335
5	Visualization of nitric oxide in living cells by a copper-based fluorescent probe. <i>Nature Chemical Biology</i> , 2006, 2, 375-380.	8.0	334
6	Endoplasmic Reticulum-Localized Iridium(III) Complexes as Efficient Photodynamic Therapy Agents via Protein Modifications. <i>Journal of the American Chemical Society</i> , 2016, 138, 10968-10977.	13.7	330
7	Untangling Amyloid- β^2 , Tau, and Metals in Alzheimer's Disease. <i>ACS Chemical Biology</i> , 2013, 8, 856-865.	3.4	329
8	An FeIVO complex of a tetradentate tripodal nonheme ligand. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 3665-3670.	7.1	322
9	Structure and reactivity of a mononuclear non-haem iron(III)-peroxo complex. <i>Nature</i> , 2011, 478, 502-505.	27.8	292
10	Direct Nitric Oxide Detection in Aqueous Solution by Copper(II) Fluorescein Complexes. <i>Journal of the American Chemical Society</i> , 2006, 128, 14364-14373.	13.7	257
11	Design of small molecules that target metal-A β^2 species and regulate metal-induced A β^2 aggregation and neurotoxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 21990-21995.	7.1	253
12	Metal-Based Turn-On Fluorescent Probes for Sensing Nitric Oxide. <i>Accounts of Chemical Research</i> , 2007, 40, 41-51.	15.6	239
13	Metal-associated amyloid- β^2 species in Alzheimer's disease. <i>Current Opinion in Chemical Biology</i> , 2012, 16, 67-73.	6.1	230
14	Insights into anti-amyloidogenic properties of the green tea extract (EGCG)-epigallocatechin-3-gallate toward metal-associated amyloid- β^2 species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3743-3748.	7.1	221
15	Small Molecule Modulators of Copper-Induced A β^2 Aggregation. <i>Journal of the American Chemical Society</i> , 2009, 131, 16663-16665.	13.7	189
16	Rational Design of a Structural Framework with Potential Use to Develop Chemical Reagents That Target and Modulate Multiple Facets of Alzheimer's Disease. <i>Journal of the American Chemical Society</i> , 2014, 136, 299-310.	13.7	166
17	Evidence for the Participation of Two Distinct Reactive Intermediates in Iron(III) Porphyrin Complex-Catalyzed Epoxidation Reactions. <i>Journal of the American Chemical Society</i> , 2000, 122, 6641-6647.	13.7	150
18	Structural Insights into Nonheme Alkylperoxoiron(III) and Oxoiron(IV) Intermediates by X-ray Absorption Spectroscopy. <i>Journal of the American Chemical Society</i> , 2004, 126, 16750-16761.	13.7	149

#	ARTICLE	IF	CITATIONS
19	The Ongoing Search for Small Molecules to Study Metal-Associated Amyloid- β^2 Species in Alzheimer's Disease. <i>Accounts of Chemical Research</i> , 2014, 47, 2475-2482.	15.6	149
20	First Direct Evidence for Stereospecific Olefin Epoxidation and Alkane Hydroxylation by an Oxoiron(IV) Porphyrin Complex. <i>Journal of the American Chemical Society</i> , 2003, 125, 14674-14675.	13.7	146
21	Reduced Lipid Bilayer Thickness Regulates the Aggregation and Cytotoxicity of Amyloid- β^2 . <i>Journal of Biological Chemistry</i> , 2017, 292, 4638-4650.	3.4	145
22	Isolation of an Oxomanganese(V) Porphyrin Intermediate in the Reaction of a Manganese(III) Porphyrin Complex and H ₂ O ₂ in Aqueous Solution. <i>Chemistry - A European Journal</i> , 2002, 8, 2067-2071.	3.3	135
23	Dirhodium Tetracarboxylate Scaffolds as Reversible Fluorescence-Based Nitric Oxide Sensors. <i>Journal of the American Chemical Society</i> , 2004, 126, 4972-4978.	13.7	135
24	Copper Complexes for Fluorescence-Based NO Detection in Aqueous Solution. <i>Journal of the American Chemical Society</i> , 2005, 127, 12170-12171.	13.7	125
25	Anionic Ligand Effect on the Nature of Epoxidizing Intermediates in Iron Porphyrin Complex-Catalyzed Epoxidation Reactions. <i>Inorganic Chemistry</i> , 2002, 41, 3647-3652.	4.0	124
26	Sensitivity of Ru(bpy) ₂ dppz ²⁺ Luminescence to DNA Defects. <i>Inorganic Chemistry</i> , 2009, 48, 5392-5397.	4.0	118
27	Conjugated Polymer-Based Fluorescence Turn-On Sensor for Nitric Oxide. <i>Organic Letters</i> , 2005, 7, 3573-3575.	4.6	106
28	Participation of Two Distinct Hydroxylating Intermediates in Iron(III) Porphyrin Complex-Catalyzed Hydroxylation of Alkanes. <i>Journal of the American Chemical Society</i> , 2000, 122, 10805-10809.	13.7	104
29	Remarkable Anionic Axial Ligand Effects of Iron(III) Porphyrin Complexes on the Catalytic Oxygenations of Hydrocarbons by H ₂ O ₂ and the Formation of Oxoiron(IV) Porphyrin Intermediates by m-Chloroperoxybenzoic Acid. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 3646-3649.	13.8	101
30	Colorimetric detection of Fe ³⁺ and Fe ²⁺ and sequential fluorescent detection of Al ³⁺ and pyrophosphate by an imidazole-based chemosensor in a near-perfect aqueous solution. <i>Dyes and Pigments</i> , 2017, 139, 136-147.	3.7	99
31	Effects of Clioquinol on Metal-Triggered Amyloid- β^2 Aggregation Revisited. <i>Inorganic Chemistry</i> , 2009, 48, 9596-9598.	4.0	93
32	Reversible Formation of Iodosylbenzene- π -Iron Porphyrin Intermediates in the Reaction of Oxoiron(IV) Porphyrin- π -Cation Radicals and Iodobenzene. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 109-111.	13.8	91
33	Cholesterol and metal ions in Alzheimer's disease. <i>Chemical Society Reviews</i> , 2014, 43, 6672-6682.	38.1	82
34	Myricetin: A Naturally Occurring Regulator of Metal-Induced Amyloid- β^2 Aggregation and Neurotoxicity. <i>ChemBioChem</i> , 2011, 12, 1198-1201.	2.6	81
35	Structure-mechanism-based engineering of chemical regulators targeting distinct pathological factors in Alzheimer's disease. <i>Nature Communications</i> , 2016, 7, 13115.	12.8	80
36	Effect of Anionic Axial Ligands on the Formation of Oxoiron(IV) Porphyrin Intermediates. <i>Inorganic Chemistry</i> , 2000, 39, 5572-5575.	4.0	79

#	ARTICLE	IF	CITATIONS
37	Fluorescence-Based Nitric Oxide Detection by Ruthenium Porphyrin Fluorophore Complexes. <i>Inorganic Chemistry</i> , 2004, 43, 6366-6370.	4.0	79
38	Multi-target-directed phenolâ€“triazole ligands as therapeutic agents for Alzheimer's disease. <i>Chemical Science</i> , 2017, 8, 5636-5643.	7.4	79
39	Luminescent Properties of Ruthenium(II) Complexes with Sterically Expansive Ligands Bound to DNA Defects. <i>Inorganic Chemistry</i> , 2012, 51, 12511-12520.	4.0	78
40	Biomimetic Alkane Hydroxylations by an Iron(III) Porphyrin Complex with H ₂ O ₂ and by a High-Valent Iron(IV) Oxo Porphyrin Cation Radical Complex. <i>Inorganic Chemistry</i> , 1999, 38, 3238-3240.	4.0	76
41	Development of Bifunctional Stilbene Derivatives for Targeting and Modulating Metal-Amyloid- β^2 Species. <i>Inorganic Chemistry</i> , 2011, 50, 10724-10734.	4.0	75
42	Amyloid- β^2 adopts a conserved, partially folded structure upon binding to zwitterionic lipid bilayers prior to amyloid formation. <i>Chemical Communications</i> , 2016, 52, 882-885.	4.1	66
43	A Redox-Active, Compact Molecule for Cross-Linking Amyloidogenic Peptides into Nontoxic, Off-Pathway Aggregates: In Vitro and In Vivo Efficacy and Molecular Mechanisms. <i>Journal of the American Chemical Society</i> , 2015, 137, 14785-14797.	13.7	65
44	Fluorescent Nitric Oxide Detection by Copper Complexes Bearing Anthracenyl and Dansyl Fluorophore Ligands. <i>Inorganic Chemistry</i> , 2006, 45, 8980-8989.	4.0	62
45	Regulatory Activities of Dopamine and Its Derivatives toward Metal-Free and Metal-Induced Amyloid- β^2 Aggregation, Oxidative Stress, and Inflammation in Alzheimer's Disease. <i>ACS Chemical Neuroscience</i> , 2018, 9, 2655-2666.	3.5	62
46	Molecular Insights into Human Serum Albumin as a Receptor of Amyloid- β^2 in the Extracellular Region. <i>Journal of the American Chemical Society</i> , 2017, 139, 15437-15445.	13.7	61
47	A rationally designed small molecule for identifying an in vivo link between metalâ€“amyloid- β^2 complexes and the pathogenesis of Alzheimer's disease. <i>Chemical Science</i> , 2015, 6, 1879-1886.	7.4	60
48	Self-hydroxylation of perbenzoic acids at a nonheme iron(ii) center. <i>Chemical Communications</i> , 2005, , 5644.	4.1	59
49	A novel â€œoff-onâ€“type fluorescent chemosensor for detection of Zn ²⁺ and its zinc complex for â€œon-offâ€“fluorescent sensing of sulfide in aqueous solution, in vitro and in vivo. <i>Sensors and Actuators B: Chemical</i> , 2018, 267, 58-69.	7.8	59
50	Dual-function triazoleâ€“pyridine derivatives as inhibitors of metal-induced amyloid- β^2 aggregation. <i>Metallomics</i> , 2012, 4, 910.	2.4	58
51	Mechanistic Insights into Tunable Metal-Mediated Hydrolysis of Amyloid- β^2 Peptides. <i>Journal of the American Chemical Society</i> , 2017, 139, 2234-2244.	13.7	55
52	A water-soluble fluorescence chemosensor for the sequential detection of Zn ²⁺ and pyrophosphate in living cells and zebrafish. <i>Dyes and Pigments</i> , 2018, 152, 131-138.	3.7	55
53	Link of impaired metal ion homeostasis to mitochondrial dysfunction in neurons. <i>Current Opinion in Chemical Biology</i> , 2018, 43, 8-14.	6.1	55
54	Interaction and reactivity of synthetic aminoisoflavones with metal-free and metal-associated amyloid- β^2 . <i>Chemical Science</i> , 2014, 5, 4851-4862.	7.4	50

#	ARTICLE	IF	CITATIONS
55	Synthesis of isomerically pure carboxylate- and sulfonate-substituted xanthene fluorophores. <i>Tetrahedron</i> , 2005, 61, 3097-3105.	1.9	49
56	A small molecule that displays marked reactivity toward copper ^{II} versus zinc ^{II} amyloid- β implicated in Alzheimer's disease. <i>Chemical Communications</i> , 2014, 50, 5301-5303.	4.1	49
57	A novel hybrid of 6-chlorotacrine and metal ^{II} amyloid- β modulator for inhibition of acetylcholinesterase and metal-induced amyloid- β aggregation. <i>Chemical Science</i> , 2013, 4, 4137.	7.4	48
58	Thiophene and diethylaminophenol-based α -turn-on β -fluorescence chemosensor for detection of Al ³⁺ and F ⁻ in a near-perfect aqueous solution. <i>Tetrahedron</i> , 2017, 73, 2690-2697.	1.9	45
59	Fluorescent determination of zinc by a quinoline-based chemosensor in aqueous media and zebrafish. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 219, 74-82.	3.9	45
60	Reactivity of Metal-Free and Metal-Associated Amyloid- β with Glycosylated Polyphenols and Their Esterified Derivatives. <i>Scientific Reports</i> , 2015, 5, 17842.	3.3	44
61	A PET-based fluorometric chemosensor for the determination of mercury(^{II}) and pH, and hydrolysis reaction-based colorimetric detection of hydrogen sulfide. <i>Dalton Transactions</i> , 2016, 45, 5700-5712.	3.3	44
62	Single fluorescent chemosensor for multiple targets: sequential detection of Al ³⁺ and pyrophosphate and selective detection of F ⁻ in near-perfect aqueous solution. <i>New Journal of Chemistry</i> , 2017, 41, 15590-15600.	2.8	43
63	Strategies Employing Transition Metal Complexes To Modulate Amyloid- β Aggregation. <i>Inorganic Chemistry</i> , 2019, 58, 8-17.	4.0	43
64	Parallel mechanistic studies on the counterion effect of manganese salen and porphyrin complexes on olefin epoxidation by iodosylarenes. <i>Journal of Inorganic Biochemistry</i> , 2005, 99, 424-431.	3.5	38
65	Structure and assembly mechanisms of toxic human islet amyloid polypeptide oligomers associated with copper. <i>Chemical Science</i> , 2016, 7, 5398-5406.	7.4	38
66	A single fluorescent chemosensor for multiple targets of Cu ²⁺ , Fe ^{2+/3+} and Al ³⁺ in living cells and a near-perfect aqueous solution. <i>RSC Advances</i> , 2017, 7, 28723-28732.	3.6	38
67	Fluorescent Sensor for Sequentially Monitoring Zinc(II) and Cyanide Anion in Near-Perfect Aqueous Media. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 54-62.	3.7	38
68	A highly sensitive and selective fluorescent chemosensor for the sequential recognition of Zn ²⁺ and S ²⁻ in living cells and aqueous media. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 3108-3116.	7.8	37
69	Synthesis and characterization of IMPY derivatives that regulate metal-induced amyloid- β aggregation. <i>Metallomics</i> , 2011, 3, 284.	2.4	36
70	Reactivity of Diphenylpropynone Derivatives Toward Metal-Associated Amyloid- β Species. <i>Inorganic Chemistry</i> , 2012, 51, 12959-12967.	4.0	36
71	Structural Characterization and Inhibition of Toxic Amyloid- β Oligomeric Intermediates. <i>Biophysical Journal</i> , 2013, 105, 287-288.	0.5	36
72	Recent Development of Bifunctional Small Molecules to Study Metal-Amyloid- β Species in Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-9.	2.0	35

#	ARTICLE	IF	CITATIONS
73	Inhibitory Activity of Curcumin Derivatives Towards Metal-Free and Metal-Induced Amyloid- β Aggregation. <i>Current Alzheimer Research</i> , 2015, 12, 415-423.	1.4	35
74	Nitric Oxide-Induced Fluorescence Enhancement by Displacement of Dansylated Ligands from Cobalt. <i>ChemBioChem</i> , 2006, 7, 1571-1576.	2.6	34
75	Tools of the Trade: Investigations into Design Strategies of Small Molecules to Target Components in Alzheimer's Disease. <i>ChemBioChem</i> , 2015, 16, 887-898.	2.6	34
76	A highly selective fluorescent sensor for the detection of Al^{3+} and CN^{\bullet} in aqueous solution: biological applications and DFT calculations. <i>New Journal of Chemistry</i> , 2016, 40, 8918-8927.	2.8	34
77	N^2 -Diacetyl- p -phenylenediamine restores microglial phagocytosis and improves cognitive defects in Alzheimer's disease transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 23426-23436.	7.1	34
78	A highly selective turn-on chemosensor for Zn^{2+} in aqueous media and living cells. <i>Sensors and Actuators B: Chemical</i> , 2017, 244, 1045-1053.	7.8	33
79	An Iridium(III) Complex as a Photoactivatable Tool for Oxidation of Amyloidogenic Peptides with Subsequent Modulation of Peptide Aggregation. <i>Chemistry - A European Journal</i> , 2017, 23, 1645-1653.	3.3	33
80	Diverse Structural Conversion and Aggregation Pathways of Alzheimer's Amyloid- β (1-40). <i>ACS Nano</i> , 2019, 13, 8766-8783.	14.6	33
81	A fluorescent and colorimetric Schiff base chemosensor for the detection of Zn^{2+} and Cu^{2+} : Application in live cell imaging and colorimetric test kit. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 211, 34-43.	3.9	33
82	Mechanistic Insight into the Design of Chemical Tools to Control Multiple Pathogenic Features in Alzheimer's Disease. <i>Accounts of Chemical Research</i> , 2021, 54, 3930-3940.	15.6	33
83	Exploring the reactivity of flavonoid compounds with metal-associated amyloid- β species. <i>Dalton Transactions</i> , 2012, 41, 6558.	3.3	30
84	Amyloid- β -neuropeptide interactions assessed by ion mobility-mass spectrometry. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 8952.	2.8	30
85	Relay detection of Zn^{2+} and $\text{S}_2\text{O}_8^{2-}$ by a quinoline-based fluorescent chemosensor in aqueous media and zebrafish. <i>Dyes and Pigments</i> , 2019, 165, 264-272.	3.7	30
86	Hydroxylation of Aliphatic Hydrocarbons with m -Chloroperbenzoic Acid Catalyzed by Electron-Deficient Iron(III) Porphyrin Complexes. <i>Bulletin of the Chemical Society of Japan</i> , 1999, 72, 707-713.	3.2	29
87	Tuning Reactivity of Diphenylpropynone Derivatives with Metal-Associated Amyloid- β Species via Structural Modifications. <i>Inorganic Chemistry</i> , 2013, 52, 8121-8130.	4.0	29
88	A fluorescent chemosensor for Al^{3+} based on julolidine and tryptophan moieties. <i>Tetrahedron</i> , 2016, 72, 1998-2005.	1.9	28
89	Effects of hydroxyl group variations on a flavonoid backbone toward modulation of metal-free and metal-induced amyloid- β aggregation. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 381-392.	6.0	28
90	Synaptic Copper, Amyloid- β , and Neurotransmitters in Alzheimer's Disease. <i>Biochemistry</i> , 2020, 59, 15-17.	2.5	26

#	ARTICLE	IF	CITATIONS
91	Multifunctional quinoline-triazole derivatives as potential modulators of amyloid- β^2 peptide aggregation. Journal of Inorganic Biochemistry, 2016, 158, 131-138.	3.5	25
92	Structural and Mechanistic Insights into Development of Chemical Tools to Control Individual and Inter-Related Pathological Features in Alzheimer's Disease. Chemistry - A European Journal, 2017, 23, 2706-2715.	3.3	25
93	Tuning Structures and Properties for Developing Novel Chemical Tools toward Distinct Pathogenic Elements in Alzheimer's Disease. ACS Chemical Neuroscience, 2018, 9, 800-808.	3.5	25
94	Preparation of a copper-based fluorescent probe for nitric oxide and its use in mammalian cultured cells. Nature Protocols, 2007, 2, 408-415.	12.0	24
95	Mechanistic approaches for chemically modifying the coordination sphere of copper-amyloid- β^2 complexes. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 5160-5167.	7.1	24
96	Minimalistic Principles for Designing Small Molecules with Multiple Reactivities against Pathological Factors in Dementia. Journal of the American Chemical Society, 2020, 142, 8183-8193.	13.7	23
97	A multiple target chemosensor for the sequential fluorescence detection of Zn ²⁺ and S ²⁻ and the colorimetric detection of Fe ³⁺ /Fe ²⁺ in aqueous media and living cells. Photochemical and Photobiological Sciences, 2019, 18, 166-176.	2.9	22
98	Multiple reactivities of flavonoids towards pathological elements in Alzheimer's disease: structure-activity relationship. Chemical Science, 2020, 11, 10243-10254.	7.4	22
99	In Cellulo Mapping of Subcellular Localized Bilirubin. ACS Chemical Biology, 2016, 11, 2177-2185.	3.4	21
100	The Reaction of a High-Valent Nonheme Oxoiron(IV) Intermediate with Hydrogen Peroxide. Angewandte Chemie - International Edition, 2012, 51, 5376-5380.	13.8	20
101	Chemical strategies to modify amyloidogenic peptides using iridium(III) complexes: coordination and photo-induced oxidation. Chemical Science, 2019, 10, 6855-6862.	7.4	20
102	Circularly Polarized Light Can Override and Amplify Asymmetry in Supramolecular Helices. Journal of the American Chemical Society, 2022, 144, 2657-2666.	13.7	20
103	Fluorescence-based Nitric Oxide Detection. , 2005, , 163-188.		19
104	Importance of the Dimethylamino Functionality on a Multifunctional Framework for Regulating Metals, Amyloid- β^2 , and Oxidative Stress in Alzheimer's Disease. Inorganic Chemistry, 2016, 55, 5000-5013.	4.0	19
105	Sequential Connection of Mutually Exclusive Catalytic Reactions by a Method Controlling the Presence of an MOF Catalyst: One-Pot Oxidation of Alcohols to Carboxylic Acids. Inorganic Chemistry, 2020, 59, 17573-17582.	4.0	19
106	A thiourea-based fluorescent chemosensor for bioimaging hypochlorite. Journal of Industrial and Engineering Chemistry, 2020, 89, 436-441.	5.8	19
107	Orobol: An Isoflavone Exhibiting Regulatory Multifunctionality against Four Pathological Features of Alzheimer's Disease. ACS Chemical Neuroscience, 2019, 10, 3386-3390.	3.5	18
108	A Novel Thiophene-Based Fluorescent Chemosensor for the Detection of Zn ²⁺ and CN ⁻ : Imaging Applications in Live Cells and Zebrafish. Sensors, 2019, 19, 5458.	3.8	18

#	ARTICLE	IF	CITATIONS
109	DNA Strand Cleavage near a CC Mismatch Directed by a Metalloinsertor. <i>Inorganic Chemistry</i> , 2007, 46, 9528-9530.	4.0	17
110	Identification of multifunctional small molecule-based reversible monoamine oxidase inhibitors. <i>MedChemComm</i> , 2011, 2, 1099.	3.4	17
111	Characterization of pyridinylimine and pyridinylmethylamine derivatives and their corresponding metal complexes. <i>Inorganica Chimica Acta</i> , 2012, 380, 261-268.	2.4	17
112	Metals in Biology: From Metallomics to Trafficking. <i>Inorganic Chemistry</i> , 2019, 58, 13505-13508.	4.0	17
113	A rhodanine-based fluorescent chemosensor for sensing Zn ²⁺ and Cd ²⁺ : Applications to water sample and cell imaging. <i>Inorganica Chimica Acta</i> , 2020, 513, 119936.	2.4	17
114	Abnormal metal levels in the primary visual pathway of the DBA/2J mouse model of glaucoma. <i>BioMetals</i> , 2014, 27, 1291-1301.	4.1	16
115	Biophysical insights into the membrane interaction of the core amyloid-forming A β ₄₀ fragment K16-K28 and its role in the pathogenesis of Alzheimer's disease. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 16890-16901.	2.8	16
116	Strategic Design of 2,2'-Bipyridine Derivatives to Modulate Metal-Amyloid- β Aggregation. <i>Inorganic Chemistry</i> , 2017, 56, 6695-6705.	4.0	16
117	Chelation-induced diradical formation as an approach to modulation of the amyloid- β aggregation pathway. <i>Chemical Science</i> , 2015, 6, 1018-1026.	7.4	15
118	A zinc fluorescent sensor used to detect mercury (II) and hydrosulfide. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 178, 203-211.	3.9	14
119	Intertwined Pathologies of Amyloid- β and Metal Ions in Alzheimer's Disease: Metal-Amyloid- β . <i>Chemistry Letters</i> , 2019, 48, 951-960.	1.3	14
120	A multi-functional picolinohydrazide-based chemosensor for colorimetric detection of iron and dual responsive detection of hypochlorite. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 245, 118899.	3.9	14
121	Minor Structural Variations of Small Molecules Tune Regulatory Activities toward Pathological Factors in Alzheimer's Disease. <i>ChemMedChem</i> , 2017, 12, 1828-1838.	3.2	13
122	Monitoring metal-amyloid- β complexation by a FRET-based probe: design, detection, and inhibitor screening. <i>Chemical Science</i> , 2019, 10, 1000-1007.	7.4	13
123	A dual-response sensor based on NBD for the highly selective determination of sulfide in living cells and zebrafish. <i>New Journal of Chemistry</i> , 2019, 43, 4029-4035.	2.8	13
124	Key Physicochemical and Biological Factors of the Phase Behavior of Tau. <i>CheM</i> , 2020, 6, 2924-2963.	11.7	13
125	Metal ions and degenerative diseases. <i>Journal of Biological Inorganic Chemistry</i> , 2019, 24, 1137-1139.	2.6	12
126	Temperature effect on the epoxidation of olefins by an iron(III) porphyrin complex and tert-alkyl hydroperoxides. <i>Chemical Communications</i> , 2000, , 1787-1788.	4.1	10

#	ARTICLE	IF	CITATIONS
127	Stereochemistry of metal tetramethylcyclam complexes directed by an unexpected anion effect. Dalton Transactions, 2017, 46, 13166-13170.	3.3	10
128	Calprotectin influences the aggregation of metal-free and metal-bound amyloid- β^2 by direct interaction. Metallomics, 2018, 10, 1116-1127.	2.4	10
129	A near-infrared fluorescent probe for amyloid- β^2 aggregates. Dyes and Pigments, 2019, 162, 97-103.	3.7	10
130	Reactivities of cyclam derivatives with metal-amyloid- β^2 . Inorganic Chemistry Frontiers, 2020, 7, 4222-4238.	6.0	10
131	Complexation of <i>C</i> -Functionalized Cyclams with Copper(II) and Zinc(II): Similarities and Changes When Compared to Parent Cyclam Analogues. Inorganic Chemistry, 2021, 60, 10857-10872.	4.0	10
132	Reactivity of Flavonoids Containing a Catechol or Pyrogallol Moiety with Metal-Free and Metal-Associated Amyloid- β^2 . Bulletin of the Korean Chemical Society, 2021, 42, 17-24.	1.9	10
133	Impact of sphingosine and acetylsphingosines on the aggregation and toxicity of metal-free and metal-treated amyloid- β^2 . Chemical Science, 2021, 12, 2456-2466.	7.4	9
134	Ratiometric fluorescence In^{3+} sensing via In^{3+} -triggered tautomerization: Its applications to water samples, live cells and zebrafish. Dyes and Pigments, 2020, 183, 108704.	3.7	8
135	A Glycosylated Prodrug to Attenuate Neuroinflammation and Improve Cognitive Deficits in Alzheimer's Disease Transgenic Mice. Molecular Pharmaceutics, 2021, 18, 101-112.	4.6	8
136	Redox Properties of Small Molecules Essential for Multiple Reactivities with Pathological Factors in Alzheimer's Disease. Bulletin of the Korean Chemical Society, 2021, 42, 1272-1280.	1.9	8
137	Methyl Yellow: A Potential Drug Scaffold for Parkinson's Disease. ChemBioChem, 2014, 15, 1591-1598.	2.6	7
138	Molecular medicine and neurodegenerative diseases. Chemical Society Reviews, 2014, 43, 6668-6671.	38.1	7
139	Genetically Encodable Bacterial Flavin Transferase for Fluorogenic Protein Modification in Mammalian Cells. ACS Synthetic Biology, 2017, 6, 667-677.	3.8	7
140	Tailoring Hydrophobic Interactions between Probes and Amyloid- β^2 Peptides for Fluorescent Monitoring of Amyloid- β^2 Aggregation. ACS Omega, 2018, 3, 5141-5154.	3.5	7
141	Conformational and functional changes of the native neuropeptide somatostatin occur in the presence of copper and amyloid- β^2 . Nature Chemistry, 2022, 14, 1021-1030.	13.6	7
142	Detection of Zinc(II) by a Fluorescence Chemosensor Based on Benzofuran in Aqueous Media and Live Cells. Bulletin of the Korean Chemical Society, 2018, 39, 1373-1379.	1.9	6
143	Tunable regulatory activities of 1,10-phenanthroline derivatives towards acid sphingomyelinase and Zn^{2+} -amyloid- β^2 . Chemical Communications, 2019, 55, 5847-5850.	4.1	5
144	Drug repurposing: small molecules against Cu(II) -amyloid- β^2 and free radicals. Journal of Inorganic Biochemistry, 2021, 224, 111592.	3.5	5

#	ARTICLE	IF	CITATIONS
145	Copper(II) and zinc(II) complexation with N-ethylene hydroxycyclams and consequences on the macrocyclic backbone configuration. Dalton Transactions, 0, , .	3.3	5
146	Medicinal inorganic chemistry: a web themed issue. Chemical Communications, 2013, 49, 5910.	4.1	3
147	Advanced Electron Paramagnetic Resonance Studies of a Ternary Complex of Copper, Amyloid- β^2 , and a Chemical Regulator. Inorganic Chemistry, 2018, 57, 12665-12670.	4.0	3
148	Methoxy[meso-5,10,15,20-tetrakis(2,6-difluorophenyl)porphyrinato]iron(III), [Fe(TDFPP)(OCH ₃)]. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 556-557.	0.4	2
149	The central role of the d-block metals in the periodic table. Dalton Transactions, 2019, 48, 9405-9407.	3.3	2
150	Mechanistic insight into hydroxamate transfer reaction mimicking the inhibition of zinc-containing enzymes. Chemical Science, 2020, 11, 9017-9021.	7.4	2
151	Distinct impact of glycation towards the aggregation and toxicity of murine and human amyloid- β^2 . Chemical Communications, 2021, 57, 7637-7640.	4.1	2
152	Dual Effects of Presynaptic Membrane Mimetics on β -Synuclein Amyloid Aggregation. Frontiers in Cell and Developmental Biology, 0, 10, .	3.7	2
153	Synthesis of Isomerically Pure Carboxylate- and Sulfonate-Substituted Xanthene Fluorophores.. ChemInform, 2005, 36, no.	0.0	0
154	Editorial overview: Bioinorganic chemistry: Bioinorganic catalysis for renewable energy. Current Opinion in Chemical Biology, 2015, 25, vii-viii.	6.1	0
155	Metalloneurochemistry. , 2021, , 994-1015.		0
156	Celebrating the 75 th Anniversary of the Korean Chemical Society. Chemical Communications, 2021, 57, 10660-10660.	4.1	0