Akio Ishiguro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8797717/publications.pdf

Version: 2024-02-01

| 18 papers | 125 citations | 1307366 7 h-index | 1281743 11 g-index |
|--------------|------------------|-------------------------|--------------------------|
| 18 | 18 | 18 | 120 citing authors |
| all docs | docs citations | times ranked | |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Managing "healthy―late preterm infants. Pediatrics International, 2009, 51, 720-725. | 0.2 | 23 |
| 2 | Changes in Skin and Subcutaneous Perfusion in Very-Low-Birth-Weight Infants during the Transitional Period. Neonatology, 2011, 100, 162-168. | 0.9 | 18 |
| 3 | Holoprosencephaly with cerebellar vermis hypoplasia in 13q deletion syndrome: Critical region for cerebellar dysgenesis within 13q32.2q34. Brain and Development, 2015, 37, 714-718. | 0.6 | 17 |
| 4 | STEREOTYPIC CIRCLING BEHAVIOR IN MICE WITH VESTIBULAR DYSFUNCTION: ASYMMETRICAL EFFECTS OF INTRASTRIATAL MICROINJECTION OF A DOPAMINE AGONIST. International Journal of Neuroscience, 2007, 117, 1049-1064. | 0.8 | 16 |
| 5 | Skin and subcutaneous blood flows of very low birth weight infants during the first 3 postnatal days. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 522-528. | 0.7 | 13 |
| 6 | Effect of dopamine on peripheral perfusion in very-low-birth-weight infants during the transitional period. Pediatric Research, 2012, 72, 86-89. | 1.1 | 13 |
| 7 | Skin blood flow as a predictor of intraventricular hemorrhage in very-low-birth-weight infants. Pediatric Research, 2014, 75, 322-327. | 1.1 | 9 |
| 8 | Peripheral blood flow monitoring in an infant with septic shock. Pediatrics International, 2014, 56, 787-789. | 0.2 | 5 |
| 9 | Perfusion monitoring and intraventricular hemorrhage in preterm infants. Pediatrics International, 2017, 59, 759-763. | 0.2 | 4 |
| 10 | Randomized Trial of Perfusion-Based Circulatory Management in Infants of Very Low Birth Weight. Journal of Pediatrics, 2022, 243, 27-32.e2. | 0.9 | 2 |
| 11 | Oxidative and Inflammatory Markers Are Higher in Full-Term Newborns Suffering Funisitis, and Higher Oxidative Markers Are Associated with Admission. Children, 2022, 9, 702. | 0.6 | 2 |
| 12 | Postnatal changes in skin water content in preterm infants. Early Human Development, 2015, 91, 505-509. | 0.8 | 1 |
| 13 | Oxygen requirement and surfactant therapy in preterm infants after delivery. Pediatrics International, 2015, 57, 55-59. | 0.2 | 1 |
| 14 | Two Extremely Low Birth Weight Infants Who Survived Functional Pulmonary Atresia with Normal Intracardiac Anatomy. AJP Reports, 2019, 09, e310-e314. | 0.4 | 1 |
| 15 | Bedside Monitoring of Peripheral Circulation and its Significance in Management of Neonatal Cardiovascular Failure. Journal of Neonatal Biology, 2014, 03, . | 0.1 | O |
| 16 | M-mode Diagnosis of Tachyarrhythmia Can be Erroneous Owing to "Pseudo 1:1 Atrioventricular Movement―of the Atrial Wall Adjacent to the Atrioventricular Valve Possibly due to Atrioventricular Constraint: A Case of Neonatal Atrial Flutter With 2:1 Atrioventricular Conduction. Clinical Medicine Insights: Cardiology, 2018, 12, 117954681877170. | 0.6 | 0 |
| 17 | Postnatal Amelioration of Fetal Right Ventricular Hypoplasia Associated with Large Eustachian Valve: A Case Report. AJP Reports, 2019, 09, e357-e360. | 0.4 | O |
| 18 | Is ibuprofen superior to indomethacin for patent ductus arteriosus in Japanese preterm infants?. Pediatrics International, 2021, 63, 929-934. | 0.2 | 0 |