

Afzalhussein M Yusufali

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8797894/publications.pdf>

Version: 2024-02-01

76
papers

13,006
citations

76196

40
h-index

74018

75
g-index

77
all docs

77
docs citations

77
times ranked

19602
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 959.	3.8	1,422
2	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , 2016, 388, 761-775.	6.3	1,414
3	Modifiable risk factors, cardiovascular disease, and mortality in 155,722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020, 395, 795-808.	6.3	935
4	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017, 390, 2050-2062.	6.3	841
5	Urinary Sodium and Potassium Excretion, Mortality, and Cardiovascular Events. <i>New England Journal of Medicine</i> , 2014, 371, 612-623.	13.9	725
6	Association of Urinary Sodium and Potassium Excretion with Blood Pressure. <i>New England Journal of Medicine</i> , 2014, 371, 601-611.	13.9	687
7	Cardiovascular Risk and Events in 17 Low-, Middle-, and High-Income Countries. <i>New England Journal of Medicine</i> , 2014, 371, 818-827.	13.9	679
8	Risk factors for myocardial infarction in women and men: insights from the INTERHEART study. <i>European Heart Journal</i> , 2008, 29, 932-940.	1.0	652
9	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017, 390, 2037-2049.	6.3	446
10	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020, 395, 785-794.	6.3	428
11	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , 2016, 388, 465-475.	6.3	381
12	Variations in Cause and Management of Atrial Fibrillation in a Prospective Registry of 15 400 Emergency Department Patients in 46 Countries. <i>Circulation</i> , 2014, 129, 1568-1576.	1.6	324
13	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2018, 392, 2288-2297.	6.3	295
14	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , 2016, 4, e695-e703.	2.9	287
15	May Measurement Month 2017: an analysis of blood pressure screening results worldwide. <i>The Lancet Global Health</i> , 2018, 6, e736-e743.	2.9	245
16	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , 2018, 392, 496-506.	6.3	243
17	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology, the</i> , 2017, 5, 774-787.	5.5	198
18	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020, 396, 97-109.	6.3	194

#	ARTICLE	IF	CITATIONS
19	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 535-546.	2.9	191
20	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , 2016, 39, 780-787.	4.3	138
21	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. <i>BMJ, The</i> , 2021, 374, n1554.	3.0	136
22	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health, The</i> , 2017, 2, e411-e419.	4.7	134
23	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , 2021, 384, 1312-1322.	13.9	124
24	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV1 (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , 2019, 7, e613-e623.	2.9	122
25	Parental History and Myocardial Infarction Risk Across the World. <i>Journal of the American College of Cardiology</i> , 2011, 57, 619-627.	1.2	116
26	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology, the</i> , 2018, 6, 798-808.	5.5	116
27	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , 2013, 166, 636-646.e4.	1.2	113
28	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. <i>Lancet, The</i> , 2018, 391, 2019-2027.	6.3	96
29	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2019, 364, l772.	2.4	85
30	Association of risk factors with acute myocardial infarction in Middle Eastern countries: the INTERHEART Middle East study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 400-410.	0.8	79
31	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 795-803.	2.2	71
32	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021, 181, 631.	2.6	68
33	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , 2016, 15, 199.	1.5	67
34	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 individuals from 21 countries. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000826.	1.2	57
35	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , 2020, 43, 2643-2650.	4.3	55
36	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , 2021, 372, m4948.	3.0	53

#	ARTICLE	IF	CITATIONS
37	Prevalence, awareness, treatment and control of hypertension in four Middle East countries. <i>Journal of Hypertension</i> , 2017, 35, 1457-1464.	0.3	51
38	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , 2018, 104, 581-587.	1.2	49
39	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021, 6, e004124.	2.0	48
40	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1049-1058.	2.2	46
41	Development of a semi-quantitative food frequency questionnaire for use in United Arab Emirates and Kuwait based on local foods. <i>Nutrition Journal</i> , 2005, 4, 18.	1.5	45
42	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. <i>BMJ Open</i> , 2017, 7, e013817.	0.8	44
43	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020, 5, e002640.	2.0	41
44	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153,152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021, 117, 1523-1531.	1.8	33
45	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , 2020, 43, 3094-3101.	4.3	32
46	Effects of hookah smoking on indoor air quality in homes. <i>Tobacco Control</i> , 2017, 26, 586-591.	1.8	30
47	Association of Sitting Time With Mortality and Cardiovascular Events in High-Income, Middle-Income, and Low-Income Countries. <i>JAMA Cardiology</i> , 2022, 7, 796.	3.0	30
48	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , 2015, 39, 1217-1223.	1.6	29
49	Centralized Pan-Middle East Survey on the Undertreatment of Hypercholesterolemia. <i>Angiology</i> , 2014, 65, 919-926.	0.8	27
50	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , 2021, 107, 282-289.	1.2	25
51	Validation of the GRACE Risk Score for Hospital Mortality in Patients With Acute Coronary Syndrome in the Arab Middle East. <i>Angiology</i> , 2011, 62, 390-396.	0.8	24
52	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , 2021, 4, e2113775.	2.8	24
53	Harm perceptions of waterpipe tobacco smoking among university students in five Eastern Mediterranean Region countries: A cross-sectional study. <i>Tobacco Induced Diseases</i> , 2018, 16, 20.	0.3	24
54	Opportunistic Screening for CVD Risk Factors: The Dubai Shopping for Cardiovascular Risk Study (DISCOVERY). <i>Global Heart</i> , 2015, 10, 265.	0.9	23

#	ARTICLE	IF	CITATIONS
55	Policy-Relevant Context of Waterpipe Tobacco Smoking among University Students in Six Countries Across the Eastern Mediterranean Region: A Qualitative Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2017, 18, 2533-2540.	0.5	21
56	Individual-level determinants of waterpipe smoking demand in four Eastern-Mediterranean countries. <i>Health Promotion International</i> , 2019, 34, 1157-1166.	0.9	17
57	Gender differences in waterpipe tobacco smoking among university students in four Eastern Mediterranean countries. <i>Tobacco Induced Diseases</i> , 2020, 18, 1-12.	0.3	16
58	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179,000 participants from 63 countries. <i>The Lancet Global Health</i> , 2022, 10, e216-e226.	2.9	16
59	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017, 2, e000443.	2.0	15
60	Non-high-density lipoprotein cholesterol target achievement in patients on lipid-lowering drugs and stratified by triglyceride levels in the Arabian Gulf. <i>Journal of Clinical Lipidology</i> , 2016, 10, 368-377.	0.6	14
61	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , 2021, 80, 265-272.	0.8	11
62	Gender Differences in Acute Coronary Syndrome in Arab Emirati Women—Implications for Clinical Management. <i>Angiology</i> , 2013, 64, 9-14.	0.8	8
63	May Measurement Month 2017: an analysis of blood pressure screening results from the United Arab Emirates—Northern Africa and Middle East. <i>European Heart Journal Supplements</i> , 2019, 21, D118-D120.	0.0	7
64	Acute coronary syndrome registry from four large centres in United Arab Emirates (UAE-ACS) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382	1.1	7
65	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case-Control Study. <i>American Journal of Hypertension</i> , 2021, 34, 414-425.	1.0	6
66	The Management of Dyslipidaemia in Patients with Type 2 Diabetes Mellitus Receiving Lipid-Lowering Drugs: A Sub-Analysis of the CEPHEUS Findings. <i>Current Vascular Pharmacology</i> , 2018, 16, 368-375.	0.8	4
67	Treatment of Diabetic Coma in a Tropical Environment. <i>Tropical Doctor</i> , 1984, 14, 72-75.	0.2	3
68	May Measurement Month 2018: an analysis of blood pressure screening results from United Arab Emirates. <i>European Heart Journal Supplements</i> , 2020, 22, H128-H131.	0.0	3
69	Gender Disparity in Lipid Target Achievements in High and Very High Atherosclerotic Cardiovascular Disease Risk Patients in the Arabian Gulf. <i>Current Vascular Pharmacology</i> , 2016, 15, 51-58.	0.8	3
70	Variations in the association of height with mortality, cardiovascular disease and cancer in low-, middle- and high-income countries. <i>International Journal of Epidemiology</i> , 2022, 51, 1304-1316.	0.9	3
71	Impact of metabolic syndrome on lipid target achievements in the Arabian Gulf: findings from the CEPHEUS study. <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 49.	1.2	2
72	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. <i>Neuroepidemiology</i> , 2021, 55, 206-215.	1.1	2

#	ARTICLE	IF	CITATIONS
73	Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. PLOS Global Public Health, 2022, 2, e0000141.	0.5	2
74	Medications for blood pressure, blood glucose, lipids, and anti-thrombotic medications: relationship with cardiovascular disease and death in adults from 21 high-, middle-, and low-income countries with an elevated body mass index. European Journal of Preventive Cardiology, 2022, 29, 1817-1826.	0.8	2
75	The Achievement of Non-high-density Lipoprotein Cholesterol Target in Patients with Very High Atherosclerotic Cardiovascular Disease Risk Stratified by Triglyceride Levels Despite Statin-controlled Low-density Lipoprotein Cholesterol. Oman Medical Journal, 2022, 37, e367-e367.	0.3	1
76	A Novel Hope for Alopecia Totalis Patients: Case Report. Dubai Medical Journal, 2020, 3, 150-153.	0.3	0