

Afzalhussein M Yusufali

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8797894/afzalhussein-m-yusufali-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

8,186
citations

32
h-index

77
g-index

77
ext. papers

10,810
ext. citations

13.4
avg, IF

4.79
L-index

#	Paper	IF	Citations
73	Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-, middle-, and low-income countries. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 959-68	27.4	992
72	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , 2016 , 388, 761-75	40	903
71	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2050-2062	40	583
70	Urinary sodium and potassium excretion, mortality, and cardiovascular events. <i>New England Journal of Medicine</i> , 2014 , 371, 612-23	59.2	553
69	Cardiovascular risk and events in 17 low-, middle-, and high-income countries. <i>New England Journal of Medicine</i> , 2014 , 371, 818-27	59.2	499
68	Association of urinary sodium and potassium excretion with blood pressure. <i>New England Journal of Medicine</i> , 2014 , 371, 601-11	59.2	494
67	Risk factors for myocardial infarction in women and men: insights from the INTERHEART study. <i>European Heart Journal</i> , 2008 , 29, 932-40	9.5	487
66	Modifiable risk factors, cardiovascular disease, and mortality in 155 722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 795-808	40	342
65	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2037-2049	40	285
64	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , 2016 , 388, 465-75	40	284
63	Variations in cause and management of atrial fibrillation in a prospective registry of 15,400 emergency department patients in 46 countries: the RE-LY Atrial Fibrillation Registry. <i>Circulation</i> , 2014 , 129, 1568-76	16.7	250
62	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 785-794	40	218
61	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , 2016 , 4, e695-703	13.6	199
60	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2018 , 392, 2288-2297	40	191
59	May Measurement Month 2017: an analysis of blood pressure screening results worldwide. <i>The Lancet Global Health</i> , 2018 , 6, e736-e743	13.6	166
58	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , 2018 , 392, 496-506	40	159
57	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 535-546	10.3	129

56	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 774-787	18.1	125
55	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , 2016 , 39, 780-7	14.6	104
54	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health</i> , 2017 , 2, e411-e419	22.4	90
53	Parental history and myocardial infarction risk across the world: the INTERHEART Study. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 619-27	15.1	90
52	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , 2013 , 166, 636-646.e4	4.9	87
51	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 798-808	18.1	66
50	Association of risk factors with acute myocardial infarction in Middle Eastern countries: the INTERHEART Middle East study. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 400-10	3.9	62
49	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet</i> , 2020 , 396, 97-109	4.0	59
48	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. <i>Lancet</i> , 2018 , 391, 2019-2027	4.0	55
47	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ</i> , 2019 , 364, l772	5.9	50
46	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , 2019 , 7, e613-e623	13.6	47
45	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , 2016 , 15, 199	4.6	45
44	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , 2021 , 384, 1312-1322	59.2	39
43	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 795-803	7	35
42	Development of a semi-quantitative food frequency questionnaire for use in United Arab Emirates and Kuwait based on local foods. <i>Nutrition Journal</i> , 2005 , 4, 18	4.3	35
41	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. <i>BMJ Open</i> , 2017 , 7, e013817	3	31
40	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , 2018 , 104, 581-587	5.1	31
39	Prevalence, awareness, treatment and control of hypertension in four Middle East countries. <i>Journal of Hypertension</i> , 2017 , 35, 1457-1464	1.9	30

38	Effects of hookah smoking on indoor air quality in homes. <i>Tobacco Control</i> , 2016 , 26, 586-591	5.3	25
37	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	25
36	Centralized pan-Middle East Survey on the undertreatment of hypercholesterolemia: results from the CEPHEUS study in Arabian Gulf countries. <i>Angiology</i> , 2014 , 65, 919-26	2.1	23
35	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , 2015 , 39, 1217-23	5.5	21
34	Validation of the GRACE Risk score for hospital mortality in patients with acute coronary syndrome in the Arab Middle East. <i>Angiology</i> , 2011 , 62, 390-6	2.1	20
33	Policy-Relevant Context of Waterpipe Tobacco Smoking among University Students in Six Countries Across the Eastern Mediterranean Region: A Qualitative Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2017 , 18, 2533-2540	1.7	20
32	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. <i>BMJ, The</i> , 2021 , 374, n1554	5.9	20
31	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , 2020 , 43, 2643-2650	14.6	19
30	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021 , 181, 631-649	11.5	17
29	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1049-1058	7	16
28	Harm perceptions of waterpipe tobacco smoking among university students in five Eastern Mediterranean Region countries: A cross-sectional study. <i>Tobacco Induced Diseases</i> , 2018 , 16, 20	3.2	14
27	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , 2021 , 372, m4948	5.9	14
26	Non-high-density lipoprotein cholesterol target achievement in patients on lipid-lowering drugs and stratified by triglyceride levels in the Arabian Gulf. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 368-77	4.9	12
25	Opportunistic Screening for CVD Risk Factors: The Dubai Shopping for Cardiovascular Risk Study (DISCOVERY). <i>Global Heart</i> , 2015 , 10, 265-72	2.9	12
24	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021 , 117, 1523-1531	9.9	11
23	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021 , 6,	6.6	11
22	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , 2020 , 43, 3094-3101	14.6	10
21	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020 , 5,	6.6	10

20	Gender differences in acute coronary syndrome in Arab Emirati women--implications for clinical management. <i>Angiology</i> , 2013 , 64, 9-14	2.1	8
19	Individual-level determinants of waterpipe smoking demand in four Eastern-Mediterranean countries. <i>Health Promotion International</i> , 2019 , 34, 1157-1166	3	8
18	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , 2020 ,	5.1	8
17	Gender differences in waterpipe tobacco smoking among university students in four Eastern Mediterranean countries. <i>Tobacco Induced Diseases</i> , 2020 , 18, 100	3.2	7
16	May Measurement Month 2017: an analysis of blood pressure screening results from the United Arab Emirates-Northern Africa and Middle East. <i>European Heart Journal Supplements</i> , 2019 , 21, D118-D120	1.5	6
15	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017 , 2, e000443	6.6	5
14	Acute coronary syndrome registry from four large centres in United Arab Emirates (UAE-ACS Registry). <i>Heart Asia</i> , 2010 , 2, 118-21	1.9	5
13	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case-Control Study. <i>American Journal of Hypertension</i> , 2021 , 34, 414-425	2.3	4
12	Gender Disparity in Lipid Target Achievements in High and Very High Atherosclerotic Cardiovascular Disease Risk Patients in the Arabian Gulf. <i>Current Vascular Pharmacology</i> , 2017 , 15, 51-58 ^{3.3}	3.3	3
11	The Management of Dyslipidaemia in Patients with Type 2 Diabetes Mellitus Receiving Lipid-Lowering Drugs: A Sub-Analysis of the CEPHEUS Findings. <i>Current Vascular Pharmacology</i> , 2018 , 16, 368-375	3.3	3
10	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , 2021 , 80, 265-272	4.6	3
9	Impact of metabolic syndrome on lipid target achievements in the Arabian Gulf: findings from the CEPHEUS study. <i>Diabetology and Metabolic Syndrome</i> , 2016 , 8, 49	5.6	2
8	Treatment of diabetic coma in a tropical environment. <i>Tropical Doctor</i> , 1984 , 14, 72-5	0.9	2
7	May Measurement Month 2018: an analysis of blood pressure screening results from United Arab Emirates. <i>European Heart Journal Supplements</i> , 2020 , 22, H128-H131	1.5	2
6	Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. <i>PLOS Global Public Health</i> , 2022 , 2, e0000141		1
5	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179 000 participants from 63 countries.. <i>The Lancet Global Health</i> , 2022 , 10, e216 ^{13.6} -e226 ¹	13.6	1
4	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , 2021 , 4, e2113775	10.4	1
3	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. <i>Neuroepidemiology</i> , 2021 , 55, 206-215	3.15	1

2	The Achievement of Non-high-density Lipoprotein Cholesterol Target in Patients with Very High Atherosclerotic Cardiovascular Disease Risk Stratified by Triglyceride Levels Despite Statin-controlled Low-density Lipoprotein Cholesterol.. <i>Oman Medical Journal</i> , 2022 , 37, e367	1.4	○
1	A Novel Hope for Alopecia Totalis Patients: Case Report. <i>Dubai Medical Journal</i> , 2020 , 3, 150-153	1.1	