

# Afzalhussein M Yusufali

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8797894/afzalhussein-m-yusufali-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73  
papers

8,186  
citations

32  
h-index

77  
g-index

77  
ext. papers

10,810  
ext. citations

13.4  
avg, IF

4.79  
L-index

#	Paper	IF	Citations
73	Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. <i>PLOS Global Public Health</i> , <b>2022</b> , 2, e0000141		1
72	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179 000 participants from 63 countries.. <i>The Lancet Global Health</i> , <b>2022</b> , 10, e216-e226 <sup>1</sup>	13.6	226 <sup>1</sup>
71	The Achievement of Non-high-density Lipoprotein Cholesterol Target in Patients with Very High Atherosclerotic Cardiovascular Disease Risk Stratified by Triglyceride Levels Despite Statin-controlled Low-density Lipoprotein Cholesterol.. <i>Oman Medical Journal</i> , <b>2022</b> , 37, e367	1.4	0
70	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 114, 1049-1058	7	16
69	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , <b>2021</b> , 384, 1312-1322	59.2	39
68	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , <b>2021</b> , 80, 265-272	4.6	3
67	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , <b>2021</b> , 181, 631-649 <sup>11,5</sup>	11.5	17
66	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , <b>2021</b> , 4, e2113775	10.4	1
65	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. <i>BMJ, The</i> , <b>2021</b> , 374, n1554	5.9	20
64	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 1523-1531	9.9	11
63	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case-Control Study. <i>American Journal of Hypertension</i> , <b>2021</b> , 34, 414-425	2.3	4
62	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. <i>Neuroepidemiology</i> , <b>2021</b> , 55, 206-215 <sup>3,15</sup>	3.15	1
61	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , <b>2021</b> , 372, m4948 <sup>5,9</sup>	5.9	14
60	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , <b>2021</b> , 6,	6.6	11
59	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,	4.5	25
58	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , <b>2020</b> , 111, 795-803	7	35
57	A Novel Hope for Alopecia Totalis Patients: Case Report. <i>Dubai Medical Journal</i> , <b>2020</b> , 3, 150-153	1.1	

56	Gender differences in waterpipe tobacco smoking among university students in four Eastern Mediterranean countries. <i>Tobacco Induced Diseases</i> , <b>2020</b> , 18, 100	3.2	7
55	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2020</b> , 396, 97-109	4.0	59
54	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , <b>2020</b> , 43, 3094-3101	14.6	10
53	May Measurement Month 2018: an analysis of blood pressure screening results from United Arab Emirates. <i>European Heart Journal Supplements</i> , <b>2020</b> , 22, H128-H131	1.5	2
52	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , <b>2020</b> , 5,	6.6	10
51	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , <b>2020</b> , 43, 2643-2650	14.6	19
50	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2020</b> , 395, 785-794	4.0	218
49	Modifiable risk factors, cardiovascular disease, and mortality in 155 722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2020</b> , 395, 795-808	4.0	342
48	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , <b>2020</b> ,	5.1	8
47	May Measurement Month 2017: an analysis of blood pressure screening results from the United Arab Emirates-Northern Africa and Middle East. <i>European Heart Journal Supplements</i> , <b>2019</b> , 21, D118-D120	1.5	6
46	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e613-e623	13.6	47
45	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ, The</i> , <b>2019</b> , 364, l772	5.9	50
44	Individual-level determinants of waterpipe smoking demand in four Eastern-Mediterranean countries. <i>Health Promotion International</i> , <b>2019</b> , 34, 1157-1166	3	8
43	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology, the</i> , <b>2018</b> , 6, 798-808	18.1	66
42	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , <b>2018</b> , 392, 496-506	4.0	159
41	Harm perceptions of waterpipe tobacco smoking among university students in five Eastern Mediterranean Region countries: A cross-sectional study. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, 20	3.2	14
40	The Management of Dyslipidaemia in Patients with Type 2 Diabetes Mellitus Receiving Lipid-Lowering Drugs: A Sub-Analysis of the CEPHEUS Findings. <i>Current Vascular Pharmacology</i> , <b>2018</b> , 16, 368-375	3.3	3
39	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , <b>2018</b> , 104, 581-587	5.1	31

38	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2018</b> , 392, 2288-2297	40	191
37	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. <i>Lancet, The</i> , <b>2018</b> , 391, 2019-2027	40	55
36	May Measurement Month 2017: an analysis of blood pressure screening results worldwide. <i>The Lancet Global Health</i> , <b>2018</b> , 6, e736-e743	13.6	166
35	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. <i>BMJ Open</i> , <b>2017</b> , 7, e013817	3	31
34	Prevalence, awareness, treatment and control of hypertension in four Middle East countries. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 1457-1464	1.9	30
33	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2017</b> , 390, 2050-2062	40	583
32	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2017</b> , 390, 2037-2049	40	285
31	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology</i> , <b>2017</b> , 5, 774-787	18.1	125
30	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health</i> , <b>2017</b> , 2, e411-e419	22.4	90
29	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , <b>2017</b> , 2, e000443	6.6	5
28	Gender Disparity in Lipid Target Achievements in High and Very High Atherosclerotic Cardiovascular Disease Risk Patients in the Arabian Gulf. <i>Current Vascular Pharmacology</i> , <b>2017</b> , 15, 51-58 <sup>3:3</sup>		3
27	Policy-Relevant Context of Waterpipe Tobacco Smoking among University Students in Six Countries Across the Eastern Mediterranean Region: A Qualitative Study. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2017</b> , 18, 2533-2540	1.7	20
26	Effects of hookah smoking on indoor air quality in homes. <i>Tobacco Control</i> , <b>2016</b> , 26, 586-591	5.3	25
25	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , <b>2016</b> , 4, e695-703	13.6	199
24	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , <b>2016</b> , 388, 761-75	40	903
23	Impact of metabolic syndrome on lipid target achievements in the Arabian Gulf: findings from the CEPHEUS study. <i>Diabetology and Metabolic Syndrome</i> , <b>2016</b> , 8, 49	5.6	2
22	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , <b>2016</b> , 15, 199	4.6	45
21	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , <b>2016</b> , 39, 780-7	14.6	104

20	Non-high-density lipoprotein cholesterol target achievement in patients on lipid-lowering drugs and stratified by triglyceride levels in the Arabian Gulf. <i>Journal of Clinical Lipidology</i> , <b>2016</b> , 10, 368-77	4.9	12
19	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , <b>2016</b> , 388, 465-75	4.0	284
18	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2016</b> , 7, 535-546	10.3	129
17	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , <b>2015</b> , 39, 1217-23	5.5	21
16	Opportunistic Screening for CVD Risk Factors: The Dubai Shopping for Cardiovascular Risk Study (DISCOVERY). <i>Global Heart</i> , <b>2015</b> , 10, 265-72	2.9	12
15	Variations in cause and management of atrial fibrillation in a prospective registry of 15,400 emergency department patients in 46 countries: the RE-LY Atrial Fibrillation Registry. <i>Circulation</i> , <b>2014</b> , 129, 1568-76	16.7	250
14	Urinary sodium and potassium excretion, mortality, and cardiovascular events. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 612-23	59.2	553
13	Association of urinary sodium and potassium excretion with blood pressure. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 601-11	59.2	494
12	Cardiovascular risk and events in 17 low-, middle-, and high-income countries. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 818-27	59.2	499
11	Centralized pan-Middle East Survey on the undertreatment of hypercholesterolemia: results from the CEPHEUS study in Arabian Gulf countries. <i>Angiology</i> , <b>2014</b> , 65, 919-26	2.1	23
10	Association of risk factors with acute myocardial infarction in Middle Eastern countries: the INTERHEART Middle East study. <i>European Journal of Preventive Cardiology</i> , <b>2014</b> , 21, 400-10	3.9	62
9	Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-, middle-, and low-income countries. <i>JAMA - Journal of the American Medical Association</i> , <b>2013</b> , 310, 959-68	27.4	992
8	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , <b>2013</b> , 166, 636-646.e4	4.9	87
7	Gender differences in acute coronary syndrome in Arab Emirati women--implications for clinical management. <i>Angiology</i> , <b>2013</b> , 64, 9-14	2.1	8
6	Parental history and myocardial infarction risk across the world: the INTERHEART Study. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 619-27	15.1	90
5	Validation of the GRACE Risk score for hospital mortality in patients with acute coronary syndrome in the Arab Middle East. <i>Angiology</i> , <b>2011</b> , 62, 390-6	2.1	20
4	Acute coronary syndrome registry from four large centres in United Arab Emirates (UAE-ACS Registry). <i>Heart Asia</i> , <b>2010</b> , 2, 118-21	1.9	5
3	Risk factors for myocardial infarction in women and men: insights from the INTERHEART study. <i>European Heart Journal</i> , <b>2008</b> , 29, 932-40	9.5	487

2	Development of a semi-quantitative food frequency questionnaire for use in United Arab Emirates and Kuwait based on local foods. <i>Nutrition Journal</i> , <b>2005</b> , 4, 18	4.3	35
1	Treatment of diabetic coma in a tropical environment. <i>Tropical Doctor</i> , <b>1984</b> , 14, 72-5	0.9	2