

Stephan Koslitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8798073/publications.pdf>

Version: 2024-02-01

20
papers

739
citations

758635

12
h-index

794141

19
g-index

22
all docs

22
docs citations

22
times ranked

1166
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Identifying sources of phthalate exposure with human biomonitoring: Results of a 48h fasting study with urine collection and personal activity patterns. <i>International Journal of Hygiene and Environmental Health</i> , 2013, 216, 672-681. | 2.1 | 269 |
| 2 | The European COPHES/DEMOCOPHES project: Towards transnational comparability and reliability of human biomonitoring results. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 653-661. | 2.1 | 95 |
| 3 | The contribution of diet to total bisphenol A body burden in humans: Results of a 48 hour fasting study. <i>Environment International</i> , 2012, 50, 7-14. | 4.8 | 50 |
| 4 | Stereoselective Formation of the Varietal Aroma Compound Rose Oxide during Alcoholic Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 1371-1375. | 2.4 | 45 |
| 5 | Occupational exposure of air crews to tricresyl phosphate isomers and organophosphate flame retardants after fume events. <i>Archives of Toxicology</i> , 2013, 87, 645-648. | 1.9 | 44 |
| 6 | Tracing the geographic origin of poultry meat and dried beef with oxygen and strontium isotope ratios. <i>European Food Research and Technology</i> , 2008, 226, 761-769. | 1.6 | 40 |
| 7 | Sensitive and selective quantification of glyphosate and aminomethylphosphonic acid (AMPA) in urine of the general population by gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1158, 122348. | 1.2 | 27 |
| 8 | Quantification of Four Major Metabolites of Embryotoxic <i>N</i> -Methyl- and <i>N</i> -Ethyl-2-pyrrolidone in Human Urine by Cooled-Injection Gas Chromatography and Isotope Dilution Mass Spectrometry. <i>Analytical Chemistry</i> , 2012, 84, 3787-3794. | 3.2 | 26 |
| 9 | Human metabolism and excretion kinetics of aniline after a single oral dose. <i>Archives of Toxicology</i> , 2016, 90, 1325-1333. | 1.9 | 24 |
| 10 | Exposure of aircraft maintenance technicians to organophosphates from hydraulic fluids and turbine oils: A pilot study. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 34-37. | 2.1 | 23 |
| 11 | Metabolism and elimination of <i>N</i> -ethyl-2-pyrrolidone (NEP) in human males after oral dosage. <i>Archives of Toxicology</i> , 2014, 88, 893-899. | 1.9 | 21 |
| 12 | Human exposure to airborne aniline and formation of methemoglobin: a contribution to occupational exposure limits. <i>Archives of Toxicology</i> , 2014, 88, 1419-1426. | 1.9 | 20 |
| 13 | Alkyl pyrrolidone solvents <i>N</i> -methyl-2-pyrrolidone (NMP) and <i>N</i> -ethyl-2-pyrrolidone (NEP) in urine of children and adolescents in Germany – human biomonitoring results of the German Environmental Survey 2014–2017 (GerES V). <i>Environment International</i> , 2021, 146, 106221. | 4.8 | 15 |
| 14 | Metabolic dephenylation of the rubber antioxidant <i>N</i> -phenyl-2-naphthylamine to carcinogenic 2-naphthylamine in rats. <i>Archives of Toxicology</i> , 2013, 87, 1265-1272. | 1.9 | 10 |
| 15 | Biomonitoring of Exposure to <i>N</i> -Methyl-2-Pyrrolidone in Workers of the Automobile Industry. <i>Annals of Occupational Hygiene</i> , 2013, 57, 766-73. | 1.9 | 9 |
| 16 | Biomonitoring of <i>N</i> -ethyl-2-pyrrolidone in automobile varnishers. <i>Toxicology Letters</i> , 2014, 231, 142-146. | 0.4 | 7 |
| 17 | Quantification of <i>N</i> -phenyl-2-naphthylamine by gas chromatography and isotope-dilution mass spectrometry and its percutaneous absorption ex vivo under workplace conditions. <i>Archives of Toxicology</i> , 2017, 91, 3587-3596. | 1.9 | 7 |
| 18 | Reply to the letter of Anderson J entitled ‘Comment on Schindler, BK; Weiss, T; Schätzle, A; et al. Occupational exposure of air crews to tricresyl phosphate isomers and organophosphate flame retardants after fume events, <i>Arch Toxicol</i> (2013) 87:645–648’. <i>Archives of Toxicology</i> , 2015, 89, 263-264. | 1.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Quantification of systemic o-toluidine after intrathecal administration of hyperbaric prilocaine in humans: a prospective cohort study. Archives of Toxicology, 2021, 95, 925-934. | 1.9 | 2 |
| 20 | Hemoglobin Adducts of Alkylating Substances – Long-term Parameters of Smoking During Pregnancy. Epidemiology, 2011, 22, S235. | 1.2 | 0 |