

# Stephan Koslitz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8798073/publications.pdf>

Version: 2024-02-01

20  
papers

739  
citations

758635

12  
h-index

794141

19  
g-index

22  
all docs

22  
docs citations

22  
times ranked

1166  
citing authors

#	ARTICLE	IF	CITATIONS
1	Alkyl pyrrolidone solvents Nâ€“methylâ€“2â€“pyrrolidone (NMP) and Nâ€“ethylâ€“2â€“pyrrolidone (NEP) in urine of children and adolescents in Germany â€“ human biomonitoring results of the German Environmental Survey 2014â€“2017 (GerES V). <i>Environment International</i> , 2021, 146, 106221.	4.8	15
2	Quantification of systemic o-toluidine after intrathecal administration of hyperbaric prilocaine in humans: a prospective cohort study. <i>Archives of Toxicology</i> , 2021, 95, 925-934.	1.9	2
3	Sensitive and selective quantification of glyphosate and aminomethylphosphonic acid (AMPA) in urine of the general population by gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1158, 122348.	1.2	27
4	Quantification of N-phenyl-2-naphthylamine by gas chromatography and isotope-dilution mass spectrometry and its percutaneous absorption ex vivo under workplace conditions. <i>Archives of Toxicology</i> , 2017, 91, 3587-3596.	1.9	7
5	Human metabolism and excretion kinetics of aniline after a single oral dose. <i>Archives of Toxicology</i> , 2016, 90, 1325-1333.	1.9	24
6	Reply to the letter of Anderson J entitled â€œComment on Schindler, BK; Weiss, T; SchÃ¼tze, A; et al. Occupational exposure of air crews to tricresyl phosphate isomers and organophosphate flame retardants after fume events, <i>Arch Toxicol</i> (2013) 87:645â€“648â€• <i>Archives of Toxicology</i> , 2015, 89, 263-264.	1.9	5
7	Biomonitoring of N-ethyl-2-pyrrolidone in automobile varnishers. <i>Toxicology Letters</i> , 2014, 231, 142-146.	0.4	7
8	The European COPHES/DEMOCOPHES project: Towards transnational comparability and reliability of human biomonitoring results. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 653-661.	2.1	95
9	Metabolism and elimination of N-ethyl-2-pyrrolidone (NEP) in human males after oral dosage. <i>Archives of Toxicology</i> , 2014, 88, 893-899.	1.9	21
10	Human exposure to airborne aniline and formation of methemoglobin: a contribution to occupational exposure limits. <i>Archives of Toxicology</i> , 2014, 88, 1419-1426.	1.9	20
11	Exposure of aircraft maintenance technicians to organophosphates from hydraulic fluids and turbine oils: A pilot study. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 34-37.	2.1	23
12	Metabolic dephenylation of the rubber antioxidant N-phenyl-2-naphthylamine to carcinogenic 2-naphthylamine in rats. <i>Archives of Toxicology</i> , 2013, 87, 1265-1272.	1.9	10
13	Occupational exposure of air crews to tricresyl phosphate isomers and organophosphate flame retardants after fume events. <i>Archives of Toxicology</i> , 2013, 87, 645-648.	1.9	44
14	Identifying sources of phthalate exposure with human biomonitoring: Results of a 48h fasting study with urine collection and personal activity patterns. <i>International Journal of Hygiene and Environmental Health</i> , 2013, 216, 672-681.	2.1	269
15	Biomonitoring of Exposure to <i>N</i> -Methyl-2-Pyrrolidone in Workers of the Automobile Industry. <i>Annals of Occupational Hygiene</i> , 2013, 57, 766-73.	1.9	9
16	The contribution of diet to total bisphenol A body burden in humans: Results of a 48 hour fasting study. <i>Environment International</i> , 2012, 50, 7-14.	4.8	50
17	Quantification of Four Major Metabolites of Embryotoxic <i>N</i> -Methyl- and <i>N</i> -Ethyl-2-pyrrolidone in Human Urine by Cooled-Injection Gas Chromatography and Isotope Dilution Mass Spectrometry. <i>Analytical Chemistry</i> , 2012, 84, 3787-3794.	3.2	26
18	Hemoglobin Adducts of Alkylating Substancesâ€“Long-term Parameters of Smoking During Pregnancy. <i>Epidemiology</i> , 2011, 22, S235.	1.2	0

#	ARTICLE	IF	CITATIONS
19	Tracing the geographic origin of poultry meat and dried beef with oxygen and strontium isotope ratios. <i>European Food Research and Technology</i> , 2008, 226, 761-769.	1.6	40
20	Stereoselective Formation of the Varietal Aroma Compound Rose Oxide during Alcoholic Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 1371-1375.	2.4	45