

# Akira Kikuchi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8798234/akira-kikuchi-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 papers	4,645 citations	33 h-index	68 g-index
93 ext. papers	5,341 ext. citations	6.9 avg, IF	5.6 L-index

#	Paper	IF	Citations
68	Dickkopf signaling, beyond Wnt-mediated biology. <i>Seminars in Cell and Developmental Biology</i> , <b>2021</b> ,	7.5	2
67	RAF1-MEK/ERK pathway-dependent ARL4C expression promotes ameloblastoma cell proliferation and osteoclast formation. <i>Journal of Pathology</i> , <b>2021</b> ,	9.4	3
66	The Dickkopf1 and FOXM1 positive feedback loop promotes tumor growth in pancreatic and esophageal cancers. <i>Oncogene</i> , <b>2021</b> , 40, 4486-4502	9.2	4
65	TAZ inhibits acinar cell differentiation but promotes immature ductal cell proliferation in adult mouse salivary glands. <i>Genes To Cells</i> , <b>2021</b> , 26, 714-726	2.3	1
64	Stage-dependent function of Wnt5a during male external genitalia development. <i>Congenital Anomalies (discontinued)</i> , <b>2021</b> , 61, 212-219	1.1	2
63	YAP signaling induces PIEZO1 to promote oral squamous cell carcinoma cell proliferation. <i>Journal of Pathology</i> , <b>2021</b> , 253, 80-93	9.4	31
62	ARL4C is associated with initiation and progression of lung adenocarcinoma and represents a therapeutic target. <i>Cancer Science</i> , <b>2020</b> , 111, 951-961	6.9	14
61	Palmitoylated CKAP4 regulates mitochondrial functions through an interaction with VDAC2 at ER-mitochondria contact sites. <i>Journal of Cell Science</i> , <b>2020</b> , 133,	5.3	7
60	GREB1 induced by Wnt signaling promotes development of hepatoblastoma by suppressing TGF $\beta$ signaling. <i>Nature Communications</i> , <b>2019</b> , 10, 3882	17.4	13
59	CKAP4 Regulates Cell Migration via the Interaction with and Recycling of Integrin. <i>Molecular and Cellular Biology</i> , <b>2019</b> , 39,	4.8	11
58	Wnt/Edatenin signaling, which is activated in odontomas, reduces Sema3A expression to regulate odontogenic epithelial cell proliferation and tooth germ development. <i>Scientific Reports</i> , <b>2019</b> , 9, 4257	4.9	13
57	Mark1 regulates distal airspace expansion through type I pneumocyte flattening in lung development. <i>Journal of Cell Science</i> , <b>2019</b> , 132,	5.3	3
56	Dynamic palmitoylation controls the microdomain localization of the DKK1 receptors CKAP4 and LRP6. <i>Science Signaling</i> , <b>2019</b> , 12,	8.8	13
55	CKAP4, a DKK1 Receptor, Is a Biomarker in Exosomes Derived from Pancreatic Cancer and a Molecular Target for Therapy. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 1936-1947	12.9	55
54	Chemically Modified Antisense Oligonucleotide Against ARL4C Inhibits Primary and Metastatic Liver Tumor Growth. <i>Molecular Cancer Therapeutics</i> , <b>2019</b> , 18, 602-612	6.1	19
53	Activation of the Dickkopf1-CKAP4 pathway is associated with poor prognosis of esophageal cancer and anti-CKAP4 antibody may be a new therapeutic drug. <i>Oncogene</i> , <b>2018</b> , 37, 3471-3484	9.2	22
52	Map7/7D1 and Dvl form a feedback loop that facilitates microtubule remodeling and Wnt5a signaling. <i>EMBO Reports</i> , <b>2018</b> , 19,	6.5	7

51	Wnt5a-induced cell migration is associated with the aggressiveness of estrogen receptor-positive breast cancer. <i>Oncotarget</i> , <b>2018</b> , 9, 20979-20992	3.3	16
50	p63-Dependent Dickkopf3 Expression Promotes Esophageal Cancer Cell Proliferation via CKAP4. <i>Cancer Research</i> , <b>2018</b> , 78, 6107-6120	10.1	15
49	Wnt5b-associated exosomes promote cancer cell migration and proliferation. <i>Cancer Science</i> , <b>2017</b> , 108, 42-52	6.9	84
48	The Dickkopf1-cytoskeleton-associated protein 4 axis creates a novel signalling pathway and may represent a molecular target for cancer therapy. <i>British Journal of Pharmacology</i> , <b>2017</b> , 174, 4651-4665	8.6	26
47	Arl4c is a key regulator of tubulogenesis and tumorigenesis as a target gene of Wnt- $\beta$ -catenin and growth factor-Ras signalling. <i>Journal of Biochemistry</i> , <b>2017</b> , 161, 27-35	3.1	19
46	LDL switches the LRP6 internalization route from flotillin dependent to clathrin dependent in hepatic cells. <i>Journal of Cell Science</i> , <b>2017</b> , 130, 3542-3556	5.3	6
45	Apical secretion of Wnt1 in polarized epithelial cells is regulated by exocyst-mediated trafficking. <i>Journal of Biochemistry</i> , <b>2017</b> , 162, 317-326	3.1	6
44	Modulation of apical constriction by Wnt signaling is required for lung epithelial shape transition. <i>Development (Cambridge)</i> , <b>2017</b> , 144, 151-162	6.6	21
43	WNT5a is required for normal ovarian follicle development and antagonizes gonadotropin responsiveness in granulosa cells by suppressing canonical WNT signaling. <i>FASEB Journal</i> , <b>2016</b> , 30, 1534-1547	8.9	35
42	Epigenetic upregulation of ARL4C, due to DNA hypomethylation in the 3' untranslated region, promotes tumorigenesis of lung squamous cell carcinoma. <i>Oncotarget</i> , <b>2016</b> , 7, 81571-81587	3.3	27
41	CKAP4 is a Dickkopf1 receptor and is involved in tumor progression. <i>Journal of Clinical Investigation</i> , <b>2016</b> , 126, 2689-705	15.9	83
40	Active and water-soluble form of lipidated Wnt protein is maintained by a serum glycoprotein afamin/albumin. <i>ELife</i> , <b>2016</b> , 5,	8.9	97
39	h-Prune is associated with poor prognosis and epithelial-mesenchymal transition in patients with colorectal liver metastases. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 812-23	7.5	14
38	Prickle1 promotes focal adhesion disassembly in cooperation with the CLASP-LL5 complex in migrating cells. <i>Journal of Cell Science</i> , <b>2016</b> , 129, 3115-29	5.3	26
37	h-prune affects anaplastic thyroid cancer invasion and metastasis. <i>Oncology Reports</i> , <b>2016</b> , 35, 3445-52	3.5	7
36	The WNT/MYB pathway suppresses KIT expression to control the timing of salivary proacinar differentiation and duct formation. <i>Development (Cambridge)</i> , <b>2016</b> , 143, 2311-24	6.6	23
35	Wnt5a promotes cancer cell invasion and proliferation by receptor-mediated endocytosis-dependent and -independent mechanisms, respectively. <i>Scientific Reports</i> , <b>2015</b> , 5, 8042	4.9	49
34	The P2Y <sub>2</sub> receptor promotes Wnt3a- and EGF-induced epithelial tubular formation by IEC6 cells by binding to integrins. <i>Journal of Cell Science</i> , <b>2015</b> , 128, 2156-68	5.3	13

33	The Wnt5a-Ror2 axis promotes the signaling circuit between interleukin-12 and interferon- $\gamma$ in colitis. <i>Scientific Reports</i> , <b>2015</b> , 5, 10536	4.9	41
32	Basolateral secretion of Wnt5a in polarized epithelial cells is required for apical lumen formation. <i>Journal of Cell Science</i> , <b>2015</b> , 128, 1051-63	5.3	18
31	Modulation of Wnt Signaling by Endocytosis of Receptor Complexes <b>2014</b> , 113-124		1
30	A combination of Wnt and growth factor signaling induces Arl4c expression to form epithelial tubular structures. <i>EMBO Journal</i> , <b>2014</b> , 33, 702-18	13	51
29	The apical and basolateral secretion of Wnt11 and Wnt3a in polarized epithelial cells is regulated by different mechanisms. <i>Journal of Cell Science</i> , <b>2013</b> , 126, 2931-43	5.3	47
28	Wnt5a signaling promotes apical and basolateral polarization of single epithelial cells. <i>Molecular Biology of the Cell</i> , <b>2013</b> , 24, 3764-74	3.5	23
27	Cell cycle-dependent Rho GTPase activity dynamically regulates cancer cell motility and invasion in vivo. <i>PLoS ONE</i> , <b>2013</b> , 8, e83629	3.7	53
26	Wnt5a signaling controls cytokinesis by correctly positioning ESCRT-III at the midbody. <i>Journal of Cell Science</i> , <b>2012</b> , 125, 4822-32	5.3	23
25	Localization of glypican-4 in different membrane microdomains is involved in the regulation of Wnt signaling. <i>Journal of Cell Science</i> , <b>2012</b> , 125, 449-60	5.3	63
24	An anti-Wnt5a antibody suppresses metastasis of gastric cancer cells in vivo by inhibiting receptor-mediated endocytosis. <i>Molecular Cancer Therapeutics</i> , <b>2012</b> , 11, 298-307	6.1	61
23	New insights into the mechanism of Wnt signaling pathway activation. <i>International Review of Cell and Molecular Biology</i> , <b>2011</b> , 291, 21-71	6	191
22	Retraction: Epstein-Barr virus-encoded latent membrane protein 1 activates $\beta$ -catenin signaling in B lymphocytes. <i>Cancer Science</i> , <b>2011</b> , 102, 500	6.9	
21	MMP-10/stromelysin-2 promotes invasion of head and neck cancer. <i>PLoS ONE</i> , <b>2011</b> , 6, e25438	3.7	56
20	Wnt5a regulates distinct signalling pathways by binding to Frizzled2. <i>EMBO Journal</i> , <b>2010</b> , 29, 41-54	13	240
19	Binding of APC and dishevelled mediates Wnt5a-regulated focal adhesion dynamics in migrating cells. <i>EMBO Journal</i> , <b>2010</b> , 29, 1192-204	13	80
18	LRP6 is internalized by Dkk1 to suppress its phosphorylation in the lipid raft and is recycled for reuse. <i>Journal of Cell Science</i> , <b>2010</b> , 123, 360-8	5.3	82
17	Selective activation mechanisms of Wnt signaling pathways. <i>Trends in Cell Biology</i> , <b>2009</b> , 19, 119-29	18.3	201
16	Laminin gamma2 mediates Wnt5a-induced invasion of gastric cancer cells. <i>Gastroenterology</i> , <b>2009</b> , 137, 242-52, 252.e1-6	13.3	82

15	Tumor formation due to abnormalities in the beta-catenin-independent pathway of Wnt signaling. <i>Cancer Science</i> , <b>2008</b> , 99, 202-8	6.9	93
14	Wnt3a and Dkk1 regulate distinct internalization pathways of LRP6 to tune the activation of beta-catenin signaling. <i>Developmental Cell</i> , <b>2008</b> , 15, 37-48	10.2	176
13	IFN-induced transmembrane protein 1 promotes invasion at early stage of head and neck cancer progression. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 6097-105	12.9	73
12	Glycosylation and palmitoylation of Wnt-3a are coupled to produce an active form of Wnt-3a. <i>Genes To Cells</i> , <b>2007</b> , 12, 521-34	2.3	153
11	Multiplicity of the interactions of Wnt proteins and their receptors. <i>Cellular Signalling</i> , <b>2007</b> , 19, 659-71	4.9	211
10	Regulation of Wnt signalling by receptor-mediated endocytosis. <i>Journal of Biochemistry</i> , <b>2007</b> , 141, 443-51	5.1	31
9	Post-translational palmitoylation and glycosylation of Wnt-5a are necessary for its signalling. <i>Biochemical Journal</i> , <b>2007</b> , 402, 515-23	3.8	174
8	Glycogen synthase kinase 3 and h-prune regulate cell migration by modulating focal adhesions. <i>Molecular and Cellular Biology</i> , <b>2006</b> , 26, 898-911	4.8	99
7	Expression of Wnt-5a is correlated with aggressiveness of gastric cancer by stimulating cell migration and invasion. <i>Cancer Research</i> , <b>2006</b> , 66, 10439-48	10.1	352
6	Regulation of Wnt signaling by protein-protein interaction and post-translational modifications. <i>Experimental and Molecular Medicine</i> , <b>2006</b> , 38, 1-10	12.8	157
5	Caveolin is necessary for Wnt-3a-dependent internalization of LRP6 and accumulation of beta-catenin. <i>Developmental Cell</i> , <b>2006</b> , 11, 213-23	10.2	247
4	Phosphorylation of beta-catenin by cyclic AMP-dependent protein kinase stabilizes beta-catenin through inhibition of its ubiquitination. <i>Molecular and Cellular Biology</i> , <b>2005</b> , 25, 9063-72	4.8	324
3	Wnt-3a and Dvl induce neurite retraction by activating Rho-associated kinase. <i>Molecular and Cellular Biology</i> , <b>2004</b> , 24, 4487-501	4.8	114
2	Sumoylation is involved in beta-catenin-dependent activation of Tcf-4. <i>EMBO Journal</i> , <b>2003</b> , 22, 2047-59	13	137
1	Tumor formation by genetic mutations in the components of the Wnt signaling pathway. <i>Cancer Science</i> , <b>2003</b> , 94, 225-9	6.9	197