Horacio Heras

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8798264/horacio-heras-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 1,648 36 23 h-index g-index citations papers 1,868 90 3.3 4.35 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
86	Dynamics of circulating lipoproteins and lipids in Brown Skua (Stercorarius antarcticus lonnbergi) during the breeding cycle. <i>Polar Biology</i> , 2021 , 44, 305-314	2	О
85	Biochemical and morphological features of the uropygial gland of the Chilean Flamingo and their functional implications. <i>Zoology</i> , 2021 , 147, 125941	1.7	
84	Hemocyanin of the caenogastropod Pomacea canaliculata exhibits Evolutionary differences among gastropod clades. <i>PLoS ONE</i> , 2020 , 15, e0228325	3.7	5
83	Apple snail egg perivitellin coloration, as a taxonomic character for invasive Pomacea maculata and P. canaliculata, determined by a simple method. <i>Biological Invasions</i> , 2020 , 22, 2299-2307	2.7	1
82	Exaptation of two ancient immune proteins into a new dimeric pore-forming toxin in snails. <i>Journal of Structural Biology</i> , 2020 , 211, 107531	3.4	3
81	Egg perivitelline fluid proteome of a freshwater snail: Insight into the transition from aquatic to terrestrial egg deposition. <i>Rapid Communications in Mass Spectrometry</i> , 2020 , 34, e8605	2.2	2
80	A highly stable, non-digestible lectin from unveils clade-related protection systems in apple snail eggs. <i>Journal of Experimental Biology</i> , 2020 , 223,	3	2
79	Novel Role for Animal Innate Immune Molecules: Enterotoxic Activity of a Snail Egg MACPF-Toxin. <i>Frontiers in Immunology</i> , 2020 , 11, 428	8.4	3
78	Non-digestible proteins and protease inhibitors: implications for defense of the colored eggs of the freshwater apple snailPomacea canaliculata. <i>Canadian Journal of Zoology</i> , 2019 , 97, 558-566	1.5	4
77	Signatures of Divergence, Invasiveness, and Terrestrialization Revealed by Four Apple Snail Genomes. <i>Molecular Biology and Evolution</i> , 2019 , 36, 1507-1520	8.3	33
76	Understanding the transition from water to land: Insights from multi-omic analyses of the perivitelline fluid of apple snail eggs. <i>Journal of Proteomics</i> , 2019 , 194, 79-88	3.9	6
75	AmpuBase: a transcriptome database for eight species of apple snails (Gastropoda: Ampullariidae). <i>BMC Genomics</i> , 2018 , 19, 179	4.5	14
74	A lectin of a non-invasive apple snail as an egg defense against predation alters the rat gut morphophysiology. <i>PLoS ONE</i> , 2018 , 13, e0198361	3.7	6
73	Biosynthesis in the Albumen Gland-Capsule Gland Complex Limits Reproductive Effort in the Invasive Apple Snail Pomacea canaliculata. <i>Biological Bulletin</i> , 2018 , 235, 1-11	1.5	7
7 ²	Egg perivitelline fluid of the invasive snail affects mice gastrointestinal function and morphology. <i>PeerJ</i> , 2018 , 6, e5314	3.1	3
71	Validation by qPCR of Reference Genes for Reproductive Studies in the Invasive Apple SnailPomacea canaliculata. <i>Malacologia</i> , 2018 , 62, 163-170	1.1	3
70	An integrated proteomic and transcriptomic analysis of perivitelline fluid proteins in a freshwater gastropod laying aerial eggs. <i>Journal of Proteomics</i> , 2017 , 155, 22-30	3.9	24

(2011-2017)

69	Apple Snail Perivitellin Precursor Properties Help Explain PredatorsWeeding Behavior. <i>Physiological and Biochemical Zoology</i> , 2017 , 90, 461-470	2	7
68	Dataset for the proteomic and transcriptomic analyses of perivitelline fluid proteins in snail eggs. <i>Data in Brief</i> , 2017 , 15, 203-207	1.2	5
67	The influence of energy, nutritional value and noxiousness of prey in sex- and size-biased predation by Snail Kites in southern South America. <i>Emu</i> , 2017 , 117, 382-387	1.1	5
66	Convergent evolution of plant and animal embryo defences by hyperstable non-digestible storage proteins. <i>Scientific Reports</i> , 2017 , 7, 15848	4.9	9
65	The eggs of the apple snail Pomacea maculata are defended by indigestible polysaccharides and toxic proteins. <i>Canadian Journal of Zoology</i> , 2016 , 94, 777-785	1.5	14
64	Insights from an Integrated View of the Biology of Apple Snails (Caenogastropoda: Ampullariidae). <i>Malacologia</i> , 2015 , 58, 245-302	1.1	114
63	Effects of sewage discharges on lipid and fatty acid composition of the Patagonian bivalve Diplodon chilensis. <i>Marine Pollution Bulletin</i> , 2014 , 79, 211-9	6.7	23
62	The major egg reserve protein from the invasive apple snail Pomacea maculata is a complex carotenoprotein related to those of Pomacea canaliculata and Pomacea scalaris. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2014 , 169, 63-71	2.3	19
61	Insights into embryo defenses of the invasive apple snail Pomacea canaliculata: egg mass ingestion affects rat intestine morphology and growth. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e2961	4.8	19
60	Study of biochemical biomarkers in freshwater prawn Macrobrachium borellii (Crustacea: Palaemonidae) exposed to organophosphate fenitrothion. <i>Ecotoxicology and Environmental Safety</i> , 2013 , 96, 10-6	7	14
59	Effect of crude oil petroleum hydrocarbons on protein expression of the prawn Macrobrachium borellii. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2013 , 157, 390-	5 ^{3.2}	8
58	Novel animal defenses against predation: a snail egg neurotoxin combining lectin and pore-forming chains that resembles plant defense and bacteria attack toxins. <i>PLoS ONE</i> , 2013 , 8, e63782	3.7	47
57	Vitellogenin and lipovitellin from the prawn Macrobrachium borellii as hydrocarbon pollution biomarker. <i>Marine Pollution Bulletin</i> , 2012 , 64, 1631-6	6.7	8
56	First proteome of the egg perivitelline fluid of a freshwater gastropod with aerial oviposition. Journal of Proteome Research, 2012 , 11, 4240-8	5.6	47
55	Agglutinating activity and structural characterization of scalarin, the major egg protein of the snail Pomacea scalaris (d\vartheta\text{rbigny}, 1832). PLoS ONE, 2012, 7, e50115	3.7	10
54	Isolation and characterization of two vitellins from eggs of the spider Polybetes pythagoricus (Araneae: Sparassidae). <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2011 , 158, 142-8	2.3	10
53	In vitro lipid transfer between lipoproteins and midgut-diverticula in the spider Polybetes pythagoricus. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2011 , 160, 181-6	2.3	7
52	Triacylglycerol catabolism in the prawn Macrobrachium borellii (Crustacea: Palaemoniade). Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2011 , 160, 201-7	2.3	17

51	Antioxidant response and oxidative stress levels in Macrobrachium borellii (Crustacea: Palaemonidae) exposed to the water-soluble fraction of petroleum. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2011 , 153, 415-21	3.2	16	
50	The role of the proteinase inhibitor ovorubin in apple snail eggs resembles plant embryo defense against predation. <i>PLoS ONE</i> , 2010 , 5, e15059	3.7	44	
49	Structure and stability of crustacean lipovitellin: influence of lipid content and composition. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2010 , 155, 126-31	2.3	2	
48	Carbohydrates and glycoforms of the major egg perivitellins from Pomacea apple snails (Architaenioglossa: Ampullariidae). <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2010 , 157, 66-72	2.3	12	
47	Structure and stability of the neurotoxin PV2 from the eggs of the apple snail Pomacea canaliculata. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010 , 1804, 1492-9	4	20	
46	First insight into the lipid uptake, storage and mobilization in arachnids: role of midgut diverticula and lipoproteins. <i>Journal of Insect Physiology</i> , 2009 , 55, 1118-24	2.4	22	
45	Partial characterization of a malonyl-CoA-sensitive carnitine O-palmitoyltransferase I from Macrobrachium borellii (Crustacea: Palaemonidae). <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2009 , 152, 364-9	2.3	10	
44	First egg protein with a neurotoxic effect on mice. <i>Toxicon</i> , 2008 , 52, 481-8	2.8	36	
43	Embryo lipoproteins and yolk lipovitellin consumption during embryogenesis in Macrobrachium borellii (Crustacea: Palaemonidae). <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2008 , 151, 317-22	2.3	18	
42	Isolation and characterization of a novel perivitellin from the eggs of Pomacea scalaris (Mollusca, Ampullariidae). <i>Molecular Reproduction and Development</i> , 2008 , 75, 1441-8	2.6	13	
41	Global shape and pH stability of ovorubin, an oligomeric protein from the eggs of Pomacea canaliculata. <i>FEBS Journal</i> , 2008 , 275, 4522-30	5.7	15	
40	Astaxanthin binding and structural stability of the apple snail carotenoprotein ovorubin. <i>Archives of Biochemistry and Biophysics</i> , 2007 , 460, 107-12	4.1	22	
39	Effect of the water-soluble fraction of petroleum on microsomal lipid metabolism of Macrobrachium borellii (Arthropoda: Crustacea). <i>Aquatic Toxicology</i> , 2007 , 82, 265-71	5.1	19	
38	Egg carotenoproteins in neotropical Ampullariidae (Gastropoda: Arquitaenioglossa). <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2007 , 146, 158-167	3.2	27	
37	Role of anionic phospholipids in the adaptation of Bacillus subtilis to high salinity. <i>Microbiology</i> (United Kingdom), 2006 , 152, 605-616	2.9	91	
36	Activation of lipid catabolism by the water-soluble fraction of petroleum in the crustacean Macrobrachium borellii. <i>Aquatic Toxicology</i> , 2006 , 77, 190-6	5.1	22	
35	Pallial oviduct of Pomacea canaliculata (Gastropoda): ultrastructural studies of the parenchymal cellular types involved in the metabolism of perivitellins. <i>Cell and Tissue Research</i> , 2006 , 324, 523-33	4.2	16	
34	Biochemical composition, tissue origin and functional properties of egg perivitellins from Pomacea canaliculata. <i>Biocell</i> , 2006 , 30, 359-65	1.9	10	

(1998-2005)

33	Dynamics of blood chylomicron fatty acids in a marine carnivore: implications for lipid metabolism and quantitative estimation of predator diets. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2005 , 175, 133-45	2.2	30	
32	Changes in phosphatidylcholine molecular species in the shrimp Macrobrachium borellii in response to a water-soluble fraction of petroleum. <i>Lipids</i> , 2005 , 40, 487-94	1.6	15	
31	Characterization of the major egg glycolipoproteins from the perivitellin fluid of the apple snail Pomacea canaliculata. <i>Molecular Reproduction and Development</i> , 2004 , 68, 359-64	2.6	21	
30	Toxicity, uptake, and release of the water-soluble fraction of crude oil in different developing stages of the prawn Macrobrachium borellii. <i>Archives of Environmental Contamination and Toxicology</i> , 2004 , 47, 215-22	3.2	9	
29	Osmotic response in Lactobacillus casei ATCC 393: biochemical and biophysical characteristics of membrane. <i>Archives of Biochemistry and Biophysics</i> , 2004 , 422, 61-70	4.1	57	
28	Antioxidant defense system in the apple snail eggs, the role of ovorubin. <i>Archives of Biochemistry and Biophysics</i> , 2004 , 422, 1-8	4.1	34	
27	Metabolism of ovorubin, the major egg lipoprotein from the apple snail. <i>Molecular and Cellular Biochemistry</i> , 2003 , 243, 9-14	4.2	24	
26	Synthesis, distribution, and levels of an egg lipoprotein from the apple snail Pomacea canaliculata (Mollusca: Gastropoda). <i>The Journal of Experimental Zoology</i> , 2002 , 292, 323-30		26	
25	Morphometric study of embryonic development of Macrobrachium borellii (Arthropoda: Crustacea). <i>Invertebrate Reproduction and Development</i> , 2002 , 41, 157-163	0.7	13	
24	Lipoproteins from plasma and perivelline fluid of the apple snail Pomacea canaliculata. <i>Biocell</i> , 2002 , 26, 111-8	1.9	16	
23	Relation between lipid and fatty acid composition of eggs and larval survival in white pacific shrimp (Penaeus vannamei, Boone, 1931). <i>Aquaculture International</i> , 2001 , 9, 531-543	2.6	33	
22	Enzyme activities involved in lipid metabolism during embryonic development of Macrobrachium borellii 2000 , 286, 231-237		18	
21	Biochemical and biophysical studies of Bacillus subtilis envelopes under hyperosmotic stress. <i>International Journal of Food Microbiology</i> , 2000 , 55, 137-42	5.8	53	
20	Lipid and fatty acid composition and energy partitioning during embryo development in the shrimp Macrobrachium borellii. <i>Lipids</i> , 2000 , 35, 645-51	1.6	51	
19	Enzyme activities involved in lipid metabolism during embryonic development of Macrobrachium borellii. <i>The Journal of Experimental Zoology</i> , 2000 , 286, 231-7		4	
18	Biochemical composition and energy sources during embryo development and in early juveniles of the snail Pomacea canaliculata (Mollusca: Gastropoda). <i>The Journal of Experimental Zoology</i> , 1998 , 280, 375-383		65	
17	Variations of the envelope composition of Bacillus subtilis during growth in hyperosmotic medium. <i>Current Microbiology</i> , 1998 , 36, 55-61	2.4	65	
16	Biochemical composition and energy sources during embryo development and in early juveniles of the snail Pomacea canaliculata (Mollusca: Gastropoda) 1998 , 280, 375		2	

15	Role of adipocytes in the muscle tissue of Atlantic salmon (Salmo salar) in the uptake, release and retention of water-soluble fraction of crude oil hydrocarbons. <i>Marine Biology</i> , 1997 , 127, 545-553	2.5	6
14	Lipoproteins of the egg perivitelline fluid of Pomacea canaliculata snails (Mollusca: Gastropoda). <i>The Journal of Experimental Zoology</i> , 1996 , 276, 307-14		43
13	An improved method for the recovery of petroleum hydrocarbons from fish muscle tissue. <i>Food Chemistry</i> , 1996 , 57, 457-462	8.5	3
12	SALMON LIPID STORAGE SITES AND THEIR ROLE IN CONTAMINATION WITH WATER-SOLUBLE PETROLEUM MATERIALS. <i>Journal of Food Lipids</i> , 1996 , 3, 161-170		1
11	Fatty acid composition of freshwater phytoplankton during a red tide event. <i>Biochemical Systematics and Ecology</i> , 1995 , 23, 65-69	1.4	7
10	Plastic bags for stable storage of the water-soluble fraction of crude petroleum used in aquatic environment toxicity and tainting studies. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1995 , 55, 597-602	2.7	3
9	Preparation and characterization of a water-soluble fraction of crude oil by a Karr reciprocating-plate countercurrent extraction column. <i>Archives of Environmental Contamination and Toxicology</i> , 1994 , 26, 527-533	3.2	2
8	The potential use of lipid microspheres as nutritional supplements for adult Ostrea edulis. <i>Aquaculture</i> , 1994 , 123, 309-322	4.4	16
7	Atlantic dogfish silage vs. herring silage in diets for Atlantic salmon (Salmo salar): growth and sensory evaluation of fillets. <i>Aquaculture</i> , 1994 , 125, 93-106	4.4	36
6	Tainting of Atlantic salmon (Salmo salar) by petroleum hydrocarbons during a short-term exposure. <i>Marine Pollution Bulletin</i> , 1992 , 24, 310-315	6.7	24
5	Hemocyanin as an apolipoprotein in the hemolymph of the cephalopod Octopus tehuelchus. <i>Lipids and Lipid Metabolism</i> , 1992 , 1125, 245-250		14
4	Occurrence of plasma lipoproteins in octopods. Partial characterization and interorgan transport of lipids. <i>Journal of Experimental Marine Biology and Ecology</i> , 1990 , 140, 29-38	2.1	21
3	Inter-organ hemolymphatic transport of free fatty acids, triacylglycerols and phospholipids in the freshwater bivalve, Diplodon delodontus. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1989 , 93, 673-676		10
2	Blood lipids of the small octopus, Octopus tehuelchus (mollusca, cephalopoda) at different stages of sexual maturation. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1989 , 92, 571-	-575	11
7	Evaporation of two ancient immune proteins into a new dimeric pere-forming toxin in smalls		7