Tanja Zeller

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8798393/tanja-zeller-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59	3,255	23	57
papers	citations	h-index	g-index
64	3,991 ext. citations	8.9	4.33
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
59	Expression of cardiovascular-related microRNAs is altered in L-arginine:glycine amidinotransferase deficient mice <i>Scientific Reports</i> , 2022 , 12, 5108	4.9	
58	The need for PCSK9 inhibitors and associated treatment costs according to the 2019 ESC dyslipidaemia guidelines vs. the risk-based allocation algorithm of the 2017 ESC consensus statement: a simulation study in a contemporary CAD cohort. European Journal of Preventive	3.9	3
57	Association of lipid levels with motor and cognitive function and decline in advanced Parkinson's disease in the Mark-PD study. <i>Parkinsonism and Related Disorders</i> , 2021 , 85, 5-10	3.6	5
56	CRIP1 expression in monocytes related to hypertension. <i>Clinical Science</i> , 2021 , 135, 911-924	6.5	1
55	Modifiable lifestyle risk factors and C-reactive protein in patients with coronary artery disease: Implications for an anti-inflammatory treatment target population. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 152-158	3.9	14
54	Target Populations and Treatment Cost for Bempedoic Acid and PCSK9 Inhibitors: A Simulation Study in a Contemporary CAD Cohort. <i>Clinical Therapeutics</i> , 2021 , 43, 1583-1600	3.5	2
53	Serum neurofilament is associated with motor function, cognitive decline and subclinical cardiac damage in advanced Parkinson disease (MARK-PD). <i>Parkinsonism and Related Disorders</i> , 2021 , 90, 44-4	18 ^{3.6}	3
52	Natriuretic Peptides and Risk of Type 2 Diabetes: Results From the Biomarkers for Cardiovascular Risk Assessment in Europe (BiomarCaRE) Consortium. <i>Diabetes Care</i> , 2021 , 44, 2527-2535	14.6	1
51	Reply to: "Parkin Deficiency Appears Not to Be Associated with Cardiac Damage in Parkinson's Disease". <i>Movement Disorders</i> , 2021 , 36, 273-274	7	1
50	Reply to: "N-Terminal Pro-B-Type Natriuretic Peptide Levels in Parkinsonly Disease". <i>Movement Disorders</i> , 2020 , 35, 1888	7	
49	Circulating microRNAs vs. aortic diameter in bicuspid aortic valve aortopathy. <i>Asian Cardiovascular and Thoracic Annals</i> , 2020 , 218492320927233	0.6	1
48	Subclinical Cardiac Microdamage, Motor Severity, and Cognition in Parkinson'd Disease. <i>Movement Disorders</i> , 2020 , 35, 1863-1868	7	12
47	Performance of the ESC 0/1-h and 0/3-h Algorithm for the Rapid Identification of Myocardial Infarction Without ST-Elevation in Patients With Diabetes. <i>Diabetes Care</i> , 2020 , 43, 460-467	14.6	8
46	Association of high-sensitivity troponin T and I with the severity of stable coronary artery disease in patients with chronic kidney disease. <i>Atherosclerosis</i> , 2020 , 313, 81-87	3.1	4
45	Long-Chain Acylcarnitines and Cardiac Excitation-Contraction Coupling: Links to Arrhythmias. <i>Frontiers in Physiology</i> , 2020 , 11, 577856	4.6	13
44	Cardiac Troponin I and Incident Stroke in European Cohorts: Insights From the BiomarCaRE Project. <i>Stroke</i> , 2020 , 51, 2770-2777	6.7	3
43	Comparative Analysis of Circulating Noncoding RNAs Versus Protein Biomarkers in the Detection of Myocardial Injury. <i>Circulation Research</i> , 2019 , 125, 328-340	15.7	59

42	Predictive value of low testosterone concentrations regarding coronary heart disease and mortality in men and women - evidence from the FINRISK97 study. <i>Journal of Internal Medicine</i> , 2019 , 286, 317-32	2510.8	6
41	Cardiovascular Biomarkers in Amniotic Fluid, Umbilical Arterial Blood, Umbilical Venous Blood, and Maternal Blood at Delivery, and Their Reference Values for Full-Term, Singleton, Cesarean Deliveries. <i>Frontiers in Pediatrics</i> , 2019 , 7, 271	3.4	7
40	Application of High-Sensitivity Troponin in Suspected Myocardial Infarction. <i>New England Journal of Medicine</i> , 2019 , 380, 2529-2540	59.2	134
39	Evaluation of a new ultra-sensitivity troponin I assay in patients with suspected myocardial infarction. <i>International Journal of Cardiology</i> , 2019 , 283, 35-40	3.2	9
38	Prospective Validation of the 0/1-h Algorithm for Early Diagnosis of Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 620-632	15.1	82
37	Adverse Outcome Prediction of Iron Deficiency in Patients with Acute Coronary Syndrome. <i>Biomolecules</i> , 2018 , 8,	5.9	28
36	MiR-145 expression and rare NOTCH1 variants in bicuspid aortic valve-associated aortopathy. <i>PLoS ONE</i> , 2018 , 13, e0200205	3.7	13
35	Roles of the Chr.9p21.3 Locus in Regulating Inflammation and Implications for Anti-Inflammatory Drug Target Identification. <i>Frontiers in Cardiovascular Medicine</i> , 2018 , 5, 47	5.4	16
34	Prognostic Value of Iron-Homeostasis Regulating Peptide Hepcidin in Coronary Heart Disease-Evidence from the Large AtheroGene Study. <i>Biomolecules</i> , 2018 , 8,	5.9	15
33	Intrinsic Iron Release Is Associated with Lower Mortality in Patients with Stable Coronary Artery Disease-First Report on the Prospective Relevance of Intrinsic Iron Release. <i>Biomolecules</i> , 2018 , 8,	5.9	13
32	Testosterone Levels and Type 2 Diabetes-No Correlation with Age, Differential Predictive Value in Men and Women. <i>Biomolecules</i> , 2018 , 8,	5.9	21
31	Cardiovascular magnetic resonance imaging in the prospective, population-based, Hamburg City Health cohort study: objectives and design. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 68	6.9	10
30	Low testosterone levels are predictive for incident atrial fibrillation and ischaemic stroke in men, but protective in women - results from the FINRISK study. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1133-1139	3.9	21
29	Adherence to Mediterranean diet, high-sensitive C-reactive protein, and severity of coronary artery disease: Contemporary data from the INTERCATH cohort. <i>Atherosclerosis</i> , 2018 , 275, 256-261	3.1	20
28	Challenging the 99th percentile: A lower troponin cutoff leads to low mortality of chest pain patients. <i>International Journal of Cardiology</i> , 2017 , 232, 289-293	3.2	21
27	High-sensitivity cardiac troponin I and NT-proBNP as predictors of incident dementia and Alzheimerld disease: the FINRISK Study. <i>Journal of Neurology</i> , 2017 , 264, 503-511	5.5	11
26	Circulating Levels of Interleukin 1-Receptor Antagonist and Risk of Cardiovascular Disease: Meta-Analysis of Six Population-Based Cohorts. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 1222-1227	9.4	62
25	Genetic Susceptibility Contributing to Periodontal and Cardiovascular Disease. <i>Journal of Dental Research</i> , 2017 , 96, 610-617	8.1	42

24	Immediate Rule-Out of Acute Myocardial Infarction Using Electrocardiogram and Baseline High-Sensitivity Troponin I. <i>Clinical Chemistry</i> , 2017 , 63, 394-402	5.5	41
23	Plasma levels of hepatocyte growth factor and placental growth factor predict mortality in a general population: a prospective cohort study. <i>Journal of Internal Medicine</i> , 2017 , 282, 340-352	10.8	9
22	Relation between Arterial Stiffness and Markers of Inflammation and Hemostasis - Data from the Population-based Gutenberg Health Study. <i>Scientific Reports</i> , 2017 , 7, 6346	4.9	19
21	Discrimination of patients with type 2 myocardial infarction. European Heart Journal, 2017, 38, 3514-352	2 9 .5	63
20	Transcriptome-Wide Analysis Identifies Novel Associations With Blood Pressure. <i>Hypertension</i> , 2017 , 70, 743-750	8.5	21
19	Lipid Management After First Diagnosis of Coronary Artery Disease: Contemporary Results From an Observational Cohort Study. <i>Clinical Therapeutics</i> , 2017 , 39, 2311-2320.e2	3.5	6
18	Genome-Wide Association Study Implicates Atrial Natriuretic Peptide Rather Than B-Type Natriuretic Peptide in the Regulation of Blood Pressure in the General Population. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10,		15
17	Comparison of HapMap and 1000 Genomes Reference Panels in a Large-Scale Genome-Wide Association Study. <i>PLoS ONE</i> , 2017 , 12, e0167742	3.7	21
16	Metabolic profiling of pregnancy: cross-sectional and longitudinal evidence. <i>BMC Medicine</i> , 2016 , 14, 205	11.4	85
15	Diagnosis of Myocardial Infarction Using a High-Sensitivity Troponin I 1-Hour Algorithm. <i>JAMA Cardiology</i> , 2016 , 1, 397-404	16.2	125
14	Prognostic use of soluble fms-like tyrosine kinase-1 and placental growth factor in patients with coronary artery disease. <i>Biomarkers in Medicine</i> , 2016 , 10, 95-106	2.3	4
13	A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. <i>Human Molecular Genetics</i> , 2016 , 25, 358-70	5.6	54
12	Troponin I and cardiovascular risk prediction in the general population: the BiomarCaRE consortium. <i>European Heart Journal</i> , 2016 , 37, 2428-37	9.5	140
11	Effects of hormonal contraception on systemic metabolism: cross-sectional and longitudinal evidence. <i>International Journal of Epidemiology</i> , 2016 , 45, 1445-1457	7.8	41
10	High-sensitivity cardiac troponin I in the general populationdefining reference populations for the determination of the 99th percentile in the Gutenberg Health Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 699-706	5.9	47
9	Heme oxygenase-1 suppresses a pro-inflammatory phenotype in monocytes and determines endothelial function and arterial hypertension in mice and humans. <i>European Heart Journal</i> , 2015 , 36, 3437-46	9.5	62
8	Dichloroacetate prevents restenosis in preclinical animal models of vessel injury. <i>Nature</i> , 2014 , 509, 641	-\$ 0.4	64
7	BiomarCaRE: rationale and design of the European BiomarCaRE project including 300,000 participants from 13 European countries. <i>European Journal of Epidemiology</i> , 2014 , 29, 777-90	12.1	63

LIST OF PUBLICATIONS

6	Distribution and medical impact of loss-of-function variants in the Finnish founder population. <i>PLoS Genetics</i> , 2014 , 10, e1004494	6	243
5	High population prevalence of cardiac troponin I measured by a high-sensitivity assay and cardiovascular risk estimation: the MORGAM Biomarker Project Scottish Cohort. <i>European Heart Journal</i> , 2014 , 35, 271-81	9.5	123
4	Integrating genome-wide genetic variations and monocyte expression data reveals trans-regulated gene modules in humans. <i>PLoS Genetics</i> , 2011 , 7, e1002367	6	99
3	Thirty-one novel biomarkers as predictors for clinically incident diabetes. <i>PLoS ONE</i> , 2010 , 5, e10100	3.7	124
2	Contribution of 30 biomarkers to 10-year cardiovascular risk estimation in 2 population cohorts: the MONICA, risk, genetics, archiving, and monograph (MORGAM) biomarker project. <i>Circulation</i> , 2010 , 121, 2388-97	16.7	257
1	Sensitive troponin I assay in early diagnosis of acute myocardial infarction. <i>New England Journal of Medicine</i> , 2009 , 361, 868-77	59.2	858