Celso Arango

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8799953/publications.pdf

Version: 2024-02-01

| | | 7551 | 11899 |
|----------|----------------|--------------|----------------|
| 511 | 26,482 | 77 | 134 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 593 | 593 | 593 | 25153 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Common variants conferring risk of schizophrenia. Nature, 2009, 460, 744-747. | 13.7 | 1,572 |
| 2 | How mental health care should change as a consequence of the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 813-824. | 3.7 | 1,101 |
| 3 | Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508. | 13.7 | 929 |
| 4 | The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry,the, 2019, 6, 427-436. | 3.7 | 528 |
| 5 | Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. Molecular Psychiatry, 2018, 23, 1261-1269. | 4.1 | 522 |
| 6 | Nitrous oxide emission from denitrification in stream and river networks. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 214-219. | 3.3 | 517 |
| 7 | Impact of coronavirus syndromes on physical and mental health of health care workers: Systematic review and meta-analysis. Journal of Affective Disorders, 2020, 275, 48-57. | 2.0 | 438 |
| 8 | Preventive strategies for mental health. Lancet Psychiatry, the, 2018, 5, 591-604. | 3.7 | 390 |
| 9 | The impact of COVID-19 lockdown on child and adolescent mental health: systematic review. European Child and Adolescent Psychiatry, 2023, 32, 1151-1177. | 2.8 | 364 |
| 10 | Cortical and Subcortical Brain Morphometry Differences Between Patients With Autism Spectrum Disorder and Healthy Individuals Across the Lifespan: Results From the ENIGMA ASD Working Group. American Journal of Psychiatry, 2018, 175, 359-369. | 4.0 | 356 |
| 11 | Negative symptoms of schizophrenia: new developments and unanswered research questions. Lancet Psychiatry,the, 2018, 5, 664-677. | 3.7 | 316 |
| 12 | Prevention of Psychosis. JAMA Psychiatry, 2020, 77, 755. | 6.0 | 287 |
| 13 | Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. American Journal of Psychiatry, 2013, 170, 852-859. | 4.0 | 269 |
| 14 | The Continuum of Psychotic Symptoms in the General Population: A Cross-national Study. Schizophrenia Bulletin, 2012, 38, 475-485. | 2.3 | 266 |
| 15 | Significance and Meaning of Neurological Signs in Schizophrenia: Two Decades Later. Schizophrenia Bulletin, 2005, 31, 962-977. | 2.3 | 240 |
| 16 | Standardized remission criteria in schizophrenia. Acta Psychiatrica Scandinavica, 2006, 113, 91-95. | 2.2 | 238 |
| 17 | Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. JAMA Psychiatry, 2018, 75, 36. | 6.0 | 235 |
| 18 | Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736. | 2.3 | 229 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Rates, distribution and implications of postzygotic mosaic mutations in autism spectrum disorder. Nature Neuroscience, 2017, 20, 1217-1224. | 7.1 | 212 |
| 20 | Prevalence of Negative Symptoms in Outpatients With Schizophrenia Spectrum Disorders Treated With Antipsychotics in Routine Clinical Practice. Journal of Clinical Psychiatry, 2010, 71, 280-286. | 1.1 | 210 |
| 21 | Quality of life and disability in patients with obsessive-compulsive disorder. European Psychiatry, 2001, 16, 239-245. | 0.1 | 201 |
| 22 | Common variants at VRK2 and TCF4 conferring risk of schizophrenia. Human Molecular Genetics, 2011, 20, 4076-4081. | 1.4 | 193 |
| 23 | Violence in Inpatients With Schizophrenia: A Prospective Study. Schizophrenia Bulletin, 1999, 25, 493-503. | 2.3 | 192 |
| 24 | Type 2 Diabetes Mellitus in Youth Exposed to Antipsychotics. JAMA Psychiatry, 2016, 73, 247. | 6.0 | 189 |
| 25 | Psychosocial risk factors for suicidality in children and adolescents. European Child and Adolescent Psychiatry, 2020, 29, 759-776. | 2.8 | 187 |
| 26 | Antipsychotics in children and adolescents: Increasing use, evidence for efficacy and safety concerns. European Neuropsychopharmacology, 2009, 19, 629-635. | 0.3 | 184 |
| 27 | Preventive psychiatry: a blueprint for improving the mental health of young people. World Psychiatry, 2021, 20, 200-221. | 4.8 | 183 |
| 28 | Lurasidone compared to other atypical antipsychotic monotherapies for adolescent schizophrenia: a systematic literature review and network meta-analysis. European Child and Adolescent Psychiatry, 2020, 29, 1195-1205. | 2.8 | 181 |
| 29 | The stress and psychological morbidity of the Alzheimer patient caregiver. , 1999, 14, 701-710. | | 179 |
| 30 | Cardiovascular and metabolic risk in outpatients with schizophrenia treated with antipsychotics: Results of the CLAMORS Study. Schizophrenia Research, 2007, 90, 162-173. | 1.1 | 177 |
| 31 | Oxidative Stress and Inflammation in First-Episode Psychosis: A Systematic Review and Meta-analysis. Schizophrenia Bulletin, 2019, 45, 742-751. | 2.3 | 172 |
| 32 | Efficacy and safety of second-generation antipsychotics in children and adolescents with psychotic and bipolar spectrum disorders: Comprehensive review of prospective head-to-head and placebo-controlled comparisons. European Neuropsychopharmacology, 2011, 21, 621-645. | 0.3 | 168 |
| 33 | Altered structural brain asymmetry in autism spectrum disorder in a study of 54 datasets. Nature Communications, 2019, 10, 4958. | 5.8 | 167 |
| 34 | Predictors of outcome in early-onset psychosis: a systematic review. NPJ Schizophrenia, 2015, 1, 14005. | 2.0 | 161 |
| 35 | Mental health research priorities for Europe. Lancet Psychiatry, the, 2015, 2, 1036-1042. | 3.7 | 158 |
| 36 | Inflammation in schizophrenia: A question of balance. Neuroscience and Biobehavioral Reviews, 2015, 55, 612-626. | 2.9 | 155 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | SchizophreniaTime to Commit to Policy Change. Schizophrenia Bulletin, 2014, 40, S165-S194. | 2.3 | 153 |
| 38 | Healthy lifestyle habits and 10-year cardiovascular risk in schizophrenia spectrum disorders: An analysis of the impact of smoking tobacco in the CLAMORS schizophrenia cohort. Schizophrenia Research, 2010, 119, 101-109. | 1.1 | 151 |
| 39 | White matter microstructure correlates of mathematical giftedness and intelligence quotient. Human Brain Mapping, 2014, 35, 2619-2631. | 1.9 | 144 |
| 40 | Psychiatry in the aftermath of COVID-19. Revista De PsiquiatrÃa Y Salud Mental, 2020, 13, 105-110. | 1.0 | 142 |
| 41 | Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. Lancet Psychiatry,the, 2018, 5, 797-807. | 3.7 | 141 |
| 42 | Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. JAMA Psychiatry, 2021, 78, 47. | 6.0 | 136 |
| 43 | Progressive Brain Changes in Children and Adolescents With First-Episode Psychosis. Archives of General Psychiatry, 2012, 69, 16. | 13.8 | 135 |
| 44 | Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. Neurolmage, 2020, 218, 116956. | 2.1 | 135 |
| 45 | The identification, assessment and management of difficult-to-treat depression: An international consensus statement. Journal of Affective Disorders, 2020, 267, 264-282. | 2.0 | 133 |
| 46 | ECNP consensus meeting. Bipolar depression. Nice, March 2007. European Neuropsychopharmacology, 2008, 18, 535-549. | 0.3 | 131 |
| 47 | Treatment of negative symptoms: Where do we stand, and where do we go?. Schizophrenia Research, 2017, 186, 55-62. | 1.1 | 131 |
| 48 | What is good mental health? A scoping review. European Neuropsychopharmacology, 2020, 31, 33-46. | 0.3 | 131 |
| 49 | Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. World Psychiatry, 2019, 18, 173-182. | 4.8 | 127 |
| 50 | Risk and protective factors for mental disorders beyond genetics: an evidenceâ€based atlas. World Psychiatry, 2021, 20, 417-436. | 4.8 | 127 |
| 51 | Advantages and disadvantages of combination treatment with antipsychotics. European Neuropsychopharmacology, 2009, 19, 520-532. | 0.3 | 125 |
| 52 | Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. American Journal of Psychiatry, 2020, 177, 834-843. | 4.0 | 120 |
| 53 | Negative Signs and Symptoms Secondary to Antipsychotics: A Double-Blind, Randomized Trial of a Single Dose of Placebo, Haloperidol, and Risperidone in Healthy Volunteers. American Journal of Psychiatry, 2006, 163, 488-493. | 4.0 | 117 |
| 54 | Cannabis and First-Episode Psychosis: Different Long-term Outcomes Depending on Continued or Discontinued Use. Schizophrenia Bulletin, 2011, 37, 631-639. | 2.3 | 112 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Early interventions in risk groups for schizophrenia: what are we waiting for?. NPJ Schizophrenia, 2016, 2, 16003. | 2.0 | 111 |
| 56 | ROAMER: roadmap for mental health research in Europe. International Journal of Methods in Psychiatric Research, 2014, 23, 1-14. | 1.1 | 109 |
| 57 | The Human Cerebral Cortex Flattens during Adolescence. Journal of Neuroscience, 2013, 33, 15004-15010. | 1.7 | 108 |
| 58 | Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of metaâ€analyses. Acta Psychiatrica Scandinavica, 2018, 137, 88-97. | 2.2 | 106 |
| 59 | Prediction of Neuropsychological Performance by Neurological Signs in Schizophrenia. American Journal of Psychiatry, 1999, 156, 1349-1357. | 4.0 | 102 |
| 60 | Neurological Signs and the Heterogeneity of Schizophrenia. American Journal of Psychiatry, 2000, 157, 560-565. | 4.0 | 100 |
| 61 | Trait and State Attributes of Insight in First Episodes of Early-Onset Schizophrenia and Other Psychoses: A 2-Year Longitudinal Study. Schizophrenia Bulletin, 2011, 37, 38-51. | 2.3 | 100 |
| 62 | Differential Neurodevelopmental Trajectories in Patients With Early-Onset Bipolar and Schizophrenia Disorders. Schizophrenia Bulletin, 2014, 40, S138-S146. | 2.3 | 100 |
| 63 | De novo mutations identified by exome sequencing implicate rare missense variants in SLC6A1 in schizophrenia. Nature Neuroscience, 2020, 23, 179-184. | 7.1 | 100 |
| 64 | Criterios de valoraciÃ ³ n clÃnicos y de funcionamiento en un estudio de interacciÃ ³ n gen-ambiente en primeros episodios psicÃ ³ ticos (PEPs). Revista De PsiquiatrÃa Y Salud Mental, 2013, 6, 4-16. | 1.0 | 99 |
| 65 | Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. British Journal of Psychiatry, 2016, 208, 87-93. | 1.7 | 95 |
| 66 | Oxidative Stress and Inflammation in Early Onset First Episode Psychosis: A Systematic Review and Meta-Analysis. International Journal of Neuropsychopharmacology, 2017, 20, 435-444. | 1.0 | 95 |
| 67 | Annual Research Review: Prevention of psychosis in adolescents – systematic review and metaâ€analysis of advances in detection, prognosis and intervention. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 657-673. | 3.1 | 95 |
| 68 | Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. BMC Psychiatry, 2011, 11, 26. | 1.1 | 94 |
| 69 | Magnetic Resonance Imaging and the Prediction of Outcome in First-Episode Schizophrenia: A Review of Current Evidence and Directions for Future Research. Schizophrenia Bulletin, 2015, 41, 574-583. | 2.3 | 94 |
| 70 | The Promise of Biological Markers for Treatment Response in First-Episode Psychosis: A Systematic Review. Schizophrenia Bulletin, 2015, 41, 559-573. | 2.3 | 93 |
| 71 | Bitopertin in Negative Symptoms of Schizophreniaâ€"Results From the Phase III FlashLyte and DayLyte Studies. Biological Psychiatry, 2017, 82, 8-16. | 0.7 | 92 |
| 72 | Morphometric Assessment of the Heteromodal Association Cortex in Schizophrenia. American Journal of Psychiatry, 2004, 161, 322-331. | 4.0 | 92 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 73 | Using common genetic variation to examine phenotypic expression and risk prediction in 22q11.2 deletion syndrome. Nature Medicine, 2020, 26, 1912-1918. | 15.2 | 90 |
| 74 | Lessons Learned From the Coronavirus Health Crisis in Madrid, Spain: How COVID-19 Has Changed Our Lives in the Last 2 Weeks. Biological Psychiatry, 2020, 88, e33-e34. | 0.7 | 90 |
| 75 | Psychotic symptoms are associated with physical health problems independently of a mental disorder diagnosis: results from the WHO World Health Survey. World Psychiatry, 2013, 12, 251-257. | 4.8 | 89 |
| 76 | Metabolic and Hormonal Side Effects in Children and Adolescents Treated With Second-Generation Antipsychotics. Journal of Clinical Psychiatry, 2008, 69, 1166-1175. | 1.1 | 89 |
| 77 | Risperidone normalizes increased inflammatory parameters and restores anti-inflammatory pathways in a model of neuroinflammation. International Journal of Neuropsychopharmacology, 2013, 16, 121-135. | 1.0 | 87 |
| 78 | Genetic contributors to risk of schizophrenia in the presence of a 22q11.2 deletion. Molecular Psychiatry, 2021, 26, 4496-4510. | 4.1 | 87 |
| 79 | Cannabis use in children and adolescents with first episode psychosis: Influence on psychopathology and short-term outcome (CAFEPS study). Schizophrenia Research, 2009, 113, 129-137. | 1.1 | 86 |
| 80 | The child and adolescent first-episode psychosis study (CAFEPS): Design and baseline results. Schizophrenia Research, 2007, 91, 226-237. | 1.1 | 85 |
| 81 | Common variant at 16p11.2 conferring risk of psychosis. Molecular Psychiatry, 2014, 19, 108-114. | 4.1 | 85 |
| 82 | The Relationship of Clozapine and Haloperidol Treatment Response to Prefrontal, Hippocampal, and Caudate Brain Volumes. American Journal of Psychiatry, 2003, 160, 1421-1427. | 4.0 | 84 |
| 83 | Developmental Differences Between Schizophrenia and Bipolar Disorder. Schizophrenia Bulletin, 2017, 43, 1176-1189. | 2.3 | 81 |
| 84 | Pharmacological approaches to treating negative symptoms: A review of clinical trials. Schizophrenia Research, 2013, 150, 346-352. | 1.1 | 80 |
| 85 | The deficit syndrome in schizophrenia: implications for the treatment of negative symptoms. European Psychiatry, 2004, 19, 21-26. | 0.1 | 77 |
| 86 | Regional Gray Matter Volume Deficits in Adolescents With First-Episode Psychosis. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 1311-1320. | 0.3 | 77 |
| 87 | Longitudinal Brain Changes in Early-Onset Psychosis. Schizophrenia Bulletin, 2007, 34, 341-353. | 2.3 | 76 |
| 88 | Second-Generation Antipsychotic Use in Children and Adolescents: A Six-Month Prospective Cohort Study in Drug-NaÃ-ve Patients. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 1179-1190.e4. | 0.3 | 76 |
| 89 | Genetic variants associated with longitudinal changes in brain structure across the lifespan. Nature Neuroscience, 2022, 25, 421-432. | 7.1 | 75 |
| 90 | A comparison of schizophrenia outpatients treated with antipsychotics with and without metabolic syndrome: Findings from the CLAMORS study. Schizophrenia Research, 2008, 104, 1-12. | 1.1 | 74 |

| # | Article | lF | Citations |
|-----|---|-----|-----------|
| 91 | Depression in bipolar disorder versus major depressive disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions. Bipolar Disorders, 2012, 14, 271-282. | 1.1 | 74 |
| 92 | The neurobiology of autism spectrum disorders. European Psychiatry, 2014, 29, 11-19. | 0.1 | 72 |
| 93 | Deficit psychopathology and a paradigm shift in schizophrenia research. Biological Psychiatry, 1999, 46, 352-360. | 0.7 | 71 |
| 94 | Randomised clinical trial comparing oral versus depot formulations of zuclopenthixol in patients with schizophrenia and previous violence. European Psychiatry, 2006, 21, 34-40. | 0.1 | 70 |
| 95 | Neuropsychological functioning in early-onset first-episode psychosis: comparison of diagnostic subgroups. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 225-233. | 1.8 | 69 |
| 96 | Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. Psychological Medicine, 2019, 49, 1378-1391. | 2.7 | 69 |
| 97 | Assessment of School Anti-Bullying Interventions. JAMA Pediatrics, 2021, 175, 44. | 3.3 | 69 |
| 98 | Functional Impairment in Patients with Remitted Bipolar Disorder. Psychotherapy and Psychosomatics, 2008, 77, 390-392. | 4.0 | 68 |
| 99 | Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 1-8. | 1.0 | 68 |
| 100 | The lived experience of psychosis: a bottomâ€up review coâ€written by experts by experience and academics. World Psychiatry, 2022, 21, 168-188. | 4.8 | 67 |
| 101 | Psychopathological sequelae of the 11 March terrorist attacks in Madrid. European Archives of Psychiatry and Clinical Neuroscience, 2007, 258, 28-34. | 1.8 | 66 |
| 102 | Olanzapine compared to quetiapine in adolescents with a first psychotic episode. European Child and Adolescent Psychiatry, 2009, 18, 418-428. | 2.8 | 66 |
| 103 | Mathematically gifted adolescents use more extensive and more bilateral areas of the fronto-parietal network than controls during executive functioning and fluid reasoning tasks. NeuroImage, 2011, 57, 281-292. | 2.1 | 65 |
| 104 | Cortical morphology of adolescents with bipolar disorder and with schizophrenia. Schizophrenia Research, 2014, 158, 91-99. | 1.1 | 65 |
| 105 | A quantitative approach to neuropsychiatry: The why and the how. Neuroscience and Biobehavioral Reviews, 2019, 97, 3-9. | 2.9 | 63 |
| 106 | Antipsychotic-Related Abnormal Involuntary Movements and Metabolic and Endocrine Side Effects in Children and Adolescents. Journal of Child and Adolescent Psychopharmacology, 2007, 17, 487-501. | 0.7 | 62 |
| 107 | Individual differences in the dominance of interhemispheric connections predict cognitive ability beyond sex and brain size. Neurolmage, 2017, 155, 234-244. | 2.1 | 62 |
| 108 | Cognitive reserve as a predictor of two year neuropsychological performance in early onset first-episode schizophrenia. Schizophrenia Research, 2013, 143, 125-131. | 1.1 | 61 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum disorder: The <scp>ENIGMA</scp> adventure. Human Brain Mapping, 2022, 43, 37-55. | 1.9 | 61 |
| 110 | Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. Acta Psychiatrica Scandinavica, 2018, 138, 145-154. | 2.2 | 60 |
| 111 | Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: A 2-year longitudinal study. Schizophrenia Research, 2014, 152, 130-138. | 1.1 | 59 |
| 112 | Predictors of Suicide Attempt in Early-Onset, First-Episode Psychoses. Journal of Clinical Psychiatry, 2013, 74, 59-66. | 1.1 | 59 |
| 113 | Antipsychotic Treatment in Child and Adolescent First-Episode Psychosis: A Longitudinal Naturalistic Approach. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 327-336. | 0.7 | 58 |
| 114 | Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. Schizophrenia Bulletin, 2016, 42, 344-357. | 2.3 | 58 |
| 115 | Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case–control study. Psychological Medicine, 2021, 51, 1536-1548. | 2.7 | 58 |
| 116 | Detecting schizophrenia at the level of the individual: relative diagnostic value of whole-brain images, connectome-wide functional connectivity and graph-based metrics. Psychological Medicine, 2020, 50, 1852-1861. | 2.7 | 57 |
| 117 | Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses. Psychological Medicine, 2013, 43, 757-768. | 2.7 | 56 |
| 118 | Unmet needs in paediatric psychopharmacology: Present scenario and future perspectives. European Neuropsychopharmacology, 2015, 25, 1513-1531. | 0.3 | 56 |
| 119 | Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies—PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. Schizophrenia Bulletin, 2020, 46, 432-441. | 2.3 | 56 |
| 120 | Integrating machining learning and multimodal neuroimaging to detect schizophrenia at the level of the individual. Human Brain Mapping, 2020, 41, 1119-1135. | 1.9 | 56 |
| 121 | Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. European Neuropsychopharmacology, 2020, 41, 28-39. | 0.3 | 56 |
| 122 | The effects of second-generation antipsychotics on food intake, resting energy expenditure and physical activity. European Journal of Clinical Nutrition, 2014, 68, 146-152. | 1.3 | 55 |
| 123 | Does Diagnostic Classification of Early-Onset Psychosis Change Over Follow-Up?. Child Psychiatry and Human Development, 2008, 39, 137-145. | 1.1 | 54 |
| 124 | Plasma antioxidant capacity is reduced in Asperger syndrome. Journal of Psychiatric Research, 2012, 46, 394-401. | 1.5 | 54 |
| 125 | Progressive brain changes in children and adolescents with early-onset psychosis: A meta-analysis of longitudinal MRI studies. Schizophrenia Research, 2016, 173, 132-139. | 1.1 | 54 |
| 126 | DRD3, but not COMT or DRD2, genotype affects executive functions in healthy and firstâ€episode psychosis adolescents. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 873-879. | 1.1 | 53 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Cortical structural abnormalities in deficit versus nondeficit schizophrenia. Schizophrenia Research, 2012, 136, 51-54. | 1.1 | 52 |
| 128 | Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. Translational Psychiatry, 2019, 9, 20. | 2.4 | 52 |
| 129 | Two-year diagnostic stability in early-onset first-episode psychosis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2011, 52, 1089-1098. | 3.1 | 51 |
| 130 | Understanding the pediatric psychiatric phenotype of 22q11.2 deletion syndrome. American Journal of Medical Genetics, Part A, 2018, 176, 2182-2191. | 0.7 | 51 |
| 131 | Brain morphology and neurological soft signs in adolescents with first-episode psychosis. British Journal of Psychiatry, 2009, 195, 227-233. | 1.7 | 50 |
| 132 | Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. Schizophrenia Research, 2012, 137, 58-65. | 1.1 | 50 |
| 133 | Altered white matter microstructure in 22q11.2 deletion syndrome: a multisite diffusion tensor imaging study. Molecular Psychiatry, 2020, 25, 2818-2831. | 4.1 | 50 |
| 134 | Is attempted suicide different in adolescent and adults?. Psychiatry Research, 2008, 157, 131-137. | 1.7 | 49 |
| 135 | Metabolic effects of secondâ€generation antipsychotics in bipolar youth: comparison with other psychotic and nonpsychotic diagnoses. Bipolar Disorders, 2010, 12, 172-184. | 1.1 | 49 |
| 136 | The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. American Journal of Psychiatry, 2020, 177, 537-547. | 4.0 | 49 |
| 137 | Progression of Brain Volume Changes in Adolescent-Onset Psychosis. Schizophrenia Bulletin, 2009, 35, 233-243. | 2.3 | 48 |
| 138 | Assessment of the increase in variability when combining volumetric data from different scanners. Human Brain Mapping, 2009, 30, 355-368. | 1.9 | 48 |
| 139 | Association study between obsessive–compulsive disorder and serotonergic candidate genes. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 765-770. | 2.5 | 47 |
| 140 | Violence among schizophrenia outâ€patients compliant with medication: prevalence and associated factors. Acta Psychiatrica Scandinavica, 2009, 119, 218-225. | 2.2 | 47 |
| 141 | The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for its Methodology and a Review of the Effectiveness of Switching Antipsychotics. Schizophrenia Bulletin, 2015, 41, 549-558. | 2.3 | 47 |
| 142 | Consenso español sobre los riesgos y detección de la hiperprolactinemia iatrogénica por antipsicóticos. Revista De PsiquiatrÃa Y Salud Mental, 2016, 9, 158-173. | 1.0 | 47 |
| 143 | Negative Symptoms in Early-Onset Psychosis and Their Association With Antipsychotic Treatment Failure. Schizophrenia Bulletin, 2019, 45, 69-79. | 2.3 | 47 |
| 144 | The pediatric psychopharmacology of autism spectrum disorder: A systematic review - Part I: The past and the present. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 110, 110326. | 2.5 | 47 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Issues and perspectives in designing clinical trials for negative symptoms in schizophrenia. Schizophrenia Research, 2013, 150, 328-333. | 1.1 | 46 |
| 146 | Multidisciplinary consensus on the therapeutic recommendations for iatrogenic hyperprolactinemia secondary to antipsychotics. Frontiers in Neuroendocrinology, 2017, 45, 25-34. | 2.5 | 46 |
| 147 | Randomized trial of omega-3 for autism spectrum disorders: Effect on cell membrane composition and behavior. European Neuropsychopharmacology, 2017, 27, 1319-1330. | 0.3 | 46 |
| 148 | Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. Schizophrenia Bulletin, 2019, 45, 960-965. | 2.3 | 46 |
| 149 | Gyral and Sulcal Cortical Thinning in Adolescents with First Episode Early-Onset Psychosis. Biological Psychiatry, 2009, 66, 1047-1054. | 0.7 | 45 |
| 150 | Autism Spectrum Disorder: Does Neuroimaging Support the DSM-5 Proposal for a Symptom Dyad? A Systematic Review of Functional Magnetic Resonance Imaging and Diffusion Tensor Imaging Studies. Journal of Autism and Developmental Disorders, 2012, 42, 1326-1341. | 1.7 | 44 |
| 151 | Early intervention in psychosis: From clinical intervention to health system implementation. Microbial Biotechnology, 2018, 12, 757-764. | 0.9 | 44 |
| 152 | Olanzapine Effects on Auditory Sensory Gating in Schizophrenia. American Journal of Psychiatry, 2003, 160, 2066-2068. | 4.0 | 43 |
| 153 | Insight correlates in child- and adolescent-onset first episodes of psychosis: results from the CAFEPS study. Psychological Medicine, 2009, 39, 1433-1445. | 2.7 | 43 |
| 154 | Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. Psychological Medicine, 2016, 46, 291-301. | 2.7 | 43 |
| 155 | The effects of antipsychotics on weight gain, weight-related hormones and homocysteine in children and adolescents: a 1-year follow-up study. European Child and Adolescent Psychiatry, 2017, 26, 35-46. | 2.8 | 43 |
| 156 | Modelling gene-environment interaction in first episodes of psychosis. Schizophrenia Research, 2017, 189, 181-189. | 1.1 | 43 |
| 157 | Evidence for the early clinical relevance of hallucinatoryâ€delusional states in the general population. Acta Psychiatrica Scandinavica, 2013, 127, 482-493. | 2.2 | 42 |
| 158 | Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. Schizophrenia Research, 2014, 156, 23-29. | 1.1 | 42 |
| 159 | BAP Position Statement: Off-label prescribing of psychotropic medication to children and adolescents. Journal of Psychopharmacology, 2016, 30, 416-421. | 2.0 | 41 |
| 160 | The EUropean Network of National Schizophrenia Networks Studying Gene–Environment Interactions (EU-GEI): Incidence and First-Episode Case–Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657. | 1.6 | 41 |
| 161 | Neuropsychological functioning in adolescents with first episode psychosis: A two-year follow-up study. European Psychiatry, 2008, 23, 375-383. | 0.1 | 40 |
| 162 | Can positive family factors be protective against the development of psychosis? Psychiatry Research, 2011, 186, 28-33. | 1.7 | 40 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 163 | Dietary Interventions for Autism Spectrum Disorder: A Meta-analysis. Pediatrics, 2019, 144, . | 1.0 | 40 |
| 164 | Placebo response in pharmacological and dietary supplement trials of autism spectrum disorder (ASD): systematic review and meta-regression analysis. Molecular Autism, 2020, 11, 66. | 2.6 | 40 |
| 165 | At Issue: Stress, Hippocampal Neuronal Turnover, and Neuropsychiatric Disorders. Schizophrenia Bulletin, 2001, 27, 477-480. | 2.3 | 39 |
| 166 | Antidepressants in child and adolescent depression: where are the bugs?. Acta Psychiatrica Scandinavica, 2007, 115, 184-195. | 2.2 | 39 |
| 167 | Lessons Learned About Poor Insight. Schizophrenia Bulletin, 2011, 37, 27-28. | 2.3 | 39 |
| 168 | Longitudinal study of neurological soft signs in firstâ€episode earlyâ€onset psychosis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 323-331. | 3.1 | 39 |
| 169 | Psychopathology in Children and Adolescents with ASD Without Mental Retardation. Journal of Autism and Developmental Disorders, 2013, 43, 2442-2449. | 1.7 | 39 |
| 170 | The Association Between Comorbid Autism Spectrum Disorders and Antipsychotic Treatment Failure in Early-Onset Psychosis. Journal of Clinical Psychiatry, 2017, 78, e1233-e1241. | 1.1 | 39 |
| 171 | Association study of serotonin 2A receptor (5-HT2A) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 741-745. | 2.5 | 38 |
| 172 | European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). European Neuropsychopharmacology, 2019, 29, 1301-1311. | 0.3 | 38 |
| 173 | Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case–control study. Psychological Medicine, 2021, 51, 1329-1337. | 2.7 | 38 |
| 174 | Novel genes and sex differences in COVID-19 severity. Human Molecular Genetics, 2022, 31, 3789-3806. | 1.4 | 38 |
| 175 | Structural Neuroimaging in Adolescents With a First Psychotic Episode. Journal of the American Academy of Child and Adolescent Psychiatry, 2005, 44, 1151-1157. | 0.3 | 37 |
| 176 | Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 26-31. | 2.5 | 37 |
| 177 | Increased Risk of Diabetes Mellitus Among Persons With Psychotic Symptoms. Journal of Clinical Psychiatry, 2011, 72, 1592-1599. | 1.1 | 37 |
| 178 | Reduced Gyrification Is Related to Reduced Interhemispheric Connectivity in Autism Spectrum Disorders. Journal of the American Academy of Child and Adolescent Psychiatry, 2015, 54, 668-676. | 0.3 | 37 |
| 179 | Predictors of schizophrenia spectrum disorders in early-onset first episodes of psychosis: a support vector machine model. European Child and Adolescent Psychiatry, 2015, 24, 427-440. | 2.8 | 37 |
| 180 | Cuando la asistencia no sigue a la evidencia: el caso de la falta de programas de intervención temprana en psicosis en España. Revista De PsiquiatrÃa Y Salud Mental, 2017, 10, 78-86. | 1.0 | 37 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Cognitive Functioning in Children and Adolescents in Their First Episode of Psychosis. Journal of Nervous and Mental Disease, 2010, 198, 159-162. | 0.5 | 36 |
| 182 | Neuropsychological correlates of P50 sensory gating in patients with schizophrenia. Schizophrenia Research, 2013, 143, 102-106. | 1.1 | 36 |
| 183 | Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case–control sample from Spain. Schizophrenia Research, 2014, 159, 107-113. | 1.1 | 36 |
| 184 | Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. Schizophrenia Bulletin, 2015, 41, 584-596. | 2.3 | 36 |
| 185 | Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. Epidemiology and Psychiatric Sciences, 2020, 29, e182. | 1.8 | 36 |
| 186 | Pharmacological and dietary-supplement treatments for autism spectrum disorder: a systematic review and network meta-analysis. Molecular Autism, 2022, 13, 10. | 2.6 | 36 |
| 187 | The effect of quetiapine on aggression and hostility in patients with schizophrenia. Human Psychopharmacology, 2005, 20, 237-241. | 0.7 | 35 |
| 188 | Differential role of serotonergic polymorphisms in alcohol and heroin dependence. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 695-700. | 2.5 | 35 |
| 189 | Una década del proyecto de primeros episodios psicóticos (PEPs): avanzando hacia una psiquiatrÃa de precisión. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 135-140. | 1.0 | 35 |
| 190 | Fluoxetine as an Adjunct to Conventional Antipsychotic Treatment of Schizophrenia Patients with Residual Symptoms. Journal of Nervous and Mental Disease, 2000, 188, 50-53. | 0.5 | 35 |
| 191 | Relationship of Awareness of Dyskinesia in Schizophrenia to Insight Into Mental Illness. American Journal of Psychiatry, 1999, 156, 1097-1099. | 4.0 | 35 |
| 192 | Intervention for Adolescents With Early-Onset Psychosis and Their Families: A Randomized Controlled Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 688-696. | 0.3 | 34 |
| 193 | Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. Psychological Medicine, 2021, 51, 623-633. | 2.7 | 34 |
| 194 | Managing acute exacerbations of schizophrenia: focus on quetiapine. Current Medical Research and Opinion, 2004, 20, 619-626. | 0.9 | 33 |
| 195 | P50 gating in deficit and nondeficit schizophrenia. Schizophrenia Research, 2010, 119, 183-190. | 1.1 | 33 |
| 196 | Psychopathology, coronary heart disease and metabolic syndrome in schizophrenia spectrum patients with deficit versus non-deficit schizophrenia: Findings from the CLAMORS study. European Neuropsychopharmacology, 2011, 21, 867-875. | 0.3 | 33 |
| 197 | Premorbid impairments in early-onset psychosis: Differences between patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2013, 146, 103-110. | 1.1 | 33 |
| 198 | Antipsychotic Use in Children and Adolescents. Journal of Clinical Psychopharmacology, 2014, 34, 613-619. | 0.7 | 33 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. Schizophrenia Research, 2014, 158, 126-133. | 1.1 | 33 |
| 200 | Variance of IQ is partially dependent on deletion type among 1,427 22q11.2 deletion syndrome subjects. American Journal of Medical Genetics, Part A, 2018, 176, 2172-2181. | 0.7 | 33 |
| 201 | Sensory-to-Cognitive Systems Integration Is Associated With Clinical Severity in Autism Spectrum Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 422-433. | 0.3 | 33 |
| 202 | The impact on functioning of second-generation antipsychotic medication side effects for patients with schizophrenia: a worldwide, cross-sectional, web-based survey. Annals of General Psychiatry, 2020, 19, 42. | 1.2 | 33 |
| 203 | Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). Journal of Affective Disorders, 2022, 299, 367-376. | 2.0 | 33 |
| 204 | Influence of resting energy expenditure on weight gain in adolescents taking second-generation antipsychotics. Clinical Nutrition, 2011, 30, 616-623. | 2.3 | 32 |
| 205 | Placebo effect in child and adolescent psychiatric trials. European Neuropsychopharmacology, 2012, 22, 787-799. | 0.3 | 32 |
| 206 | Pimavanserin for negative symptoms of schizophrenia: results from the ADVANCE phase 2 randomised, placebo-controlled trial in North America and Europe. Lancet Psychiatry, the, 2022, 9, 46-58. | 3.7 | 32 |
| 207 | Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2013, 150, 421-426. | 1.1 | 31 |
| 208 | Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. Psychological Medicine, 2020, 50, 2702-2710. | 2.7 | 31 |
| 209 | Neurological soft signs in adolescents with first episode psychosis. European Psychiatry, 2006, 21, 283-287. | 0.1 | 30 |
| 210 | Neurological soft signs in adolescents with first episode psychosis: Two-year followup. Psychiatry Research, 2008, 161, 344-348. | 1.7 | 30 |
| 211 | Specialty Care Programme for Autism Spectrum Disorders in an Urban Population: A Case-Management Model for Health Care Delivery in an asd Population. European Psychiatry, 2013, 28, 102-109. | 0.1 | 30 |
| 212 | Polypharmacy with antidepressants in children and adolescents. International Journal of Neuropsychopharmacology, 2014, 17, 1063-1082. | 1.0 | 30 |
| 213 | Transcriptomic metaanalyses of autistic brains reveals shared gene expression and biological pathway abnormalities with cancer. Molecular Autism, 2019, 10, 17. | 2.6 | 30 |
| 214 | Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. European Neuropsychopharmacology, 2020, 34, 76-86. | 0.3 | 30 |
| 215 | Mental health services during the first wave of the COVID-19 pandemic in Europe: Results from the EPA Ambassadors Survey and implications for clinical practice. European Psychiatry, 2021, 64, e41. | 0.1 | 30 |
| 216 | Effects of copy number variations on brain structure and risk for psychiatric illness: Largeâ€scale studies from the <scp>ENIGMA</scp> working groups on <scp>CNVs</scp> . Human Brain Mapping, 2022, 43, 300-328. | 1.9 | 30 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 217 | Drug development for Autism Spectrum Disorder (ASD): Progress, challenges, and future directions. European Neuropsychopharmacology, 2021, 48, 3-31. | 0.3 | 30 |
| 218 | Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. Psychiatric Genetics, 2008, 18, 213-218. | 0.6 | 29 |
| 219 | Insular pathology in young people with high-functioning autism and first-episode psychosis. Psychological Medicine, 2017, 47, 2472-2482. | 2.7 | 29 |
| 220 | A white paper on a neurodevelopmental framework for drug discovery in autism and other neurodevelopmental disorders. European Neuropsychopharmacology, 2021, 48, 49-88. | 0.3 | 29 |
| 221 | Global population attributable fraction of potentially modifiable risk factors for mental disorders: a meta-umbrella systematic review. Molecular Psychiatry, 2022, 27, 3510-3519. | 4.1 | 29 |
| 222 | Multicenter Study of Brain Volume Abnormalities in Children and Adolescent-Onset Psychosis. Schizophrenia Bulletin, 2011, 37, 1270-1280. | 2.3 | 28 |
| 223 | Neurological Adverse Effects of Antipsychotics in Children and Adolescents. Journal of Clinical Psychopharmacology, 2015, 35, 686-693. | 0.7 | 28 |
| 224 | Remission from antipsychotic treatment in first episode psychosis related to longitudinal changes in brain glutamate. NPJ Schizophrenia, 2019, 5, 12. | 2.0 | 28 |
| 225 | Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene–environment interaction. The EUGEI study. Psychological Medicine, 2020, 50, 1884-1897. | 2.7 | 28 |
| 226 | Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. Schizophrenia Research, 2021, 227, 10-17. | 1.1 | 28 |
| 227 | Universal and Selective Interventions to Prevent Poor Mental Health Outcomes in Young People: Systematic Review and Meta-analysis. Harvard Review of Psychiatry, 2021, 29, 196-215. | 0.9 | 28 |
| 228 | Findings of proton magnetic resonance spectometry in the dorsolateral prefrontal cortex in adolescents with first episodes of psychosis. Psychiatry Research - Neuroimaging, 2007, 156, 33-42. | 0.9 | 27 |
| 229 | Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. Psychological Medicine, 2018, 48, 1592-1607. | 2.7 | 27 |
| 230 | Risperidone administered during adolescence induced metabolic, anatomical and inflammatory/oxidative changes in adult brain: A PET and MRI study in the maternal immune stimulation animal model. European Neuropsychopharmacology, 2019, 29, 880-896. | 0.3 | 27 |
| 231 | Intracranial and subcortical volumes in adolescents with <scp>earlyâ€onset</scp> psychosis: A multisite <scp>megaâ€analysis</scp> from the <scp>ENIGMA</scp> consortium. Human Brain Mapping, 2022, 43, 373-384. | 1.9 | 27 |
| 232 | A framework for assessing neuropsychiatric phenotypes by using smartphone-based location data. Translational Psychiatry, 2020, 10, 211. | 2.4 | 27 |
| 233 | Improving quality at the hospital psychiatric ward level through the use of the EFQM model. International Journal for Quality in Health Care, 2007, 19, 74-79. | 0.9 | 26 |
| 234 | The affective dimension of earlyâ€onset psychosis and its relationship with suicide. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 747-755. | 3.1 | 26 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. European Neuropsychopharmacology, 2017, 27, 350-359. | 0.3 | 26 |
| 236 | Predominance of Symptoms Over Time in Early-Onset Psychosis. Journal of Clinical Psychiatry, 2010, 71, 327-337. | 1.1 | 26 |
| 237 | Clinical effectiveness of new generation antipsychotics in adolescent patients. European Neuropsychopharmacology, 2004, 14, S471-S479. | 0.3 | 25 |
| 238 | Attenuated psychotic symptoms syndrome: how it may affect child and adolescent psychiatry. European Child and Adolescent Psychiatry, 2011, 20, 67-70. | 2.8 | 25 |
| 239 | Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. EClinicalMedicine, 2021, 36, 100909. | 3.2 | 25 |
| 240 | Subtly altered topological asymmetry of brain structural covariance networks in autism spectrum disorder across 43 datasets from the ENIGMA consortium. Molecular Psychiatry, 2022, 27, 2114-2125. | 4.1 | 25 |
| 241 | Patterns of cranial, brain and sulcal CSF volumes in male and female deficit and nondeficit patients with schizophrenia. Psychiatry Research - Neuroimaging, 2008, 162, 91-100. | 0.9 | 24 |
| 242 | Assessing clinical and functional outcomes in a gene–environment interaction study in first episode of psychosis (PEPs). Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2013, 6, 4-16. | 0.2 | 24 |
| 243 | Oxidative/Nitrosative Stress in Psychiatric Disorders: Are We There Yet?. Schizophrenia Bulletin, 2014, 40, 960-962. | 2.3 | 24 |
| 244 | La función ejecutiva estÃ; alterada en los trastornos del espectro autista, pero esta no correlaciona con la inteligencia. Revista De PsiquiatrÃa Y Salud Mental, 2016, 9, 39-50. | 1.0 | 24 |
| 245 | Regional specificity of thalamic volume deficits in male adolescents with early-onset psychosis. British Journal of Psychiatry, 2012, 200, 30-36. | 1.7 | 23 |
| 246 | Twenty-Four Months of Antipsychotic Treatment in Children and Adolescents With First Psychotic Episode. Journal of Clinical Psychopharmacology, 2013, 33, 463-471. | 0.7 | 23 |
| 247 | Paediatric European Risperidone Studies (PERS): context, rationale, objectives, strategy, and challenges. European Child and Adolescent Psychiatry, 2014, 23, 1149-1160. | 2.8 | 23 |
| 248 | Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2016, 9, 158-173. | 0.2 | 23 |
| 249 | Antipsicóticos inyectables de liberación prolongada para el tratamiento de la esquizofrenia en España. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 92-105. | 1.0 | 23 |
| 250 | Primary prevention of depression: An umbrella review of controlled interventions. Journal of Affective Disorders, 2021, 294, 957-970. | 2.0 | 23 |
| 251 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. Molecular Psychiatry, 2021, 26, 4529-4543. | 4.1 | 23 |
| 252 | Neurological soft signs in juvenile patients with Asperger syndrome, earlyâ€onset psychosis, and healthy controls. Microbial Biotechnology, 2010, 4, 283-290. | 0.9 | 22 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 253 | Dysbindinâ€1 gene contributes differentially to early―and adultâ€onset forms of functional psychosis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 322-333. | 1.1 | 22 |
| 254 | Psychoeducational Group Intervention for Adolescents With Psychosis and Their Families: A Two-Year Follow-Up. Journal of the American Academy of Child and Adolescent Psychiatry, 2015, 54, 984-990. | 0.3 | 22 |
| 255 | Psychotic-like experiences, polygenic risk scores for schizophrenia, and structural properties of the salience, default mode, and central-executive networks in healthy participants from UK Biobank. Translational Psychiatry, 2020, 10, 122. | 2.4 | 22 |
| 256 | Migration history and risk of psychosis: results from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 2972-2984. | 2.7 | 22 |
| 257 | The collaborative outcomes study on health and functioning during infection times in adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic. Journal of Affective Disorders, 2022, 299, 393-407. | 2.0 | 22 |
| 258 | Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. PLoS ONE, 2016, 11, e0160949. | 1.1 | 22 |
| 259 | Systematic Review and Meta-analysis: Efficacy of Pharmacological Interventions for Irritability and Emotional Dysregulation in Autism Spectrum Disorder and Predictors of Response. Journal of the American Academy of Child and Adolescent Psychiatry, 2023, 62, 151-168. | 0.3 | 22 |
| 260 | Association between relative temporal and prefrontal sulcal cerebrospinal fluid and illness duration in schizophrenia. Schizophrenia Research, 2002, 58, 305-312. | 1.1 | 21 |
| 261 | Concordance of standard and modified NCEP ATP III criteria for identification of metabolic syndrome in outpatients with schizophrenia treated with antipsychotics: A corollary from the CLAMORS study. Schizophrenia Research, 2008, 99, 23-28. | 1.1 | 21 |
| 262 | Role of serotonergic-related systems in suicidal behavior: Data from a case–control association study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1518-1524. | 2.5 | 21 |
| 263 | Cardiovascular and metabolic risk in outpatients with schizoaffective disorder treated with antipsychotics: Results from the CLAMORS study. European Psychiatry, 2012, 27, 267-274. | 0.1 | 21 |
| 264 | Assessment Tools for Soft Signs. Psychiatric Annals, 2003, 33, 170-176. | 0.1 | 21 |
| 265 | Effects of MDMA on blood glucose levels and brain glucose metabolism. European Journal of Nuclear Medicine and Molecular Imaging, 2007, 34, 916-925. | 3.3 | 20 |
| 266 | Association between Heroin Dependence and 5-HT _{2A} Receptor Gene Polymorphisms. European Addiction Research, 2008, 14, 47-52. | 1.3 | 20 |
| 267 | Twelve-month follow-up of family communication and psychopathology in children and adolescents with a first psychotic episode (CAFEPS study). Psychiatry Research, 2011, 185, 72-77. | 1.7 | 20 |
| 268 | Practitioner Review: Longâ€term pharmacological treatment of pediatric bipolar disorder. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 959-980. | 3.1 | 20 |
| 269 | Overview of the clinical implementation of a study exploring social withdrawal in patients with schizophrenia and Alzheimer's disease. Neuroscience and Biobehavioral Reviews, 2019, 97, 87-93. | 2.9 | 20 |
| 270 | Polymorphisms of the ILâ€1 Gene Complex Are Associated With Alcohol Dependence in Spanish Caucasians: Data From an Association Study. Alcoholism: Clinical and Experimental Research, 2009, 33, 2147-2153. | 1.4 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. Psychiatric Genetics, 2010, 20, 171-178. | 0.6 | 19 |
| 272 | Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. European Child and Adolescent Psychiatry, 2015, 24, 1447-1459. | 2.8 | 19 |
| 273 | Mental disorders of known aetiology and precision medicine in psychiatry: a promising but neglected alliance. Psychological Medicine, 2017, 47, 193-197. | 2.7 | 19 |
| 274 | Working definitions, subjective and objective assessments and experimental paradigms in a study exploring social withdrawal in schizophrenia and Alzheimer's disease. Neuroscience and Biobehavioral Reviews, 2019, 97, 38-46. | 2.9 | 19 |
| 275 | Reconceptualising treatment-resistant depression as difficult-to-treat depression. Lancet Psychiatry,the, 2021, 8, 14-15. | 3.7 | 19 |
| 276 | Predictors of Functional and Clinical Outcome in Early-Onset First-Episode Psychosis. Journal of Clinical Psychiatry, 2015, 76, e1441-e1448. | 1.1 | 19 |
| 277 | CYSTICERCOSIS IN CHRONIC PSYCHIATRIC INPATIENTS FROM A VENEZUELAN COMMUNITY. American Journal of Tropical Medicine and Hygiene, 2005, 73, 504-509. | 0.6 | 19 |
| 278 | Cognitive Efficacy of Quetiapine and Olanzapine in Early-Onset First-Episode Psychosis. Schizophrenia Bulletin, 2011, 37, 405-415. | 2.3 | 18 |
| 279 | Estimation of the Intelligence Quotient Using Wechsler Intelligence Scales in Children and Adolescents with Asperger Syndrome. Journal of Autism and Developmental Disorders, 2012, 42, 116-122. | 1.7 | 18 |
| 280 | Eficacia, eficiencia y efectividad en el tratamiento multidimensional de la esquizofrenia: proyecto Rethinking. Revista De PsiquiatrÃa Y Salud Mental, 2017, 10, 4-20. | 1.0 | 18 |
| 281 | Predictors of Placebo Response in Pharmacological Clinical Trials of Negative Symptoms in Schizophrenia: A Meta-regression Analysis. Schizophrenia Bulletin, 2019, 45, 57-68. | 2.3 | 18 |
| 282 | Aggression subtypes relate to distinct resting state functional connectivity in children and adolescents with disruptive behavior. European Child and Adolescent Psychiatry, 2021, 30, 1237-1249. | 2.8 | 18 |
| 283 | The effects of callous-unemotional traits and aggression subtypes on amygdala activity in response to negative faces. Psychological Medicine, 2022, 52, 476-484. | 2.7 | 18 |
| 284 | Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. European Psychiatry, 2021, 64, e25. | 0.1 | 18 |
| 285 | Genetic underpinnings of sociability in the general population. Neuropsychopharmacology, 2021, 46, 1627-1634. | 2.8 | 18 |
| 286 | Graph Convolutional Networks Reveal Network-Level Functional Dysconnectivity in Schizophrenia. Schizophrenia Bulletin, 2022, 48, 881-892. | 2.3 | 18 |
| 287 | Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. European Child and Adolescent Psychiatry, 2018, 27, 113-126. | 2.8 | 17 |
| 288 | Mobile App–Based Intervention for Adolescents With First-Episode Psychosis: Study Protocol for a Pilot Randomized Controlled Trial. Frontiers in Psychiatry, 2019, 10, 27. | 1.3 | 17 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 289 | The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1674-1684. | 2.3 | 17 |
| 290 | Antipsychotic effects on auditory sensory gating in schizophrenia patients. European Neuropsychopharmacology, 2009, 19, 905-909. | 0.3 | 16 |
| 291 | Present and future of developmental neuropsychopharmacology. European Neuropsychopharmacology, 2015, 25, 703-712. | 0.3 | 16 |
| 292 | Cortical morphometry in frontoparietal and default mode networks in mathâ€gifted adolescents. Human Brain Mapping, 2016, 37, 1893-1902. | 1.9 | 16 |
| 293 | Personality organization and its association with clinical and functional features in borderline personality disorder. Psychiatry Research, 2018, 262, 393-399. | 1.7 | 16 |
| 294 | Digital health technologies in clinical trials for central nervous system drugs: an EU regulatory perspective. Nature Reviews Drug Discovery, 2021, 20, 83-84. | 21.5 | 16 |
| 295 | Polygenic contribution to the relationship of loneliness and social isolation with schizophrenia. Nature Communications, 2022, 13, 51. | 5.8 | 16 |
| 296 | Efectos secundarios del tratamiento antipsicótico en niños y adolescentes naìve o quasi-naìve: diseño de un protocolo de seguimiento y resultados basales. Revista De PsiquiatrÃa Y Salud Mental, 2012, 5, 217-228. | 1.0 | 15 |
| 297 | 10Kin1day: A Bottom-Up Neuroimaging Initiative. Frontiers in Neurology, 2019, 10, 425. | 1.1 | 15 |
| 298 | Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. European Psychiatry, 2021, 64, e7. | 0.1 | 15 |
| 299 | Progressive Brain Changes in Schizophrenia. Schizophrenia Bulletin, 2007, 34, 310-311. | 2.3 | 14 |
| 300 | Cognition and functionality in delusional disorder. European Psychiatry, 2019, 55, 52-60. | 0.1 | 14 |
| 301 | Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529. | 2.3 | 14 |
| 302 | Mental health care and COVID-19. Lancet Psychiatry, the, 2020, 7, 1013. | 3.7 | 14 |
| 303 | Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. Psychological Medicine, 2022, 52, 1910-1922. | 2.7 | 14 |
| 304 | Executive functioning and emotion recognition in youth with oppositional defiant disorder and/or conduct disorder. World Journal of Biological Psychiatry, 2020, 21, 539-551. | 1.3 | 14 |
| 305 | Risk and protective factors for mental disorders with onset in childhood/adolescence: An umbrella review of published meta-analyses of observational longitudinal studies. Neuroscience and Biobehavioral Reviews, 2021, 120, 565-573. | 2.9 | 14 |
| 306 | Safety and efficacy of agomelatine in children and adolescents with major depressive disorder receiving psychosocial counselling: a double-blind, randomised, controlled, phase 3 trial in nine countries. Lancet Psychiatry,the, 2022, 9, 113-124. | 3.7 | 14 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Posttraumatic stress disorder in victims of the March 11 attacks in Madrid admitted to a hospital emergency room: 6-month follow-up. European Psychiatry, 2006, 21, 143-151. | 0.1 | 13 |
| 308 | QTc Changes after 6 Months of Second-Generation Antipsychotic Treatment in Children and Adolescents. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 381-383. | 0.7 | 13 |
| 309 | Development and psychometric properties of the Suicidality: Treatment Occurring in Paediatrics (STOP) Suicidality Assessment Scale (STOP-SAS) in children and adolescents. BMC Pediatrics, 2016, 16, 213. | 0.7 | 13 |
| 310 | Gene-environment interaction as a predictor of early adjustment in first episode psychosis. Schizophrenia Research, 2017, 189, 196-203. | 1.1 | 13 |
| 311 | Candidate gene associations studies in psychiatry: time to move forward. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 1-2. | 1.8 | 13 |
| 312 | Specific cortical and subcortical alterations for reactive and proactive aggression in children and adolescents with disruptive behavior. NeuroImage: Clinical, 2020, 27, 102344. | 1.4 | 13 |
| 313 | Dissimilarity in Sulcal Width Patterns in the Cortex can be Used to Identify Patients With Schizophrenia With Extreme Deficits in Cognitive Performance. Schizophrenia Bulletin, 2021, 47, 552-561. | 2.3 | 13 |
| 314 | Omega-3 fatty acids during adolescence prevent schizophrenia-related behavioural deficits: Neurophysiological evidences from the prenatal viral infection with Polyl:C. European Neuropsychopharmacology, 2021, 46, 14-27. | 0.3 | 13 |
| 315 | Interleukin-1 Gene Complex in Schizophrenia: An Association Study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 678-680. | 1.1 | 12 |
| 316 | A 6-month prospective, observational, naturalistic, uncontrolled study to evaluate the effectiveness and tolerability of oral ziprasidone in patients with schizophrenia. European Neuropsychopharmacology, 2007, 17, 456-463. | 0.3 | 12 |
| 317 | Psychiatric comorbidities in Asperger syndrome are related with polygenic overlap and differ from other Autism subtypes. Translational Psychiatry, 2020, 10, 258. | 2.4 | 12 |
| 318 | A normative chart for cognitive development in a genetically selected population. Neuropsychopharmacology, 2022, 47, 1379-1386. | 2.8 | 12 |
| 319 | The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. Translational Psychiatry, 2021, 11, 423. | 2.4 | 12 |
| 320 | The enduring gap in educational attainment in schizophrenia according to the past 50 years of published research: a systematic review and meta-analysis. Lancet Psychiatry, the, 2022, 9, 565-573. | 3.7 | 12 |
| 321 | Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. Psychiatric Genetics, 2008, 18, 147-150. | 0.6 | 11 |
| 322 | Neuroanatomical deficits shared by youth with autism spectrum disorders and psychotic disorders. Human Brain Mapping, 2019, 40, 1643-1653. | 1.9 | 11 |
| 323 | Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia – data from the OPTiMiSE trial. Psychiatry Research, 2020, 289, 112970. | 1.7 | 11 |
| 324 | The interplay between functioning problems and symptoms in first episode of psychosis: An approach from network analysis. Journal of Psychiatric Research, 2021, 136, 265-273. | 1.5 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | High Degree of Tolerability for Monotherapy With High Doses of Quetiapine. Journal of Clinical Psychiatry, 2002, 63, 1048-1049. | 1.1 | 11 |
| 326 | Virtual Ontogeny of Cortical Growth Preceding Mental Illness. Biological Psychiatry, 2022, 92, 299-313. | 0.7 | 11 |
| 327 | Nonverbal Delayed Recognition in the Relatives of Schizophrenia Patients With or Without Schizophrenia Spectrum. Biological Psychiatry, 2008, 63, 498-504. | 0.7 | 10 |
| 328 | Obstetric complications as a risk factor for first psychotic episodes in childhood and adolescence. European Child and Adolescent Psychiatry, 2009, 18, 180-184. | 2.8 | 10 |
| 329 | Self-Perceived Needs Are Related to Violent Behavior Among Schizophrenia Outpatients. Journal of Nervous and Mental Disease, 2011, 199, 666-671. | 0.5 | 10 |
| 330 | The Madrid Declaration: why we need a coordinated Europe-wide effort in mental health research. British Journal of Psychiatry, 2011, 198, 253-255. | 1.7 | 10 |
| 331 | Executive function is affected in autism spectrum disorder, but does not correlate with intelligence. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2016, 9, 39-50. | 0.2 | 10 |
| 332 | A developmental approach to dimensional expression of psychopathology in child and adolescent offspring of parents with bipolar disorder. European Child and Adolescent Psychiatry, 2017, 26, 1165-1175. | 2.8 | 10 |
| 333 | Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. Journal of Clinical Medicine, 2019, 8, 1081. | 1.0 | 10 |
| 334 | Distinct associations between fronto-striatal glutamate concentrations and callous-unemotional traits and proactive aggression in disruptive behavior. Cortex, 2019, 121, 135-146. | 1,1 | 10 |
| 335 | Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. Schizophrenia Bulletin, 2020, 46, 846-856. | 2.3 | 10 |
| 336 | A replication study of JTC bias, genetic liability for psychosis and delusional ideation. Psychological Medicine, 2022, 52, 1777-1783. | 2.7 | 10 |
| 337 | Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 1125-1134. | 1.1 | 10 |
| 338 | The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. Journal of Clinical Medicine, 2021, 10, 2474. | 1.0 | 10 |
| 339 | Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. Psychological Medicine, 0, , 1-9. | 2.7 | 10 |
| 340 | Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 113, 110440. | 2.5 | 10 |
| 341 | Relationships between social withdrawal and facial emotion recognition in neuropsychiatric disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 113, 110463. | 2.5 | 10 |
| 342 | Age-related brain deviations and aggression. Psychological Medicine, 2023, 53, 4012-4021. | 2.7 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Estudio farmacogenético del tratamiento a largo plazo con antipsicóticos de segunda generación y sus efectos adversos metabólicos (Estudio SLiM): justificación, objetivos, diseño y descripción de la muestra. Revista De PsiquiatrÃa Y Salud Mental, 2014, 7, 166-178. | 1.0 | 9 |
| 344 | Alpha7 acetylcholine receptor autoantibodies are rare in sera of patients diagnosed with schizophrenia or bipolar disorder. PLoS ONE, 2018, 13, e0208412. | 1.1 | 9 |
| 345 | Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. Schizophrenia Research, 2020, 223, 271-278. | 1.1 | 9 |
| 346 | Psychiatry in the aftermath of COVID-19. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2020, 13, 105-110. | 0.2 | 9 |
| 347 | Effect of disease related biases on the subjective assessment of social functioning in Alzheimer's disease and schizophrenia patients. Journal of Psychiatric Research, 2022, 145, 302-308. | 1.5 | 9 |
| 348 | The effects of callous-unemotional traits and aggression subtypes on amygdala activity in response to negative faces $\hat{a} \in \text{ERRATUM}$. Psychological Medicine, 2020, , 1-1. | 2.7 | 9 |
| 349 | Subgrouping children and adolescents with disruptive behaviors: symptom profiles and the role of callous–unemotional traits. European Child and Adolescent Psychiatry, 2022, 31, 51-66. | 2.8 | 9 |
| 350 | Authors' reply to â€~on the existence of a linguistic distance in schizophrenia'. Psychological Medicine, 2022, 52, 798-799. | 2.7 | 9 |
| 351 | Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMiSE Study. Schizophrenia Bulletin, 2021, 47, 444-455. | 2.3 | 9 |
| 352 | Sex Differences in Lifespan Trajectories and Variability of Human Sulcal and Gyral Morphology. Cerebral Cortex, 2021, 31, 5107-5120. | 1.6 | 9 |
| 353 | Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). Schizophrenia Bulletin, 2022, 48, 575-589. | 2.3 | 9 |
| 354 | Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. Psychological Medicine, 2023, 53, 3396-3405. | 2.7 | 9 |
| 355 | Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case–Control Study. Schizophrenia Bulletin, 2022, 48, 1104-1114. | 2.3 | 9 |
| 356 | Leukocyte telomere length in patients with schizophrenia and related disorders: a meta-analysis of case-control studies. Molecular Psychiatry, 2022, 27, 2968-2975. | 4.1 | 9 |
| 357 | Pharmacological Treatment of Early-Onset Schizophrenia: A Critical Review, Evidence-Based Clinical Guidance and Unmet Needs. Pharmacopsychiatry, 2022, 55, 233-245. | 1.7 | 9 |
| 358 | Actitud respecto a la medicaci \tilde{A}^3 n antipsic \tilde{A}^3 tica como factor predictivo de la suspensi \tilde{A}^3 n del tratamiento antipsic \tilde{A}^3 tico en el per \tilde{A} odo inicial de la psicosis de inicio temprano. Revista De Psiquiatr \tilde{A} a Y Salud Mental, 2008, 1, 10-17. | 1.0 | 8 |
| 359 | Investigación en salud mental en España: algo más que brotes verdes. Revista De PsiquiatrÃa Y Salud Mental, 2012, 5, 211-213. | 1.0 | 8 |
| 360 | Secondary effects of antipsychotic treatment in naÃ-ve or quasi-naÃ-ve children and adolescents: Design of a follow-up protocol and baseline results. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2012, 5, 217-228. | 0.2 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | First-Episode Psychosis Research: Time to Move Forward (by Looking Backwards). Schizophrenia Bulletin, 2015, 41, 1205-1206. | 2.3 | 8 |
| 362 | Atypical age-dependency of executive function and white matter microstructure in children and adolescents with autism spectrum disorders. European Child and Adolescent Psychiatry, 2017, 26, 1361-1376. | 2.8 | 8 |
| 363 | The complex association between the antioxidant defense system and clinical status in early psychosis. PLoS ONE, 2018, 13, e0194685. | 1.1 | 8 |
| 364 | Gambling Dual Disorder: A Dual Disorder and Clinical Neuroscience Perspective. Frontiers in Psychiatry, 2020, 11, 589155. | 1.3 | 8 |
| 365 | Demographic and Clinical Characteristics, Including Subsyndromal Symptoms Across Bipolar-Spectrum Disorders in Adolescents. Journal of Child and Adolescent Psychopharmacology, 2020, 30, 222-234. | 0.7 | 8 |
| 366 | Calling for the integration of children's mental health and protection into COVID-19 responses. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 113-116. | 1.0 | 8 |
| 367 | SIBUTRAMINE FOR COMPULSIVE EATING IN HYPOTHALAMIC DEFICIENCY. Journal of the American Academy of Child and Adolescent Psychiatry, 2002, 41, 1147-1148. | 0.3 | 7 |
| 368 | Child and adolescent neuropsychopharmacology: Now or never. European Neuropsychopharmacology, 2011, 21, 563-564. | 0.3 | 7 |
| 369 | Physical comorbidity in mental illness in paediatric population: need for an integrated health care approach to paediatrics and child psychiatry. European Child and Adolescent Psychiatry, 2011, 20, 379-380. | 2.8 | 7 |
| 370 | Gender effects on brain changes in early-onset psychosis. European Child and Adolescent Psychiatry, 2015, 24, 1193-1205. | 2.8 | 7 |
| 371 | Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2017, 10, 4-20. | 0.2 | 7 |
| 372 | The association between gene variants and longitudinal structural brain changes in psychosis: a systematic review of longitudinal neuroimaging genetics studies. NPJ Schizophrenia, 2017, 3, 40. | 2.0 | 7 |
| 373 | DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. Frontiers in Psychiatry, 2020, 11, 568982. | 1.3 | 7 |
| 374 | Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. Psychological Medicine, 2021, 51, 2074-2082. | 2.7 | 7 |
| 375 | Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country caseâ^'control study. Psychological Medicine, 2022, 52, 3668-3676. | 2.7 | 7 |
| 376 | A Phase II Randomized, Double-Blind, Placebo-Controlled Study of the Efficacy, Safety, and Tolerability of Arbaclofen Administered for the Treatment of Social Function in Children and Adolescents With Autism Spectrum Disorders: Study Protocol for AIMS-2-TRIALS-CT1. Frontiers in Psychiatry, 2021, 12, 701729. | 1.3 | 7 |
| 377 | The transition from adolescence to adulthood in patients with schizophrenia: Challenges, opportunities and recommendations. European Neuropsychopharmacology, 2022, 59, 45-55. | 0.3 | 7 |
| 378 | Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. Behavioral and Brain Functions, 2007, 3, 32. | 1.4 | 6 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 379 | Structural magnetic resonance imaging data do not help support DSM-5 autism spectrum disorder category. Research in Autism Spectrum Disorders, 2013, 7, 333-343. | 0.8 | 6 |
| 380 | Desarrollo profesional en investigación traslacional en neurociencias y salud mental: educación y formación dentro del Centro de Investigación Biomédica en Red en Salud Mental. Revista De PsiquiatrÃa Y Salud Mental, 2015, 8, 65-74. | 1.0 | 6 |
| 381 | Going Beyond "trial-and-error" in Psychiatric Treatments: OPTiMiSE-ing the Treatment of First Episode of Schizophrenia. Schizophrenia Bulletin, 2015, 41, 546-548. | 2.3 | 6 |
| 382 | Absence of Change in Corrected QT Interval in Children and Adolescents Receiving Antipsychotic Treatment: A 12 Month Study. Journal of Child and Adolescent Psychopharmacology, 2016, 26, 449-457. | 0.7 | 6 |
| 383 | One-Year Prospective Study of Liver Function Tests in Children and Adolescents on Second-Generation Antipsychotics: Is There a Link with Metabolic Syndrome?. Journal of Child and Adolescent Psychopharmacology, 2018, 28, 463-473. | 0.7 | 6 |
| 384 | A longitudinal comparison of two neurocognitive test batteries in patients with schizophrenia and healthy volunteers: Time effects on neuropsychological performance and their relation to functional outcome. Schizophrenia Research, 2020, 216, 347-356. | 1.1 | 6 |
| 385 | Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. Schizophrenia Research, 2020, 230, 104-107. | 1.1 | 6 |
| 386 | The search for an autoimmune origin of psychotic disorders: Prevalence of autoantibodies against hippocampus antigens, glutamic acid decarboxylase and nuclear antigens. Schizophrenia Research, 2021, 228, 462-471. | 1.1 | 6 |
| 387 | Efficacy of a Web-Enabled, School-Based, Preventative Intervention to Reduce Bullying and Improve Mental Health in Children and Adolescents: Study Protocol for a Cluster Randomized Controlled Trial. Frontiers in Pediatrics, 2021, 9, 628984. | 0.9 | 6 |
| 388 | Calling for the integration of children's mental health and protection into COVID-19 responses. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 113-116. | 0.2 | 6 |
| 389 | PIENSA: Development of an Early Intervention Program for Adolescents With Early-Onset Psychosis and Their Families. Adolescent Psychiatry (Hilversum, Netherlands), 2012, 2, 229-236. | 0.1 | 6 |
| 390 | A polygenic approach to the association between smoking and schizophrenia. Addiction Biology, 2022, 27, e13104. | 1.4 | 6 |
| 391 | Negative symptoms in First-Episode Schizophrenia related to morphometric alterations in orbitofrontal and superior temporal cortex: the OPTiMiSE study. Psychological Medicine, 2023, 53, 3471-3479. | 2.7 | 6 |
| 392 | Attitude Toward Antipsychotic Medication as a Predictor of Antipsychotic Treatment Discontinuation in First-Episode Early-Onset Psychosis. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2008, 1, 10-17. | 0.2 | 5 |
| 393 | The state of psychiatry in Spain. International Review of Psychiatry, 2012, 24, 347-355. | 1.4 | 5 |
| 394 | Antioxidant defense system and family environment in adolescents with family history of psychosis. BMC Psychiatry, 2012, 12, 200. | 1.1 | 5 |
| 395 | Prevalence of premorbid personality disorder and its clinical correlates in patients with delusional disorder. Psychiatry Research, 2013, 210, 986-993. | 1.7 | 5 |
| 396 | Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): Rationale, objectives, design and sample description. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2014, 7, 166-178. | 0.2 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | Un tratamiento integral para el trastorno por déficit de atención e hiperactividad en toda Europa. Revista De PsiquiatrÃa Y Salud Mental, 2015, 8, 197-198. | 1.0 | 5 |
| 398 | Moving interventions from after to before diagnosis. World Psychiatry, 2017, 16, 275-276. | 4.8 | 5 |
| 399 | One decade of the first episodes project (PEPs): Advancing towards a precision psychiatry. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 135-140. | 0.2 | 5 |
| 400 | White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. Frontiers in Psychiatry, 2019, 10, 676. | 1.3 | 5 |
| 401 | CIBERSAM: Ten years of collaborative translational research in mental disorders. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 1-8. | 0.2 | 5 |
| 402 | Development and psychometric properties of the "Suicidality: Treatment Occurring in Paediatrics (STOP) Risk and Resilience Factors Scales―in adolescents. European Child and Adolescent Psychiatry, 2020, 29, 153-165. | 2.8 | 5 |
| 403 | Needs of people with psychosis and their caregivers: "In their own voice― Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2020, 13, 80-89. | 0.2 | 5 |
| 404 | Exploring the biological role of postzygotic and germinal de novo mutations in ASD. Scientific Reports, 2021, 11, 319. | 1.6 | 5 |
| 405 | Necesidades de las personas con psicosis y sus cuidadores: «en voz propia». Revista De PsiquiatrÃa Y Salud Mental, 2020, 13, 80-89. | 1.0 | 5 |
| 406 | Violence in schizophrenia. Dialogues in Clinical Neuroscience, 2000, 2, 392-393. | 1.8 | 5 |
| 407 | P.3.a.025 Open-label randomized trial comparing the efficacy and tolerability of quetiapine and olanzapine in first episode psychosis in adolescents. European Neuropsychopharmacology, 2006, 16, S377-S378. | 0.3 | 4 |
| 408 | Someone is not listening to the facts: there is little psychiatry outside child and adolescent psychiatry. European Child and Adolescent Psychiatry, 2012, 21, 475-476. | 2.8 | 4 |
| 409 | To treat or not to treat? and How to treat? Two questions whose answers are far removed from evidence informed practice in child psychiatry. European Child and Adolescent Psychiatry, 2013, 22, 521-522. | 2.8 | 4 |
| 410 | The need for paediatric registries to assess long-term brain effects of psychotropic medications: The case of bipolar disorder. European Neuropsychopharmacology, 2018, 28, 1181-1184. | 0.3 | 4 |
| 411 | Development of an early intervention programme for adolescents with emotion dysregulation and their families: Actions for the treatment of adolescent personality (ATraPA). Microbial Biotechnology, 2020, 14, 619-624. | 0.9 | 4 |
| 412 | Reward and Punishment Sensitivity are Associated with Cross-disorder Traits. Psychiatry Research, 2021, 298, 113795. | 1.7 | 4 |
| 413 | The role of depression in the prediction of a "late―remission in first-episode psychosis: An analysis of the OPTiMiSE study. Schizophrenia Research, 2021, 231, 100-107. | 1.1 | 4 |
| 414 | Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1653-1662. | 2.3 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Imputing the Number of Responders from the Mean and Standard Deviation of CGI-Improvement in Clinical Trials Investigating Medications for Autism Spectrum Disorder. Brain Sciences, 2021, 11, 908. | 1.1 | 4 |
| 416 | Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. Journal of Clinical Medicine, 2021, 10, 3929. | 1.0 | 4 |
| 417 | The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. Schizophrenia Research, 2021, 236, 69-79. | 1.1 | 4 |
| 418 | Scalability of the Positive and Negative Syndrome Scale in firstâ€episode schizophrenia assessed by Rasch models. Acta Psychiatrica Scandinavica, 2022, 146, 21-35. | 2.2 | 4 |
| 419 | Should psychiatry deal only with mental disorders without an identified medical aetiology?. World Psychiatry, 2016, 15, 22-23. | 4.8 | 3 |
| 420 | When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2017, 10, 78-86. | 0.2 | 3 |
| 421 | Long-acting injectable antipsychotics for the treatment of schizophrenia in Spain. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 92-105. | 0.2 | 3 |
| 422 | Affective symptom dimensions in early-onset psychosis over time: a principal component factor analysis of the Young Mania Rating Scale and the Hamilton Depression Rating Scale. European Child and Adolescent Psychiatry, 2022, 31, 1715-1728. | 2.8 | 3 |
| 423 | How does neighbourhood socio-economic status affect the interrelationships between functioning dimensions in first episode of psychosis? A network analysis approach. Health and Place, 2021, 69, 102555. | 1.5 | 3 |
| 424 | Manifesto for an ECNP Neuromodulation Thematic Working Group (TWG): Non-invasive brain stimulation as a new Super-subspecialty. European Neuropsychopharmacology, 2021, 52, 72-83. | 0.3 | 3 |
| 425 | Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. Revista De PsiquiatrÃa Y Salud Mental, 2021, , . | 1.0 | 3 |
| 426 | Cortical thinning over two years after first-episode psychosis depends on age of onset. NPJ Schizophrenia, 2022, 8, 20. | 2.0 | 3 |
| 427 | Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and alzheimer's disease patients. PLoS ONE, 2022, 17, e0263769. | 1.1 | 3 |
| 428 | P.3.a.032 Cognitive efficacy of quetiapine and olanzapine in early onset first episode psychosis. European Neuropsychopharmacology, 2006, 16, S381-S382. | 0.3 | 2 |
| 429 | Longitudinal course of cognition in schizophrenia. British Journal of Psychiatry, 2009, 195, 84-84. | 1.7 | 2 |
| 430 | Clinical subtyping and early detection: short-term challenges for child and adolescent psychiatry. European Child and Adolescent Psychiatry, 2010, 19, 627-628. | 2.8 | 2 |
| 431 | Ventajas y desventajas del tratamiento de combinación con antipsicóticos. Reunión ECNP Consensus, marzo de 2008, Niza. Psiquiatria Biologica, 2011, 18, 55-67. | 0.0 | 2 |
| 432 | P.7.a.009 Predictors of diagnosis of nonaffective acute remitting psychosis in patients with early-onset first episodes of psychosis. European Neuropsychopharmacology, 2012, 22, S418-S419. | 0.3 | 2 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 433 | Mental Health Research in Spain: A bit more than green shoots. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2012, 5, 211-213. | 0.2 | 2 |
| 434 | Development of the Spanish Brief-version of the University of California Performance Skills Assessment (Sp-UPSA-Brief) in patients with schizophrenia and bipolar disorder. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2014, 7, 113-120. | 0.2 | 2 |
| 435 | More Treatment for Those Most in Need? A Foregone Conclusion?. Schizophrenia Bulletin, 2015, 41, 26-27. | 2.3 | 2 |
| 436 | 31.3 CLINICAL UTILITY OF MRI SCANNING IN FIRST EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S50-S51. | 2.3 | 2 |
| 437 | Psychiatrists are experts when it comes to missing boats. Will prevention be the next one?. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 869-870. | 1.8 | 2 |
| 438 | Role of Executive Function in Response to a Problem Solving Based Psychoeducational Intervention in Adolescents with Psychosis: The PIENSA Trial Revisited. Journal of Clinical Medicine, 2019, 8, 2108. | 1.0 | 2 |
| 439 | Baseline levels of C-reactive protein and proinflammatory cytokines are not associated with early response to amisulpride in patients with First Episode Psychosis: the OPTiMiSE cohort study. Schizophrenia Bulletin Open, 0, , . | 0.9 | 2 |
| 440 | Building up resilience in an uncertain world: mental health challenges in the aftermath of the first modern pandemic. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1001-1003. | 1.8 | 2 |
| 441 | La humanización en los planes de salud mental en España. Revista De PsiquiatrÃa Y Salud Mental, 2021, , . | 1.0 | 2 |
| 442 | Risk factors for respiratory disease in chronic psychiatric in patients. European Journal of Psychiatry, 2007, 21, . | 0.7 | 2 |
| 443 | Oxytocin Exposure in Labor and its Relationship with Cognitive Impairment and the Genetic Architecture of Autism. Journal of Autism and Developmental Disorders, 2023, 53, 66-79. | 1.7 | 2 |
| 444 | Evaluation of the continuation of care between psychiatric hospitalization units and the outpatient clinics in the community. Actas Espanolas De Psiquiatria, 2005, 33, 273-9. | 0.1 | 2 |
| 445 | Subjective response to neuroleptics in schizophrenia. Schizophrenia Research, 1997, 24, 263-264. | 1.1 | 1 |
| 446 | Fluoxetine as an add-on medication to typical antipsychotics in chronic schizophrenia. Schizophrenia Research, 2000, 41, 211. | 1.1 | 1 |
| 447 | Management of acutely ill patients in the hospital setting: focus on quetiapine. International Journal of Psychiatry in Clinical Practice, 2007, 11, 61-72. | 1.2 | 1 |
| 448 | The genetic contribution to first psychotic episodes in children and adolescents of the child and adolescent first-episode psychosis study. Psychiatric Genetics, 2008, 18, 151-152. | 0.6 | 1 |
| 449 | FRONTAL CORTICAL THICKNESS IS ASSOCIATED WITH CLINICAL IMPROVEMENT OF NEGATIVE SYMPTOMS IN MALE ADOLESCENTS WITH EARLY-ONSET FIRST-EPISODE PSYCHOSIS. Schizophrenia Research, 2010, 117, 225-226. | 1.1 | 1 |
| 450 | Differential characteristics of the efficacy and tolerability of second-generation antipsychotics in the treatment of psychotic disorders in children and adolescents. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2010, 3, 152-167. | 0.2 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|---------------|
| 451 | The bipolar – depressive continuum in the National Epidemiologic Survey on Alcohol and Related Conditions. Bipolar Disorders, 2013, 15, 112-113. | 1.1 | 1 |
| 452 | Child neuropsychopharmacology: good news… the glass is half full. World Psychiatry, 2013, 12, 128-129. | 4.8 | 1 |
| 453 | Assessment for subtle neurological signs. , 0, , 333-343. | | 1 |
| 454 | Building up careers in translational neuroscience and mental health research: Education and training in the Centre for Biomedical Research in Mental Health. Revista De PsiquiatrÃa Y Salud Mental (English) Tj ETQq0 |) 0 @ 2gBT | /O¥erlock 10 |
| 455 | The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for Its Methodology and a Review of the Effectiveness of Switching Antipsychotics. Focus (American) Tj ETQq1 1 | 0.084314 | 1 rgBT /Overl |
| 456 | Safety of lurasidone in adolescents with schizophrenia: interim analysis of a 24-month, open-label extension study. European Neuropsychopharmacology, 2017, 27, S1099. | 0.3 | 1 |
| 457 | Effectiveness of lurasidone in adolescents with schizophrenia: interim analysis of a 24-month, open-label extension study. European Neuropsychopharmacology, 2017, 27, S1100-S1101. | 0.3 | 1 |
| 458 | Science and fashion: inflammation and oxidative stress in psychiatry. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 105-106. | 1.8 | 1 |
| 459 | 109 Comparative Efficacy and Tolerability of Lurasidone Versus Other Oral Atypical Antipsychotics for Pediatric Schizophrenia: A Network Meta Analysis. CNS Spectrums, 2018, 23, 70-71. | 0.7 | 1 |
| 460 | Reply to: Another Vision From the Coronavirus Health Crisis in Spain: The Perspective From the Plena inclusión Developmental Disabilities Associative Movement. Biological Psychiatry, 2021, 89, e19-e20. | 0.7 | 1 |
| 461 | Understanding the Influence of Personality Traits on Risk of Suicidal Behaviour in Schizophrenia Spectrum Disorders: A Systematic Review. Journal of Clinical Medicine, 2021, 10, 4604. | 1.0 | 1 |
| 462 | Longitudinal Allometry of Sulcal Morphology in Health and Schizophrenia. Journal of Neuroscience, 2022, 42, 3704-3715. | 1.7 | 1 |
| 463 | Prediction of violence in schizophrenic inpatients. Schizophrenia Research, 1997, 24, 247. | 1.1 | 0 |
| 464 | S17.02 Structural findings in neuropsychiatric disorders: The role of stress. European Psychiatry, 2000, 15, 246s-246s. | 0.1 | 0 |
| 465 | P.3.c.050 Psychopathology and metabolic syndrome (MS) in psychotic patients: the CLAMORS study. European Neuropsychopharmacology, 2006, 16, S423-S424. | 0.3 | 0 |
| 466 | Genes and impulsivity: comment to the study of Nomura et al. on "Involvement of a polymorphism in the 5-HT2A receptor gene in impulsive behavior. Psychopharmacology 187:30-35. Psychopharmacology, 2006, 188, 128-129. | 1.5 | 0 |
| 467 | P.3.02 Metabolic side effects with second generation antipsychotics in antipsychotic-naive adolescents. European Neuropsychopharmacology, 2007, 17, S71. | 0.3 | 0 |
| 468 | S.18.04 Early-onset psychotic patients growing up: clinical, imaging and neuropsychological findings. European Neuropsychopharmacology, 2008, 18, S182-S183. | 0.3 | 0 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 469 | A simulation model to estimate the coronary heart disease risk in schizophrenic patients treated with second-generation-antipsychotic drugs: A Spanish perspective. European Psychiatry, 2008, 23, S139. | 0.1 | 0 |
| 470 | S.01.03 Treatment of bipolar disorders in children and adolescents. European Neuropsychopharmacology, 2009, 19, S176. | 0.3 | 0 |
| 471 | S.21.02 Efficacy and safety of antipsychotics in early onset psychosis. European Neuropsychopharmacology, 2009, 19, S207. | 0.3 | 0 |
| 472 | Prevalence of Metabolic Syndrome and Coronary Heart Disease Risk in Patients with Schizoaffective Disorder: Clamors Study. European Psychiatry, 2009, 24, . | 0.1 | 0 |
| 473 | GENETIC VARIABILITY IN DYSBINDIN-1 GENE (DTNBP1) CONTRIBUTES DIFFERENTIALLY TO EARLY AND ADULT ONSET FUNCTIONAL PSYCHOSES AND IT IS ASSOCIATED WITH THE FAMILIAL TRANSMISSION OF IQ AND PREFRONTAL COGNITIVE DEFICITS. Schizophrenia Research, 2010, 117, 220-221. | 1.1 | 0 |
| 474 | FRONTAL CORTICAL THICKNESS IS ASSOCIATED WITH CLINICAL IMPROVEMENT OF NEGATIVE SYMPTOMS IN MALE ADOLESCENTS WITH EARLY-ONSET FIRST-EPISODE PSYCHOSIS. Schizophrenia Research, 2010, 117, 227-228. | 1.1 | 0 |
| 475 | P.7.a.012 Dyskinesia in na $	ilde{A}$ -ve children and adolescents treated with olanzapine, risperidone and quetiapine: three months follow up. European Neuropsychopharmacology, 2010, 20, S617. | 0.3 | 0 |
| 476 | Neurobiological susbtrates in deficit and non deficit schizophrenia. European Psychiatry, 2011, 26, 2069-2069. | 0.1 | 0 |
| 477 | P.3.004 Risk for adverse health outcome in antipsychotic-na \tilde{A} -ve adolescents after 12 months of treatment with second-generation antipsychotics. European Neuropsychopharmacology, 2011, 21, S61-S62. | 0.3 | 0 |
| 478 | P.1.e.036 White matter microstructure in Asperger syndrome patients compared with healthy controls. European Neuropsychopharmacology, 2011, 21, S324. | 0.3 | 0 |
| 479 | P.1.e.038 Differences in corpus callosum composition between Asperger syndrome and healthy adolescents: a tractography study. European Neuropsychopharmacology, 2011, 21, S325-S326. | 0.3 | 0 |
| 480 | P.3.c.049 Risk of adverse health outcome and metabolic syndrome in adolescents treated with antipsychotics: preliminary results. European Neuropsychopharmacology, 2011, 21, S496-S497. | 0.3 | 0 |
| 481 | P.7.e.001 Oxidative stress and brain volume in early onset psychosis: role of glutathione levels in progressive loss of cortical grey matter. European Neuropsychopharmacology, 2011, 21, S608. | 0.3 | 0 |
| 482 | Review: depot antipsychotics may reduce risk of relapse compared with oral antipsychotics in people with schizophrenia. Evidence-Based Mental Health, 2011, 14, 112-112. | 2.2 | 0 |
| 483 | Psychometric properties of the Spanish version of the Diagnostic Interview for Depressive Personality. European Psychiatry, 2012, 27, 582-590. | 0.1 | 0 |
| 484 | The Other Side of Bipolar Disorder. American Journal of Psychiatry, 2014, 171, 1145-1147. | 4.0 | 0 |
| 485 | P.7.d.011 Association between duration of untreated psychosis and functionality within family environment in early-onset first episode psychosis. European Neuropsychopharmacology, 2014, 24, S726. | 0.3 | 0 |
| 486 | Needs of People with Schizophrenia/Psychosis and their Caregivers: A Large Scale Survey. European Psychiatry, 2017, 41, S97-S97. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 487 | F19. TELOMERE SHORTENING IN YOUNG PEOPLE WITH FIRST EPISODE PSYCHOSIS: A 12-MONTH FOLLOW-UP STUDY. Schizophrenia Bulletin, 2018, 44, S226-S226. | 2.3 | 0 |
| 488 | 31. OPTIMISE-ING THE TREATMENT OF FIRST-EPISODE SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S49-S49. | 2.3 | 0 |
| 489 | F133. A LONGITUDINAL COMPARISON OF TWO NEUROCOGNITIVE ASSESSMENT PACKAGES IN PATIENTS WITH SCHIZOPHRENIA AND HEALTHY VOLUNTEERS: TIME EFFECTS ON NEUROPSYCHOLOGICAL PERFORMANCE AND ITS RELATION TO FUNCTIONAL OUTCOME. Schizophrenia Bulletin, 2019, 45, S304-S305. | 2.3 | O |
| 490 | 17.2 NEGATIVE SYMPTOMS IN THE OPTIMISE COHORT: PREDICTION OF SHORT-TERM REMISSION STATE AND ASSOCIATION WITH PSYCHOSOCIAL FUNCTIONING. Schizophrenia Bulletin, 2019, 45, S116-S116. | 2.3 | 0 |
| 491 | 17. THE OPTIMISE STUDY: AMISULPRIDE AND OLANZAPINE FOLLOWED BY OPEN-LABEL TREATMENT WITH CLOZAPINE IN FIRST-EPISODE SCHIZOPHRENIA. Schizophrenia Bulletin, 2019, 45, S115-S115. | 2.3 | O |
| 492 | O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. Schizophrenia Bulletin, 2019, 45, S165-S166. | 2.3 | O |
| 493 | Age at first episode modulates progressive cortical thinning in individuals with psychosis. European Neuropsychopharmacology, 2019, 29, S103-S104. | 0.3 | 0 |
| 494 | T25. THE RELATIONSHIP BETWEEN AGE AT FIRST-EPISODE AND LONGITUDINAL CORTICAL CHANGES IN FIRST-EPISODE PSYCHOSIS: A TWO-YEAR LONGITUDINAL STUDY IN AN ADOLESCENT AND ADULT-ONSET COHORT. Schizophrenia Bulletin, 2020, 46, S240-S241. | 2.3 | 0 |
| 495 | S80. CHILDHOOD TRAUMA AND SOCIAL COGNITION IN DELUSIONAL PSYCHOSES. Schizophrenia Bulletin, 2020, 46, S64-S65. | 2.3 | O |
| 496 | S95. DIFFERENCES IN LIFETIME PATTERNS OF PSYCHOSTIMULANTS AND THEIR IMPACT ON THE PROPORTION OF PATIENTS WITH FIRST-EPISODE PSYCHOSIS ATTRIBUTABLE TO PSYCHOSTIMULANTS USE ACROSS EUROPE. Schizophrenia Bulletin, 2020, 46, S70-S71. | 2.3 | 0 |
| 497 | P.389 Social withdrawal levels influence cerebellar activity during consumption of monetary rewards $\hat{a} \in \text{MRI}$ results from the PRISM clinical study. European Neuropsychopharmacology, 2020, 40, S222-S223. | 0.3 | O |
| 498 | T117. PROMINENT AND PERSISTENT AUTISTIC TRAITS ARE ASSOCIATED WITH EARLY NON-REMISSION IN FIRST-EPISODE SCHIZOPHRENIA. Schizophrenia Bulletin, 2020, 46, S275-S275. | 2.3 | 0 |
| 499 | T24. CHANGES IN TELOMERE LENGTH IN YOUNG PEOPLE WITH FIRST EPISODE PSYCHOSIS: A 12-MONTHS FOLLOW-UP STUDY. Schizophrenia Bulletin, 2020, 46, S240-S240. | 2.3 | O |
| 500 | Quality of care in psychiatry is related to research activity. European Psychiatry, 2021, 64, e53. | 0.1 | 0 |
| 501 | Drug development in ASD, an ISCTM-ECNP joint adventure. European Neuropsychopharmacology, 2021, 48, 1-2. | 0.3 | O |
| 502 | Methodologic and Reporting Issues in Published Meta-analysisâ€"Reply. JAMA Pediatrics, 2021, 175, 644. | 3.3 | 0 |
| 503 | Trends in utilisation of hypnotics among Scandinavian young people. Acta Psychiatrica Scandinavica, 2021, 144, 97-99. | 2.2 | O |
| 504 | Evaluating the tendencies of community practitioners who actively practice in child and adolescent psychiatry to diagnose and treat DSM-5 attenuated psychotic syndrome. European Child and Adolescent Psychiatry, 2021, , 1. | 2.8 | O |

| # | Article | IF | CITATIONS |
|-----|--|-----------------------|-----------------------|
| 505 | Calidad de vida y discapacidad en pacientes con trastorno obsesivo-compulsivo. European Psychiatry (Ed Española), 2001, 8, 436-442. | 0.0 | О |
| 506 | El sÃndrome deficitario en la esquizofrenia: implicaciones para el tratamiento de los sÃntomas negativos. European Psychiatry (Ed Española), 2004, 11, 219-224. | 0.0 | 0 |
| 507 | S107. RANDOMIZED CONTROL TRIAL OF A MOBILE APP-BASED INTERVENTION FOR ADOLESCENTS WITH FIRST-EPISODE PSYCHOSIS: THE THINK APP. Schizophrenia Bulletin, 2020, 46, S75-S75. | 2.3 | O |
| 508 | Dietary Interventions for Autism Spectrum Disorder: A Meta-analysis. , 2020, , 303-316. | | 0 |
| 509 | Social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. European Psychiatry, 2021, 64, S163-S163. | 0.1 | O |
| 510 | Prediction of drop-out and functional impairment in recent-onset schizophrenia spectrum disorders. European Psychiatry, 2021, 64, S35-S36. | 0.1 | 0 |
| 511 | Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. Revista De PsiquiatrÃa Y Salud Mental (English) Tj ETQq1 1 | 0. 7&4 314 | rg B T /Overlo |