

Celso Arango

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8799953/celso-arango-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

476 papers	17,611 citations	71 h-index	113 g-index
593 ext. papers	23,030 ext. citations	5.3 avg, IF	6.94 L-index

#	Paper	IF	Citations
476	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009 , 460, 744-7	50.4	1350
475	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020 , 7, 813-824	23.3	542
474	Nitrous oxide emission from denitrification in stream and river networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 214-9	11.5	390
473	Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 1261-1269	15.1	324
472	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019 , 6, 427-436	23.3	322
471	Impact of coronavirus syndromes on physical and mental health of health care workers: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020 , 275, 48-57	6.6	251
470	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
469	Significance and meaning of neurological signs in schizophrenia: two decades later. <i>Schizophrenia Bulletin</i> , 2005 , 31, 962-77	1.3	202
468	The continuum of psychotic symptoms in the general population: a cross-national study. <i>Schizophrenia Bulletin</i> , 2012 , 38, 475-85	1.3	198
467	Preventive strategies for mental health. <i>Lancet Psychiatry</i> , 2018 , 5, 591-604	23.3	193
466	Standardized remission criteria in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 91-5	6.5	189
465	Cortical and Subcortical Brain Morphometry Differences Between Patients With Autism Spectrum Disorder and Healthy Individuals Across the Lifespan: Results From the ENIGMA ASD Working Group. <i>American Journal of Psychiatry</i> , 2018 , 175, 359-369	11.9	188
464	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
463	Violence in inpatients with schizophrenia: a prospective study. <i>Schizophrenia Bulletin</i> , 1999 , 25, 493-503	1.3	165
462	Quality of life and disability in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2001 , 16, 239-45	6	164
461	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011 , 20, 4076-81	5.6	162
460	Negative symptoms of schizophrenia: new developments and unanswered research questions. <i>Lancet Psychiatry</i> , 2018 , 5, 664-677	23.3	159

459	Cardiovascular and metabolic risk in outpatients with schizophrenia treated with antipsychotics: results of the CLAMORS Study. <i>Schizophrenia Research</i> , 2007 , 90, 162-73	3.6	157
458	Antipsychotics in children and adolescents: increasing use, evidence for efficacy and safety concerns. <i>European Neuropsychopharmacology</i> , 2009 , 19, 629-35	1.2	155
457	The stress and psychological morbidity of the Alzheimer patient caregiver. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 701-10	3.9	155
456	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018 , 75, 36-46	14.5	154
455	Type 2 Diabetes Mellitus in Youth Exposed to Antipsychotics: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 247-59	14.5	151
454	Rates, distribution and implications of postzygotic mosaic mutations in autism spectrum disorder. <i>Nature Neuroscience</i> , 2017 , 20, 1217-1224	25.5	144
453	Prevention of Psychosis: Advances in Detection, Prognosis, and Intervention. <i>JAMA Psychiatry</i> , 2020 , 77, 755-765	14.5	143
452	Prevalence of negative symptoms in outpatients with schizophrenia spectrum disorders treated with antipsychotics in routine clinical practice: findings from the CLAMORS study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 280-6	4.6	143
451	Efficacy and safety of second-generation antipsychotics in children and adolescents with psychotic and bipolar spectrum disorders: comprehensive review of prospective head-to-head and placebo-controlled comparisons. <i>European Neuropsychopharmacology</i> , 2011 , 21, 621-45	1.2	142
450	Inflammation in schizophrenia: A question of balance. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 55, 612-26	9	122
449	Healthy lifestyle habits and 10-year cardiovascular risk in schizophrenia spectrum disorders: an analysis of the impact of smoking tobacco in the CLAMORS schizophrenia cohort. <i>Schizophrenia Research</i> , 2010 , 119, 101-9	3.6	122
448	Progressive brain changes in children and adolescents with first-episode psychosis. <i>Archives of General Psychiatry</i> , 2012 , 69, 16-26		116
447	White matter microstructure correlates of mathematical giftedness and intelligence quotient. <i>Human Brain Mapping</i> , 2014 , 35, 2619-31	5.9	114
446	Predictors of outcome in early-onset psychosis: a systematic review. <i>NPJ Schizophrenia</i> , 2015 , 1, 14005	5.5	112
445	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015 , 2, 1036-42	23.3	108
444	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008 , 18, 535-49	1.2	105
443	Advantages and disadvantages of combination treatment with antipsychotics ECNP Consensus Meeting, March 2008, Nice. <i>European Neuropsychopharmacology</i> , 2009 , 19, 520-32	1.2	101
442	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018 , 5, 797-807	23.3	100

441	Schizophrenia--time to commit to policy change. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 3, S165-94	1.3	99
440	Negative signs and symptoms secondary to antipsychotics: a double-blind, randomized trial of a single dose of placebo, haloperidol, and risperidone in healthy volunteers. <i>American Journal of Psychiatry</i> , 2006 , 163, 488-93	11.9	94
439	Psychiatry in the aftermath of COVID-19. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 105-110	2.7	92
438	Neurological signs and the heterogeneity of schizophrenia. <i>American Journal of Psychiatry</i> , 2000 , 157, 560-5	11.9	89
437	Morphometric assessment of the heteromodal association cortex in schizophrenia. <i>American Journal of Psychiatry</i> , 2004 , 161, 322-31	11.9	87
436	Treatment of negative symptoms: Where do we stand, and where do we go?. <i>Schizophrenia Research</i> , 2017 , 186, 55-62	3.6	86
435	Cannabis and first-episode psychosis: different long-term outcomes depending on continued or discontinued use. <i>Schizophrenia Bulletin</i> , 2011 , 37, 631-9	1.3	84
434	Trait and state attributes of insight in first episodes of early-onset schizophrenia and other psychoses: a 2-year longitudinal study. <i>Schizophrenia Bulletin</i> , 2011 , 37, 38-51	1.3	84
433	Differential neurodevelopmental trajectories in patients with early-onset bipolar and schizophrenia disorders. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 2, S138-46	1.3	83
432	Lurasidone compared to other atypical antipsychotic monotherapies for adolescent schizophrenia: a systematic literature review and network meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1195-1205	5.5	82
431	The human cerebral cortex flattens during adolescence. <i>Journal of Neuroscience</i> , 2013 , 33, 15004-10	6.6	81
430	Early interventions in risk groups for schizophrenia: what are we waiting for?. <i>NPJ Schizophrenia</i> , 2016 , 2, 16003	5.5	80
429	F133. A LONGITUDINAL COMPARISON OF TWO NEUROCOGNITIVE ASSESSMENT PACKAGES IN PATIENTS WITH SCHIZOPHRENIA AND HEALTHY VOLUNTEERS: TIME EFFECTS ON NEUROPSYCHOLOGICAL PERFORMANCE AND ITS RELATION TO FUNCTIONAL OUTCOME. <i>Schizophrenia Bulletin</i> , 2019 , 45, S304-S305	1.3	78
428	17.2 NEGATIVE SYMPTOMS IN THE OPTIMISE COHORT: PREDICTION OF SHORT-TERM REMISSION STATE AND ASSOCIATION WITH PSYCHOSOCIAL FUNCTIONING. <i>Schizophrenia Bulletin</i> , 2019 , 45, S116-S116	1.3	78
427	17. THE OPTIMISE STUDY: AMISULPRIDE AND OLANZAPINE FOLLOWED BY OPEN-LABEL TREATMENT WITH CLOZAPINE IN FIRST-EPISODE SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019 , 45, S115-S115	1.3	78
426	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S165-S166	1.3	78
425	F19. TELOMERE SHORTENING IN YOUNG PEOPLE WITH FIRST EPISODE PSYCHOSIS: A 12-MONTH FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S226-S226	1.3	78
424	Assessing clinical and functional outcomes in a gene-environment interaction study in first episode of psychosis (PEPs). <i>Revista De Psiquiatria Y Salud Mental</i> , 2013 , 6, 4-16	2.7	78

423	S107. RANDOMIZED CONTROL TRIAL OF A MOBILE APP-BASED INTERVENTION FOR ADOLESCENTS WITH FIRST-EPISEODE PSYCHOSIS: THE THINK APP. <i>Schizophrenia Bulletin</i> , 2020 , 46, S75-S75	1.3	78
422	T25. THE RELATIONSHIP BETWEEN AGE AT FIRST-EPISEODE AND LONGITUDINAL CORTICAL CHANGES IN FIRST-EPISEODE PSYCHOSIS: A TWO-YEAR LONGITUDINAL STUDY IN AN ADOLESCENT AND ADULT-ONSET COHORT. <i>Schizophrenia Bulletin</i> , 2020 , 46, S240-S241	1.3	78
421	S80. CHILDHOOD TRAUMA AND SOCIAL COGNITION IN DELUSIONAL PSYCHOSES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S64-S65	1.3	78
420	S95. DIFFERENCES IN LIFETIME PATTERNS OF PSYCHOSTIMULANTS AND THEIR IMPACT ON THE PROPORTION OF PATIENTS WITH FIRST-EPISEODE PSYCHOSIS ATTRIBUTABLE TO PSYCHOSTIMULANTS USE ACROSS EUROPE. <i>Schizophrenia Bulletin</i> , 2020 , 46, S70-S71	1.3	78
419	T117. PROMINENT AND PERSISTENT AUTISTIC TRAITS ARE ASSOCIATED WITH EARLY NON-REMISSION IN FIRST-EPISEODE SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2020 , 46, S275-S275	1.3	78
418	T24. CHANGES IN TELOMERE LENGTH IN YOUNG PEOPLE WITH FIRST EPISODE PSYCHOSIS: A 12-MONTHS FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S240-S240	1.3	78
417	31. OPTIMISE-ING THE TREATMENT OF FIRST-EPISEODE SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S49-S49	1.3	78
416	Metabolic and hormonal side effects in children and adolescents treated with second-generation antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1166-75	4.6	77
415	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 1-14	4.3	76
414	Psychosocial risk factors for suicidality in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 759-776	5.5	76
413	Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. <i>BMC Psychiatry</i> , 2011 , 11, 26	4.2	75
412	The child and adolescent first-episode psychosis study (CAFEPS): design and baseline results. <i>Schizophrenia Research</i> , 2007 , 91, 226-37	3.6	74
411	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019 , 18, 173-182	14.4	73
410	Psychotic symptoms are associated with physical health problems independently of a mental disorder diagnosis: results from the WHO World Health Survey. <i>World Psychiatry</i> , 2013 , 12, 251-7	14.4	73
409	The relationship of clozapine and haloperidol treatment response to prefrontal, hippocampal, and caudate brain volumes. <i>American Journal of Psychiatry</i> , 2003 , 160, 1421-7	11.9	73
408	Altered structural brain asymmetry in autism spectrum disorder in a study of 54 datasets. <i>Nature Communications</i> , 2019 , 10, 4958	17.4	72
407	Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of meta-analyses. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 88-97	6.5	71
406	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016 , 208, 87-93	5.4	71

405	Cannabis use in children and adolescents with first episode psychosis: influence on psychopathology and short-term outcome (CAFEPS study). <i>Schizophrenia Research</i> , 2009 , 113, 129-37	3.6	71
404	Oxidative Stress and Inflammation in First-Episode Psychosis: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 742-751	1.3	71
403	Prediction of neuropsychological performance by neurological signs in schizophrenia. <i>American Journal of Psychiatry</i> , 1999 , 156, 1349-57	11.9	71
402	Pharmacological approaches to treating negative symptoms: a review of clinical trials. <i>Schizophrenia Research</i> , 2013 , 150, 346-52	3.6	69
401	Magnetic resonance imaging and the prediction of outcome in first-episode schizophrenia: a review of current evidence and directions for future research. <i>Schizophrenia Bulletin</i> , 2015 , 41, 574-83	1.3	68
400	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67
399	Regional gray matter volume deficits in adolescents with first-episode psychosis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 1311-20	7.2	67
398	Longitudinal brain changes in early-onset psychosis. <i>Schizophrenia Bulletin</i> , 2008 , 34, 341-53	1.3	67
397	The promise of biological markers for treatment response in first-episode psychosis: a systematic review. <i>Schizophrenia Bulletin</i> , 2015 , 41, 559-73	1.3	65
396	The identification, assessment and management of difficult-to-treat depression: An international consensus statement. <i>Journal of Affective Disorders</i> , 2020 , 267, 264-282	6.6	64
395	Risperidone normalizes increased inflammatory parameters and restores anti-inflammatory pathways in a model of neuroinflammation. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 121-35	5.8	64
394	Lessons Learned From the Coronavirus Health Crisis in Madrid, Spain: How COVID-19 Has Changed Our Lives in the Last 2 Weeks. <i>Biological Psychiatry</i> , 2020 , 88, e33-e34	7.9	63
393	A comparison of schizophrenia outpatients treated with antipsychotics with and without metabolic syndrome: findings from the CLAMORS study. <i>Schizophrenia Research</i> , 2008 , 104, 1-12	3.6	62
392	Bitopertin in Negative Symptoms of Schizophrenia-Results From the Phase III FlashLyte and DayLyte Studies. <i>Biological Psychiatry</i> , 2017 , 82, 8-16	7.9	61
391	Neuropsychological functioning in early-onset first-episode psychosis: comparison of diagnostic subgroups. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 225-33	5.1	61
390	Second-generation antipsychotic use in children and adolescents: a six-month prospective cohort study in drug-naïve patients. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 1179-90, 1190.e1-4	7.2	60
389	The deficit syndrome in schizophrenia: implications for the treatment of negative symptoms. <i>European Psychiatry</i> , 2004 , 19, 21-6	6	60
388	Randomised clinical trial comparing oral versus depot formulations of zuclopenthixol in patients with schizophrenia and previous violence. <i>European Psychiatry</i> , 2006 , 21, 34-40	6	59

387	Depression in bipolar disorder versus major depressive disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Bipolar Disorders</i> , 2012 , 14, 271-82	3.8	58
386	Functional impairment in patients with remitted bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 390-2	9.4	57
385	Developmental Differences Between Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1176-1189	1.3	56
384	Oxidative Stress and Inflammation in Early Onset First Episode Psychosis: A Systematic Review and Meta-Analysis. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 435-444	5.8	56
383	The neurobiology of autism spectrum disorders. <i>European Psychiatry</i> , 2014 , 29, 11-9	6	55
382	Olanzapine compared to quetiapine in adolescents with a first psychotic episode. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 418-28	5.5	55
381	Individual differences in the dominance of interhemispheric connections predict cognitive ability beyond sex and brain size. <i>NeuroImage</i> , 2017 , 155, 234-244	7.9	54
380	Mathematically gifted adolescents use more extensive and more bilateral areas of the fronto-parietal network than controls during executive functioning and fluid reasoning tasks. <i>NeuroImage</i> , 2011 , 57, 281-292	7.9	53
379	Deficit psychopathology and a paradigm shift in schizophrenia research. <i>Biological Psychiatry</i> , 1999 , 46, 352-60	7.9	53
378	Antipsychotic-related abnormal involuntary movements and metabolic and endocrine side effects in children and adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2007 , 17, 487-502	2.9	51
377	Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020 , 177, 834-843	11.9	50
376	Cortical morphology of adolescents with bipolar disorder and with schizophrenia. <i>Schizophrenia Research</i> , 2014 , 158, 91-9	3.6	50
375	Antipsychotic treatment in child and adolescent first-episode psychosis: a longitudinal naturalistic approach. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 327-36	2.9	50
374	Does diagnostic classification of early-onset psychosis change over follow-up?. <i>Child Psychiatry and Human Development</i> , 2008 , 39, 137-45	3.3	48
373	Preventive psychiatry: a blueprint for improving the mental health of young people. <i>World Psychiatry</i> , 2021 , 20, 200-221	14.4	48
372	De novo mutations identified by exome sequencing implicate rare missense variants in SLC6A1 in schizophrenia. <i>Nature Neuroscience</i> , 2020 , 23, 179-184	25.5	47
371	A quantitative approach to neuropsychiatry: The why and the how. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 3-9	9	47
370	The effects of second-generation antipsychotics on food intake, resting energy expenditure and physical activity. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 146-52	5.2	46

369	Progressive brain changes in children and adolescents with early-onset psychosis: A meta-analysis of longitudinal MRI studies. <i>Schizophrenia Research</i> , 2016 , 173, 132-139	3.6	45
368	DRD3, but not COMT or DRD2, genotype affects executive functions in healthy and first-episode psychosis adolescents. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 873-9	3.5	45
367	Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: a 2-year longitudinal study. <i>Schizophrenia Research</i> , 2014 , 152, 130-8	3.6	44
366	Cortical structural abnormalities in deficit versus nondeficit schizophrenia. <i>Schizophrenia Research</i> , 2012 , 136, 51-4	3.6	44
365	Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses. <i>Psychological Medicine</i> , 2013 , 43, 757-68	6.9	44
364	Brain morphology and neurological soft signs in adolescents with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2009 , 195, 227-33	5.4	44
363	Predictors of suicide attempt in early-onset, first-episode psychoses: a longitudinal 24-month follow-up study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 59-66	4.6	44
362	Plasma antioxidant capacity is reduced in Asperger syndrome. <i>Journal of Psychiatric Research</i> , 2012 , 46, 394-401	5.2	43
361	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
360	Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 344-57	1.3	42
359	Cognitive reserve as a predictor of two year neuropsychological performance in early onset first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 125-31	3.6	42
358	Metabolic effects of second-generation antipsychotics in bipolar youth: comparison with other psychotic and nonpsychotic diagnoses. <i>Bipolar Disorders</i> , 2010 , 12, 172-84	3.8	42
357	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019 , 49, 1378-1391	6.9	42
356	Annual Research Review: Prevention of psychosis in adolescents - systematic review and meta-analysis of advances in detection, prognosis and intervention. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 657-673	7.9	42
355	The impact of COVID-19 lockdown on child and adolescent mental health: systematic review. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	42
354	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. <i>Schizophrenia Research</i> , 2012 , 137, 58-65	3.6	41
353	Progression of brain volume changes in adolescent-onset psychosis. <i>Schizophrenia Bulletin</i> , 2009 , 35, 233-43	1.3	41
352	Gyral and sulcal cortical thinning in adolescents with first episode early-onset psychosis. <i>Biological Psychiatry</i> , 2009 , 66, 1047-54	7.9	41

351	Association study between obsessive-compulsive disorder and serotonergic candidate genes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 765-70	5.5	41
350	Assessment of the increase in variability when combining volumetric data from different scanners. <i>Human Brain Mapping</i> , 2009 , 30, 355-68	5.9	40
349	What is good mental health? A scoping review. <i>European Neuropsychopharmacology</i> , 2020 , 31, 33-46	1.2	40
348	Genetic contributors to risk of schizophrenia in the presence of a 22q11.2 deletion. <i>Molecular Psychiatry</i> , 2021 , 26, 4496-4510	15.1	39
347	The optimization of treatment and management of schizophrenia in Europe (OPTiMiSE) trial: rationale for its methodology and a review of the effectiveness of switching antipsychotics. <i>Schizophrenia Bulletin</i> , 2015 , 41, 549-58	1.3	38
346	Issues and perspectives in designing clinical trials for negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 150, 328-33	3.6	38
345	Two-year diagnostic stability in early-onset first-episode psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011 , 52, 1089-98	7.9	38
344	Insight correlates in child- and adolescent-onset first episodes of psychosis: results from the CAFEPS study. <i>Psychological Medicine</i> , 2009 , 39, 1433-45	6.9	38
343	Violence among schizophrenia out-patients compliant with medication: prevalence and associated factors. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 218-25	6.5	38
342	Neuropsychological functioning in adolescents with first episode psychosis: a two-year follow-up study. <i>European Psychiatry</i> , 2008 , 23, 375-83	6	38
341	Unmet needs in paediatric psychopharmacology: Present scenario and future perspectives. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1513-31	1.2	37
340	Olanzapine effects on auditory sensory gating in schizophrenia. <i>American Journal of Psychiatry</i> , 2003 , 160, 2066-8	11.9	37
339	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 145-154	6.5	36
338	At issue: stress, hippocampal neuronal turnover, and neuropsychiatric disorders. <i>Schizophrenia Bulletin</i> , 2001 , 27, 477-80	1.3	36
337	Altered white matter microstructure in 22q11.2 deletion syndrome: a multisite diffusion tensor imaging study. <i>Molecular Psychiatry</i> , 2020 , 25, 2818-2831	15.1	36
336	Understanding the pediatric psychiatric phenotype of 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2018 , 176, 2182-2191	2.5	36
335	Randomized trial of omega-3 for autism spectrum disorders: Effect on cell membrane composition and behavior. <i>European Neuropsychopharmacology</i> , 2017 , 27, 1319-1330	1.2	35
334	Using common genetic variation to examine phenotypic expression and risk prediction in 22q11.2 deletion syndrome. <i>Nature Medicine</i> , 2020 , 26, 1912-1918	50.5	35

333	Evidence for the early clinical relevance of hallucinatory-delusional states in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 482-93	6.5	35
332	Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 26-31	5.5	35
331	Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 ,	50.4	35
330	Autism spectrum disorder: does neuroimaging support the DSM-5 proposal for a symptom dyad? A systematic review of functional magnetic resonance imaging and diffusion tensor imaging studies. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 1326-41	4.6	34
329	Is attempted suicide different in adolescent and adults?. <i>Psychiatry Research</i> , 2008 , 157, 131-7	9.9	34
328	Psychopathological sequelae of the 11 March terrorist attacks in Madrid : an epidemiological study of victims treated in a hospital. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 28-34 ¹	5.1	34
327	Association study of serotonin 2A receptor (5-HT2A) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 741-5	5.5	34
326	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020 , 46, 432-441	1.3	34
325	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016 , 9, 158-73	2.7	33
324	Can positive family factors be protective against the development of psychosis?. <i>Psychiatry Research</i> , 2011 , 186, 28-33	9.9	33
323	Lessons learned about poor insight. <i>Schizophrenia Bulletin</i> , 2011 , 37, 27-8	1.3	33
322	Cognitive functioning in children and adolescents in their first episode of psychosis: differences between previous cannabis users and nonusers. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 159-62 ^{1.8}	1.8	33
321	Structural neuroimaging in adolescents with a first psychotic episode. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2005 , 44, 1151-7	7.2	33
320	The effects of antipsychotics on weight gain, weight-related hormones and homocysteine in children and adolescents: a 1-year follow-up study. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 35-46	5.5	32
319	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020 , 218, 116956	7.9	32
318	A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. <i>Schizophrenia Research</i> , 2014 , 158, 126-33	3.6	32
317	Detecting schizophrenia at the level of the individual: relative diagnostic value of whole-brain images, connectome-wide functional connectivity and graph-based metrics. <i>Psychological Medicine</i> , 2020 , 50, 1852-1861	6.9	32
316	Antidepressants in child and adolescent depression: where are the bugs?. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 184-95	6.5	31

315	Multidisciplinary consensus on the therapeutic recommendations for iatrogenic hyperprolactinemia secondary to antipsychotics. <i>Frontiers in Neuroendocrinology</i> , 2017 , 45, 25-34	8.9	30
314	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 181-189	3.6	30
313	Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. <i>Translational Psychiatry</i> , 2019 , 9, 20	8.6	30
312	Predictors of schizophrenia spectrum disorders in early-onset first episodes of psychosis: a support vector machine model. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 427-40	5.5	30
311	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. <i>Schizophrenia Research</i> , 2014 , 156, 23-9	3.6	30
310	Intervention for adolescents with early-onset psychosis and their families: a randomized controlled trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 688-96	7.2	30
309	Antipsychotic use in children and adolescents: a 1-year follow-up study. <i>Journal of Clinical Psychopharmacology</i> , 2014 , 34, 613-9	1.7	30
308	Longitudinal study of neurological soft signs in first-episode early-onset psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012 , 53, 323-31	7.9	30
307	Premorbid impairments in early-onset psychosis: differences between patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013 , 146, 103-10	3.6	30
306	P50 gating in deficit and nondeficit schizophrenia. <i>Schizophrenia Research</i> , 2010 , 119, 183-90	3.6	30
305	Differential role of serotonergic polymorphisms in alcohol and heroin dependence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 695-700	5.5	30
304	The effect of quetiapine on aggression and hostility in patients with schizophrenia. <i>Human Psychopharmacology</i> , 2005 , 20, 237-41	2.3	30
303	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016 , 46, 291-301	6.9	30
302	Negative Symptoms in Early-Onset Psychosis and Their Association With Antipsychotic Treatment Failure. <i>Schizophrenia Bulletin</i> , 2019 , 45, 69-79	1.3	30
301	Neuropsychological correlates of P50 sensory gating in patients with schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 102-6	3.6	29
300	Increased risk of diabetes mellitus among persons with psychotic symptoms: results from the WHO World Health Survey. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1592-9	4.6	29
299	Neurological soft signs in adolescents with first episode psychosis: two-year followup. <i>Psychiatry Research</i> , 2008 , 161, 344-8	9.9	29
298	Managing acute exacerbations of schizophrenia: focus on quetiapine. <i>Current Medical Research and Opinion</i> , 2004 , 20, 619-26	2.5	29

297	Modeling determinants of medication attitudes and poor adherence in early nonaffective psychosis: implications for intervention. <i>Schizophrenia Bulletin</i> , 2015 , 41, 584-96	1.3	28
296	Psychopathology in children and adolescents with ASD without mental retardation. <i>Journal of Autism and Developmental Disorders</i> , 2013 , 43, 2442-9	4.6	28
295	Fluoxetine as an adjunct to conventional antipsychotic treatment of schizophrenia patients with residual symptoms. <i>Journal of Nervous and Mental Disease</i> , 2000 , 188, 50-3	1.8	28
294	Relationship of awareness of dyskinesia in schizophrenia to insight into mental illness. <i>American Journal of Psychiatry</i> , 1999 , 156, 1097-9	11.9	28
293	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , 2014 , 159, 107-13	3.6	27
292	Specialty Care Programme for autism spectrum disorders in an urban population: A case-management model for health care delivery in an ASD population. <i>European Psychiatry</i> , 2013 , 28, 102-9	6	27
291	Dietary Interventions for Autism Spectrum Disorder: A Meta-analysis. <i>Pediatrics</i> , 2019 , 144,	7.4	26
290	Reduced Gyrfication Is Related to Reduced Interhemispheric Connectivity in Autism Spectrum Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 668-76	7.2	26
289	Influence of resting energy expenditure on weight gain in adolescents taking second-generation antipsychotics. <i>Clinical Nutrition</i> , 2011 , 30, 616-23	5.9	26
288	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017 , 10, 78-86	2.7	25
287	Multicenter study of brain volume abnormalities in children and adolescent-onset psychosis. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1270-80	1.3	25
286	Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. <i>Psychiatric Genetics</i> , 2008 , 18, 213-8	2.9	25
285	Neurological soft signs in adolescents with first episode psychosis. <i>European Psychiatry</i> , 2006 , 21, 283-7	6	25
284	Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020 , 41, 28-39	1.2	25
283	Early intervention in psychosis: From clinical intervention to health system implementation. <i>Microbial Biotechnology</i> , 2018 , 12, 757-764	3.3	25
282	Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013 , 150, 421-6	3.6	24
281	Psychopathology, coronary heart disease and metabolic syndrome in schizophrenia spectrum patients with deficit versus non-deficit schizophrenia: findings from the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2011 , 21, 867-75	1.2	24
280	Clinical effectiveness of new generation antipsychotics in adolescent patients. <i>European Neuropsychopharmacology</i> , 2004 , 14 Suppl 4, S471-9	1.2	24

279	Assessment of School Anti-Bullying Interventions: A Meta-analysis of Randomized Clinical Trials. <i>JAMA Pediatrics</i> , 2021 , 175, 44-55	8.3	24
278	The Association Between Comorbid Autism Spectrum Disorders and Antipsychotic Treatment Failure in Early-Onset Psychosis: A Historical Cohort Study Using Electronic Health Records. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e1233-e1241	4.6	23
277	Integrating machine learning and multimodal neuroimaging to detect schizophrenia at the level of the individual. <i>Human Brain Mapping</i> , 2020 , 41, 1119-1135	5.9	23
276	The affective dimension of early-onset psychosis and its relationship with suicide. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 747-755	7.9	22
275	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019 , 29, 1301-1317	11.7	22
274	Oxidative/Nitrosative stress in psychiatric disorders: are we there yet?. <i>Schizophrenia Bulletin</i> , 2014 , 40, 960-2	1.3	22
273	Placebo effect in child and adolescent psychiatric trials. <i>European Neuropsychopharmacology</i> , 2012 , 22, 787-99	1.2	22
272	Patterns of cranial, brain and sulcal CSF volumes in male and female deficit and nondeficit patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 162, 91-100	2.9	22
271	Predominance of symptoms over time in early-onset psychosis: a principal component factor analysis of the Positive and Negative Syndrome Scale. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 327-37	4.6	22
270	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21
269	The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. <i>American Journal of Psychiatry</i> , 2020 , 177, 537-547	11.9	21
268	Polypharmacy with antidepressants in children and adolescents. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1063-82	5.8	21
267	Regional specificity of thalamic volume deficits in male adolescents with early-onset psychosis. <i>British Journal of Psychiatry</i> , 2012 , 200, 30-6	5.4	21
266	Dysbindin-1 gene contributes differentially to early- and adult-onset forms of functional psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 322-33	3.5	21
265	Findings of proton magnetic resonance spectrometry in the dorsolateral prefrontal cortex in adolescents with first episodes of psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 156, 33-42	2.9	21
264	Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. <i>World Psychiatry</i> , 2021 , 20, 417-436	14.4	21
263	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 1536-1548	6.9	20
262	The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657	4.5	20

261	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 960-965	1.3	20
260	Neurological Adverse Effects of Antipsychotics in Children and Adolescents. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 686-93	1.7	20
259	Twenty-four months of antipsychotic treatment in children and adolescents with first psychotic episode: discontinuation and tolerability. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 463-71	1.7	20
258	Attenuated psychotic symptoms syndrome: how it may affect child and adolescent psychiatry. <i>European Child and Adolescent Psychiatry</i> , 2011 , 20, 67-70	5.5	20
257	Improving quality at the hospital psychiatric ward level through the use of the EFQM model. <i>International Journal for Quality in Health Care</i> , 2007 , 19, 74-9	1.9	20
256	Association between relative temporal and prefrontal sulcal cerebrospinal fluid and illness duration in schizophrenia. <i>Schizophrenia Research</i> , 2002 , 58, 305-12	3.6	20
255	Neurological soft signs in juvenile patients with Asperger syndrome, early-onset psychosis, and healthy controls. <i>Microbial Biotechnology</i> , 2010 , 4, 283-90	3.3	19
254	Concordance of standard and modified NCEP ATP III criteria for identification of metabolic syndrome in outpatients with schizophrenia treated with antipsychotics: a corollary from the CLAMORS study. <i>Schizophrenia Research</i> , 2008 , 99, 23-8	3.6	18
253	Association between heroin dependence and 5-HT _{2A} receptor gene polymorphisms. <i>European Addiction Research</i> , 2008 , 14, 47-52	4.6	18
252	Variance of IQ is partially dependent on deletion type among 1,427 22q11.2 deletion syndrome subjects. <i>American Journal of Medical Genetics, Part A</i> , 2018 , 176, 2172-2181	2.5	18
251	Insular pathology in young people with high-functioning autism and first-episode psychosis. <i>Psychological Medicine</i> , 2017 , 47, 2472-2482	6.9	17
250	Psychoeducational Group Intervention for Adolescents With Psychosis and Their Families: A Two-Year Follow-Up. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 984-90 ²	7.2	17
249	Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum disorder: The ENIGMA adventure. <i>Human Brain Mapping</i> , 2020 ,	5.9	17
248	Role of serotonergic-related systems in suicidal behavior: Data from a case-control association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1518-24	5.5	17
247	Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. <i>Psychiatric Genetics</i> , 2010 , 20, 171-8	2.9	17
246	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020 , 50, 1884-1897	6.9	17
245	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021 , 227, 10-17	3.6	17
244	Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2018 , 48, 1592-1607	6.9	17

243	Estimation of the intelligence quotient using Wechsler Intelligence Scales in children and adolescents with Asperger syndrome. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 116-22	4.6	16
242	Polymorphisms of the IL-1 gene complex are associated with alcohol dependence in Spanish Caucasians: data from an association study. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 2147-53	3.7	16
241	Cognitive efficacy of quetiapine and olanzapine in early-onset first-episode psychosis. <i>Schizophrenia Bulletin</i> , 2011 , 37, 405-15	1.3	16
240	Overview of the clinical implementation of a study exploring social withdrawal in patients with schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 87-93	9	15
239	Cardiovascular and metabolic risk in outpatients with schizoaffective disorder treated with antipsychotics: results from the CLAMORS study. <i>European Psychiatry</i> , 2012 , 27, 267-74	6	15
238	Antipsychotic effects on auditory sensory gating in schizophrenia patients. <i>European Neuropsychopharmacology</i> , 2009 , 19, 905-9	1.2	15
237	Effects of MDMA on blood glucose levels and brain glucose metabolism. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007 , 34, 916-25	8.8	15
236	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016 , 11, e0160949	3.7	15
235	Assessment Tools for Soft Signs. <i>Psychiatric Annals</i> , 2003 , 33, 170-176	0.5	15
234	Predictors of functional and clinical outcome in early-onset first-episode psychosis: the child and adolescent first episode of psychosis (CAFEPS) study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1441-8	4.6	15
233	The impact on functioning of second-generation antipsychotic medication side effects for patients with schizophrenia: a worldwide, cross-sectional, web-based survey. <i>Annals of General Psychiatry</i> , 2020 , 19, 42	3.4	15
232	Placebo response in pharmacological and dietary supplement trials of autism spectrum disorder (ASD): systematic review and meta-regression analysis. <i>Molecular Autism</i> , 2020 , 11, 66	6.5	15
231	Sensory-to-Cognitive Systems Integration Is Associated With Clinical Severity in Autism Spectrum Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020 , 59, 422-433	7.2	15
230	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 623-633	6.9	15
229	Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1447-59	5.5	14
228	Twelve-month follow-up of family communication and psychopathology in children and adolescents with a first psychotic episode (CAFEPS study). <i>Psychiatry Research</i> , 2011 , 185, 72-7	9.9	14
227	Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>Psychological Medicine</i> , 2020 , 50, 2702-2710	6.9	14
226	Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2020 , 34, 76-86	1.2	14

225	Risperidone administered during adolescence induced metabolic, anatomical and inflammatory/oxidative changes in adult brain: A PET and MRI study in the maternal immune stimulation animal model. <i>European Neuropsychopharmacology</i> , 2019 , 29, 880-896	1.2	13
224	Transcriptomic metaanalyses of autistic brains reveals shared gene expression and biological pathway abnormalities with cancer. <i>Molecular Autism</i> , 2019 , 10, 17	6.5	13
223	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	13
222	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 113-126	5.5	13
221	Paediatric European Risperidone Studies (PERS): context, rationale, objectives, strategy, and challenges. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 1149-60	5.5	13
220	Secondary effects of antipsychotic treatment in naive or quasi-naive children and adolescents: design of a follow-up protocol and baseline results. <i>Revista De Psiquiatria Y Salud Mental</i> , 2012 , 5, 217-28 ^{2.7}		13
219	CYSTICERCOSIS IN CHRONIC PSYCHIATRIC INPATIENTS FROM A VENEZUELAN COMMUNITY. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005 , 73, 504-509	3.2	13
218	A framework for assessing neuropsychiatric phenotypes by using smartphone-based location data. <i>Translational Psychiatry</i> , 2020 , 10, 211	8.6	13
217	Present and future of developmental neuropsychopharmacology. <i>European Neuropsychopharmacology</i> , 2015 , 25, 703-12	1.2	12
216	Executive function is affected in autism spectrum disorder, but does not correlate with intelligence. <i>Revista De Psiquiatria Y Salud Mental</i> , 2016 , 9, 39-50	2.7	12
215	Remission from antipsychotic treatment in first episode psychosis related to longitudinal changes in brain glutamate. <i>NPJ Schizophrenia</i> , 2019 , 5, 12	5.5	12
214	Practitioner review: Long-term pharmacological treatment of pediatric bipolar disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 959-80	7.9	12
213	Interleukin-1 gene complex in schizophrenia: an association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 678-80	3.5	12
212	Progressive brain changes in schizophrenia. <i>Schizophrenia Bulletin</i> , 2008 , 34, 310-1	1.3	12
211	Posttraumatic stress disorder in victims of the March 11 attacks in Madrid admitted to a hospital emergency room: 6-month follow-up. <i>European Psychiatry</i> , 2006 , 21, 143-51	6	12
210	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatria Y Salud Mental</i> , 2017 , 10, 4-20	2.7	11
209	Long-acting injectable antipsychotics for the treatment of schizophrenia in Spain. <i>Revista De Psiquiatria Y Salud Mental</i> , 2019 , 12, 92-105	2.7	11
208	QTc changes after 6 months of second-generation antipsychotic treatment in children and adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 381-3	2.9	11

207	High degree of tolerability for monotherapy with high doses of quetiapine: a case report. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 1048-9	4.6	11
206	Intracranial and subcortical volumes in adolescents with early-onset psychosis: A multisite mega-analysis from the ENIGMA consortium. <i>Human Brain Mapping</i> , 2020 ,	5.9	11
205	Mental health care and COVID-19. <i>Lancet Psychiatry</i> , 2020 , 7, 1013	23.3	11
204	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e182	5.1	11
203	Working definitions, subjective and objective assessments and experimental paradigms in a study exploring social withdrawal in schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 38-46	9	10
202	A 6-month prospective, observational, naturalistic, uncontrolled study to evaluate the effectiveness and tolerability of oral ziprasidone in patients with schizophrenia. <i>European Neuropsychopharmacology</i> , 2007 , 17, 456-63	1.2	10
201	Cortical morphometry in frontoparietal and default mode networks in math-gifted adolescents. <i>Human Brain Mapping</i> , 2016 , 37, 1893-902	5.9	10
200	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529	1.3	10
199	Mental health services during the first wave of the COVID-19 pandemic in Europe: Results from the EPA Ambassadors Survey and implications for clinical practice. <i>European Psychiatry</i> , 2021 , 64, e41	6	10
198	The pediatric psychopharmacology of autism spectrum disorder: A systematic review - Part I: The past and the present. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110326	5.5	10
197	Psychotic-like experiences, polygenic risk scores for schizophrenia, and structural properties of the salience, default mode, and central-executive networks in healthy participants from UK Biobank. <i>Translational Psychiatry</i> , 2020 , 10, 122	8.6	9
196	Self-perceived needs are related to violent behavior among schizophrenia outpatients. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 666-71	1.8	9
195	Obstetric complications as a risk factor for first psychotic episodes in childhood and adolescence. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 180-4	5.5	9
194	Nonverbal delayed recognition in the relatives of schizophrenia patients with or without schizophrenia spectrum. <i>Biological Psychiatry</i> , 2008 , 63, 498-504	7.9	9
193	A white paper on a neurodevelopmental framework for drug discovery in autism and other neurodevelopmental disorders. <i>European Neuropsychopharmacology</i> , 2021 , 48, 49-88	1.2	9
192	Authors' reply to 'on the existence of a linguistic distance in schizophrenia'. <i>Psychological Medicine</i> , 2020 , 1-2	6.9	8
191	Development and psychometric properties of the Suicidality: Treatment Occurring in Paediatrics (STOP) Suicidality Assessment Scale (STOP-SAS) in children and adolescents. <i>BMC Pediatrics</i> , 2016 , 16, 213	2.6	8
190	Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. <i>Psychiatric Genetics</i> , 2008 , 18, 147-50	2.9	8

189	Drug development for Autism Spectrum Disorder (ASD): Progress, challenges, and future directions. <i>European Neuropsychopharmacology</i> , 2021 , 48, 3-31	1.2	8
188	Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. <i>EClinicalMedicine</i> , 2021 , 36, 100909	11.3	8
187	Mobile App-Based Intervention for Adolescents With First-Episode Psychosis: Study Protocol for a Pilot Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2019 , 10, 27	5	8
186	Predictors of Placebo Response in Pharmacological Clinical Trials of Negative Symptoms in Schizophrenia: A Meta-regression Analysis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 57-68	1.3	8
185	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
184	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 196-203	3.6	7
183	Personality organization and its association with clinical and functional features in borderline personality disorder. <i>Psychiatry Research</i> , 2018 , 262, 393-399	9.9	7
182	Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): rationale, objectives, design and sample description. <i>Revista De Psiquiatria Y Salud Mental</i> , 2014 , 7, 166-78	2.7	7
181	Attitude toward antipsychotic medication as a predictor of antipsychotic treatment discontinuation in first-episode early-onset psychosis. <i>Revista De Psiquiatria Y Salud Mental</i> , 2008 , 1, 10-7	2.7	7
180	Sibutramine for compulsive eating in hypothalamic deficiency. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2002 , 41, 1147-8	7.2	7
179	Dynamics of Brain Structure and its Genetic Architecture over the Lifespan 2020 ,		7
178	Psychiatry in the aftermath of COVID-19. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020 , 13, 105-110	0.2	7
177	Neuroanatomical deficits shared by youth with autism spectrum disorders and psychotic disorders. <i>Human Brain Mapping</i> , 2019 , 40, 1643-1653	5.9	7
176	Cognition and functionality in delusional disorder. <i>European Psychiatry</i> , 2019 , 55, 52-60	6	7
175	Reconceptualising treatment-resistant depression as difficult-to-treat depression. <i>Lancet Psychiatry</i> , 2021 , 8, 14-15	23.3	7
174	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
173	The Schizophrenia Construct: Symptomatic Presentation	09-23	7
172	Nested Inversion Polymorphisms Predispose Chromosome 22q11.2 to Meiotic Rearrangements. <i>American Journal of Human Genetics</i> , 2017 , 101, 616-622	11	6

171	10Kin1day: A Bottom-Up Neuroimaging Initiative. <i>Frontiers in Neurology</i> , 2019 , 10, 425	4.1	6
170	Structural magnetic resonance imaging data do not help support DSM-5 autism spectrum disorder category. <i>Research in Autism Spectrum Disorders</i> , 2013 , 7, 333-343	3	6
169	PIENSA: Development of an Early Intervention Program for Adolescents With Early-Onset Psychosis and Their Families. <i>Adolescent Psychiatry (Hilversum, Netherlands)</i> , 2012 , 2, 229-236	1.5	6
168	Digital health technologies in clinical trials for central nervous system drugs: an EU regulatory perspective. <i>Nature Reviews Drug Discovery</i> , 2021 , 20, 83-84	64.1	6
167	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016 , 9, 158-173	0.2	6
166	Risk and protective factors for mental disorders with onset in childhood/adolescence: An umbrella review of published meta-analyses of observational longitudinal studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 120, 565-573	9	6
165	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021 , 64, e25	6	6
164	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	6
163	Effects of copy number variations on brain structure and risk for psychiatric illness: Large-scale studies from the ENIGMA working groups on CNVs. <i>Human Brain Mapping</i> , 2021 ,	5.9	6
162	Atypical age-dependency of executive function and white matter microstructure in children and adolescents with autism spectrum disorders. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 1361-1376	5.5	5
161	A developmental approach to dimensional expression of psychopathology in child and adolescent offspring of parents with bipolar disorder. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 1165-1175	5.5	5
160	Distinct associations between fronto-striatal glutamate concentrations and callous-unemotional traits and proactive aggression in disruptive behavior. <i>Cortex</i> , 2019 , 121, 135-146	3.8	5
159	The association between gene variants and longitudinal structural brain changes in psychosis: a systematic review of longitudinal neuroimaging genetics studies. <i>NPJ Schizophrenia</i> , 2017 , 3, 40	5.5	5
158	Building up careers in translational neuroscience and mental health research: Education and training in the Centre for Biomedical Research in Mental Health. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015 , 8, 65-74	2.7	5
157	Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. <i>Behavioral and Brain Functions</i> , 2007 , 3, 32	4.1	5
156	Violence in schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2000 , 2, 392-3	5.7	5
155	Subcortical brain volume, regional cortical thickness and cortical surface area across attention-deficit/hyperactivity disorder (ADHD), autism spectrum disorder (ASD), and obsessive-compulsive disorder (OCD)		5
154	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107	3.6	5

153	Psychiatric comorbidities in Asperger syndrome are related with polygenic overlap and differ from other Autism subtypes. <i>Translational Psychiatry</i> , 2020 , 10, 258	8.6	5
152	Aggression subtypes relate to distinct resting state functional connectivity in children and adolescents with disruptive behavior. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1237-1249	5.5	5
151	Universal and Selective Interventions to Prevent Poor Mental Health Outcomes in Young People: Systematic Review and Meta-analysis. <i>Harvard Review of Psychiatry</i> , 2021 , 29, 196-215	4.1	5
150	Moving interventions from after to before diagnosis. <i>World Psychiatry</i> , 2017 , 16, 275-276	14.4	4
149	Gender effects on brain changes in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1193-205	5.5	4
148	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
147	The effects of callous-unemotional traits and aggression subtypes on amygdala activity in response to negative faces. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
146	Demographic and Clinical Characteristics, Including Subsyndromal Symptoms Across Bipolar-Spectrum Disorders in Adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020 , 30, 222-234	2.9	4
145	Absence of Change in Corrected QT Interval in Children and Adolescents Receiving Antipsychotic Treatment: A 12 Month Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016 , 26, 449-57	2.9	4
144	One-Year Prospective Study of Liver Function Tests in Children and Adolescents on Second-Generation Antipsychotics: Is There a Link with Metabolic Syndrome?. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2018 , 28, 463-473	2.9	4
143	Safety and efficacy of agomelatine in children and adolescents with major depressive disorder receiving psychosocial counselling: a double-blind, randomised, controlled, phase 3 trial in nine countries.. <i>Lancet Psychiatry</i> , 2021 ,	23.3	4
142	Pimavanserin for negative symptoms of schizophrenia: results from the ADVANCE phase 2 randomised, placebo-controlled trial in North America and Europe. <i>Lancet Psychiatry</i> , 2021 ,	23.3	4
141	A longitudinal comparison of two neurocognitive test batteries in patients with schizophrenia and healthy volunteers: Time effects on neuropsychological performance and their relation to functional outcome. <i>Schizophrenia Research</i> , 2020 , 216, 347-356	3.6	4
140	Gambling Dual Disorder: A Dual Disorder and Clinical Neuroscience Perspective. <i>Frontiers in Psychiatry</i> , 2020 , 11, 589155	5	4
139	A normative chart for cognitive development in a genetically selected population. <i>Neuropsychopharmacology</i> , 2021 ,	8.7	4
138	Alpha7 acetylcholine receptor autoantibodies are rare in sera of patients diagnosed with schizophrenia or bipolar disorder. <i>PLoS ONE</i> , 2018 , 13, e0208412	3.7	4
137	The complex association between the antioxidant defense system and clinical status in early psychosis. <i>PLoS ONE</i> , 2018 , 13, e0194685	3.7	4
136	The effects of callous-unemotional traits and aggression subtypes on amygdala activity in response to negative faces - ERRATUM. <i>Psychological Medicine</i> , 2020 , 1	6.9	3

135	Executive functioning and emotion recognition in youth with oppositional defiant disorder and/or conduct disorder. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 539-551	3.8	3
134	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
133	Assessing clinical and functional outcomes in a gene×environment interaction study in first episode of psychosis (PEPs). <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2013 , 6, 4-16	0.2	3
132	The state of psychiatry in Spain. <i>International Review of Psychiatry</i> , 2012 , 24, 347-55	3.6	3
131	P.3.a.025 Open-label randomized trial comparing the efficacy and tolerability of quetiapine and olanzapine in first episode psychosis in adolescents. <i>European Neuropsychopharmacology</i> , 2006 , 16, S377-S378	1.2	3
130	Needs of people with psychosis and their caregivers: «In their own voice». <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 80-89	2.7	3
129	Reactive/proactive aggression specific cortical and subcortical alterations in children and adolescents with disruptive behavior		3
128	Altered structural brain asymmetry in autism spectrum disorder: large-scale analysis via the ENIGMA Consortium		3
127	Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. <i>Schizophrenia Research</i> , 2020 , 223, 271-278	3.6	3
126	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2020 , 1-7	6.9	3
125	DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2020 , 11, 568982	5	3
124	Specific cortical and subcortical alterations for reactive and proactive aggression in children and adolescents with disruptive behavior. <i>NeuroImage: Clinical</i> , 2020 , 27, 102344	5.3	3
123	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
122	Calling for the integration of children's mental health and protection into COVID-19 responses. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021 , 14, 113-116	2.7	3
121	Omega-3 fatty acids during adolescence prevent schizophrenia-related behavioural deficits: Neurophysiological evidences from the prenatal viral infection with PolyI:C. <i>European Neuropsychopharmacology</i> , 2021 , 46, 14-27	1.2	3
120	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1674-1684	1.3	3
119	The role of depression in the prediction of a "late" remission in first-episode psychosis: An analysis of the OPTiMiSE study. <i>Schizophrenia Research</i> , 2021 , 231, 100-107	3.6	3
118	Executive function is affected in autism spectrum disorder, but does not correlate with intelligence. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2016 , 9, 39-50	0.2	3

117	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. <i>European Psychiatry</i> , 2021 , 64, e7	6	3
116	The search for an autoimmune origin of psychotic disorders: Prevalence of autoantibodies against hippocampus antigens, glutamic acid decarboxylase and nuclear antigens. <i>Schizophrenia Research</i> , 2021 , 228, 462-471	3.6	3
115	Pharmacological and dietary-supplement treatments for autism spectrum disorder: a systematic review and network meta-analysis.. <i>Molecular Autism</i> , 2022 , 13, 10	6.5	3
114	The lived experience of psychosis: a bottom-up review co-written by experts by experience and academics.. <i>World Psychiatry</i> , 2022 , 21, 168-188	14.4	3
113	Effect of disease related biases on the subjective assessment of social functioning in Alzheimer's disease and schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2020 , 145, 302-302	5.2	2
112	Subgrouping children and adolescents with disruptive behaviors: symptom profiles and the role of callous-unemotional traits. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	2
111	Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia - data from the OPTiMiSE trial. <i>Psychiatry Research</i> , 2020 , 289, 112970	9.9	2
110	Development of an early intervention programme for adolescents with emotion dysregulation and their families: Actions for the treatment of adolescent personality (ATraPA). <i>Microbial Biotechnology</i> , 2020 , 14, 619-624	3.3	2
109	Development of the Spanish Brief-version of the University of California Performance Skills Assessment (Sp-UPSA-Brief) in patients with schizophrenia and bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2014 , 7, 113-120	0.2	2
108	Prevalence of premorbid personality disorder and its clinical correlates in patients with delusional disorder. <i>Psychiatry Research</i> , 2013 , 210, 986-93	9.9	2
107	P.7.a.009 Predictors of diagnosis of nonaffective acute remitting psychosis in patients with early-onset first episodes of psychosis. <i>European Neuropsychopharmacology</i> , 2012 , 22, S418-S419	1.2	2
106	Antioxidant defense system and family environment in adolescents with family history of psychosis. <i>BMC Psychiatry</i> , 2012 , 12, 200	4.2	2
105	Ventajas y desventajas del tratamiento de combinaci3n con antipsic3ticos. Reuni3n ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatría Biológica</i> , 2011 , 18, 55-67	0.2	2
104	Longitudinal course of cognition in schizophrenia. <i>British Journal of Psychiatry</i> , 2009 , 195, 84; author reply 85	5.4	2
103	Clinical subtyping and early detection: short-term challenges for child and adolescent psychiatry. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 627-8	5.5	2
102	P.3.a.032 Cognitive efficacy of quetiapine and olanzapine in early onset first episode psychosis. <i>European Neuropsychopharmacology</i> , 2006 , 16, S381-S382	1.2	2
101	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	2
100	Analyses of rare and common alleles in parent-proband trios implicate rare missense variants in SLC6A1 in schizophrenia and confirm the involvement of loss of function intolerant and neurodevelopmental disorder genes		2

99	Genetic underpinnings of sociability in the UK Biobank		2
98	The independent and combined influence of schizophrenia polygenic risk score and heavy cannabis use on risk for psychotic disorder: A case-control analysis from the EUGEI study.		2
97	Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. <i>Schizophrenia Bulletin</i> , 2020 , 46, 846-856	1.3	2
96	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	2
95	The interplay between functioning problems and symptoms in first episode of psychosis: An approach from network analysis. <i>Journal of Psychiatric Research</i> , 2021 , 136, 265-273	5.2	2
94	Calling for the integration of children's mental health and protection into COVID-19 responses. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2021 , 14, 113-116	0.2	2
93	Baseline levels of C-reactive protein and proinflammatory cytokines are not associated with early response to amisulpride in patients with First Episode Psychosis: the OPTiMiSE cohort study. <i>Schizophrenia Bulletin Open</i> ,	2.2	2
92	Genetic underpinnings of sociability in the general population. <i>Neuropsychopharmacology</i> , 2021 , 46, 1628-1634	2.1	2
91	Sex Differences in Lifespan Trajectories and Variability of Human Sulcal and Gyrus Morphology. <i>Cerebral Cortex</i> , 2021 , 31, 5107-5120	5.1	2
90	Imputing the Number of Responders from the Mean and Standard Deviation of CGI-Improvement in Clinical Trials Investigating Medications for Autism Spectrum Disorder. <i>Brain Sciences</i> , 2021 , 11,	3.4	2
89	The Collaborative Outcomes study on Health and Functioning during Infection Times in Adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic.. <i>Journal of Affective Disorders</i> , 2021 , 299, 393-393	6.6	2
88	Dissimilarity in Sulcal Width Patterns in the Cortex can be Used to Identify Patients With Schizophrenia With Extreme Deficits in Cognitive Performance. <i>Schizophrenia Bulletin</i> , 2021 , 47, 552-561	1.3	2
87	Evaluation of the continuation of care between psychiatric hospitalization units and the outpatient clinics in the community. <i>Actas Espanolas De Psiquiatria</i> , 2005 , 33, 273-9	0.7	2
86	Leukocyte telomere length in patients with schizophrenia and related disorders: a meta-analysis of case-control studies.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	2
85	Age-related brain deviations and aggression.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	2
84	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019 , 10, 676	5	1
83	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
82	Building up careers in translational neuroscience and mental health research: Education and training in the Centre for Biomedical Research in Mental Health. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2015 , 8, 65-74	0.2	1

81	The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for Its Methodology and a Review of the Effectiveness of Switching Antipsychotics. <i>Focus (American Psychiatric Publishing)</i> , 2016 , 14, 378-386	1.1	1
80	Long-acting injectable antipsychotics for the treatment of schizophrenia in Spain. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 92-105	0.2	1
79	One decade of the first episodes project (PEPs): Advancing towards a precision psychiatry. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 135-140	0.2	1
78	The bipolar-depressive continuum in the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Bipolar Disorders</i> , 2013 , 15, 112-3	3.8	1
77	Safety of lurasidone in adolescents with schizophrenia: interim analysis of a 24-month, open-label extension study. <i>European Neuropsychopharmacology</i> , 2017 , 27, S1099	1.2	1
76	Effectiveness of lurasidone in adolescents with schizophrenia: interim analysis of a 24-month, open-label extension study. <i>European Neuropsychopharmacology</i> , 2017 , 27, S1100-S1101	1.2	1
75	More treatment for those most in need? A foregone conclusion?. <i>Schizophrenia Bulletin</i> , 2015 , 41, 26-7	1.3	1
74	Secondary effects of antipsychotic treatment in naïve or quasi-naïve children and adolescents: Design of a follow-up protocol and baseline results. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2012 , 5, 217-228	0.2	1
73	Child neuropsychopharmacology: good news—the glass is half full. <i>World Psychiatry</i> , 2013 , 12, 128-9	14.4	1
72	Assessment for subtle neurological signs		1
71	The genetic contribution to first psychotic episodes in children and adolescents of the child and adolescent first-episode psychosis study. <i>Psychiatric Genetics</i> , 2008 , 18, 151-2	2.9	1
70	Management of acutely ill patients in the hospital setting: focus on quetiapine. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007 , 11, 61-72	2.4	1
69	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , 2022 ,	1.3	1
68	Jumping To Conclusions, General Intelligence, And Psychosis Liability: Findings From The Multi-Centre EU-GEI Case-Control Study		1
67	Dissimilarity in sulcal width patterns in the cortex can be used to identify patients with schizophrenia with extreme deficits in cognitive performance		1
66	Évolution des modifications cérébrales au cours des psychoses précoces. <i>Information Psychiatrique</i> , 2010 , 86, 513		1
65	Needs of people with psychosis and their caregivers: In their own voice— <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2020 , 13, 80-89	0.2	1
64	Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 1125-1134	3.4	1

63	Reward and Punishment Sensitivity are Associated with Cross-disorder Traits. <i>Psychiatry Research</i> , 2021 , 298, 113795	9.9	1
62	Efficacy of a Web-Enabled, School-Based, Preventative Intervention to Reduce Bullying and Improve Mental Health in Children and Adolescents: Study Protocol for a Cluster Randomized Controlled Trial. <i>Frontiers in Pediatrics</i> , 2021 , 9, 628984	3.4	1
61	Affective symptom dimensions in early-onset psychosis over time: a principal component factor analysis of the Young Mania Rating Scale and the Hamilton Depression Rating Scale. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	1
60	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
59	Role of Executive Function in Response to a Problem Solving Based Psychoeducational Intervention in Adolescents with Psychosis: The PIENSA Trial Revisited. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	1
58	Development and psychometric properties of the "Suicidality: Treatment Occurring in Paediatrics (STOP) Risk and Resilience Factors Scales" in adolescents. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 153-165	5.5	1
57	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMiSE Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 444-455	1.3	1
56	109 Comparative Efficacy and Tolerability of Lurasidone Versus Other Oral Atypical Antipsychotics for Pediatric Schizophrenia: A Network Meta Analysis. <i>CNS Spectrums</i> , 2018 , 23, 70-71	1.8	1
55	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
54	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021 , 11, 423	8.6	1
53	A Phase II Randomized, Double-Blind, Placebo-Controlled Study of the Efficacy, Safety, and Tolerability of Arbaclofen Administered for the Treatment of Social Function in Children and Adolescents With Autism Spectrum Disorders: Study Protocol for AIMS-2-TRIALS-CT1. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701729	5	1
52	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 1-9	6.9	1
51	Exploring the biological role of postzygotic and germinal de novo mutations in ASD. <i>Scientific Reports</i> , 2021 , 11, 319	4.9	1
50	Genetic variants associated with longitudinal changes in brain structure across the lifespan.. <i>Nature Neuroscience</i> , 2022 , 25, 421-432	25.5	1
49	31.3 CLINICAL UTILITY OF MRI SCANNING IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S50-S51	1.3	0
48	Polygenic contribution to the relationship of loneliness and social isolation with schizophrenia.. <i>Nature Communications</i> , 2022 , 13, 51	17.4	0
47	A polygenic approach to the association between smoking and schizophrenia. <i>Addiction Biology</i> , 2021 , e13104	4.6	0
46	Relationships between social withdrawal and facial emotion recognition in neuropsychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110463	5.5	0

45	How does neighbourhood socio-economic status affect the interrelationships between functioning dimensions in first episode of psychosis? A network analysis approach. <i>Health and Place</i> , 2021 , 69, 102555	4.6	o
44	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1653-1662	1.3	o
43	Reply to: Another Vision From the Coronavirus Health Crisis in Spain: The Perspective From the Plena inclusi6n Developmental Disabilities Associative Movement. <i>Biological Psychiatry</i> , 2021 , 89, e19-e20	7.9	o
42	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021 , 236, 69-79	3.6	o
41	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110440	5.5	o
40	Negative symptoms in First-Episode Schizophrenia related to morphometric alterations in orbitofrontal and superior temporal cortex: the OPTiMiSE study.. <i>Psychological Medicine</i> , 2022 , 1-9	6.9	o
39	Cortical thinning over two years after first-episode psychosis depends on age of onset.. <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	o
38	Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and alzheimer's disease patients.. <i>PLoS ONE</i> , 2022 , 17, e0263769	3.7	o
37	The transition from adolescence to adulthood in patients with schizophrenia: Challenges, opportunities and recommendations.. <i>European Neuropsychopharmacology</i> , 2022 , 59, 45-55	1.2	o
36	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatr� Y Salud Mental (English Edition)</i> , 2017 , 10, 4-20	0.2	
35	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatr� Y Salud Mental (English Edition)</i> , 2017 , 10, 78-86	0.2	
34	P.7.d.011 Association between duration of untreated psychosis and functionality within family environment in early-onset first episode psychosis. <i>European Neuropsychopharmacology</i> , 2014 , 24, S726	1.2	
33	Needs of People with Schizophrenia/Psychosis and their Caregivers: A Large Scale Survey. <i>European Psychiatry</i> , 2017 , 41, S97-S97	6	
32	Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): Rationale, objectives, design and sample description. <i>Revista De Psiquiatr� Y Salud Mental (English Edition)</i> , 2014 , 7, 166-178	0.2	
31	Psychometric properties of the Spanish version of the diagnostic interview for depressive personality. <i>European Psychiatry</i> , 2012 , 27, 582-90	6	
30	Mental Health Research in Spain: A bit more than green shoots. <i>Revista De Psiquiatr� Y Salud Mental (English Edition)</i> , 2012 , 5, 211-213	0.2	
29	P.3.004 Risk for adverse health outcome in antipsychotic-na�ve adolescents after 12 months of treatment with second-generation antipsychotics. <i>European Neuropsychopharmacology</i> , 2011 , 21, S61-S62	1.2	
28	P.1.e.036 White matter microstructure in Asperger syndrome patients compared with healthy controls. <i>European Neuropsychopharmacology</i> , 2011 , 21, S324	1.2	

27	P.1.e.038 Differences in corpus callosum composition between Asperger syndrome and healthy adolescents: a tractography study. <i>European Neuropsychopharmacology</i> , 2011 , 21, S325-S326	1.2
26	P.3.c.049 Risk of adverse health outcome and metabolic syndrome in adolescents treated with antipsychotics: preliminary results. <i>European Neuropsychopharmacology</i> , 2011 , 21, S496-S497	1.2
25	P.7.e.001 Oxidative stress and brain volume in early onset psychosis: role of glutathione levels in progressive loss of cortical grey matter. <i>European Neuropsychopharmacology</i> , 2011 , 21, S608	1.2
24	Differential characteristics of the efficacy and tolerability of second-generation antipsychotics in the treatment of psychotic disorders in children and adolescents. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2010 , 3, 152-167	0.2
23	P.7.a.012 Dyskinesia in naïve children and adolescents treated with olanzapine, risperidone and quetiapine: three months follow up. <i>European Neuropsychopharmacology</i> , 2010 , 20, S617	1.2
22	Neurobiological substrates in deficit and non deficit schizophrenia. <i>European Psychiatry</i> , 2011 , 26, 2069-2069	
21	Review: depot antipsychotics may reduce risk of relapse compared with oral antipsychotics in people with schizophrenia. <i>Evidence-Based Mental Health</i> , 2011 , 14, 112	11.1
20	S.01.03 Treatment of bipolar disorders in children and adolescents. <i>European Neuropsychopharmacology</i> , 2009 , 19, S176	1.2
19	Prevalence of Metabolic Syndrome and Coronary Heart Disease Risk in Patients with Schizoaffective Disorder: Clamors Study. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
18	Attitude Toward Antipsychotic Medication as a Predictor of Antipsychotic Treatment Discontinuation in First-Episode Early-Onset Psychosis. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2008 , 1, 10-17	0.2
17	S.18.04 Early-onset psychotic patients growing up: clinical, imaging and neuropsychological findings. <i>European Neuropsychopharmacology</i> , 2008 , 18, S182-S183	1.2
16	Genes and impulsivity: comment to the study of Nomura et al. on "involvement of a polymorphism in the 5-HT2A receptor gene in impulsive behavior. <i>Psychopharmacology</i> 187:30-35. <i>Psychopharmacology</i> , 2006 , 188, 128-9	4.7
15	P.3.02 Metabolic side effects with second generation antipsychotics in antipsychotic-naïve adolescents. <i>European Neuropsychopharmacology</i> , 2007 , 17, S71	1.2
14	P.3.c.050 Psychopathology and metabolic syndrome (MS) in psychotic patients: the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2006 , 16, S423-S424	1.2
13	Oxytocin Exposure in Labor and its Relationship with Cognitive Impairment and the Genetic Architecture of Autism.. <i>Journal of Autism and Developmental Disorders</i> , 2022 , 1	4.6
12	Dietary Interventions for Autism Spectrum Disorder: A Meta-analysis 2020 , 303-316	
11	Evaluating the tendencies of community practitioners who actively practice in child and adolescent psychiatry to diagnose and treat DSM-5 attenuated psychotic syndrome. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5
10	Calidad de vida y discapacidad en pacientes con trastorno obsesivo-compulsivo. <i>European Psychiatry (Ed Española)</i> , 2001 , 8, 436-442	

- 9 El síndrome deficitario en la esquizofrenia: implicaciones para el tratamiento de los síntomas negativos. *European Psychiatry (Ed Española)*, **2004**, 11, 219-224
- 8 P.389 Social withdrawal levels influence cerebellar activity during consumption of monetary rewards fMRI results from the PRISM clinical study. *European Neuropsychopharmacology*, **2020**, 40, S222-S223^{1,2}
- 7 Drug development in ASD, an ISCTM-ECNP joint adventure. *European Neuropsychopharmacology*, **2021**, 48, 1-2 1.2
- 6 Methodologic and Reporting Issues in Published Meta-analysis-Reply. *JAMA Pediatrics*, **2021**, 175, 644-645³
- 5 Age at first episode modulates progressive cortical thinning in individuals with psychosis. *European Neuropsychopharmacology*, **2019**, 29, S103-S104 1.2
- 4 Quality of care in psychiatry is related to research activity. *European Psychiatry*, **2021**, 64, e53 6
- 3 Manifesto for an ECNP Neuromodulation Thematic Working Group (TWG): Non-invasive brain stimulation as a new Super-subspecialty. *European Neuropsychopharmacology*, **2021**, 52, 72-83 1.2
- 2 Social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. *European Psychiatry*, **2021**, 64, S163-S163 6
- 1 Prediction of drop-out and functional impairment in recent-onset schizophrenia spectrum disorders. *European Psychiatry*, **2021**, 64, S35-S36 6