

Celso Arango

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8799953/celso-arango-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

476 papers	17,611 citations	71 h-index	113 g-index
593 ext. papers	23,030 ext. citations	5.3 avg, IF	6.94 L-index

#	Paper	IF	Citations
476	Polygenic contribution to the relationship of loneliness and social isolation with schizophrenia.. <i>Nature Communications</i> , 2022 , 13, 51	17.4	0
475	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	2
474	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , 2022 ,	1.3	1
473	Oxytocin Exposure in Labor and its Relationship with Cognitive Impairment and the Genetic Architecture of Autism.. <i>Journal of Autism and Developmental Disorders</i> , 2022 , 1	4.6	
472	Relationships between social withdrawal and facial emotion recognition in neuropsychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110463	5.5	0
471	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110440	5.5	0
470	Negative symptoms in First-Episode Schizophrenia related to morphometric alterations in orbitofrontal and superior temporal cortex: the OPTiMiSE study.. <i>Psychological Medicine</i> , 2022 , 1-9	6.9	0
469	Cortical thinning over two years after first-episode psychosis depends on age of onset.. <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	0
468	Pharmacological and dietary-supplement treatments for autism spectrum disorder: a systematic review and network meta-analysis.. <i>Molecular Autism</i> , 2022 , 13, 10	6.5	3
467	Genetic variants associated with longitudinal changes in brain structure across the lifespan.. <i>Nature Neuroscience</i> , 2022 , 25, 421-432	25.5	1
466	Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 ,	50.4	35
465	Leukocyte telomere length in patients with schizophrenia and related disorders: a meta-analysis of case-control studies.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	2
464	Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and alzheimer's disease patients.. <i>PLoS ONE</i> , 2022 , 17, e0263769	3.7	0
463	Age-related brain deviations and aggression.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	2
462	The lived experience of psychosis: a bottom-up review co-written by experts by experience and academics.. <i>World Psychiatry</i> , 2022 , 21, 168-188	14.4	3
461	The transition from adolescence to adulthood in patients with schizophrenia: Challenges, opportunities and recommendations.. <i>European Neuropsychopharmacology</i> , 2022 , 59, 45-55	1.2	0
460	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 1536-1548	6.9	20

459	Safety and efficacy of agomelatine in children and adolescents with major depressive disorder receiving psychosocial counselling: a double-blind, randomised, controlled, phase 3 trial in nine countries.. <i>Lancet Psychiatry, the</i> , 2021 ,	23.3	4
458	A polygenic approach to the association between smoking and schizophrenia. <i>Addiction Biology</i> , 2021 , e13104	4.6	0
457	Pimavanserin for negative symptoms of schizophrenia: results from the ADVANCE phase 2 randomised, placebo-controlled trial in North America and Europe. <i>Lancet Psychiatry, the</i> , 2021 ,	23.3	4
456	Evaluating the tendencies of community practitioners who actively practice in child and adolescent psychiatry to diagnose and treat DSM-5 attenuated psychotic syndrome. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	
455	Digital health technologies in clinical trials for central nervous system drugs: an EU regulatory perspective. <i>Nature Reviews Drug Discovery</i> , 2021 , 20, 83-84	64.1	6
454	Genetic contributors to risk of schizophrenia in the presence of a 22q11.2 deletion. <i>Molecular Psychiatry</i> , 2021 , 26, 4496-4510	15.1	39
453	Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 1125-1134	3.4	1
452	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107	3.6	5
451	Aggression subtypes relate to distinct resting state functional connectivity in children and adolescents with disruptive behavior. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1237-1249	5.5	5
450	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
449	A normative chart for cognitive development in a genetically selected population. <i>Neuropsychopharmacology</i> , 2021 ,	8.7	4
448	Calling for the integration of children's mental health and protection into COVID-19 responses. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021 , 14, 113-116	2.7	3
447	Reward and Punishment Sensitivity are Associated with Cross-disorder Traits. <i>Psychiatry Research</i> , 2021 , 298, 113795	9.9	1
446	The interplay between functioning problems and symptoms in first episode of psychosis: An approach from network analysis. <i>Journal of Psychiatric Research</i> , 2021 , 136, 265-273	5.2	2
445	Drug development in ASD, an ISCTM-ECNP joint adventure. <i>European Neuropsychopharmacology</i> , 2021 , 48, 1-2	1.2	
444	Efficacy of a Web-Enabled, School-Based, Preventative Intervention to Reduce Bullying and Improve Mental Health in Children and Adolescents: Study Protocol for a Cluster Randomized Controlled Trial. <i>Frontiers in Pediatrics</i> , 2021 , 9, 628984	3.4	1
443	Calling for the integration of children's mental health and protection into COVID-19 responses. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2021 , 14, 113-116	0.2	2
442	Universal and Selective Interventions to Prevent Poor Mental Health Outcomes in Young People: Systematic Review and Meta-analysis. <i>Harvard Review of Psychiatry</i> , 2021 , 29, 196-215	4.1	5

441	Omega-3 fatty acids during adolescence prevent schizophrenia-related behavioural deficits: Neurophysiological evidences from the prenatal viral infection with PolyI:C. <i>European Neuropsychopharmacology</i> , 2021 , 46, 14-27	1.2	3
440	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1674-1684	1.3	3
439	Affective symptom dimensions in early-onset psychosis over time: a principal component factor analysis of the Young Mania Rating Scale and the Hamilton Depression Rating Scale. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	1
438	How does neighbourhood socio-economic status affect the interrelationships between functioning dimensions in first episode of psychosis? A network analysis approach. <i>Health and Place</i> , 2021 , 69, 102553	4.6	0
437	The role of depression in the prediction of a "late" remission in first-episode psychosis: An analysis of the OPTiMISE study. <i>Schizophrenia Research</i> , 2021 , 231, 100-107	3.6	3
436	Genetic underpinnings of sociability in the general population. <i>Neuropsychopharmacology</i> , 2021 , 46, 1628-1634	3.4	2
435	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1653-1662	1.3	0
434	Preventive psychiatry: a blueprint for improving the mental health of young people. <i>World Psychiatry</i> , 2021 , 20, 200-221	14.4	48
433	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
432	Sex Differences in Lifespan Trajectories and Variability of Human Sulcal and Gyral Morphology. <i>Cerebral Cortex</i> , 2021 , 31, 5107-5120	5.1	2
431	Drug development for Autism Spectrum Disorder (ASD): Progress, challenges, and future directions. <i>European Neuropsychopharmacology</i> , 2021 , 48, 3-31	1.2	8
430	Methodologic and Reporting Issues in Published Meta-analysis-Reply. <i>JAMA Pediatrics</i> , 2021 , 175, 644-645	1.3	3
429	Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. <i>EClinicalMedicine</i> , 2021 , 36, 100909	11.3	8
428	Imputing the Number of Responders from the Mean and Standard Deviation of CGI-Improvement in Clinical Trials Investigating Medications for Autism Spectrum Disorder. <i>Brain Sciences</i> , 2021 , 11,	3.4	2
427	A white paper on a neurodevelopmental framework for drug discovery in autism and other neurodevelopmental disorders. <i>European Neuropsychopharmacology</i> , 2021 , 48, 49-88	1.2	9
426	The Collaborative Outcomes study on Health and Functioning during Infection Times in Adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic.. <i>Journal of Affective Disorders</i> , 2021 , 299, 393-393	6.6	2
425	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 623-633	6.9	15
424	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021 , 227, 10-17	3.6	17

423	Reply to: Another Vision From the Coronavirus Health Crisis in Spain: The Perspective From the Plena inclusi� Developmental Disabilities Associative Movement. <i>Biological Psychiatry</i> , 2021 , 89, e19-e20	7.9	0
422	Assessment of School Anti-Bullying Interventions: A Meta-analysis of Randomized Clinical Trials. <i>JAMA Pediatrics</i> , 2021 , 175, 44-55	8.3	24
421	Dissimilarity in Sulcal Width Patterns in the Cortex can be Used to Identify Patients With Schizophrenia With Extreme Deficits in Cognitive Performance. <i>Schizophrenia Bulletin</i> , 2021 , 47, 552-561	1.3	2
420	Reconceptualising treatment-resistant depression as difficult-to-treat depression. <i>Lancet Psychiatry</i> , 2021 , 8, 14-15	23.3	7
419	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMISE Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 444-455	1.3	1
418	Annual Research Review: Prevention of psychosis in adolescents - systematic review and meta-analysis of advances in detection, prognosis and intervention. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 657-673	7.9	42
417	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
416	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. <i>European Psychiatry</i> , 2021 , 64, e7	6	3
415	Risk and protective factors for mental disorders with onset in childhood/adolescence: An umbrella review of published meta-analyses of observational longitudinal studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 120, 565-573	9	6
414	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021 , 64, e25	6	6
413	Mental health services during the first wave of the COVID-19 pandemic in Europe: Results from the EPA Ambassadors Survey and implications for clinical practice. <i>European Psychiatry</i> , 2021 , 64, e41	6	10
412	Quality of care in psychiatry is related to research activity. <i>European Psychiatry</i> , 2021 , 64, e53	6	
411	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	6
410	The search for an autoimmune origin of psychotic disorders: Prevalence of autoantibodies against hippocampus antigens, glutamic acid decarboxylase and nuclear antigens. <i>Schizophrenia Research</i> , 2021 , 228, 462-471	3.6	3
409	Effects of copy number variations on brain structure and risk for psychiatric illness: Large-scale studies from the ENIGMA working groups on CNVs. <i>Human Brain Mapping</i> , 2021 ,	5.9	6
408	The pediatric psychopharmacology of autism spectrum disorder: A systematic review - Part I: The past and the present. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110326	5.5	10
407	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
406	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021 , 11, 423	8.6	1

405	The impact of COVID-19 lockdown on child and adolescent mental health: systematic review. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	42
404	A Phase II Randomized, Double-Blind, Placebo-Controlled Study of the Efficacy, Safety, and Tolerability of Arbaclofen Administered for the Treatment of Social Function in Children and Adolescents With Autism Spectrum Disorders: Study Protocol for AIMS-2-TRIALS-CT1. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701723	5	1
403	Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. <i>World Psychiatry</i> , 2021 , 20, 417-436	14.4	21
402	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021 , 236, 69-79	3.6	0
401	Manifesto for an ECNP Neuromodulation Thematic Working Group (TWG): Non-invasive brain stimulation as a new Super-subspecialty. <i>European Neuropsychopharmacology</i> , 2021 , 52, 72-83	1.2	
400	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
399	Exploring the biological role of postzygotic and germinal de novo mutations in ASD. <i>Scientific Reports</i> , 2021 , 11, 319	4.9	1
398	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
397	Social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>European Psychiatry</i> , 2021 , 64, S163-S163	6	
396	Prediction of drop-out and functional impairment in recent-onset schizophrenia spectrum disorders. <i>European Psychiatry</i> , 2021 , 64, S35-S36	6	
395	Effect of disease related biases on the subjective assessment of social functioning in Alzheimer's disease and schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2020 , 145, 302-302	5.2	2
394	Using common genetic variation to examine phenotypic expression and risk prediction in 22q11.2 deletion syndrome. <i>Nature Medicine</i> , 2020 , 26, 1912-1918	50.5	35
393	The effects of callous-unemotional traits and aggression subtypes on amygdala activity in response to negative faces - ERRATUM. <i>Psychological Medicine</i> , 2020 , 1	6.9	3
392	Subgrouping children and adolescents with disruptive behaviors: symptom profiles and the role of callous-unemotional traits. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	2
391	Authors' reply to 'on the existence of a linguistic distance in schizophrenia'. <i>Psychological Medicine</i> , 2020 , 1-2	6.9	8
390	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
389	Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum disorder: The ENIGMA adventure. <i>Human Brain Mapping</i> , 2020 ,	5.9	17
388	Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia - data from the OPTiMiSE trial. <i>Psychiatry Research</i> , 2020 , 289, 112970	9.9	2

387	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020 , 218, 116956	7.9	32
386	Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020 , 177, 834-843	11.9	50
385	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	13
384	The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. <i>American Journal of Psychiatry</i> , 2020 , 177, 537-547	11.9	21
383	Prevention of Psychosis: Advances in Detection, Prognosis, and Intervention. <i>JAMA Psychiatry</i> , 2020 , 77, 755-765	14.5	143
382	Executive functioning and emotion recognition in youth with oppositional defiant disorder and/or conduct disorder. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 539-551	3.8	3
381	Impact of coronavirus syndromes on physical and mental health of health care workers: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020 , 275, 48-57	6.6	251
380	The effects of callous-unemotional traits and aggression subtypes on amygdala activity in response to negative faces. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
379	Development of an early intervention programme for adolescents with emotion dysregulation and their families: Actions for the treatment of adolescent personality (ATraPA). <i>Microbial Biotechnology</i> , 2020 , 14, 619-624	3.3	2
378	The identification, assessment and management of difficult-to-treat depression: An international consensus statement. <i>Journal of Affective Disorders</i> , 2020 , 267, 264-282	6.6	64
377	Demographic and Clinical Characteristics, Including Subsyndromal Symptoms Across Bipolar-Spectrum Disorders in Adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020 , 30, 222-234	2.9	4
376	De novo mutations identified by exome sequencing implicate rare missense variants in SLC6A1 in schizophrenia. <i>Nature Neuroscience</i> , 2020 , 23, 179-184	25.5	47
375	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657	4.5	20
374	Psychotic-like experiences, polygenic risk scores for schizophrenia, and structural properties of the salience, default mode, and central-executive networks in healthy participants from UK Biobank. <i>Translational Psychiatry</i> , 2020 , 10, 122	8.6	9
373	Lessons Learned From the Coronavirus Health Crisis in Madrid, Spain: How COVID-19 Has Changed Our Lives in the Last 2 Weeks. <i>Biological Psychiatry</i> , 2020 , 88, e33-e34	7.9	63
372	Psychiatry in the aftermath of COVID-19. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 105-110	2.7	92
371	Dietary Interventions for Autism Spectrum Disorder: A Meta-analysis 2020 , 303-316		
370	S107. RANDOMIZED CONTROL TRIAL OF A MOBILE APP-BASED INTERVENTION FOR ADOLESCENTS WITH FIRST-EPISODE PSYCHOSIS: THE THINK APP. <i>Schizophrenia Bulletin</i> , 2020 , 46, S75-S75	13.3	78

369	Needs of people with psychosis and their caregivers: «In their own voice». <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 , 13, 80-89	2.7	3
368	Dynamics of Brain Structure and its Genetic Architecture over the Lifespan 2020 ,		7
367	Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>Psychological Medicine</i> , 2020 , 50, 2702-2710	6.9	14
366	Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. <i>Schizophrenia Bulletin</i> , 2020 , 46, 846-856	1.3	2
365	Integrating machine learning and multimodal neuroimaging to detect schizophrenia at the level of the individual. <i>Human Brain Mapping</i> , 2020 , 41, 1119-1135	5.9	23
364	A longitudinal comparison of two neurocognitive test batteries in patients with schizophrenia and healthy volunteers: Time effects on neuropsychological performance and their relation to functional outcome. <i>Schizophrenia Research</i> , 2020 , 216, 347-356	3.6	4
363	Lurasidone compared to other atypical antipsychotic monotherapies for adolescent schizophrenia: a systematic literature review and network meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1195-1205	5.5	82
362	What is good mental health? A scoping review. <i>European Neuropsychopharmacology</i> , 2020 , 31, 33-46	1.2	40
361	T25. THE RELATIONSHIP BETWEEN AGE AT FIRST-EPISODE AND LONGITUDINAL CORTICAL CHANGES IN FIRST-EPISODE PSYCHOSIS: A TWO-YEAR LONGITUDINAL STUDY IN AN ADOLESCENT AND ADULT-ONSET COHORT. <i>Schizophrenia Bulletin</i> , 2020 , 46, S240-S241	1.3	78
360	S80. CHILDHOOD TRAUMA AND SOCIAL COGNITION IN DELUSIONAL PSYCHOSES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S64-S65	1.3	78
359	S95. DIFFERENCES IN LIFETIME PATTERNS OF PSYCHOSTIMULANTS AND THEIR IMPACT ON THE PROPORTION OF PATIENTS WITH FIRST-EPISODE PSYCHOSIS ATTRIBUTABLE TO PSYCHOSTIMULANTS USE ACROSS EUROPE. <i>Schizophrenia Bulletin</i> , 2020 , 46, S70-S71	1.3	78
358	Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. <i>Schizophrenia Research</i> , 2020 , 223, 271-278	3.6	3
357	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2020 , 1-7	6.9	3
356	Needs of people with psychosis and their caregivers: In their own voice— <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2020 , 13, 80-89	0.2	1
355	Intracranial and subcortical volumes in adolescents with early-onset psychosis: A multisite mega-analysis from the ENIGMA consortium. <i>Human Brain Mapping</i> , 2020 ,	5.9	11
354	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020 , 7, 813-824	23.3	542
353	The impact on functioning of second-generation antipsychotic medication side effects for patients with schizophrenia: a worldwide, cross-sectional, web-based survey. <i>Annals of General Psychiatry</i> , 2020 , 19, 42	3.4	15
352	A framework for assessing neuropsychiatric phenotypes by using smartphone-based location data. <i>Translational Psychiatry</i> , 2020 , 10, 211	8.6	13

351	P.389 Social withdrawal levels influence cerebellar activity during consumption of monetary rewards fMRI results from the PRISM clinical study. <i>European Neuropsychopharmacology</i> , 2020 , 40, S222-S223		
350	DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2020 , 11, 568982	5	3
349	Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020 , 41, 28-39	1.2	25
348	Mental health care and COVID-19. <i>Lancet Psychiatry</i> , 2020 , 7, 1013	23.3	11
347	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e182	5.1	11
346	T117. PROMINENT AND PERSISTENT AUTISTIC TRAITS ARE ASSOCIATED WITH EARLY NON-REMISSION IN FIRST-EPISEODE SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2020 , 46, S275-S275	1.3	78
345	Specific cortical and subcortical alterations for reactive and proactive aggression in children and adolescents with disruptive behavior. <i>NeuroImage: Clinical</i> , 2020 , 27, 102344	5.3	3
344	T24. CHANGES IN TELOMERE LENGTH IN YOUNG PEOPLE WITH FIRST EPISODE PSYCHOSIS: A 12-MONTHS FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S240-S240	1.3	78
343	Psychiatric comorbidities in Asperger syndrome are related with polygenic overlap and differ from other Autism subtypes. <i>Translational Psychiatry</i> , 2020 , 10, 258	8.6	5
342	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	2
341	Placebo response in pharmacological and dietary supplement trials of autism spectrum disorder (ASD): systematic review and meta-regression analysis. <i>Molecular Autism</i> , 2020 , 11, 66	6.5	15
340	Psychiatry in the aftermath of COVID-19. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020 , 13, 105-110	0.2	7
339	Gambling Dual Disorder: A Dual Disorder and Clinical Neuroscience Perspective. <i>Frontiers in Psychiatry</i> , 2020 , 11, 589155	5	4
338	Development and psychometric properties of the "Suicidality: Treatment Occurring in Paediatrics (STOP) Risk and Resilience Factors Scales" in adolescents. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 153-165	5.5	1
337	Psychosocial risk factors for suicidality in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 759-776	5.5	76
336	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020 , 46, 432-441	1.3	34
335	Detecting schizophrenia at the level of the individual: relative diagnostic value of whole-brain images, connectome-wide functional connectivity and graph-based metrics. <i>Psychological Medicine</i> , 2020 , 50, 1852-1861	6.9	32
334	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020 , 50, 1884-1897	6.9	17

333	Sensory-to-Cognitive Systems Integration Is Associated With Clinical Severity in Autism Spectrum Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020 , 59, 422-433	7.2	15
332	Altered white matter microstructure in 22q11.2 deletion syndrome: a multisite diffusion tensor imaging study. <i>Molecular Psychiatry</i> , 2020 , 25, 2818-2831	15.1	36
331	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529	1.3	10
330	Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2020 , 34, 76-86	1.2	14
329	F133. A LONGITUDINAL COMPARISON OF TWO NEUROCOGNITIVE ASSESSMENT PACKAGES IN PATIENTS WITH SCHIZOPHRENIA AND HEALTHY VOLUNTEERS: TIME EFFECTS ON NEUROPSYCHOLOGICAL PERFORMANCE AND ITS RELATION TO FUNCTIONAL OUTCOME. <i>Schizophrenia Bulletin</i> , 2019 , 45, S304-S305	1.3	78
328	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019 , 10, 676	5	1
327	Dietary Interventions for Autism Spectrum Disorder: A Meta-analysis. <i>Pediatrics</i> , 2019 , 144,	7.4	26
326	Stratification and prediction of remission in first-episode psychosis patients: the OPTiMISE cohort study. <i>Translational Psychiatry</i> , 2019 , 9, 20	8.6	30
325	Risperidone administered during adolescence induced metabolic, anatomical and inflammatory/oxidative changes in adult brain: A PET and MRI study in the maternal immune stimulation animal model. <i>European Neuropsychopharmacology</i> , 2019 , 29, 880-896	1.2	13
324	10Kin1day: A Bottom-Up Neuroimaging Initiative. <i>Frontiers in Neurology</i> , 2019 , 10, 425	4.1	6
323	17.2 NEGATIVE SYMPTOMS IN THE OPTiMISE COHORT: PREDICTION OF SHORT-TERM REMISSION STATE AND ASSOCIATION WITH PSYCHOSOCIAL FUNCTIONING. <i>Schizophrenia Bulletin</i> , 2019 , 45, S116-S116	1.3	78
322	17. THE OPTiMISE STUDY: AMISULPRIDE AND OLANZAPINE FOLLOWED BY OPEN-LABEL TREATMENT WITH CLOZAPINE IN FIRST-EPISEODE SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019 , 45, S115-S115	1.3	78
321	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019 , 18, 173-182	14.4	73
320	Transcriptomic metaanalyses of autistic brains reveals shared gene expression and biological pathway abnormalities with cancer. <i>Molecular Autism</i> , 2019 , 10, 17	6.5	13
319	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019 , 6, 427-436	23.3	322
318	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
317	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S165-S166	1.3	78
316	Overview of the clinical implementation of a study exploring social withdrawal in patients with schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 87-93	9	15

315	Working definitions, subjective and objective assessments and experimental paradigms in a study exploring social withdrawal in schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 38-46	9	10
314	Long-acting injectable antipsychotics for the treatment of schizophrenia in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019 , 12, 92-105	2.7	11
313	Remission from antipsychotic treatment in first episode psychosis related to longitudinal changes in brain glutamate. <i>NPJ Schizophrenia</i> , 2019 , 5, 12	5.5	12
312	Long-acting injectable antipsychotics for the treatment of schizophrenia in Spain. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 92-105	0.2	1
311	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
310	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 960-965	1.3	20
309	Distinct associations between fronto-striatal glutamate concentrations and callous-unemotional traits and proactive aggression in disruptive behavior. <i>Cortex</i> , 2019 , 121, 135-146	3.8	5
308	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019 , 29, 1301-1311 [†]	1.1	22
307	One decade of the first episodes project (PEPs): Advancing towards a precision psychiatry. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 135-140	0.2	1
306	Altered structural brain asymmetry in autism spectrum disorder in a study of 54 datasets. <i>Nature Communications</i> , 2019 , 10, 4958	17.4	72
305	Mobile App-Based Intervention for Adolescents With First-Episode Psychosis: Study Protocol for a Pilot Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2019 , 10, 27	5	8
304	Age at first episode modulates progressive cortical thinning in individuals with psychosis. <i>European Neuropsychopharmacology</i> , 2019 , 29, S103-S104	1.2	
303	Role of Executive Function in Response to a Problem Solving Based Psychoeducational Intervention in Adolescents with Psychosis: The PIENSA Trial Revisited. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	1
302	Oxidative Stress and Inflammation in First-Episode Psychosis: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 742-751	1.3	71
301	Neuroanatomical deficits shared by youth with autism spectrum disorders and psychotic disorders. <i>Human Brain Mapping</i> , 2019 , 40, 1643-1653	5.9	7
300	Cognition and functionality in delusional disorder. <i>European Psychiatry</i> , 2019 , 55, 52-60	6	7
299	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019 , 49, 1378-1391	6.9	42
298	A quantitative approach to neuropsychiatry: The why and the how. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 3-9	9	47

297	Predictors of Placebo Response in Pharmacological Clinical Trials of Negative Symptoms in Schizophrenia: A Meta-regression Analysis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 57-68	1.3	8
296	Negative Symptoms in Early-Onset Psychosis and Their Association With Antipsychotic Treatment Failure. <i>Schizophrenia Bulletin</i> , 2019 , 45, 69-79	1.3	30
295	F19. TELOMERE SHORTENING IN YOUNG PEOPLE WITH FIRST EPISODE PSYCHOSIS: A 12-MONTH FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S226-S226	1.3	78
294	Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of meta-analyses. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 88-97	6.5	71
293	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 145-154	6.5	36
292	Negative symptoms of schizophrenia: new developments and unanswered research questions. <i>Lancet Psychiatry</i> , 2018 , 5, 664-677	23.3	159
291	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 113-126	5.5	13
290	Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 1261-1269	15.1	324
289	Personality organization and its association with clinical and functional features in borderline personality disorder. <i>Psychiatry Research</i> , 2018 , 262, 393-399	9.9	7
288	One-Year Prospective Study of Liver Function Tests in Children and Adolescents on Second-Generation Antipsychotics: Is There a Link with Metabolic Syndrome?. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2018 , 28, 463-473	2.9	4
287	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018 , 5, 797-807	23.3	100
286	31.3 CLINICAL UTILITY OF MRI SCANNING IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S50-S51	1.3	0
285	Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2018 , 48, 1592-1607	6.9	17
284	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018 , 75, 36-46	14.5	154
283	Cortical and Subcortical Brain Morphometry Differences Between Patients With Autism Spectrum Disorder and Healthy Individuals Across the Lifespan: Results From the ENIGMA ASD Working Group. <i>American Journal of Psychiatry</i> , 2018 , 175, 359-369	11.9	188
282	Early intervention in psychosis: From clinical intervention to health system implementation. <i>Microbial Biotechnology</i> , 2018 , 12, 757-764	3.3	25
281	31. OPTIMISE-ING THE TREATMENT OF FIRST-EPISODE SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S49-S49	1.3	78
280	109 Comparative Efficacy and Tolerability of Lurasidone Versus Other Oral Atypical Antipsychotics for Pediatric Schizophrenia: A Network Meta Analysis. <i>CNS Spectrums</i> , 2018 , 23, 70-71	1.8	1

279	Alpha7 acetylcholine receptor autoantibodies are rare in sera of patients diagnosed with schizophrenia or bipolar disorder. <i>PLoS ONE</i> , 2018 , 13, e0208412	3.7	4
278	Variance of IQ is partially dependent on deletion type among 1,427 22q11.2 deletion syndrome subjects. <i>American Journal of Medical Genetics, Part A</i> , 2018 , 176, 2172-2181	2.5	18
277	Understanding the pediatric psychiatric phenotype of 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2018 , 176, 2182-2191	2.5	36
276	The complex association between the antioxidant defense system and clinical status in early psychosis. <i>PLoS ONE</i> , 2018 , 13, e0194685	3.7	4
275	Preventive strategies for mental health. <i>Lancet Psychiatry</i> , 2018 , 5, 591-604	23.3	193
274	Treatment of negative symptoms: Where do we stand, and where do we go?. <i>Schizophrenia Research</i> , 2017 , 186, 55-62	3.6	86
273	The effects of antipsychotics on weight gain, weight-related hormones and homocysteine in children and adolescents: a 1-year follow-up study. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 35-46	5.5	32
272	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatria Y Salud Mental</i> , 2017 , 10, 4-20	2.7	11
271	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21
270	Multidisciplinary consensus on the therapeutic recommendations for iatrogenic hyperprolactinemia secondary to antipsychotics. <i>Frontiers in Neuroendocrinology</i> , 2017 , 45, 25-34	8.9	30
269	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 196-203	3.6	7
268	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 181-189	3.6	30
267	Individual differences in the dominance of interhemispheric connections predict cognitive ability beyond sex and brain size. <i>NeuroImage</i> , 2017 , 155, 234-244	7.9	54
266	Insular pathology in young people with high-functioning autism and first-episode psychosis. <i>Psychological Medicine</i> , 2017 , 47, 2472-2482	6.9	17
265	Atypical age-dependency of executive function and white matter microstructure in children and adolescents with autism spectrum disorders. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 1361-1376	5.5	5
264	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatria Y Salud Mental</i> , 2017 , 10, 78-86	2.7	25
263	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2017 , 10, 4-20	0.2	
262	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2017 , 10, 78-86	0.2	

261	A developmental approach to dimensional expression of psychopathology in child and adolescent offspring of parents with bipolar disorder. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 1165-1175	5.5	5
260	Bitopertin in Negative Symptoms of Schizophrenia-Results From the Phase III FlashLyte and DayLyte Studies. <i>Biological Psychiatry</i> , 2017 , 82, 8-16	7.9	61
259	Randomized trial of omega-3 for autism spectrum disorders: Effect on cell membrane composition and behavior. <i>European Neuropsychopharmacology</i> , 2017 , 27, 1319-1330	1.2	35
258	Moving interventions from after to before diagnosis. <i>World Psychiatry</i> , 2017 , 16, 275-276	14.4	4
257	Nested Inversion Polymorphisms Predispose Chromosome 22q11.2 to Meiotic Rearrangements. <i>American Journal of Human Genetics</i> , 2017 , 101, 616-622	11	6
256	Developmental Differences Between Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1176-1189	1.3	56
255	Rates, distribution and implications of postzygotic mosaic mutations in autism spectrum disorder. <i>Nature Neuroscience</i> , 2017 , 20, 1217-1224	25.5	144
254	Needs of People with Schizophrenia/Psychosis and their Caregivers: A Large Scale Survey. <i>European Psychiatry</i> , 2017 , 41, S97-S97	6	
253	The association between gene variants and longitudinal structural brain changes in psychosis: a systematic review of longitudinal neuroimaging genetics studies. <i>NPJ Schizophrenia</i> , 2017 , 3, 40	5.5	5
252	Oxidative Stress and Inflammation in Early Onset First Episode Psychosis: A Systematic Review and Meta-Analysis. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 435-444	5.8	56
251	Safety of lurasidone in adolescents with schizophrenia: interim analysis of a 24-month, open-label extension study. <i>European Neuropsychopharmacology</i> , 2017 , 27, S1099	1.2	1
250	Effectiveness of lurasidone in adolescents with schizophrenia: interim analysis of a 24-month, open-label extension study. <i>European Neuropsychopharmacology</i> , 2017 , 27, S1100-S1101	1.2	1
249	The Association Between Comorbid Autism Spectrum Disorders and Antipsychotic Treatment Failure in Early-Onset Psychosis: A Historical Cohort Study Using Electronic Health Records. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e1233-e1241	4.6	23
248	Progressive brain changes in children and adolescents with early-onset psychosis: A meta-analysis of longitudinal MRI studies. <i>Schizophrenia Research</i> , 2016 , 173, 132-139	3.6	45
247	The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for Its Methodology and a Review of the Effectiveness of Switching Antipsychotics. <i>Focus (American Psychiatric Publishing)</i> , 2016 , 14, 378-386	1.1	1
246	Development and psychometric properties of the Suicidality: Treatment Occurring in Paediatrics (STOP) Suicidality Assessment Scale (STOP-SAS) in children and adolescents. <i>BMC Pediatrics</i> , 2016 , 16, 213	2.6	8
245	Type 2 Diabetes Mellitus in Youth Exposed to Antipsychotics: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 247-59	14.5	151
244	Absence of Change in Corrected QT Interval in Children and Adolescents Receiving Antipsychotic Treatment: A 12 Month Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016 , 26, 449-57	2.9	4

243	Executive function is affected in autism spectrum disorder, but does not correlate with intelligence. <i>Revista De Psiquiatria Y Salud Mental</i> , 2016 , 9, 39-50	2.7	12
242	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatria Y Salud Mental</i> , 2016 , 9, 158-73	2.7	33
241	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016 , 208, 87-93	5.4	71
240	Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 344-57	1.3	42
239	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016 , 11, e0160949	3.7	15
238	Cortical morphometry in frontoparietal and default mode networks in math-gifted adolescents. <i>Human Brain Mapping</i> , 2016 , 37, 1893-902	5.9	10
237	Early interventions in risk groups for schizophrenia: what are we waiting for?. <i>NPJ Schizophrenia</i> , 2016 , 2, 16003	5.5	80
236	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016 , 46, 291-301	6.9	30
235	Executive function is affected in autism spectrum disorder, but does not correlate with intelligence. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2016 , 9, 39-50	0.2	3
234	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2016 , 9, 158-173	0.2	6
233	The affective dimension of early-onset psychosis and its relationship with suicide. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 747-755	7.9	22
232	Gender effects on brain changes in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1193-205	5.5	4
231	Unmet needs in paediatric psychopharmacology: Present scenario and future perspectives. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1513-31	1.2	37
230	Building up careers in translational neuroscience and mental health research: Education and training in the Centre for Biomedical Research in Mental Health. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2015 , 8, 65-74	0.2	1
229	Reduced Gyrfication Is Related to Reduced Interhemispheric Connectivity in Autism Spectrum Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 668-76	7.2	26
228	Inflammation in schizophrenia: A question of balance. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 55, 612-26	9	122
227	Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1447-59	5.5	14
226	Magnetic resonance imaging and the prediction of outcome in first-episode schizophrenia: a review of current evidence and directions for future research. <i>Schizophrenia Bulletin</i> , 2015 , 41, 574-83	1.3	68

225	Modeling determinants of medication attitudes and poor adherence in early nonaffective psychosis: implications for intervention. <i>Schizophrenia Bulletin</i> , 2015 , 41, 584-96	1.3	28
224	The optimization of treatment and management of schizophrenia in Europe (OPTiMiSE) trial: rationale for its methodology and a review of the effectiveness of switching antipsychotics. <i>Schizophrenia Bulletin</i> , 2015 , 41, 549-58	1.3	38
223	The promise of biological markers for treatment response in first-episode psychosis: a systematic review. <i>Schizophrenia Bulletin</i> , 2015 , 41, 559-73	1.3	65
222	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015 , 2, 1036-42	23.3	108
221	Psychoeducational Group Intervention for Adolescents With Psychosis and Their Families: A Two-Year Follow-Up. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 984-90 ²	7.2	17
220	Predictors of schizophrenia spectrum disorders in early-onset first episodes of psychosis: a support vector machine model. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 427-40	5.5	30
219	Present and future of developmental neuropsychopharmacology. <i>European Neuropsychopharmacology</i> , 2015 , 25, 703-12	1.2	12
218	Neurological Adverse Effects of Antipsychotics in Children and Adolescents. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 686-93	1.7	20
217	More treatment for those most in need? A foregone conclusion?. <i>Schizophrenia Bulletin</i> , 2015 , 41, 26-7	1.3	1
216	Building up careers in translational neuroscience and mental health research: Education and training in the Centre for Biomedical Research in Mental Health. <i>Revista De Psiquiatria Y Salud Mental</i> , 2015 , 8, 65-74	2.7	5
215	Predictors of functional and clinical outcome in early-onset first-episode psychosis: the child and adolescent first episode of psychosis (CAFEPS) study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1441-8	4.6	15
214	Predictors of outcome in early-onset psychosis: a systematic review. <i>NPJ Schizophrenia</i> , 2015 , 1, 14005	5.5	112
213	Differential neurodevelopmental trajectories in patients with early-onset bipolar and schizophrenia disorders. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 2, S138-46	1.3	83
212	The neurobiology of autism spectrum disorders. <i>European Psychiatry</i> , 2014 , 29, 11-9	6	55
211	Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): rationale, objectives, design and sample description. <i>Revista De Psiquiatria Y Salud Mental</i> , 2014 , 7, 166-78	2.7	7
210	Second-generation antipsychotic use in children and adolescents: a six-month prospective cohort study in drug-naïve patients. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 1179-90, 1190.e1-4	7.2	60
209	A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. <i>Schizophrenia Research</i> , 2014 , 158, 126-33	3.6	32
208	Development of the Spanish Brief-version of the University of California Performance Skills Assessment (Sp-UPSA-Brief) in patients with schizophrenia and bipolar disorder. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2014 , 7, 113-120	0.2	2

207	P.7.d.011 Association between duration of untreated psychosis and functionality within family environment in early-onset first episode psychosis. <i>European Neuropsychopharmacology</i> , 2014 , 24, S726	1.2	
206	Oxidative/Nitrosative stress in psychiatric disorders: are we there yet?. <i>Schizophrenia Bulletin</i> , 2014 , 40, 960-2	1.3	22
205	Cortical morphology of adolescents with bipolar disorder and with schizophrenia. <i>Schizophrenia Research</i> , 2014 , 158, 91-9	3.6	50
204	The effects of second-generation antipsychotics on food intake, resting energy expenditure and physical activity. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 146-52	5.2	46
203	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , 2014 , 159, 107-13	3.6	27
202	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. <i>Schizophrenia Research</i> , 2014 , 156, 23-9	3.6	30
201	Practitioner review: Long-term pharmacological treatment of pediatric bipolar disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 959-80	7.9	12
200	Intervention for adolescents with early-onset psychosis and their families: a randomized controlled trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 688-96	7.2	30
199	Polypharmacy with antidepressants in children and adolescents. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1063-82	5.8	21
198	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
197	White matter microstructure correlates of mathematical giftedness and intelligence quotient. <i>Human Brain Mapping</i> , 2014 , 35, 2619-31	5.9	114
196	Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLIM Study): Rationale, objectives, design and sample description. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2014 , 7, 166-178	0.2	
195	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 1-14	4.3	76
194	Schizophrenia--time to commit to policy change. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 3, S165-94	1.3	99
193	Antipsychotic use in children and adolescents: a 1-year follow-up study. <i>Journal of Clinical Psychopharmacology</i> , 2014 , 34, 613-9	1.7	30
192	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67
191	Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: a 2-year longitudinal study. <i>Schizophrenia Research</i> , 2014 , 152, 130-8	3.6	44
190	Paediatric European Risperidone Studies (PERS): context, rationale, objectives, strategy, and challenges. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 1149-60	5.5	13

189	Psychopathology in children and adolescents with ASD without mental retardation. <i>Journal of Autism and Developmental Disorders</i> , 2013 , 43, 2442-9	4.6	28
188	Issues and perspectives in designing clinical trials for negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 150, 328-33	3.6	38
187	Assessing clinical and functional outcomes in a gene-environment interaction study in first episode of psychosis (PEPs). <i>Revista De Psiquiatria Y Salud Mental</i> , 2013 , 6, 4-16	2.7	78
186	Prevalence of premorbid personality disorder and its clinical correlates in patients with delusional disorder. <i>Psychiatry Research</i> , 2013 , 210, 986-93	9.9	2
185	Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013 , 150, 421-6	3.6	24
184	Pharmacological approaches to treating negative symptoms: a review of clinical trials. <i>Schizophrenia Research</i> , 2013 , 150, 346-52	3.6	69
183	Neuropsychological correlates of P50 sensory gating in patients with schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 102-6	3.6	29
182	Specialty Care Programme for autism spectrum disorders in an urban population: A case-management model for health care delivery in an ASD population. <i>European Psychiatry</i> , 2013 , 28, 102-9	6	27
181	Assessing clinical and functional outcomes in a gene-environment interaction study in first episode of psychosis (PEPs). <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2013 , 6, 4-16	0.2	3
180	Cognitive reserve as a predictor of two year neuropsychological performance in early onset first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 125-31	3.6	42
179	The bipolar-depressive continuum in the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Bipolar Disorders</i> , 2013 , 15, 112-3	3.8	1
178	Structural magnetic resonance imaging data do not help support DSM-5 autism spectrum disorder category. <i>Research in Autism Spectrum Disorders</i> , 2013 , 7, 333-343	3	6
177	Evidence for the early clinical relevance of hallucinatory-delusional states in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 482-93	6.5	35
176	Premorbid impairments in early-onset psychosis: differences between patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013 , 146, 103-10	3.6	30
175	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
174	Risperidone normalizes increased inflammatory parameters and restores anti-inflammatory pathways in a model of neuroinflammation. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 121-35	5.8	64
173	Twenty-four months of antipsychotic treatment in children and adolescents with first psychotic episode: discontinuation and tolerability. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 463-71	1.7	20
172	Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses. <i>Psychological Medicine</i> , 2013 , 43, 757-68	6.9	44

171	Child neuropsychopharmacology: good news—the glass is half full. <i>World Psychiatry</i> , 2013 , 12, 128-9	14.4	1
170	Psychotic symptoms are associated with physical health problems independently of a mental disorder diagnosis: results from the WHO World Health Survey. <i>World Psychiatry</i> , 2013 , 12, 251-7	14.4	73
169	The human cerebral cortex flattens during adolescence. <i>Journal of Neuroscience</i> , 2013 , 33, 15004-10	6.6	81
168	Predictors of suicide attempt in early-onset, first-episode psychoses: a longitudinal 24-month follow-up study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 59-66	4.6	44
167	Plasma antioxidant capacity is reduced in Asperger syndrome. <i>Journal of Psychiatric Research</i> , 2012 , 46, 394-401	5.2	43
166	Depression in bipolar disorder versus major depressive disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Bipolar Disorders</i> , 2012 , 14, 271-82	3.8	58
165	Estimation of the intelligence quotient using Wechsler Intelligence Scales in children and adolescents with Asperger syndrome. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 116-22	4.6	16
164	Regional specificity of thalamic volume deficits in male adolescents with early-onset psychosis. <i>British Journal of Psychiatry</i> , 2012 , 200, 30-6	5.4	21
163	P.7.a.009 Predictors of diagnosis of nonaffective acute remitting psychosis in patients with early-onset first episodes of psychosis. <i>European Neuropsychopharmacology</i> , 2012 , 22, S418-S419	1.2	2
162	Placebo effect in child and adolescent psychiatric trials. <i>European Neuropsychopharmacology</i> , 2012 , 22, 787-99	1.2	22
161	Cardiovascular and metabolic risk in outpatients with schizoaffective disorder treated with antipsychotics: results from the CLAMORS study. <i>European Psychiatry</i> , 2012 , 27, 267-74	6	15
160	Psychometric properties of the Spanish version of the diagnostic interview for depressive personality. <i>European Psychiatry</i> , 2012 , 27, 582-90	6	
159	Secondary effects of antipsychotic treatment in naïve or quasi-naïve children and adolescents: design of a follow-up protocol and baseline results. <i>Revista De Psiquiatria Y Salud Mental</i> , 2012 , 5, 217-28 ^{2.7}		13
158	Secondary effects of antipsychotic treatment in naïve or quasi-naïve children and adolescents: Design of a follow-up protocol and baseline results. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2012 , 5, 217-228	0.2	1
157	Mental Health Research in Spain: A bit more than green shoots. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2012 , 5, 211-213	0.2	
156	Cortical structural abnormalities in deficit versus nondeficit schizophrenia. <i>Schizophrenia Research</i> , 2012 , 136, 51-4	3.6	44
155	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. <i>Schizophrenia Research</i> , 2012 , 137, 58-65	3.6	41
154	Antioxidant defense system and family environment in adolescents with family history of psychosis. <i>BMC Psychiatry</i> , 2012 , 12, 200	4.2	2

153	Autism spectrum disorder: does neuroimaging support the DSM-5 proposal for a symptom dyad? A systematic review of functional magnetic resonance imaging and diffusion tensor imaging studies. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 1326-41	4.6	34
152	Longitudinal study of neurological soft signs in first-episode early-onset psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012 , 53, 323-31	7.9	30
151	The state of psychiatry in Spain. <i>International Review of Psychiatry</i> , 2012 , 24, 347-55	3.6	3
150	Progressive brain changes in children and adolescents with first-episode psychosis. <i>Archives of General Psychiatry</i> , 2012 , 69, 16-26		116
149	The continuum of psychotic symptoms in the general population: a cross-national study. <i>Schizophrenia Bulletin</i> , 2012 , 38, 475-85	1.3	198
148	PIENSA: Development of an Early Intervention Program for Adolescents With Early-Onset Psychosis and Their Families. <i>Adolescent Psychiatry (Hilversum, Netherlands)</i> , 2012 , 2, 229-236	1.5	6
147	Ventajas y desventajas del tratamiento de combinaci3n con antipsic3ticos. Reuni3n ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatria Biologica</i> , 2011 , 18, 55-67	0.2	2
146	Mathematically gifted adolescents use more extensive and more bilateral areas of the fronto-parietal network than controls during executive functioning and fluid reasoning tasks. <i>NeuroImage</i> , 2011 , 57, 281-292	7.9	53
145	Role of serotonergic-related systems in suicidal behavior: Data from a case-control association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1518-24	5.5	17
144	Twelve-month follow-up of family communication and psychopathology in children and adolescents with a first psychotic episode (CAFEPS study). <i>Psychiatry Research</i> , 2011 , 185, 72-7	9.9	14
143	Can positive family factors be protective against the development of psychosis?. <i>Psychiatry Research</i> , 2011 , 186, 28-33	9.9	33
142	P.3.004 Risk for adverse health outcome in antipsychotic-naïve adolescents after 12 months of treatment with second-generation antipsychotics. <i>European Neuropsychopharmacology</i> , 2011 , 21, S61-S62 ^{1,2}		
141	P.1.e.036 White matter microstructure in Asperger syndrome patients compared with healthy controls. <i>European Neuropsychopharmacology</i> , 2011 , 21, S324	1.2	
140	P.1.e.038 Differences in corpus callosum composition between Asperger syndrome and healthy adolescents: a tractography study. <i>European Neuropsychopharmacology</i> , 2011 , 21, S325-S326	1.2	
139	P.3.c.049 Risk of adverse health outcome and metabolic syndrome in adolescents treated with antipsychotics: preliminary results. <i>European Neuropsychopharmacology</i> , 2011 , 21, S496-S497	1.2	
138	P.7.e.001 Oxidative stress and brain volume in early onset psychosis: role of glutathione levels in progressive loss of cortical grey matter. <i>European Neuropsychopharmacology</i> , 2011 , 21, S608	1.2	
137	Efficacy and safety of second-generation antipsychotics in children and adolescents with psychotic and bipolar spectrum disorders: comprehensive review of prospective head-to-head and placebo-controlled comparisons. <i>European Neuropsychopharmacology</i> , 2011 , 21, 621-45	1.2	142
136	Psychopathology, coronary heart disease and metabolic syndrome in schizophrenia spectrum patients with deficit versus non-deficit schizophrenia: findings from the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2011 , 21, 867-75	1.2	24

135	Self-perceived needs are related to violent behavior among schizophrenia outpatients. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 666-71	1.8	9
134	Increased risk of diabetes mellitus among persons with psychotic symptoms: results from the WHO World Health Survey. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1592-9	4.6	29
133	Two-year diagnostic stability in early-onset first-episode psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011 , 52, 1089-98	7.9	38
132	Influence of resting energy expenditure on weight gain in adolescents taking second-generation antipsychotics. <i>Clinical Nutrition</i> , 2011 , 30, 616-23	5.9	26
131	Attenuated psychotic symptoms syndrome: how it may affect child and adolescent psychiatry. <i>European Child and Adolescent Psychiatry</i> , 2011 , 20, 67-70	5.5	20
130	Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. <i>BMC Psychiatry</i> , 2011 , 11, 26	4.2	75
129	Dysbindin-1 gene contributes differentially to early- and adult-onset forms of functional psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 322-33	3.5	21
128	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011 , 20, 4076-81	5.6	162
127	Neurobiological substrates in deficit and non deficit schizophrenia. <i>European Psychiatry</i> , 2011 , 26, 2069-2069		
126	Nitrous oxide emission from denitrification in stream and river networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 214-9	11.5	390
125	Cognitive efficacy of quetiapine and olanzapine in early-onset first-episode psychosis. <i>Schizophrenia Bulletin</i> , 2011 , 37, 405-15	1.3	16
124	Multicenter study of brain volume abnormalities in children and adolescent-onset psychosis. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1270-80	1.3	25
123	Review: depot antipsychotics may reduce risk of relapse compared with oral antipsychotics in people with schizophrenia. <i>Evidence-Based Mental Health</i> , 2011 , 14, 112	11.1	
122	Lessons learned about poor insight. <i>Schizophrenia Bulletin</i> , 2011 , 37, 27-8	1.3	33
121	Cannabis and first-episode psychosis: different long-term outcomes depending on continued or discontinued use. <i>Schizophrenia Bulletin</i> , 2011 , 37, 631-9	1.3	84
120	Trait and state attributes of insight in first episodes of early-onset schizophrenia and other psychoses: a 2-year longitudinal study. <i>Schizophrenia Bulletin</i> , 2011 , 37, 38-51	1.3	84
119	Neurological soft signs in juvenile patients with Asperger syndrome, early-onset psychosis, and healthy controls. <i>Microbial Biotechnology</i> , 2010 , 4, 283-90	3.3	19
118	Metabolic effects of second-generation antipsychotics in bipolar youth: comparison with other psychotic and nonpsychotic diagnoses. <i>Bipolar Disorders</i> , 2010 , 12, 172-84	3.8	42

117	P50 gating in deficit and nondeficit schizophrenia. <i>Schizophrenia Research</i> , 2010 , 119, 183-90	3.6	30
116	Healthy lifestyle habits and 10-year cardiovascular risk in schizophrenia spectrum disorders: an analysis of the impact of smoking tobacco in the CLAMORS schizophrenia cohort. <i>Schizophrenia Research</i> , 2010 , 119, 101-9	3.6	122
115	Differential characteristics of the efficacy and tolerability of second-generation antipsychotics in the treatment of psychotic disorders in children and adolescents. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2010 , 3, 152-167	0.2	
114	Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 26-31	5.5	35
113	P.7.a.012 Dyskinesia in naïve children and adolescents treated with olanzapine, risperidone and quetiapine: three months follow up. <i>European Neuropsychopharmacology</i> , 2010 , 20, S617	1.2	
112	Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. <i>Psychiatric Genetics</i> , 2010 , 20, 171-8	2.9	17
111	Cognitive functioning in children and adolescents in their first episode of psychosis: differences between previous cannabis users and nonusers. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 159-62	1.8	33
110	Neuropsychological functioning in early-onset first-episode psychosis: comparison of diagnostic subgroups. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 225-33	5.1	61
109	Clinical subtyping and early detection: short-term challenges for child and adolescent psychiatry. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 627-8	5.5	2
108	Prevalence of negative symptoms in outpatients with schizophrenia spectrum disorders treated with antipsychotics in routine clinical practice: findings from the CLAMORS study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 280-6	4.6	143
107	Predominance of symptoms over time in early-onset psychosis: a principal component factor analysis of the Positive and Negative Syndrome Scale. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 327-37	4.6	22
106	Évolution des modifications cérébrales au cours des psychoses précoces. <i>Information Psychiatrique</i> , 2010 , 86, 513		1
105	Longitudinal course of cognition in schizophrenia. <i>British Journal of Psychiatry</i> , 2009 , 195, 84; author reply 85	5.4	2
104	Insight correlates in child- and adolescent-onset first episodes of psychosis: results from the CAFEPS study. <i>Psychological Medicine</i> , 2009 , 39, 1433-45	6.9	38
103	Brain morphology and neurological soft signs in adolescents with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2009 , 195, 227-33	5.4	44
102	Progression of brain volume changes in adolescent-onset psychosis. <i>Schizophrenia Bulletin</i> , 2009 , 35, 233-43	1.3	41
101	Assessment of the increase in variability when combining volumetric data from different scanners. <i>Human Brain Mapping</i> , 2009 , 30, 355-68	5.9	40
100	Obstetric complications as a risk factor for first psychotic episodes in childhood and adolescence. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 180-4	5.5	9

99	Olanzapine compared to quetiapine in adolescents with a first psychotic episode. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 418-28	5.5	55
98	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009 , 460, 744-7	50.4	1350
97	Violence among schizophrenia out-patients compliant with medication: prevalence and associated factors. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 218-25	6.5	38
96	Polymorphisms of the IL-1 gene complex are associated with alcohol dependence in Spanish Caucasians: data from an association study. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 2147-53	3.7	16
95	Differential role of serotonergic polymorphisms in alcohol and heroin dependence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 695-700	5.5	30
94	Gyral and sulcal cortical thinning in adolescents with first episode early-onset psychosis. <i>Biological Psychiatry</i> , 2009 , 66, 1047-54	7.9	41
93	Cannabis use in children and adolescents with first episode psychosis: influence on psychopathology and short-term outcome (CAFEPS study). <i>Schizophrenia Research</i> , 2009 , 113, 129-37	3.6	71
92	Advantages and disadvantages of combination treatment with antipsychotics ECNP Consensus Meeting, March 2008, Nice. <i>European Neuropsychopharmacology</i> , 2009 , 19, 520-32	1.2	101
91	Antipsychotic effects on auditory sensory gating in schizophrenia patients. <i>European Neuropsychopharmacology</i> , 2009 , 19, 905-9	1.2	15
90	S.01.03 Treatment of bipolar disorders in children and adolescents. <i>European Neuropsychopharmacology</i> , 2009 , 19, S176	1.2	
89	Antipsychotics in children and adolescents: increasing use, evidence for efficacy and safety concerns. <i>European Neuropsychopharmacology</i> , 2009 , 19, 629-35	1.2	155
88	Prevalence of Metabolic Syndrome and Coronary Heart Disease Risk in Patients with Schizoaffective Disorder: Clamors Study. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
87	Patterns of cranial, brain and sulcal CSF volumes in male and female deficit and nondeficit patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 162, 91-100	2.9	22
86	Concordance of standard and modified NCEP ATP III criteria for identification of metabolic syndrome in outpatients with schizophrenia treated with antipsychotics: a corollary from the CLAMORS study. <i>Schizophrenia Research</i> , 2008 , 99, 23-8	3.6	18
85	A comparison of schizophrenia outpatients treated with antipsychotics with and without metabolic syndrome: findings from the CLAMORS study. <i>Schizophrenia Research</i> , 2008 , 104, 1-12	3.6	62
84	Attitude toward antipsychotic medication as a predictor of antipsychotic treatment discontinuation in first-episode early-onset psychosis. <i>Revista De Psiquiatria Y Salud Mental</i> , 2008 , 1, 10-7	2.7	7
83	Attitude Toward Antipsychotic Medication as a Predictor of Antipsychotic Treatment Discontinuation in First-Episode Early-Onset Psychosis. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2008 , 1, 10-17	0.2	
82	Nonverbal delayed recognition in the relatives of schizophrenia patients with or without schizophrenia spectrum. <i>Biological Psychiatry</i> , 2008 , 63, 498-504	7.9	9

81	Is attempted suicide different in adolescent and adults?. <i>Psychiatry Research</i> , 2008 , 157, 131-7	9.9	34
80	Neurological soft signs in adolescents with first episode psychosis: two-year followup. <i>Psychiatry Research</i> , 2008 , 161, 344-8	9.9	29
79	Association study between obsessive-compulsive disorder and serotonergic candidate genes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 765-70	5.5	41
78	S.18.04 Early-onset psychotic patients growing up: clinical, imaging and neuropsychological findings. <i>European Neuropsychopharmacology</i> , 2008 , 18, S182-S183	1.2	
77	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008 , 18, 535-49	1.2	105
76	Neuropsychological functioning in adolescents with first episode psychosis: a two-year follow-up study. <i>European Psychiatry</i> , 2008 , 23, 375-83	6	38
75	Regional gray matter volume deficits in adolescents with first-episode psychosis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 1311-20	7.2	67
74	Association between heroin dependence and 5-HT2A receptor gene polymorphisms. <i>European Addiction Research</i> , 2008 , 14, 47-52	4.6	18
73	Functional impairment in patients with remitted bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 390-2	9.4	57
72	Antipsychotic treatment in child and adolescent first-episode psychosis: a longitudinal naturalistic approach. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 327-36	2.9	50
71	QTc changes after 6 months of second-generation antipsychotic treatment in children and adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 381-3	2.9	11
70	The genetic contribution to first psychotic episodes in children and adolescents of the child and adolescent first-episode psychosis study. <i>Psychiatric Genetics</i> , 2008 , 18, 151-2	2.9	1
69	Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. <i>Psychiatric Genetics</i> , 2008 , 18, 147-50	2.9	8
68	Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. <i>Psychiatric Genetics</i> , 2008 , 18, 213-8	2.9	25
67	Psychopathological sequelae of the 11 March terrorist attacks in Madrid : an epidemiological study of victims treated in a hospital. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 28-34 ^{5.1}		34
66	Does diagnostic classification of early-onset psychosis change over follow-up?. <i>Child Psychiatry and Human Development</i> , 2008 , 39, 137-45	3.3	48
65	DRD3, but not COMT or DRD2, genotype affects executive functions in healthy and first-episode psychosis adolescents. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 873-9	3.5	45
64	Longitudinal brain changes in early-onset psychosis. <i>Schizophrenia Bulletin</i> , 2008 , 34, 341-53	1.3	67

63	Progressive brain changes in schizophrenia. <i>Schizophrenia Bulletin</i> , 2008 , 34, 310-1	1.3	12
62	Metabolic and hormonal side effects in children and adolescents treated with second-generation antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1166-75	4.6	77
61	Antipsychotic-related abnormal involuntary movements and metabolic and endocrine side effects in children and adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2007 , 17, 487-502	2.9	51
60	Cardiovascular and metabolic risk in outpatients with schizophrenia treated with antipsychotics: results of the CLAMORS Study. <i>Schizophrenia Research</i> , 2007 , 90, 162-73	3.6	157
59	The child and adolescent first-episode psychosis study (CAFEPS): design and baseline results. <i>Schizophrenia Research</i> , 2007 , 91, 226-37	3.6	74
58	Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. <i>Behavioral and Brain Functions</i> , 2007 , 3, 32	4.1	5
57	Antidepressants in child and adolescent depression: where are the bugs?. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 184-95	6.5	31
56	Findings of proton magnetic resonance spectrometry in the dorsolateral prefrontal cortex in adolescents with first episodes of psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 156, 33-42	2.9	21
55	Effects of MDMA on blood glucose levels and brain glucose metabolism. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007 , 34, 916-25	8.8	15
54	Management of acutely ill patients in the hospital setting: focus on quetiapine. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007 , 11, 61-72	2.4	1
53	Improving quality at the hospital psychiatric ward level through the use of the EFQM model. <i>International Journal for Quality in Health Care</i> , 2007 , 19, 74-9	1.9	20
52	Association study of serotonin 2A receptor (5-HT2A) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 741-5	5.5	34
51	A 6-month prospective, observational, naturalistic, uncontrolled study to evaluate the effectiveness and tolerability of oral ziprasidone in patients with schizophrenia. <i>European Neuropsychopharmacology</i> , 2007 , 17, 456-63	1.2	10
50	P.3.02 Metabolic side effects with second generation antipsychotics in antipsychotic-naïve adolescents. <i>European Neuropsychopharmacology</i> , 2007 , 17, S71	1.2	
49	Genes and impulsivity: comment to the study of Nomura et al. on "involvement of a polymorphism in the 5-HT2A receptor gene in impulsive behavior. <i>Psychopharmacology</i> 187:30-35. <i>Psychopharmacology</i> , 2006 , 188, 128-9	4.7	
48	Interleukin-1 gene complex in schizophrenia: an association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 678-80	3.5	12
47	Negative signs and symptoms secondary to antipsychotics: a double-blind, randomized trial of a single dose of placebo, haloperidol, and risperidone in healthy volunteers. <i>American Journal of Psychiatry</i> , 2006 , 163, 488-93	11.9	94
46	P.3.a.025 Open-label randomized trial comparing the efficacy and tolerability of quetiapine and olanzapine in first episode psychosis in adolescents. <i>European Neuropsychopharmacology</i> , 2006 , 16, S377 ¹ -S378 ³		

45	P.3.a.032 Cognitive efficacy of quetiapine and olanzapine in early onset first episode psychosis. <i>European Neuropsychopharmacology</i> , 2006 , 16, S381-S382	1.2	2
44	P.3.c.050 Psychopathology and metabolic syndrome (MS) in psychotic patients: the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2006 , 16, S423-S424	1.2	
43	Randomised clinical trial comparing oral versus depot formulations of zuclopenthixol in patients with schizophrenia and previous violence. <i>European Psychiatry</i> , 2006 , 21, 34-40	6	59
42	Neurological soft signs in adolescents with first episode psychosis. <i>European Psychiatry</i> , 2006 , 21, 283-7	6	25
41	Posttraumatic stress disorder in victims of the March 11 attacks in Madrid admitted to a hospital emergency room: 6-month follow-up. <i>European Psychiatry</i> , 2006 , 21, 143-51	6	12
40	Standardized remission criteria in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 91-5	6.5	189
39	Structural neuroimaging in adolescents with a first psychotic episode. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2005 , 44, 1151-7	7.2	33
38	The effect of quetiapine on aggression and hostility in patients with schizophrenia. <i>Human Psychopharmacology</i> , 2005 , 20, 237-41	2.3	30
37	Significance and meaning of neurological signs in schizophrenia: two decades later. <i>Schizophrenia Bulletin</i> , 2005 , 31, 962-77	1.3	202
36	CYSTICERCOSIS IN CHRONIC PSYCHIATRIC INPATIENTS FROM A VENEZUELAN COMMUNITY. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005 , 73, 504-509	3.2	13
35	Evaluation of the continuation of care between psychiatric hospitalization units and the outpatient clinics in the community. <i>Actas Espanolas De Psiquiatria</i> , 2005 , 33, 273-9	0.7	2
34	Managing acute exacerbations of schizophrenia: focus on quetiapine. <i>Current Medical Research and Opinion</i> , 2004 , 20, 619-26	2.5	29
33	Clinical effectiveness of new generation antipsychotics in adolescent patients. <i>European Neuropsychopharmacology</i> , 2004 , 14 Suppl 4, S471-9	1.2	24
32	The deficit syndrome in schizophrenia: implications for the treatment of negative symptoms. <i>European Psychiatry</i> , 2004 , 19, 21-6	6	60
31	Morphometric assessment of the heteromodal association cortex in schizophrenia. <i>American Journal of Psychiatry</i> , 2004 , 161, 322-31	11.9	87
30	El síndrome deficitario en la esquizofrenia: implicaciones para el tratamiento de los síntomas negativos. <i>European Psychiatry (Ed Española)</i> , 2004 , 11, 219-224		
29	Olanzapine effects on auditory sensory gating in schizophrenia. <i>American Journal of Psychiatry</i> , 2003 , 160, 2066-8	11.9	37
28	The relationship of clozapine and haloperidol treatment response to prefrontal, hippocampal, and caudate brain volumes. <i>American Journal of Psychiatry</i> , 2003 , 160, 1421-7	11.9	73

27	Assessment Tools for Soft Signs. <i>Psychiatric Annals</i> , 2003 , 33, 170-176	0.5	15
26	Association between relative temporal and prefrontal sulcal cerebrospinal fluid and illness duration in schizophrenia. <i>Schizophrenia Research</i> , 2002 , 58, 305-12	3.6	20
25	Sibutramine for compulsive eating in hypothalamic deficiency. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2002 , 41, 1147-8	7.2	7
24	High degree of tolerability for monotherapy with high doses of quetiapine: a case report. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 1048-9	4.6	11
23	Quality of life and disability in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2001 , 16, 239-45	6	164
22	At issue: stress, hippocampal neuronal turnover, and neuropsychiatric disorders. <i>Schizophrenia Bulletin</i> , 2001 , 27, 477-80	1.3	36
21	Calidad de vida y discapacidad en pacientes con trastorno obsesivo-compulsivo. <i>European Psychiatry (Ed Española)</i> , 2001 , 8, 436-442		
20	Neurological signs and the heterogeneity of schizophrenia. <i>American Journal of Psychiatry</i> , 2000 , 157, 560-5	11.9	89
19	Violence in schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2000 , 2, 392-3	5.7	5
18	Fluoxetine as an adjunct to conventional antipsychotic treatment of schizophrenia patients with residual symptoms. <i>Journal of Nervous and Mental Disease</i> , 2000 , 188, 50-3	1.8	28
17	Violence in inpatients with schizophrenia: a prospective study. <i>Schizophrenia Bulletin</i> , 1999 , 25, 493-503	1.3	165
16	The stress and psychological morbidity of the Alzheimer patient caregiver. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 701-10	3.9	155
15	Deficit psychopathology and a paradigm shift in schizophrenia research. <i>Biological Psychiatry</i> , 1999 , 46, 352-60	7.9	53
14	Relationship of awareness of dyskinesia in schizophrenia to insight into mental illness. <i>American Journal of Psychiatry</i> , 1999 , 156, 1097-9	11.9	28
13	Prediction of neuropsychological performance by neurological signs in schizophrenia. <i>American Journal of Psychiatry</i> , 1999 , 156, 1349-57	11.9	71
12	Assessment for subtle neurological signs		1
11	Jumping To Conclusions, General Intelligence, And Psychosis Liability: Findings From The Multi-Centre EU-GEI Case-Control Study		1
10	Dissimilarity in sulcal width patterns in the cortex can be used to identify patients with schizophrenia with extreme deficits in cognitive performance		1

9	Reactive/proactive aggression specific cortical and subcortical alterations in children and adolescents with disruptive behavior		3
8	Altered structural brain asymmetry in autism spectrum disorder: large-scale analysis via the ENIGMA Consortium		3
7	Analyses of rare and common alleles in parent-proband trios implicate rare missense variants in SLC6A1 in schizophrenia and confirm the involvement of loss of function intolerant and neurodevelopmental disorder genes		2
6	Subcortical brain volume, regional cortical thickness and cortical surface area across attention-deficit/hyperactivity disorder (ADHD), autism spectrum disorder (ASD), and obsessive-compulsive disorder (OCD)		5
5	Genetic underpinnings of sociability in the UK Biobank		2
4	The independent and combined influence of schizophrenia polygenic risk score and heavy cannabis use on risk for psychotic disorder: A case-control analysis from the EUGEI study.		2
3	Baseline levels of C-reactive protein and proinflammatory cytokines are not associated with early response to amisulpride in patients with First Episode Psychosis: the OPTiMiSE cohort study. <i>Schizophrenia Bulletin Open</i> ,	2.2	2
2	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> ,1-9	6.9	1
1	The Schizophrenia Construct: Symptomatic Presentation09-23		7