
Martin Friedrichsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8800670/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The effect of semaglutide 2.4 mg once weekly on energy intake, appetite, control of eating, and gastric emptying in adults with obesity. Diabetes, Obesity and Metabolism, 2021, 23, 754-762.	2.2	134
2	Extracellular Vesicles Provide a Means for Tissue Crosstalk during Exercise. Cell Metabolism, 2018, 27, 237-251.e4.	7.2	426
3	Metabolic and Transcriptional Changes in Cultured Muscle Stem Cells from Low Birth Weight Subjects. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 2254-2264.	1.8	9
4	Endocrine and metabolic diurnal rhythms in young adult men born small vs appropriate for gestational age. European Journal of Endocrinology, 2016, 175, 29-40.	1.9	7
5	Metabolic response to 36Âhours of fasting in young men born small vs appropriate for gestational age. Diabetologia, 2015, 58, 178-187.	2.9	28
6	Dysregulation of muscle glycogen synthase in recovery from exercise in type 2 diabetes. Diabetologia, 2015, 58, 1569-1578.	2.9	24
7	Glucose tolerance is associated with differential expression of microRNAs in skeletal muscle: results from studies of twins with and without type 2 diabetes. Diabetologia, 2015, 58, 363-373.	2.9	53
8	<i>CTSH</i> regulates β-cell function and disease progression in newly diagnosed type 1 diabetes patients. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 10305-10310.	3.3	81
9	Physical inactivity affects skeletal muscle insulin signaling in a birth weight-dependent manner. Journal of Diabetes and Its Complications, 2014, 28, 71-78.	1.2	23
10	Exercise-induced AMPK activity in skeletal muscle: Role in glucose uptake and insulin sensitivity. Molecular and Cellular Endocrinology, 2013, 366, 204-214.	1.6	124
11	Effect of birth weight and 12 weeks of exercise training on exercise-induced AMPK signaling in human skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2013, 304, E1379-E1390.	1.8	35
12	Akt2 influences glycogen synthase activity in human skeletal muscle through regulation of NH ₂ -terminal (sites 2 + 2a) phosphorylation. American Journal of Physiology - Endocrinology and Metabolism, 2013, 304, E631-E639.	1.8	17
13	Pre- and Early-Postnatal Nutrition Modify Gene and Protein Expressions of Muscle Energy Metabolism Markers and Phospholipid Fatty Acid Composition in a Muscle Type Specific Manner in Sheep. PLoS ONE, 2013, 8, e65452.	1.1	10
14	Carboxylesterase 1 Gene Duplication and mRNA Expression in Adipose Tissue Are Linked to Obesity and Metabolic Function. PLoS ONE, 2013, 8, e56861.	1.1	23
15	Carboxylesterase 1 gene duplication and mRNA expression in adipose tissue are linked to obesity and metabolic function. FASEB Journal, 2013, 27, 701.6.	0.2	0
16	Genome-Wide Analysis of DNA Methylation Differences in Muscle and Fat from Monozygotic Twins Discordant for Type 2 Diabetes. PLoS ONE, 2012, 7, e51302.	1.1	171
17	Muscle inflammatory signaling in response to 9 days of physical inactivity in young men with low compared with normal birth weight. European Journal of Endocrinology, 2012, 167, 829-838.	1.9	14
18	The PNPLA3 rs738409 G-Allele Associates with Reduced Fasting Serum Triglyceride and Serum Cholesterol in Danes with Impaired Glucose Regulation. PLoS ONE, 2012, 7, e40376.	1.1	28

MARTIN FRIEDRICHSEN

Article	IF	CITATIONS
Impact of circulating vaspin levels on metabolic variables in elderly twins. Diabetologia, 2012, 55, 530-532.	2.9	14
Retinolâ€Binding Protein 4 in Young Men With Low Versus Normal Birth Weight: Physiological Response to Shortâ€Term Overfeeding. Obesity, 2011, 19, 1304-1306.	1.5	3
Differential aetiology and impact of phosphoinositide 3-kinase (PI3K) and Akt signalling in skeletal muscle on in vivo insulin action. Diabetologia, 2010, 53, 1998-2007.	2.9	14
Insulin resistance induced by physical inactivity is associated with multiple transcriptional changes in skeletal muscle in young men. American Journal of Physiology - Endocrinology and Metabolism, 2010, 299, E752-E763.	1.8	198
Impact of rs361072 in the Phosphoinositide 3-Kinase p110β Gene on Whole-Body Glucose Metabolism and Subunit Protein Expression in Skeletal Muscle. Diabetes, 2010, 59, 1108-1112.	0.3	5
Dissociation between Skeletal Muscle Inhibitor-κB Kinase/Nuclear Factor-κB Pathway Activity and Insulin Sensitivity in Nondiabetic Twins. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 414-421.	1.8	11
Gene Expression in Skeletal Muscle Biopsies from People with Type 2 Diabetes and Relatives: Differential Regulation of Insulin Signaling Pathways. PLoS ONE, 2009, 4, e6575.	1.1	92
Genetic and metabolic effects on skeletal muscle AMPK in young and older twins. American Journal of Physiology - Endocrinology and Metabolism, 2009, 297, E956-E964.	1.8	30
Retinol-Binding Protein 4 in Twins. Diabetes, 2009, 58, 54-60.	0.3	58
	Impact of circulating vaspin levels on metabolic variables in elderly twins. Diabetologia, 2012, 55, 530-532. Retinolå&Binding Protein 4 in Young Men With Low Versus Normal Birth Weight: Physiological Response to Shortå&Term Overfeeding. Obesity, 2011, 19, 1304-1306. Differential aetiology and impact of phosphoinositide 3-kinase (PI3K) and Akt signalling in skeletal muscle on in vivo insulin action. Diabetologia, 2010, 53, 1998-2007. Insulin resistance induced by physical inactivity is associated with multiple transcriptional changes in skeletal muscle in young men. American Journal of Physiology - Endocrinology and Metabolism, 2010, 299, E752-E763. Impact of rs361072 in the Phosphoinositide 3-Kinase p110 ¹² Gene on Whole-Body Clucose Metabolism and Subunit Protein Expression in Skeletal Muscle. Diabetes, 2010, 59, 1108-1112. Dissociation between Skeletal Muscle Inhibitor-PB Kinase/Nuclear Factor-PB Pathway Activity and Insulin Sensitivity in Nondiabetic Twins. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 414-421. Gene Expression in Skeletal Muscle Biopsies from People with Type 2 Diabetes and Relatives: Differential Regulation of Insulin Signaling Pathways. PLoS ONE, 2009, 4, e6575. Genetic and metabolic effects on skeletal muscle AMPK in young and older twins. American Journal of Physiology - Endocrinology and Metabolism, 2010, 95, 414-421.	Impact of circulating vaspin levels on metabolic variables in elderly twins. Diabetologia, 2012, 55, 530-532. 2.9 RetinolãÆBinding Protein 4 in Young Men With Low Versus Normal Birth Weight: Physiological Response 1.5 Differential aetiology and impact of phosphoinositide 3-kinase (Pl3K) and Akt signalling in skeletal muscle on in vivo insulin action. Diabetologia, 2010, 53, 1998-2007. 2.9 Insulin resistance induced by physical inactivity is associated with multiple transcriptional changes in skeletal muscle in young men. American Journal of Physiology - Endocrinology and Metabolism, 2010, 1.8 2.9 Impact of rs361072 in the Phosphoinositide 3-Kinase p110 ¹² Gene on Whole-Body Clucose Metabolism and Subunit Protein Expression in Skeletal Muscle. Diabetes, 2010, 59, 1108-1112. 0.3 Dissociation between Skeletal Muscle Inhibitor- ¹ / ₂ B Kinase/Nuclear Factor- ¹ / ₂ B Pathway Activity and Insulin Sensitivity in Nondiabetic Twins. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 414-421. 1.8 Cene Expression in Skeletal Muscle Biopsies from People with Type 2 Diabetes and Relatives: Differential Regulation of Insulin Signaling Pathways. PLoS ONE, 2009, 4, e6575. 1.1 Genetic and metabolic effects on skeletal muscle AMPK in young and older twins. American Journal of Physiology - Endocrinology and Metabolism. American Journal of Physiology - Endocrinology and Metabolism. 2009, 4, e6575. 1.8