## Teresa Malecka-Massalska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8800702/publications.pdf

Version: 2024-02-01

93 papers

732 citations

623734 14 h-index 19 g-index

93 all docs 93 docs citations

93 times ranked 1077 citing authors

| #  | Article  | IF                | CITATIONS  |
|----|--|-------------------|------------|
| 1  | Bioelectrical Impedance Phase Angle as a Prognostic Indicator of Survival in Head-and-Neck Cancer. Current Oncology, 2016, 23, 481-487.  | 2.2               | 35         |
| 2  | Bioelectrical impedance phase angle and subjective global assessment in detecting malnutrition among newly diagnosed head and neck cancer patients. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1299-1305.  | 1.6               | 34         |
| 3  | Relationship between TNF-α â^1031T/C gene polymorphism, plasma level of TNF-α, and risk of cachexia in head and neck cancer patients. Journal of Cancer Research and Clinical Oncology, 2018, 144, 1423-1434.  | 2.5               | 24         |
| 4  | The relationship between polymorphisms of genes regulating DNA repair or cell division and the toxicity of platinum and vinorelbine chemotherapy in advanced NSCLC patients. Clinical and Translational Oncology, 2016, 18, 125-131.   | 2.4               | 23         |
| 5  | The diagnostic role of plasma circulating precursors of miRNA-944 and miRNA-3662 for non-small cell lung cancer detection. Pathology Research and Practice, 2017, 213, 1384-1387.  | 2.3               | 22         |
| 6  | Intestinal microbiota – a key to understanding the pathophysiology of anorexia nervosa?. Psychiatria Polska, 2017, 51, 859-870.  | 0.5               | 19         |
| 7  | Application of phase angle for evaluation of the nutrition status of patients with anorexia nervosa. Psychiatria Polska, 2017, 51, 1121-1131.  | 0.5               | 19         |
| 8  | Capacitance of Membrane As a Prognostic Indicator of Survival in Head and Neck Cancer. PLoS ONE, 2016, 11, e0165809.   | 2.5               | 19         |
| 9  | Metastatic potential of NET in neoplastic disease. Postepy Higieny I Medycyny Doswiadczalnej, 2016, 70, 887-895.   | 0.1               | 19         |
| 10 | miRNA-130a Significantly Improves Accuracy of SGA Nutritional Assessment Tool in Prediction of Malnutrition and Cachexia in Radiotherapy-Treated Head and Neck Cancer Patients. Cancers, 2018, 10, 294.  | 3.7               | 18         |
| 11 | Prognostic value of pretreatment neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios in multiple myeloma patients treated with thalidomide-based regimen. Annals of Hematology, 2020, 99, 2881-2891.  | 1.8               | 18         |
| 12 | Polymorphism of Promoter Region of TNFRSF1A Gene (â^'610ÂTÂ>ÂG) as a Novel Predictive Factor for Radiotherapy Induced Oral Mucositis in HNC Patients. Pathology and Oncology Research, 2018, 24, 135-143.  | 1.9               | 16         |
| 13 | Serum brainâ€derived neurotrophic factor (BDNF) concentration predicts polyneuropathy and overall survival in multiple myeloma patients. British Journal of Haematology, 2020, 191, 77-89.   | 2.5               | 16         |
| 14 | Altered tissue electrical properties in squamous cell carcinoma in head and neck tumors: Preliminary observations. Head and Neck, 2013, 35, 1101-1105.   | 2.0               | 14         |
| 15 | Extracellular–to–Body Cell Mass Ratio and Subjective Global Assessment in Head-and-Neck Cancers.<br>Current Oncology, 2014, 21, 62-66.   | 2.2               | 14         |
| 16 | The relationship between TNF-α gene promoter polymorphism (â^' 1211ÂT > C), the plasma co TNF-α, and risk of oral mucositis and shortening of overall survival in patients subjected to intensity-modulated radiation therapy due to head and neck cancer. Supportive Care in Cancer, 2020, 28, 531-540. | ncentratio<br>2.2 | n of<br>14 |
| 17 | Electrical and Hormonal Biomarkers in Cachectic Elderly Women with Chronic Heart Failure. Journal of Clinical Medicine, 2020, 9, 1021.   | 2.4               | 14         |
| 18 | Nutritional Deficiencies in Radiotherapy-Treated Head and Neck Cancer Patients. Journal of Clinical Medicine, 2021, 10, 574.   | 2.4               | 13         |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 19 | Neutrophil-to-Lymphocyte Ratio as a Factor Predicting Radiotherapy Induced Oral Mucositis in Head<br>Neck Cancer Patients Treated with Radiotherapy. Journal of Clinical Medicine, 2021, 10, 4444.  | 2.4 | 13        |
| 20 | Concentration of Selected Metalloproteinases and Osteocalcin in the Serum and Synovial Fluid of Obese Women with Advanced Knee Osteoarthritis. International Journal of Environmental Research and Public Health, 2022, 19, 3530.                         | 2.6 | 13        |
| 21 | Electrical Changes in Polish Patients with Chronic Heart Failure: Preliminary Observations. Medicina (Lithuania), 2019, 55, 484.  | 2.0 | 12        |
| 22 | Union is strength: Textbook outcome with perioperative chemotherapy compliance decreases the risk of death in advanced gastric cancer patients. European Journal of Surgical Oncology, 2022, 48, 356-361.   | 1.0 | 12        |
| 23 | Impact of I/D polymorphism of ACE gene on risk of development and course of chronic obstructive pulmonary disease. Archives of Medical Science, 2016, 2, 279-287.   | 0.9 | 11        |
| 24 | Retrospective analysis of second-line chemotherapy outcomes with paclitaxel or docetaxel in correlation with STMN1 polymorphism in advanced non-small cell lung cancer patients. Clinical and Translational Oncology, 2016, 18, 33-39.                    | 2.4 | 11        |
| 25 | Status of hydration assessed by bioelectrical impedance analysis: a valuable predictive factor for radiation-induced oral mucositis in head and neck cancer patients. Clinical and Translational Oncology, 2019, 21, 615-620.                             | 2.4 | 11        |
| 26 | The relationship between RRM1 gene polymorphisms and effectiveness of gemcitabine-based first-line chemotherapy in advanced NSCLC patient. Clinical and Translational Oncology, 2016, 18, 915-924.  | 2.4 | 10        |
| 27 | Analysis of primary-miRNA-3662 and its mature form may improve detection of the lung adenocarcinoma. Journal of Cancer Research and Clinical Oncology, 2017, 143, 1941-1946.  | 2.5 | 10        |
| 28 | Phase Angle as an Objective and Predictive Factor of Radiotherapy-induced Changes in Body Composition of Male Patients With Head and Neck Cancer. In Vivo, 2019, 33, 1645-1651.   | 1.3 | 10        |
| 29 | Bioimpedance vector pattern in women with breast cancer detected by bioelectric impedance vector analysis. Preliminary observations. Annals of Agricultural and Environmental Medicine, 2012, 19, 697-700.  | 1.0 | 10        |
| 30 | Indicator of Inflammation and NETosis—Low-Density Granulocytes as a Biomarker of Autoimmune Hepatitis. Journal of Clinical Medicine, 2022, 11, 2174.  | 2.4 | 10        |
| 31 | RRM1 gene expression evaluated in the liquid biopsy (blood cfRNA) as a non-invasive, predictive factor for radiotherapy-induced oral mucositis and potential prognostic biomarker in head and neck cancer patients. Cancer Biomarkers, 2018, 22, 657-667. | 1.7 | 9         |
| 32 | Polymorphism of regulatory region of APEH gene (c521G>C, rs4855883) as a relevant predictive factor for radiotherapy induced oral mucositis and overall survival in head neck cancer patients. Oncotarget, 2018, 9, 29644-29653.                          | 1.8 | 9         |
| 33 | Electric Cell Substrate Impedance Sensing (ECIS) as a unique technique in cancer metastasis research. Journal of Pre-Clinical and Clinical Research, 2018, 12, 142-144.   | 0.3 | 9         |
| 34 | Predictive Value of Single Nucleotide Polymorphisms of ERCC1, XPA, XPC, XPD and XPG Genes, Involved in NER Mechanism in Patients with Advanced NSCLC Treated with Cisplatin and Gemcitabine. Pathology and Oncology Research, 2019, 25, 1035-1045.        | 1.9 | 8         |
| 35 | Relationship Between -2028 C/T SELP Gene Polymorphism, Concentration of Plasma P-Selectin and Risk of Malnutrition in Head and Neck Cancer Patients. Pathology and Oncology Research, 2019, 25, 741-749.  | 1.9 | 8         |
| 36 | Level of Adiponectin, Leptin and Selected Matrix Metalloproteinases in Female Overweight Patients with Primary Gonarthrosis. Journal of Clinical Medicine, 2021, 10, 1263.  | 2.4 | 8         |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | Relationship between microRNA-146a expression and plasma renalase levels in hemodialyzed patients. PLoS ONE, 2017, 12, e0179218.  | 2.5 | 7         |
| 38 | Polymorphisms in the promotor region of the <i><scp>CRBN</scp></i> gene as a predictive factor for peripheral neuropathy in the course of thalidomideâ€based chemotherapy in multiple myeloma patients. British Journal of Haematology, 2019, 186, 695-705.                         | 2.5 | 7         |
| 39 | Detection, prediction, and prognosis: blood circulating microRNA as novel molecular markers of head and neck cancer patients. Expert Review of Molecular Diagnostics, 2020, 20, 31-39.  | 3.1 | 7         |
| 40 | Soluble ST2 proteins in male cachectic patients with chronic heart failure. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 886-893.   | 2.6 | 7         |
| 41 | Risk of Nonmelanoma Skin Cancers and Parkinson's Diseaseâ€"Meta-Analysis and Systematic Review.<br>Cancers, 2021, 13, 587.  | 3.7 | 7         |
| 42 | Superparamagnetic Iron Oxide for Identifying Sentinel Lymph Node in Breast Cancer after Neoadjuvant Chemotherapy: Feasibility Study. Journal of Clinical Medicine, 2021, 10, 3149.  | 2.4 | 7         |
| 43 | Effect of exopolysaccharide from Ganoderma applanatum on the electrical properties of mouse fibroblast cells line L929 culture using an electric cell-substrate impedance sensing (ECIS) – Preliminary study. Annals of Agricultural and Environmental Medicine, 2016, 23, 280-284. | 1.0 | 7         |
| 44 | MiRNA and lung cancer radiosensitivity: a mini-review. European Review for Medical and Pharmacological Sciences, 2019, 23, 8422-8428.   | 0.7 | 7         |
| 45 | Body composition analysis in head and neck squamous cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2014, 271, 2775-2779.   | 1.6 | 6         |
| 46 | Level-set image processing methods in medical image segmentation. Bio-Algorithms and Med-Systems, 2015, 11, 47-51.  | 2.4 | 6         |
| 47 | Predictive value of STMN1 gene promoter polymorphism (â°'2166T>C) in patients with advanced NSCLC treated with the combination of platinum compounds and vinorelbine. Cancer Chemotherapy and Pharmacology, 2015, 76, 621-629.  | 2.3 | 6         |
| 48 | Stimulation of the activity of a novel tannase produced in whiteâ€rot fungi <i>Phellinus pini</i> , <i>Fomes fomentarius</i> , and <i>Tyromyces pubescens</i> by medium supplementation. Biotechnology and Applied Biochemistry, 2016, 63, 652-658.                                 | 3.1 | 6         |
| 49 | Anthropometrical and Bioelectrical Impedance Analysis Parameters in Anorexia Nervosa Patients'<br>Nutritional Status Assessment. Medicina (Lithuania), 2019, 55, 671.   | 2.0 | 6         |
| 50 | Polymorphism of The Regulatory Region of the ITGAM Gene (-323G>A) as a Novel Predictor of a Poor Nutritional Status in Head and Neck Cancer Patients Subjected to Intensity-Modulated Radiation Therapy. Journal of Clinical Medicine, 2020, 9, 4041.                               | 2.4 | 6         |
| 51 | Potential bioelectrical impedance analysis (BIA) parameters in prediction muscle strength in women with anorexia nervosa. World Journal of Biological Psychiatry, 2020, 22, 1-11.   | 2.6 | 6         |
| 52 | Etiopathogenesis and Diagnostic Strategies in Autoimmune Hepatitis. Diagnostics, 2021, 11, 1418.  | 2.6 | 6         |
| 53 | Serum Heat Shock Protein 90 Alpha: A New Marker of Hypertension-Induced Endothelial Injury?. Advances in Clinical and Experimental Medicine, 2016, 25, 255-261.   | 1.4 | 6         |
| 54 | Polymorphisms in the promoter region of the <i>CRBN</i> gene as a predictive factor for the first-line CTD therapy in multiple myeloma patients. Oncotarget, 2018, 9, 24054-24068.  | 1.8 | 6         |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 55 | Polymorphism of regulatory region of <i>GHRL</i> gene (â€2531C>T) as a promising predictive factor for radiotherapyâ€induced oral mucositis in patients with head neck cancer. Head and Neck, 2018, 40, 1799-1811.                                 | 2.0 | 5         |
| 56 | Altered tissue electrical properties in women with breast cancer-preliminary observations. Annals of Agricultural and Environmental Medicine, 2013, 20, 523-7.   | 1.0 | 5         |
| 57 | Investigation of relationship between precursor of miRNA-944 and its mature form in lung squamous-cell carcinoma - the diagnostic value. Pathology Research and Practice, 2018, 214, 368-373.  | 2.3 | 4         |
| 58 | Combined analysis of miRNAâ€181a with phase angle derived from bioelectrical impedance predicts radiotherapyâ€induced changes in body composition and survival of male patients with head and neck cancer. Head and Neck, 2019, 41, 3247-3257.     | 2.0 | 4         |
| 59 | Polymorphism of TNFRSF1 A may act as a predictor of severe radiation-induced oral mucositis and a prognosis factor in patients with head and neck cancer. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2020, 130, 283-291.e2.   | 0.4 | 4         |
| 60 | Heat Shock Protein 27 Is an Emerging Predictor of Contrast-Induced Acute Kidney Injury on Patients Subjected to Percutaneous Coronary Interventions. Cells, 2021, 10, 684.   | 4.1 | 4         |
| 61 | Extended Inflammation Parameters (EIP) as Markers of Immune System Cell Activation in Psoriasis. International Journal of Inflammation, 2021, 2021, 1-6.   | 1.5 | 4         |
| 62 | DNA hypermethylation of tumor suppressor genes as an early lung cancer biomarker. Translational Cancer Research, 2016, 5, S1531-S1538.   | 1.0 | 4         |
| 63 | Direct and indirect methods of evaluating the NETosis process. Journal of Pre-Clinical and Clinical Research, 2019, 13, 50-56.   | 0.3 | 4         |
| 64 | Double-compression method for biomedical images. Proceedings of SPIE, 2017, , .  | 0.8 | 4         |
| 65 | Design and technology of titanium comb capacitor. , 2018, , .  |     | 4         |
| 66 | Circulating Serum MiRNA-8074 as a Novel Prognostic Biomarker for Multiple Myeloma. Cells, 2022, 11, 752.   | 4.1 | 4         |
| 67 | Antiproliferative Properties of Triterpenoids by ECIS Method—A New Promising Approach in Anticancer Studies?. Molecules, 2022, 27, 3150.   | 3.8 | 4         |
| 68 | Bioimpedance Vector Pattern in Taiwanese and Polish College Students Detected by Bioelectric Impedance Vector Analysis: Preliminary Observations. Scientific World Journal, The, 2012, 2012, 1-5.  | 2.1 | 3         |
| 69 | AA genotype of PLIN1 13041A>G as an unfavourable predictive factor of malnutrition associated with fat mass loss in locally advanced head and neck cancer male patients treated with radiotherapy. Supportive Care in Cancer, 2021, 29, 1923-1932. | 2.2 | 2         |
| 70 | Polymorphisms in the Gene Encoding Caspase 8 May Predict the Response to First-Line Platinum-Based Chemotherapy in Locally Advanced or Advanced Non-Small-Cell Lung Cancer. Journal of Clinical Medicine, 2021, 10, 1126.                          | 2.4 | 2         |
| 71 | Association between myostatin serum concentration and body fat level in peri- and postmenopausal women Archives of Medical Science, 2021, 18, 365-375.   | 0.9 | 2         |
| 72 | Three Types of Ion Channels in the Cell Membrane of Mouse Fibroblasts. Physiological Research, 2017, 66, 63-73.  | 0.9 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Ureaplasma spp and mycoplasma hominis in women of reproductive age with pelvic inflammatory disease. Gulhane Medical Journal, 2019, 61, 1.  | 0.2 | 2         |
| 74 | REAL-TIME MONITORING OF CELL CULTURES WITH NICKEL COMB CAPACITORS. Informatyka Automatyka Pomiary W Gospodarce I Ochronie Åšrodowiska, 2020, 10, 32-35.   | 0.4 | 2         |
| 75 | Molecular Cytology by One-Step Nucleic Acid Amplification (OSNA) Assay of Peritoneal Washings during D2 Gastrectomy in Advanced Gastric Cancer Patients: Preliminary Results. Journal of Clinical Medicine, 2021, 10, 5230. | 2.4 | 2         |
| 76 | High miR-511-3p Expression as a Potential Predictor of a Poor Nutritional Status in Head and Neck Cancer Patients Subjected to Intensity-Modulated Radiation Therapy. Journal of Clinical Medicine, 2022, 11, 805.          | 2.4 | 2         |
| 77 | Polarimetric characterisation of histological section of skin with pathological changes. Proceedings of SPIE, $2016, $ , .  | 0.8 | 1         |
| 78 | Bioelectrical Impedance Analysis and Malnutrition in Cancer., 2017, , 1-23.   |     | 1         |
| 79 | Is microRNA-31 a key regulator of breast tumorigenesis?. Journal of Thoracic Disease, 2018, 10, 564-566.  | 1.4 | 1         |
| 80 | Clinical Significance of TNFRSF1A36T/C Polymorphism in Cachectic Patients with Chronic Heart Failure. Journal of Clinical Medicine, 2021, 10, 1095.   | 2.4 | 1         |
| 81 | Effect of selenium supplementation in thyroid gland diseases. Journal of Elementology, 2016, , .  | 0.2 | 1         |
| 82 | Polymorphism of the ITGAM gene (rs7193943) and bioelectric impedance analysis as potential predictors of cachexia in chronic heart failure. Scientific Reports, 2021, 11, 20145.  | 3.3 | 1         |
| 83 | The impact of cadmium on male infertility. Journal of Elementology, 2017, , .   | 0.2 | 1         |
| 84 | TNF-α Induced Myotube Atrophy in C2C12 Cell Line Uncovers Putative Inflammatory-Related IncRNAs Mediating Muscle Wasting. International Journal of Molecular Sciences, 2022, 23, 3878.                                      | 4.1 | 1         |
| 85 | Detecting a proper patient with a help of medical data retrieval. Proceedings of SPIE, 2009, , .  | 0.8 | O         |
| 86 | Tissue electrical properties measured by bioelectrical impedance analysis among healthy and sportsmen population. , 2015, , .   |     | 0         |
| 87 | An informational model of sportsman's competitive activities. Proceedings of SPIE, 2016, , .  | 0.8 | O         |
| 88 | Changes in the electrical properties of the tissues in patients with anorexia nervosa measured by bioelectrical impedance analysis. European Psychiatry, 2016, 33, S163-S164.   | 0.2 | 0         |
| 89 | Circular RNAs—a missing piece in pulmonary macrophage activation in silica-induced inflammation.<br>Translational Cancer Research, 2018, 7, S597-S599.  | 1.0 | O         |
| 90 | The NMDA receptor and new possibilities in antidepressant therapy. Postepy Higieny I Medycyny Doswiadczalnej, 2018, 72, 788-794.  | 0.1 | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | Design and technology of copper comb capacitors. , 2018, , .  |     | O         |
| 92 | CircNT5Eâ€"a promising new player in glioblastoma tumorigenesis. Translational Cancer Research, 2018, 7, 1341-1343. | 1.0 | 0         |
| 93 | Bioelectrical Impedance Analysis and Malnutrition in Cancer. , 2019, , 809-829.                                     |     | 0         |