

# Tony Fletcher

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8801254/tony-fletcher-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125  
papers

5,985  
citations

45  
h-index

76  
g-index

152  
ext. papers

7,111  
ext. citations

5.8  
avg, IF

5.56  
L-index

#	Paper	IF	Citations
125	Perfluoroalkyl substances influence DNA methylation in school-age children highly exposed through drinking water contaminated from firefighting foam: a cohort study in Ronneby, Sweden.. <i>Environmental Epigenetics</i> , <b>2022</b> , 8, dvac004	2.4	0
124	Cancer incidence in a Swedish cohort with high exposure to perfluoroalkyl substances in drinking water. <i>Environmental Research</i> , <b>2022</b> , 204, 112217	7.9	1
123	Perfluoroalkyl substances and thyroid stimulating hormone levels in a highly exposed population in the Veneto Region. <i>Environmental Research</i> , <b>2022</b> , 203, 111794	7.9	1
122	Perfluoroalkyl substance mixtures and cardio-metabolic outcomes in highly exposed male workers in the Veneto Region: A mixture-based approach.. <i>Environmental Research</i> , <b>2022</b> , 212, 113225	7.9	0
121	Determinants of serum half-lives for linear and branched perfluoroalkyl substances after long-term high exposure-A study in Ronneby, Sweden.. <i>Environment International</i> , <b>2022</b> , 163, 107198	12.9	3
120	PFAS Concentrations and Cardiometabolic Traits in Highly Exposed Children and Adolescents.. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	3
119	How to investigate human health effects related to exposure to mixtures of per- and polyfluoroalkyl substances: A systematic review of statistical methods.. <i>Environmental Research</i> , <b>2021</b> , 205, 112565	7.9	3
118	Breastfeeding initiation and duration after high exposure to perfluoroalkyl substances through contaminated drinking water: A cohort study from Ronneby, Sweden. <i>Environmental Research</i> , <b>2021</b> , 207, 112206	7.9	2
117	Associations between perfluoroalkyl substances and thyroid hormones after high exposure through drinking water. <i>Environmental Research</i> , <b>2021</b> , 194, 110647	7.9	4
116	Exposure to Perfluoroalkyl Substances and Mortality for COVID-19: A Spatial Ecological Analysis in the Veneto Region (Italy). <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	5
115	Systemic PFOS and PFOA exposure and disturbed lipid homeostasis in humans: what do we know and what not?. <i>Critical Reviews in Toxicology</i> , <b>2021</b> , 51, 141-164	5.7	14
114	Occupational differences in COVID-19 incidence, severity, and mortality in the United Kingdom: Available data and framework for analyses. <i>Wellcome Open Research</i> , <b>2021</b> , 6, 102	4.8	2
113	Why is elevation of serum cholesterol associated with exposure to perfluoroalkyl substances (PFAS) in humans? A workshop report on potential mechanisms. <i>Toxicology</i> , <b>2021</b> , 459, 152845	4.4	2
112	Associations of Perfluoroalkyl Substances with Prevalence of Metabolic Syndrome in Highly Exposed Young Adult Community Residents-A Cross-Sectional Study in Veneto Region, Italy. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	3
111	Serum perfluoroalkyl substances in residents following long-term drinking water contamination from firefighting foam in Ronneby, Sweden. <i>Environment International</i> , <b>2021</b> , 147, 106333	12.9	14
110	The association between perfluoroalkyl substances and lipid profile in exposed pregnant women in the Veneto region, Italy. <i>Ecotoxicology and Environmental Safety</i> , <b>2021</b> , 209, 111805	7	4
109	Perfluoroalkyl substance excretion: Effects of organic anion-inhibiting and resin-binding drugs in a community setting. <i>Environmental Toxicology and Pharmacology</i> , <b>2021</b> , 85, 103650	5.8	6

108	Perfluoroalkyl substances and immune cell counts in adults from the Mid-Ohio Valley (USA). <i>Environment International</i> , <b>2021</b> , 156, 106599	12.9	7
107	Advancing Global Health through Environmental and Public Health Tracking. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	4
106	Associations between perfluoroalkyl substances and serum lipids in a Swedish adult population with contaminated drinking water. <i>Environmental Health</i> , <b>2020</b> , 19, 33	6	32
105	Exposure to PFAS and small for gestational age new-borns: A birth records study in Veneto Region (Italy). <i>Environmental Research</i> , <b>2020</b> , 184, 109282	7.9	10
104	Inflammatory bowel disease and biomarkers of gut inflammation and permeability in a community with high exposure to perfluoroalkyl substances through drinking water. <i>Environmental Research</i> , <b>2020</b> , 181, 108923	7.9	18
103	Review: Evolution of evidence on PFOA and health following the assessments of the C8 Science Panel. <i>Environment International</i> , <b>2020</b> , 145, 106125	12.9	24
102	Perfluoroalkyl substances are associated with elevated blood pressure and hypertension in highly exposed young adults. <i>Environmental Health</i> , <b>2020</b> , 19, 102	6	14
101	Associations between serum concentrations of perfluoroalkyl substances and DNA methylation in women exposed through drinking water: A pilot study in Ronneby, Sweden. <i>Environment International</i> , <b>2020</b> , 145, 106148	12.9	7
100	Serum Half-Lives for Short- and Long-Chain Perfluoroalkyl Acids after Ceasing Exposure from Drinking Water Contaminated by Firefighting Foam. <i>Environmental Health Perspectives</i> , <b>2020</b> , 128, 77004	8.4	66
99	Associations between perfluoroalkyl substances and lipid profile in a highly exposed young adult population in the Veneto Region. <i>Environment International</i> , <b>2020</b> , 145, 106117	12.9	20
98	Draft for internal testing Scientific Committee guidance on appraising and integrating evidence from epidemiological studies for use in EFSA's scientific assessments. <i>EFSA Journal</i> , <b>2020</b> , 18, e06221	2.3	5
97	Telomere length, arsenic exposure and risk of basal cell carcinoma of skin. <i>Carcinogenesis</i> , <b>2019</b> , 40, 715-723	7.23	10
96	High exposure to perfluorinated compounds in drinking water and thyroid disease. A cohort study from Ronneby, Sweden. <i>Environmental Research</i> , <b>2019</b> , 176, 108540	7.9	28
95	Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , <b>2019</b> , 27, 1589-1598	5.3	15
94	The influence of obesity-related factors in the etiology of renal cell carcinoma-A mendelian randomization study. <i>PLoS Medicine</i> , <b>2019</b> , 16, e1002724	11.6	38
93	Surface wipe and bulk sampling of household dust: arsenic exposure in Cornwall, UK. <i>Environmental Sciences: Processes and Impacts</i> , <b>2018</b> , 20, 505-512	4.3	2
92	Half-lives of PFOS, PFHxS and PFOA after end of exposure to contaminated drinking water. <i>Occupational and Environmental Medicine</i> , <b>2018</b> , 75, 46-51	2.1	266
91	Zürich Statement on Future Actions on Per- and Polyfluoroalkyl Substances (PFASs). <i>Environmental Health Perspectives</i> , <b>2018</b> , 126, 84502	8.4	58

90	Arsenic in residential soil and household dust in Cornwall, south west England: potential human exposure and the influence of historical mining. <i>Environmental Sciences: Processes and Impacts</i> , <b>2017</b> , 19, 517-527	4.3	17
89	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , <b>2017</b> , 8, 15724	17.4	50
88	Exposure to perfluoroalkyl substances and thyroid function in pregnant women and children: A systematic review of epidemiologic studies. <i>Environment International</i> , <b>2017</b> , 99, 15-28	12.9	122
87	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. <i>European Urology</i> , <b>2017</b> , 72, 747-754	10.2	27
86	Hazard Ranking Method for Populations Exposed to Arsenic in Private Water Supplies: Relation to Bedrock Geology. <i>International Journal of Environmental Research and Public Health</i> , <b>2017</b> , 14,	4.6	5
85	Urinary arsenic profiles reveal exposures to inorganic arsenic from private drinking water supplies in Cornwall, UK. <i>Scientific Reports</i> , <b>2016</b> , 6, 25656	4.9	34
84	Environmental and public health tracking to advance knowledge for planetary health. <i>European Journal of Public Health</i> , <b>2016</b> , 26, 900	2.1	4
83	Decision support for risk prioritisation of environmental health hazards in a UK city. <i>Environmental Health</i> , <b>2016</b> , 15 Suppl 1, 29	6	9
82	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 1203-14	5.6	20
81	Smoking and metabolism phenotype interact with inorganic arsenic in causing bladder cancer. <i>Arsenic in the Environment Proceedings</i> , <b>2016</b> , 357-358		
80	Perfluoroalkyl Substances, Sex Hormones, and Insulin-like Growth Factor-1 at 6-9 Years of Age: A Cross-Sectional Analysis within the C8 Health Project. <i>Environmental Health Perspectives</i> , <b>2016</b> , 124, 1269-75	8.4	66
79	Variability in the chemistry of private drinking water supplies and the impact of domestic treatment systems on water quality. <i>Environmental Geochemistry and Health</i> , <b>2016</b> , 38, 1313-1332	4.7	21
78	Prolonged exposure to arsenic in UK private water supplies: toenail, hair and drinking water concentrations. <i>Environmental Sciences: Processes and Impacts</i> , <b>2016</b> , 18, 562-74	4.3	23
77	IARC monographs: 40 years of evaluating carcinogenic hazards to humans. <i>Environmental Health Perspectives</i> , <b>2015</b> , 123, 507-14	8.4	57
76	The Madrid Statement on Poly- and Perfluoroalkyl Substances (PFASs). <i>Environmental Health Perspectives</i> , <b>2015</b> , 123, A107-11	8.4	161
75	PFOA and PFOS are associated with reduced expression of the parathyroid hormone 2 receptor (PTH2R) gene in women. <i>Chemosphere</i> , <b>2015</b> , 120, 555-62	8.4	9
74	Genetic variation in arsenic (+3 oxidation state) methyltransferase (AS3MT), arsenic metabolism and risk of basal cell carcinoma in a European population. <i>Environmental and Molecular Mutagenesis</i> , <b>2015</b> , 56, 60-9	3.2	40
73	Comment on "Fluorotechnology Is Critical to Modern Life: The FluoroCouncil Counterpoint to the Madrid Statement". <i>Environmental Health Perspectives</i> , <b>2015</b> , 123, A170	8.4	5

72	Associations between serum perfluoroalkyl acids and LINE-1 DNA methylation. <i>Environment International</i> , <b>2014</b> , 63, 71-6	12.9	46
71	Helsingin statement on poly- and perfluorinated alkyl substances (PFASs). <i>Chemosphere</i> , <b>2014</b> , 114, 337-98.4		139
70	Breastfeeding: a potential excretion route for mothers and implications for infant exposure to perfluoroalkyl acids. <i>Environmental Health Perspectives</i> , <b>2014</b> , 122, 187-92	8.4	96
69	Polymorphisms in DNA repair genes XRCC1 and XRCC3, occupational exposure to arsenic and sunlight, and the risk of non-melanoma skin cancer in a European case-control study. <i>Environmental Research</i> , <b>2014</b> , 134, 382-9	7.9	6
68	Influenza vaccine response in adults exposed to perfluorooctanoate and perfluorooctanesulfonate. <i>Toxicological Sciences</i> , <b>2014</b> , 138, 76-88	4.4	69
67	Commentary: Class action lawsuits: can they advance epidemiologic research?. <i>Epidemiology</i> , <b>2014</b> , 25, 167-9	3.1	5
66	An integrated approach to assessing the environmental and health impacts of pollution in the urban environment: Methodology and a case study. <i>Chemical Engineering Research and Design</i> , <b>2013</b> , 91, 508-520	5.5	15
65	Occupational exposure to arsenic and risk of nonmelanoma skin cancer in a multinational European study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 2182-91	7.5	35
64	Associations between PFOA, PFOS and changes in the expression of genes involved in cholesterol metabolism in humans. <i>Environment International</i> , <b>2013</b> , 57-58, 2-10	12.9	103
63	Exposure to perfluoroalkyl acids and markers of kidney function among children and adolescents living near a chemical plant. <i>Environmental Health Perspectives</i> , <b>2013</b> , 121, 625-30	8.4	91
62	Perfluorooctanoic acid exposure and cancer outcomes in a contaminated community: a geographic analysis. <i>Environmental Health Perspectives</i> , <b>2013</b> , 121, 318-23	8.4	125
61	Reductions in serum lipids with a 4-year decline in serum perfluorooctanoic acid and perfluorooctanesulfonic acid. <i>Epidemiology</i> , <b>2013</b> , 24, 569-76	3.1	65
60	Rejoinder: Understanding uncertainties in a change versus change study. <i>Epidemiology</i> , <b>2013</b> , 24, 580-1	3.1	1
59	Serum perfluoroalkyl acids concentrations and memory impairment in a large cross-sectional study. <i>BMJ Open</i> , <b>2013</b> , 3,	3	13
58	Occupational exposure to ultraviolet radiation and risk of non-melanoma skin cancer in a multinational European study. <i>PLoS ONE</i> , <b>2013</b> , 8, e62359	3.7	40
57	Assessing the Spatial Distribution of Perfluorooctanoic Acid Exposure via Public Drinking Water Pipes Using Geographic Information Systems. <i>Environmental Health and Toxicology</i> , <b>2013</b> , 28, e2013009	0.7	5
56	Comparison between free serum thyroxine levels, measured by analog and dialysis methods, in the presence of perfluorooctane sulfonate and perfluorooctanoate. <i>Reproductive Toxicology</i> , <b>2012</b> , 33, 552-555	3.4	13
55	Escherichia coli contamination and health aspects of soil and tomatoes ( <i>Solanum lycopersicum</i> L.) subsurface drip irrigated with on-site treated domestic wastewater. <i>Water Research</i> , <b>2012</b> , 46, 5917-34	12.5	49

54	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , <b>2012</b> , 21, 456-62	5.6	74
53	Inorganic arsenic and basal cell carcinoma in areas of Hungary, Romania, and Slovakia: a case-control study. <i>Environmental Health Perspectives</i> , <b>2012</b> , 120, 721-6	8.4	77
52	Serum perfluorooctanoate (PFOA) and perfluorooctane sulfonate (PFOS) concentrations and liver function biomarkers in a population with elevated PFOA exposure. <i>Environmental Health Perspectives</i> , <b>2012</b> , 120, 655-60	8.4	152
51	Relationship of perfluorooctanoic acid exposure to pregnancy outcome based on birth records in the mid-Ohio Valley. <i>Environmental Health Perspectives</i> , <b>2012</b> , 120, 1201-7	8.4	71
50	Relationships of perfluorooctanoate and perfluorooctane sulfonate serum concentrations between mother-child pairs in a population with perfluorooctanoate exposure from drinking water. <i>Environmental Health Perspectives</i> , <b>2012</b> , 120, 752-7	8.4	61
49	Thyroid function and perfluoroalkyl acids in children living near a chemical plant. <i>Environmental Health Perspectives</i> , <b>2012</b> , 120, 1036-41	8.4	130
48	Welding and lung cancer in Central and Eastern Europe and the United Kingdom. <i>American Journal of Epidemiology</i> , <b>2012</b> , 175, 706-14	3.8	41
47	The effect of prenatal perfluorinated chemicals exposures on pediatric atopy. <i>Environmental Research</i> , <b>2011</b> , 111, 785-91	7.9	94
46	Private Drinking Water Wells as a Source of Exposure to Perfluorooctanoic Acid in Communities Surrounding a Washington, West Virginia Fluoropolymer Production Facility. <i>Epidemiology</i> , <b>2011</b> , 22, S85-S86	3.1	2
45	Lung cancer risk attributable to occupational exposures in a multicenter case-control study in Central and Eastern Europe. <i>Journal of Occupational and Environmental Medicine</i> , <b>2011</b> , 53, 1262-7	2	13
44	The Impact of Exposure Metric Choice for Cancers Related to Arsenic in Drinking Water in Central Europe. <i>Epidemiology</i> , <b>2011</b> , 22, S102-S103	3.1	
43	Occupational exposure to metal compounds and lung cancer. Results from a multi-center case-control study in Central/Eastern Europe and UK. <i>Cancer Causes and Control</i> , <b>2011</b> , 22, 1669-80	2.8	17
42	Association of Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) with age of puberty among children living near a chemical plant. <i>Environmental Science &amp; Technology</i> , <b>2011</b> , 45, 8160-6	10.3	153
41	Sustainable management of urban pollution: an integrated approach. <i>Building Services Engineering Research and Technology</i> , <b>2011</b> , 32, 21-34	2.3	6
40	Private drinking water wells as a source of exposure to perfluorooctanoic acid (PFOA) in communities surrounding a fluoropolymer production facility. <i>Environmental Health Perspectives</i> , <b>2011</b> , 119, 92-7	8.4	106
39	Occupational exposure to polycyclic aromatic hydrocarbons and lung cancer risk: a multicenter study in Europe. <i>Occupational and Environmental Medicine</i> , <b>2010</b> , 67, 98-103	2.1	68
38	Epidemiologic evidence on the health effects of perfluorooctanoic acid (PFOA). <i>Environmental Health Perspectives</i> , <b>2010</b> , 118, 1100-8	8.4	408
37	Perfluorooctanoic acid, perfluorooctanesulfonate, and serum lipids in children and adolescents: results from the C8 Health Project. <i>JAMA Pediatrics</i> , <b>2010</b> , 164, 860-9		189

36	Faecal contamination and hygiene aspect associated with the use of treated wastewater and canal water for irrigation of potatoes ( <i>Solanum tuberosum</i> ). <i>Agricultural Water Management</i> , <b>2010</b> , 98, 440-450	5.9	45
35	Lifetime exposure to arsenic in residential drinking water in Central Europe. <i>International Archives of Occupational and Environmental Health</i> , <b>2010</b> , 83, 471-81	3.2	23
34	Geocoding rural addresses in a community contaminated by PFOA: a comparison of methods. <i>Environmental Health</i> , <b>2010</b> , 9, 18	6	14
33	Exposures recorded for participants in the UK Chemical Warfare Agent Human Research Programme, 1941-1989. <i>Annals of Occupational Hygiene</i> , <b>2009</b> , 53, 83-97		4
32	Polymorphisms in DNA repair genes, smoking, and bladder cancer risk: findings from the international consortium of bladder cancer. <i>Cancer Research</i> , <b>2009</b> , 69, 6857-64	10.1	94
31	The C8 health project: design, methods, and participants. <i>Environmental Health Perspectives</i> , <b>2009</b> , 117, 1873-82	8.4	220
30	Predictors of PFOA levels in a community surrounding a chemical plant. <i>Environmental Health Perspectives</i> , <b>2009</b> , 117, 1083-8	8.4	98
29	An integrated tool to assess the role of new planting in PM10 capture and the human health benefits: a case study in London. <i>Environmental Pollution</i> , <b>2009</b> , 157, 2645-53	9.3	109
28	Mortality in British military participants in human experimental research into chemical warfare agents at Porton Down: cohort study. <i>BMJ, The</i> , <b>2009</b> , 338, b613	5.9	2
27	Cancer morbidity in British military veterans included in chemical warfare agent experiments at Porton Down: cohort study. <i>BMJ, The</i> , <b>2009</b> , 338, b655	5.9	2
26	Impact and uncertainty of a traffic management intervention: population exposure to polycyclic aromatic hydrocarbons. <i>Science of the Total Environment</i> , <b>2008</b> , 394, 244-51	10.2	25
25	Metabolism of low-dose inorganic arsenic in a central European population: influence of sex and genetic polymorphisms. <i>Environmental Health Perspectives</i> , <b>2007</b> , 115, 1081-6	8.4	169
24	Occupation and risk of lung cancer in Central and Eastern Europe: the IARC multi-center case-control study. <i>Cancer Causes and Control</i> , <b>2007</b> , 18, 645-54	2.8	26
23	Reconstructing exposures from the UK chemical warfare agent human research programme. <i>Annals of Occupational Hygiene</i> , <b>2007</b> , 51, 441-50		4
22	Occupational exposure to asbestos and man-made vitreous fibres and risk of lung cancer: a multicentre case-control study in Europe. <i>Occupational and Environmental Medicine</i> , <b>2007</b> , 64, 502-8	2.1	27
21	Occupational exposure to crystalline silica and risk of lung cancer: a multicenter case-control study in Europe. <i>Epidemiology</i> , <b>2007</b> , 18, 36-43	3.1	79
20	Lung cancer risk and occupational exposure to meat and live animals. <i>International Journal of Cancer</i> , <b>2006</b> , 118, 2543-7	7.5	21
19	Lung cancer and occupation in nonsmokers: a multicenter case-control study in Europe. <i>Epidemiology</i> , <b>2006</b> , 17, 615-23	3.1	37

18	High cumulative risk of lung cancer death among smokers and nonsmokers in Central and Eastern Europe. <i>American Journal of Epidemiology</i> , <b>2006</b> , 164, 1233-41	3.8	60
17	Symptoms, ill-health and quality of life in a support group of Porton Down veterans. <i>Occupational Medicine</i> , <b>2006</b> , 56, 329-37	2.1	3
16	Occupational exposure and laryngeal and hypopharyngeal cancer risk in central and eastern Europe. <i>American Journal of Epidemiology</i> , <b>2006</b> , 164, 367-75	3.8	74
15	Arsenic exposure in Hungary, Romania and Slovakia. <i>Journal of Environmental Monitoring</i> , <b>2006</b> , 8, 203-8		94
14	Single nucleotide polymorphisms in DNA repair genes and basal cell carcinoma of skin. <i>Carcinogenesis</i> , <b>2006</b> , 27, 1676-81	4.6	70
13	Long-Term Arsenic Exposure and Cancer Risk-Sensitivity to Choice of Indicators Based on Recent and Lifetime Arsenic Intake. <i>Epidemiology</i> , <b>2006</b> , 17, S307	3.1	2
12	Occupational X-ray examinations and lung cancer risk. <i>International Journal of Cancer</i> , <b>2005</b> , 115, 263-7	7.5	11
11	Lung cancer and indoor pollution from heating and cooking with solid fuels: the IARC international multicentre case-control study in Eastern/Central Europe and the United Kingdom. <i>American Journal of Epidemiology</i> , <b>2005</b> , 162, 326-33	3.8	93
10	Is the risk of lung cancer reduced among eczema patients?. <i>American Journal of Epidemiology</i> , <b>2005</b> , 162, 542-7	3.8	32
9	Estimating previous exposure to arsenic for populations living in parts of Hungary, Romania and Slovakia <b>2005</b> , 109-117		
8	Lung cancer risk after exposure to polycyclic aromatic hydrocarbons: a review and meta-analysis. <i>Environmental Health Perspectives</i> , <b>2004</b> , 112, 970-8	8.4	406
7	Occupational exposure to vinyl chloride, acrylonitrile and styrene and lung cancer risk (europe). <i>Cancer Causes and Control</i> , <b>2004</b> , 15, 445-52	2.8	55
6	Assessing exposure misclassification by expert assessment in multicenter occupational studies. <i>Epidemiology</i> , <b>2003</b> , 14, 585-92	3.1	59
5	Respiratory diseases in children and outdoor air pollution in Sã Paulo, Brazil: a time series analysis. <i>Occupational and Environmental Medicine</i> , <b>2000</b> , 57, 477-83	2.1	82
4	Telomere length, arsenic exposure and risk of basal cell carcinoma of skin		2
3	Health Impact Assessment of Urban Pollution467-482		
2	Epidemiological Evidence on the Health Effects of Perfluorooctanoic Acid229-253		
1	The COVID-OUT study protocol: COVID-19 outbreak investigation to understand workplace SARS-CoV-2 transmission in the United Kingdom. <i>Wellcome Open Research</i> , <b>6</b> , 201	4.8	1



