

Karthik Ramasamy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8801341/publications.pdf>

Version: 2024-02-01

145
papers

2,092
citations

257450

24
h-index

276875

41
g-index

148
all docs

148
docs citations

148
times ranked

2494
citing authors

#	ARTICLE	IF	CITATIONS
1	Pomalidomide, bortezomib, and dexamethasone for patients with relapsed or refractory multiple myeloma previously treated with lenalidomide (OPTIMISMM): a randomised, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2019, 20, 781-794.	10.7	254
2	Oral ixazomib maintenance following autologous stem cell transplantation (TOURMALINE-MM3): a double-blind, randomised, placebo-controlled phase 3 trial. <i>Lancet</i> , The, 2019, 393, 253-264.	13.7	187
3	Dhalion. <i>Proceedings of the VLDB Endowment</i> , 2017, 10, 1825-1836.	3.8	106
4	Real-world assessment of the clinical impact of symptomatic infection with severe acute respiratory syndrome coronavirus (COVID-19 disease) in patients with multiple myeloma receiving systemic anti-cancer therapy. <i>British Journal of Haematology</i> , 2020, 190, e83-e86.	2.5	92
5	Multiple cereblon genetic changes are associated with acquired resistance to lenalidomide or pomalidomide in multiple myeloma. <i>Blood</i> , 2021, 137, 232-237.	1.4	90
6	Developments in continuous therapy and maintenance treatment approaches for patients with newly diagnosed multiple myeloma. <i>Blood Cancer Journal</i> , 2020, 10, 17.	6.2	75
7	Serum-free light-chain assay: clinical utility and limitations. <i>Annals of Clinical Biochemistry</i> , 2014, 51, 528-542.	1.6	59
8	The addition of cyclophosphamide to lenalidomide and dexamethasone in multiply relapsed/refractory myeloma patients; a phase I/II study. <i>British Journal of Haematology</i> , 2010, 150, 326-333.	2.5	57
9	Pomalidomide Plus Low-Dose Dexamethasone in Patients With Relapsed/Refractory Multiple Myeloma and Renal Impairment: Results From a Phase II Trial. <i>Journal of Clinical Oncology</i> , 2018, 36, 2035-2043.	1.6	55
10	Pathophysiology and management of monoclonal gammopathy of renal significance. <i>Blood Advances</i> , 2019, 3, 2409-2423.	5.2	48
11	Transcriptomic profiling of the myeloma bone-lining niche reveals BMP signalling inhibition to improve bone disease. <i>Nature Communications</i> , 2019, 10, 4533.	12.8	46
12	Management of patients with multiple myeloma beyond the clinical-trial setting: understanding the balance between efficacy, safety and tolerability, and quality of life. <i>Blood Cancer Journal</i> , 2021, 11, 40.	6.2	46
13	First-in-human phase I study of the novel CELMoD agent CC-92480 combined with dexamethasone (DEX) in patients (pts) with relapsed/refractory multiple myeloma (RRMM).. <i>Journal of Clinical Oncology</i> , 2020, 38, 8500-8500.	1.6	40
14	Bendamustine in combination with thalidomide and dexamethasone is an effective therapy for myeloma patients with end stage renal disease. <i>British Journal of Haematology</i> , 2011, 155, 632-634.	2.5	39
15	Successful pregnancies involving men with chronic myeloid leukaemia on imatinib therapy. <i>British Journal of Haematology</i> , 2007, 137, 374-375.	2.5	38
16	Real-world effectiveness and safety of ixazomib-lenalidomide-dexamethasone in relapsed/refractory multiple myeloma. <i>Annals of Hematology</i> , 2020, 99, 1049-1061.	1.8	31
17	Living with the burden of relapse in multiple myeloma from the patient and physician perspective. <i>Leukemia Research</i> , 2017, 59, 75-84.	0.8	30
18	Pomalidomide therapy for myeloma. <i>Expert Opinion on Investigational Drugs</i> , 2011, 20, 691-700.	4.1	29

#	ARTICLE	IF	CITATIONS
19	Multiple myeloma in the very elderly patient: challenges and solutions. <i>Clinical Interventions in Aging</i> , 2016, 11, 423.	2.9	28
20	Improving outcomes for patients with relapsed multiple myeloma: Challenges and considerations of current and emerging treatment options. <i>Blood Reviews</i> , 2021, 49, 100808.	5.7	27
21	Incidence and management of hepatic venoocclusive disease in 237 patients undergoing reduced-intensity conditioning (RIC) haematopoietic stem cell transplantation (HSCT). <i>Bone Marrow Transplantation</i> , 2006, 38, 823-824.	2.4	26
22	Quantifying intervals to diagnosis in myeloma: a systematic review and meta-analysis. <i>BMJ Open</i> , 2018, 8, e019758.	1.9	26
23	Minimal Residual Disease in Myeloma: Application for Clinical Care and New Drug Registration. <i>Clinical Cancer Research</i> , 2021, 27, 5195-5212.	7.0	26
24	Rituximab and thalidomide combination therapy for Castleman disease. <i>British Journal of Haematology</i> , 2012, 158, 421-423.	2.5	25
25	Optimizing the management of patients with spinal myeloma disease. <i>British Journal of Haematology</i> , 2015, 171, 332-343.	2.5	25
26	Real-world use of pomalidomide and dexamethasone in double refractory multiple myeloma suggests benefit in renal impairment and adverse genetics: a multicentre UK experience. <i>British Journal of Haematology</i> , 2017, 176, 908-917.	2.5	25
27	Health-Related Quality of Life in Transplant-Ineligible Patients With Newly Diagnosed Multiple Myeloma: Findings From the Phase III MAIA Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 227-237.	1.6	22
28	Acute myeloid leukaemia presenting with mediastinal myeloid sarcoma: Report of three cases and review of literature. <i>Leukemia and Lymphoma</i> , 2007, 48, 290-294.	1.3	19
29	Circulating DNA: a potential marker of sickle cell crisis. <i>British Journal of Haematology</i> , 2007, 139, 331-336.	2.5	19
30	Time to redefine Myeloma. <i>British Journal of Haematology</i> , 2015, 171, 1-10.	2.5	18
31	Disseminated herpes virus (HSV-2) infection with rhabdomyolysis and hemophagocytic lymphohistiocytosis in a patient with bone marrow failure syndrome. <i>Annals of Hematology</i> , 2006, 85, 629-630.	1.8	17
32	Fluorescence-based experimental model to evaluate the concomitant effect of drugs on the tumour microenvironment and cancer cells. <i>British Journal of Haematology</i> , 2012, 157, 564-579.	2.5	17
33	Deepening responses associated with improved progression-free survival with ixazomib versus placebo as posttransplant maintenance in multiple myeloma. <i>Leukemia</i> , 2020, 34, 3019-3027.	7.2	17
34	Augmenting Autologous Stem Cell Transplantation to Improve Outcomes in Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1926-1937.	2.0	16
35	Immune response to COVID-19 vaccination is attenuated by poor disease control and antimyeloma therapy with vaccine driven divergent T cell response. <i>British Journal of Haematology</i> , 2022, 197, 293-301.	2.5	16
36	Treat or palliate: outcomes of very elderly myeloma patients. <i>Haematologica</i> , 2018, 103, e32-e34.	3.5	15

#	ARTICLE	IF	CITATIONS
37	Unplanned admissions for patients with myeloma in the UK: Low frequency but high costs. <i>Journal of Bone Oncology</i> , 2019, 17, 100243.	2.4	15
38	Evolving Role of Daratumumab: From Backbencher to Frontline Agent. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 572-587.	0.4	15
39	Multiple myeloma increases nerve growth factor and other pain-related markers through interactions with the bone microenvironment. <i>Scientific Reports</i> , 2019, 9, 14189.	3.3	14
40	Long term outcomes in monoclonal gammopathy of renal significance. <i>British Journal of Haematology</i> , 2019, 186, 706-716.	2.5	14
41	Oral ixazomib-dexamethasone vs oral pomalidomide-dexamethasone for lenalidomide-refractory, proteasome inhibitor-exposed multiple myeloma: a randomized Phase II trial. <i>Blood Cancer Journal</i> , 2022, 12, 9.	6.2	14
42	Successful treatment of refractory angioimmunoblastic T-cell lymphoma with thalidomide and dexamethasone. <i>Haematologica</i> , 2006, 91, ECR44.	3.5	14
43	Bendamustine in combination with thalidomide and dexamethasone is a viable salvage option in myeloma relapsed and/or refractory to bortezomib and lenalidomide. <i>Annals of Hematology</i> , 2015, 94, 643-649.	1.8	13
44	Long-term clinical outcomes in a cohort of patients with solitary plasmacytoma treated in the modern era. <i>PLoS ONE</i> , 2019, 14, e0219857.	2.5	13
45	COVID symptoms, testing, shielding impact on patient-reported outcomes and early vaccine responses in individuals with multiple myeloma. <i>British Journal of Haematology</i> , 2022, 196, 95-98.	2.5	13
46	Real-world treatment patterns and outcomes in non-transplant newly diagnosed multiple Myeloma in France, Germany, Italy, and the United Kingdom. <i>European Journal of Haematology</i> , 2020, 105, 308-325.	2.2	11
47	Dose- and Schedule-Dependent Immunomodulatory Effects of the Novel Celmod Agent CC-92480 in Patients with Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 47-48.	1.4	11
48	Infection-related morbidity in a large study of transplant non-eligible newly diagnosed myeloma patients treated with UK standard of care. <i>Haematologica</i> , 2020, 105, e474-479.	3.5	10
49	Double Relapsed and/or Refractory Multiple Myeloma: Clinical Outcomes and Real World Healthcare Costs. <i>PLoS ONE</i> , 2015, 10, e0136207.	2.5	10
50	Clinical features and diagnosis of multiple myeloma: a population-based cohort study in primary care. <i>BMJ Open</i> , 2021, 11, e052759.	1.9	9
51	Potential "significance" of monoclonal gammopathy of "undetermined significance" during COVID-19 pandemic. <i>Blood Cells, Molecules, and Diseases</i> , 2020, 85, 102481.	1.4	8
52	Thrombotic microangiopathy in untreated myeloma patients receiving carfilzomib, cyclophosphamide and dexamethasone on the CARDAMON study. <i>British Journal of Haematology</i> , 2021, 193, 750-760.	2.5	8
53	The management of Castleman disease. <i>British Journal of Haematology</i> , 2021, 195, 328-337.	2.5	8
54	Testing and management for monoclonal gammopathy of uncertain significance and myeloma patients presenting with osteoporosis and fragility fractures. <i>Rheumatology</i> , 2019, 58, 1142-1153.	1.9	7

#	ARTICLE	IF	CITATIONS
55	Treatment-free interval as an additional measure of efficacy in a large UK dataset of transplant ineligible myeloma patients. PLoS ONE, 2020, 15, e0229469.	2.5	7
56	COVID-19 and myeloma clinical research – experience from the CARDAMON clinical trial. British Journal of Haematology, 2021, 192, e14-e16.	2.5	7
57	Efficacy and Safety of Carfilzomib at 56mg/m2 with Cyclophosphamide and Dexamethasone (K56Cd) in Newly Diagnosed Multiple Myeloma Patients Followed By ASCT or K56Cd Consolidation: Initial Results of the Phase 2 Cardamon Study. Blood, 2019, 134, 861-861.	1.4	7
58	Faster and sustained improvement in health-related quality of life (HRQoL) for newly diagnosed multiple myeloma (NDMM) patients ineligible for transplant treated with daratumumab, lenalidomide, and dexamethasone (D-Rd) versus Rd alone: MAIA. Journal of Clinical Oncology, 2019, 37, 8016-8016.	1.6	7
59	Managing multiple myeloma in the over 70s: A review. Maturitas, 2015, 80, 148-154.	2.4	6
60	Carfilzomib or bortezomib in combination with cyclophosphamide and dexamethasone followed by carfilzomib maintenance for patients with multiple myeloma after one prior therapy: results from a multicenter, phase II, randomized, controlled trial (MUK5). Haematologica, 2021, 106, 2694-2706.	3.5	6
61	Maintenance with Carfilzomib Following Carfilzomib, Cyclophosphamide and Dexamethasone at First Relapse or Primary Refractory Multiple Myeloma (MM) on the Phase 2 Muk Five Study: Effect on Minimal Residual Disease. Blood, 2018, 132, 802-802.	1.4	6
62	Safety of Treatment (Tx) with Pomalidomide (POM) and Low-Dose Dexamethasone (LoDEX) in Patients (Pts) with Relapsed or Refractory Multiple Myeloma (RRMM) and Renal Impairment (RI), Including Those on Dialysis. Blood, 2015, 126, 374-374.	1.4	6
63	Carfilzomib, Cyclophosphamide and Dexamethasone (KCD) Versus Bortezomib, Cyclophosphamide and Dexamethasone (VCD) for Treatment of First Relapse or Primary Refractory Multiple Myeloma (MM): First Final Analysis of the Phase 2 Muk Five Study. Blood, 2017, 130, 835-835.	1.4	6
64	Panobinostat in combination with bortezomib and dexamethasone in multiply relapsed and refractory myeloma; UK routine care cohort. PLoS ONE, 2022, 17, e0270854.	2.5	6
65	Relative efficacy of treatment options in transplant-ineligible newly diagnosed multiple myeloma: results from a systematic literature review and network meta-analysis. Leukemia and Lymphoma, 2020, 61, 668-679.	1.3	5
66	Using quantitative immunoprecipitation mass spectrometry (QIP-MS) to identify low level monoclonal proteins. Clinical Biochemistry, 2021, 95, 81-83.	1.9	5
67	A phase 1b dose-escalation/expansion study of BET inhibitor RO6870810 in patients with advanced multiple myeloma. Blood Cancer Journal, 2021, 11, 149.	6.2	5
68	Ixazomib, lenalidomide, and dexamethasone is effective and well tolerated in multiply relapsed (2nd) Tj ETQq0 0 0 rgBT /Overlock 1396-1404.	1.3	5
69	Alemtuzumab-Based Reduced-Intensity Conditioning Allogeneic Transplantation for Myeloma and Plasma Cell Leukemia – A Single-Institution Experience. Clinical Lymphoma, Myeloma and Leukemia, 2011, 11, 242-245.	0.4	4
70	Clinical outcomes of bortezomib-based therapy in myeloma. PLoS ONE, 2018, 13, e0208920.	2.5	4
71	Open Label, Multicenter, Dose-Escalation/ Expansion Phase Ib Study to Evaluate Safety and Activity of BET Inhibitor RO6870810 (RO), Given As Monotherapy to Patients (pts) with Advanced Multiple Myeloma. Blood, 2020, 136, 12-14.	1.4	4
72	Effectiveness and Safety of Ixazomib-Based Therapy in Relapsed/Refractory Multiple Myeloma (RRMM) Patients (Pts) Treated Outside the Clinical Trial Setting Via an Early Access Program (EAP) in Europe: Second Interim Analysis of the 'Use Via Early Access to Ixazomib' (UVEA-IXA) Study. Blood, 2020, 136, 42-44.	1.4	4

#	ARTICLE	IF	CITATIONS
73	Infections in relapsed myeloma patients treated with isatuximab plus pomalidomide and dexamethasone during the COVID-19 pandemic: Initial results of a UK-wide real-world study. <i>Hematology</i> , 2022, 27, 691-699.	1.5	4
74	Reducing infection-related morbidity and mortality in patients with myeloma. <i>Lancet Oncology</i> , The, 2019, 20, 1633-1635.	10.7	3
75	In-house age-specific reference ranges for free light chains measured on the SPAPlus [®] analyser. <i>Annals of Clinical Biochemistry</i> , 2020, 57, 138-143.	1.6	3
76	Clinical outcomes with fixed-duration therapy (UK real-world data) compared with continuous lenalidomide and low-dose dexamethasone therapy (FIRST trial; MM-020) for transplant-ineligible patients with newly-diagnosed multiple myeloma. <i>Leukemia and Lymphoma</i> , 2020, 61, 732-736.	1.3	3
77	Improving the diagnostic pathway in patients presenting with acute kidney injury secondary to de novo multiple myeloma: a short report. <i>BMJ Open Quality</i> , 2021, 10, e001085.	1.1	3
78	Validation of clinical [®] grade whole genome sequencing reproduces cytogenetic analysis and identifies mutational landscape in newly [®] diagnosed multiple myeloma patients: A pilot study from the 100,000 Genomes Project. <i>EJHaem</i> , 2021, 2, 809.	1.0	3
79	Carfilzomib Versus Bortezomib in Combination with Cyclophosphamide and Dexamethasone for Treatment of First Relapse or Primary Refractory Multiple Myeloma (MM): Outcomes Based on Genetic Risk and Long Term Follow up of the Phase 2 Muk Five Study. <i>Blood</i> , 2018, 132, 306-306.	1.4	3
80	Pharmacodynamic (PD) responses drive dose/schedule selection of CC-92480, a novel CELMoD agent, in a phase 1 dose-escalation study in relapsed/refractory multiple myeloma (RRMM).. <i>Journal of Clinical Oncology</i> , 2020, 38, 8531-8531.	1.6	3
81	Multiple myeloma screening within a fracture liaison service (FLS). <i>Osteoporosis International</i> , 2022, 33, 937-941.	3.1	3
82	Ambulatory therapy of patients with free-floating proximal deep vein thrombosis is safe. <i>Thrombosis and Haemostasis</i> , 2005, 94, 1343-1344.	3.4	2
83	Serological normalisation as a surrogate marker for minimal residual disease negativity in multiple myeloma. <i>British Journal of Haematology</i> , 2019, 185, 775-778.	2.5	2
84	Carfilzomib therapy for relapsed myeloma: results of a UK multicentre experience. <i>British Journal of Haematology</i> , 2020, 188, e57-e60.	2.5	2
85	Myeloma care adaptations in the UK during SARS [®] CoV [®] 2 pandemic: Challenges and measurable outcomes. <i>European Journal of Haematology</i> , 2020, 105, 662-666.	2.2	2
86	Time to Redefine Risk-Stratification and Response Criteria in Immunoglobulin Light Chain Amyloidosis?. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e769-e776.	0.4	2
87	DPACE [®] -based chemotherapy in the era of myeloma novel agents: A UK multicentre study. <i>European Journal of Haematology</i> , 2020, 105, 231-233.	2.2	2
88	Myeloma clinical outcomes following the first wave of COVID [®] 19: results from the Thames Valley Cancer Alliance (UK). <i>British Journal of Haematology</i> , 2021, 192, e136-e139.	2.5	2
89	Oral ixazomib-dexamethasone versus oral pomalidomide-dexamethasone for lenalidomide-refractory, proteasome inhibitor-exposed multiple myeloma (MM) patients: A global, multicenter, randomized, open-label, phase 2 trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 8020-8020.	1.6	2
90	Hevlyte and Freelite Normalisation Is a Surrogate Marker for MRD Negativity Post-ASCT. <i>Blood</i> , 2016, 128, 4633-4633.	1.4	2

#	ARTICLE	IF	CITATIONS
91	Durvalumab (DURVA) plus daratumumab (DARA) in patients (pts) with relapsed and refractory multiple myeloma (RRMM).. Journal of Clinical Oncology, 2017, 35, TPS8054-TPS8054.	1.6	2
92	Multiple Myeloma Treatment Is Associated with Enhanced Platelet Reactivity. Blood, 2018, 132, 3300-3300.	1.4	2
93	Optimal - a Study of Bortezomib, Bendamustine and Dexamethasone (BBD) Vs Thalidomide, Bendamustine and Dexamethasone (BTD) in Patients with Renal Failure Defined As an Egfr below 30 Mls/Min. Blood, 2019, 134, 3135-3135.	1.4	2
94	Real-World Treatment Patterns and Clinical, Economic, and Humanistic Burden in Triple-Class Refractory Multiple Myeloma: Analysis of the Connect Â® Multiple Myeloma (MM) Disease Registry. Blood, 2021, 138, 117-117.	1.4	2
95	The INSURE Study (INSIGHT MM, UVEA-IXA, REMIX): A Pooled Analysis of Relapsed/Refractory Multiple Myeloma (RRMM) Patients (pts) Treated with Ixazomib-Lenalidomide-Dexamethasone (IRd) in Routine Clinical Practice. Blood, 2021, 138, 2701-2701.	1.4	2
96	Daratumumab Monotherapy for Heavily Pre-treated and Refractory Myeloma: Results from a UK Multicentre Real World Cohort. Journal of Oncology Pharmacy Practice, 2023, 29, 299-304.	0.9	2
97	PF599 EFFICACY OF BORTEZOMIB, THALIDOMIDE AND DEXAMETHASONE FOR TREATMENT OF PATIENTS WITH CARFILZOMIB-REFRACTORY MYELOMA IN THE UK NCRI CARDAMON TRIAL. HemaSphere, 2019, 3, 252-253.	2.7	1
98	Efficacy and tolerability of VCD chemotherapy in a UK realâ€world dataset of elderly transplantâ€ineligible newly diagnosed myeloma patients. European Journal of Haematology, 2021, 106, 563-573.	2.2	1
99	Management of patients with difficult-to-treat multiple myeloma. Future Oncology, 2021, 17, 2089-2105.	2.4	1
100	Single Cell Analysis of Acquired Pomalidomide-Resistance in Multiple Myeloma Cell Lines Reveals Distinct Subclonal Cereblon Mutations and Gene Expression Heterogeneity. Blood, 2018, 132, 2648-2648.	1.4	1
101	Relative Efficacy of Treatment Options in Newly Diagnosed Multiple Myeloma: Results from a Systematic Literature Review and Network Meta-Analysis. Blood, 2018, 132, 4744-4744.	1.4	1
102	Elective Vs Non-Elective Hospital Admissions By Patients with Multiple Myeloma in England 2014 - 2018. Blood, 2018, 132, 4743-4743.	1.4	1
103	Direct Effect on the Stroma by the Conventional Anti-Multiple Myeloma Drug Dexamethasone Results In Resistance of Multiple Myeloma Plasma Cells Against Therapy. Sensitisation to Dexamethasone by the Kinase Inhibitor Dasatinib. Blood, 2010, 116, 1931-1931.	1.4	1
104	Podia in Multiple Myeloma (MM) Cells Promote Adhesion with Bone Marrow (BM) Fibroblastic Stromal Cells. Blood, 2011, 118, 626-626.	1.4	1
105	PS1388 RELATIVE EFFICACY OF APPROVED AND RECENTLY INTRODUCED TREATMENTS FOR NEWLY DIAGNOSED MULTIPLE MYELOMA: A NETWORK META-ANALYSIS. HemaSphere, 2019, 3, 636.	2.7	1
106	Clinical-Grade Whole Genome Sequencing Reproduces FISH Cytogenetics and Provides Actionable Data in Newly Diagnosed Myeloma - a Pilot Study from the UK 100,000 Genomes Project. Blood, 2019, 134, 3062-3062.	1.4	1
107	OAB-003: CARDAMON:Carfilzomib (K) maintenance following Autologous Stem Cell Transplant (ASCT) or carfilzomib-cyclophosphamide-dexamethasone (KCd) consolidation for newly diagnosed (NDTE) multiple myeloma (MM). Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, S2-S3.	0.4	1
108	Efficacy Outcomes of Isatuximab with Pomalidomide and Dexamethasone Are Comparable to (ICARIA-MM) Trial Data: Initial Results of a UK-Wide Real-World Study of Relapsed Myeloma Patients. Blood, 2021, 138, 1963-1963.	1.4	1

#	ARTICLE	IF	CITATIONS
109	A Clinically Validated Targeted Capture Panel to Identify Translocations, Copy Number Abnormalities, and Mutations in Multiple Myeloma. <i>Blood</i> , 2021, 138, 2676-2676.	1.4	1
110	BCMA-targeted therapies for multiple myeloma: strategies to maximize efficacy and minimize adverse events. <i>Expert Review of Hematology</i> , 2022, 15, 503-517.	2.2	1
111	Efficacy of Isatuximab With Pomalidomide and Dexamethasone in Relapsed Myeloma: Results of a UK-Wide Real-World Dataset. <i>HemaSphere</i> , 2022, 6, e738.	2.7	1
112	Mott cells in CD20-positive myeloma. <i>British Journal of Haematology</i> , 2011, 152, 366-366.	2.5	0
113	Bendamustine, thalidomide and dexamethasone is an effective salvage regimen for advanced stage multiple myeloma - response to Grey-Davies et Al. <i>British Journal of Haematology</i> , 2012, 156, 555-555.	2.5	0
114	Castleman's disease. , 0, , 216-224.		0
115	Resource implications of bortezomib therapy in a large UK cohort: An evaluation study. <i>Journal of Oncology Pharmacy Practice</i> , 2019, 25, 1995-1998.	0.9	0
116	PS1411 CHARACTERISTICS AND TREATMENT OUTCOMES OF NEWLY DIAGNOSED MULTIPLE MYELOMA (NDMM) NON-STEM CELL TRANSPLANT (NSCT) PATIENTS IN THE UK, GERMANY, AND FRANCE. <i>HemaSphere</i> , 2019, 3, 648-649.	2.7	0
117	Daratumumab, Lenalidomide, and Dexamethasone (D-Rd) Delivers a Reduction and Delay in Worsening of Pain Symptoms for Patients with Newly Diagnosed Multiple Myeloma Ineligible for Transplant. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e225-e226.	0.4	0
118	Consolidation following DPACE therapy improves outcomes in relapsed/refractory myeloma patients in the era of novel agents. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e254-e255.	0.4	0
119	PF603 FASTER & SUSTAINED IMPROVEMENT IN HEALTH-RELATED QUALITY OF LIFE IN TRANSPLANT-INELIGIBLE NEWLY DIAGNOSED MULTIPLE MYELOMA PTS TREATED WITH DARATUMUMAB, LENALIDOMIDE & DEXAMETHASONE (D&Rd) VS RD: MAIA. <i>HemaSphere</i> , 2019, 3, 255.	2.7	0
120	PB2117-POMALIDOMIDE PLUS LOW-DEXAMETHASONE TREATMENT FOR ≥ 1 YEAR IN PATIENTS WITH RELAPSED REFRACTORY MULTIPLE MYELOMA AND RENAL IMPAIRMENT: A SUBANALYSIS OF THE MM-13 PHASE 2 STUDY. <i>HemaSphere</i> , 2019, 3, 953.	2.7	0
121	Pomalidomide and Dexamethasone Treatment for ≥ 1 Year in Renally Impaired Patients With Relapsed or Refractory Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e284-e285.	0.4	0
122	Haemophagocytic Lymphohistiocytosis Post Liver Transplantation.. <i>Blood</i> , 2004, 104, 3822-3822.	1.4	0
123	Bevacizumab Therapy for POEMS Syndrome.. <i>Blood</i> , 2006, 108, 5108-5108.	1.4	0
124	Progression Free Survival (PFS) in Alemtuzumab Based RIC Allogeneic Transplantation for Myeloma Is Improved with Use of Pre-Emptive DLI (pDLI).. <i>Blood</i> , 2007, 110, 3034-3034.	1.4	0
125	Novel In Vitro Experimental Platform for High Throughput Analysis of the Effect of Drugs on Multiple Myeloma Cells and the Tumour Microenvironment In a Co-Culture Setting. <i>Blood</i> , 2010, 116, 982-982.	1.4	0
126	Beta7 Integrins Regulate Podia Formation in Multiple Myeloma (MM) Cells for the Interaction with the Cellular and Non-Cellular Bone Marrow (BM) Stroma. <i>Blood</i> , 2012, 120, 3979-3979.	1.4	0

#	ARTICLE	IF	CITATIONS
127	Transcriptome Profiling of the Myeloma-Bone Niche Identifies BMP Signaling Role in Bone Destruction and Niche Maintenance, and Potential As a Therapeutic Target. <i>Blood</i> , 2016, 128, 483-483.	1.4	0
128	Long Term Outcomes in Monoclonal Gammopathy of Renal Significance (MGRS). <i>Blood</i> , 2016, 128, 5948-5948.	1.4	0
129	Safety Results of a Phase 2 Multicenter, Open-Label Study of Pomalidomide (CC-4047) Plus Low-Dose Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma (RRMM) and Renal Impairment. <i>Blood</i> , 2016, 128, 3311-3311.	1.4	0
130	Estimating the Effect of Individual Agents in the Treatment of Relapsed, Refractory Multiple Myeloma (RRMM). <i>Blood</i> , 2018, 132, 2013-2013.	1.4	0
131	PF629 CONSOLIDATION FOLLOWING INFUSIONAL DPACE IMPROVES OUTCOMES IN NOVEL AGENT RELAPSED/REFRACTORY MYELOMA PATIENTS. <i>HemaSphere</i> , 2019, 3, 267-268.	2.7	0
132	PS1416 EVOLVING TREATMENT PATTERNS IN NON-STEM CELL TRANSPLANT (NSCT) NEWLY DIAGNOSED MULTIPLE MYELOMA (NDMM): RESULTS FROM A REAL-WORLD CHART REVIEW IN FRANCE, GERMANY, AND THE UK. <i>HemaSphere</i> , 2019, 3, 651.	2.7	0
133	PS1382 DEEPENING RESPONSES SEEN WITH IXAZOMIB MAINTENANCE POST-ALLOGENEIC STEM CELL TRANSPLANTATION (ASCT) ARE ASSOCIATED WITH PROLONGED PROGRESSION-FREE SURVIVAL - ANALYSIS FROM THE TOURMALINE-MM3 STUDY. <i>HemaSphere</i> , 2019, 3, 632-633.	2.7	0
134	Infection-Related Morbidity Reduced Overall Survival in a Large Real-World Cohort of Transplant Ineligible Newly Diagnosed Myeloma Patients Treated with UK Standard of Care. <i>Blood</i> , 2019, 134, 4768-4768.	1.4	0
135	Clinical features and diagnosis of multiple myeloma: a population-based cohort study in primary care. <i>BMJ Open</i> , 2021, 11, e052759.	1.9	0
136	Discovery of Prolyl-tRNA Synthetase As a Novel Target in Multiple Myeloma. <i>Blood</i> , 2021, 138, 890-890.	1.4	0
137	Upfront Autologous Stem Cell Transplantation (ASCT) Vs Carfilzomib-Cyclophosphamide-Dexamethasone (KCd) Consolidation in Transplant-Eligible, Newly Diagnosed (NDTE) Multiple Myeloma (MM): Results of the Cardamon Study According to Cytogenetic Risk. <i>Blood</i> , 2021, 138, 2911-2911.	1.4	0
138	PET-CT for Assessment of Multiple Myeloma Disease Burden and Metabolic Response before and after Carfilzomib-Based Induction, Consolidation and Carfilzomib Maintenance Therapy: Data from the UK NCRI Cardamon Study. <i>Blood</i> , 2021, 138, 2750-2750.	1.4	0
139	REALM (OP-RW001): Comparing the Characteristics and Clinical Outcomes of Patients with Relapsed/Refractory Multiple Myeloma in the Real World to Patients Receiving Melflufen in the Horizon Study. <i>Blood</i> , 2021, 138, 1967-1967.	1.4	0
140	Modified Delphi Method Identifies Consensus Areas for Routine Minimal Residual Disease Testing in Multiple Myeloma. <i>Blood</i> , 2021, 138, 1631-1631.	1.4	0
141	Bone Pain As a Presenting Symptom in Patients with Newly Diagnosed Multiple Myeloma in the Primary Care Setting: A Population-Based Cohort Study. <i>Blood</i> , 2020, 136, 18-18.	1.4	0
142	Quality of Life Data from a Prospective Randomised Trial of Newly Diagnosed Myeloma Patients with Renal Failure: Optimal Trial. <i>Blood</i> , 2020, 136, 5-6.	1.4	0
143	Prospective Study Reveals Increased Platelet Function Associated with Multiple Myeloma and Its Treatment. <i>Blood</i> , 2020, 136, 21-21.	1.4	0
144	Anti-BCMA Immunotherapy in Myeloma: Is It the Tumor or the Immune System That Most Undermines Outcomes?. , 2022, 19, .		0

#	ARTICLE	IF	CITATIONS
145	Generic Lenalidomide: An opportunity to address the balance of administrative burden and drug safety. <i>European Journal of Haematology</i> , 2022, 109, 305-306.	2.2	0