

Mara Fornasarig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8802663/publications.pdf>

Version: 2024-02-01

84
papers

1,891
citations

394390

19
h-index

276858

41
g-index

86
all docs

86
docs citations

86
times ranked

3111
citing authors

#	ARTICLE	IF	CITATIONS
1	High Prevalence of Activated Intraepithelial Cytotoxic T Lymphocytes and Increased Neoplastic Cell Apoptosis in Colorectal Carcinomas with Microsatellite Instability. <i>American Journal of Pathology</i> , 1999, 154, 1805-1813.	3.8	425
2	A Specific Mutational Signature Associated with DNA 8-Oxoguanine Persistence in MUTYH-defective Colorectal Cancer. <i>EBioMedicine</i> , 2017, 20, 39-49.	6.1	170
3	Prevalence of the Y165C, G382D and 1395delGGA germline mutations of the <i>MYH</i> gene in Italian patients with adenomatous polyposis coli and colorectal adenomas. <i>International Journal of Cancer</i> , 2004, 109, 680-684.	5.1	159
4	Cancer risk associated with STK11/LKB1 germline mutations in Peutz-Jeghers syndrome patients: Results of an Italian multicenter study. <i>Digestive and Liver Disease</i> , 2013, 45, 606-611.	0.9	113
5	Capsule endoscopy is useful and safe for small-bowel surveillance in familial adenomatous polyposis. <i>Gastrointestinal Endoscopy</i> , 2008, 67, 61-67.	1.0	110
6	Long-Term Outcome of Patients with Complete Pathologic Response after Neoadjuvant Chemoradiation for cT3 Rectal Cancer: Implications for Local Excision Surgical Strategies. <i>Annals of Surgical Oncology</i> , 2011, 18, 3686-3693.	1.5	81
7	Characterization of MSH2 and MLH1 mutations in Italian families with hereditary nonpolyposis colorectal cancer. , 1997, 18, 8-18.		67
8	Percutaneous Endoscopic Gastrostomy as a Decompressive Technique in Bowel Obstruction due to Abdominal Carcinomatosis. <i>Endoscopy</i> , 1995, 27, 317-320.	1.8	57
9	Genetic testing among high-risk individuals in families with hereditary nonpolyposis colorectal cancer. <i>British Journal of Cancer</i> , 2004, 90, 882-887.	6.4	57
10	MLH1 and MSH2 constitutinal mutations in colorectal cancer families not meeting the standard criteria for hereditary nonpolyposis colorectal cancer. , 1998, 75, 835-839.		50
11	Stability of BAT26 in tumours of hereditary nonpolyposis colorectal cancer patients with MSH2 intragenic deletion. <i>European Journal of Human Genetics</i> , 2006, 14, 63-68.	2.8	39
12	Nonsteroidal antiinflammatory drugs for cancer pain: comparison between misoprostol and ranitidine in prevention of upper gastrointestinal damage.. <i>Journal of Clinical Oncology</i> , 1995, 13, 2637-2642.	1.6	38
13	Pepsinogens to Distinguish Patients With Gastric Intestinal Metaplasia and Helicobacter pylori Infection Among Populations at Risk for Gastric Cancer. <i>Clinical and Translational Gastroenterology</i> , 2016, 7, e183.	2.5	35
14	Different molecular mechanisms underlie genomic deletions in the MLH1 Gene. <i>Human Mutation</i> , 2002, 20, 368-374.	2.5	34
15	Integrated analysis of unclassified variants in mismatch repair genes. <i>Genetics in Medicine</i> , 2011, 13, 115-124.	2.4	34
16	Molecular and Pathological Features of Gastric Cancer in Lynch Syndrome and Familial Adenomatous Polyposis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1682.	4.1	30
17	Decompressive percutaneous endoscopic gastrostomy in advanced cancer patients with small-bowel obstruction is feasible and effective: a large prospective study. <i>Supportive Care in Cancer</i> , 2016, 24, 2877-82.	2.2	27
18	Loss of Multimerin-2 and EMILIN-2 Expression in Gastric Cancer Associate with Altered Angiogenesis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3983.	4.1	26

#	ARTICLE	IF	CITATIONS
19	Low Pepsinogen I/II Ratio and High Gastrin-17 Levels Typify Chronic Atrophic Autoimmune Gastritis Patients With Gastric Neuroendocrine Tumors. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00238.	2.5	23
20	Somatic mosaicism in a patient with Lynch syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2009, 149A, 212-215.	1.2	22
21	Probe-based confocal laser endomicroscopy for in vivo evaluation of the tumor vasculature in gastric and rectal carcinomas. <i>Scientific Reports</i> , 2017, 7, 9819.	3.3	22
22	Risk factors for endometrial cancer according to familial susceptibility. , 1998, 77, 29-32.		21
23	Endomicroscopy and Cancer: A New Approach to the Visualization of Neoangiogenesis. <i>Gastroenterology Research and Practice</i> , 2012, 2012, 1-5.	1.5	17
24	Characterizing Metastatic HER2-Positive Gastric Cancer at the CDH1 Haplotype. <i>International Journal of Molecular Sciences</i> , 2018, 19, 47.	4.1	17
25	Prevalence of the E1317Q Variant of the APC Gene in Italian Patients with Colorectal Adenomas. <i>Genetic Testing and Molecular Biomarkers</i> , 2002, 6, 313-317.	1.7	16
26	<i>MUTYH</i> c.933+3A>C, associated with a severely impaired gene expression, is the first Italian founder mutation in <i>MUTYH</i> -Associated Polyposis. <i>International Journal of Cancer</i> , 2013, 132, 1060-1069.	5.1	16
27	Deregulated expression of Elastin Microfibril Interfacer 2 (EMILIN2) in gastric cancer affects tumor growth and angiogenesis. <i>Matrix Biology Plus</i> , 2020, 6-7, 100029.	3.5	15
28	Lack of PMS2 gene-truncating mutations in patients with hereditary colorectal cancer.. <i>International Journal of Oncology</i> , 1998, 13, 565-9.	3.3	13
29	Evaluation of the replication error phenotype in relation to molecular and clinicopathological features in hereditary and early onset colorectal cancer. <i>European Journal of Cancer</i> , 1999, 35, 289-295.	2.8	13
30	The Probe Based Confocal Laser Endomicroscopy (pCLE) in Locally Advanced Gastric Cancer: A Powerful Technique for Real-Time Analysis of Vasculature. <i>Frontiers in Oncology</i> , 2019, 9, 513.	2.8	13
31	A Novel Kindred with Familial Gastrointestinal Stromal Tumors Caused by a Rare KIT Germline Mutation (N655K): Clinico-Pathological Presentation and TKI Sensitivity. <i>Journal of Personalized Medicine</i> , 2020, 10, 234.	2.5	13
32	MUC Gene Abnormalities in Sporadic and Hereditary Mucinous Colon Cancers with Microsatellite Instability. <i>Disease Markers</i> , 2005, 21, 121-126.	1.3	12
33	Hereditary Nonpolyposis Colorectal Cancer: An Approach to the Selection of Candidates to Genetic Testing Based on Clinical and Molecular Characteristics. <i>Public Health Genomics</i> , 1998, 1, 229-236.	1.0	10
34	Twelve Years of Endoscopic Surveillance in a Family Carrying Biallelic Y165C MYH Defect: Report of a Case. <i>Diseases of the Colon and Rectum</i> , 2006, 49, 272-275.	1.3	10
35	Toward a better definition of EPCAM deletions in Lynch Syndrome: Report of new variants in Italy and the associated molecular phenotype. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e587.	1.2	10
36	A new mutation of the CDH1 gene in a patient with an aggressive signet-ring cell carcinoma of the stomach. <i>Cancer Biology and Therapy</i> , 2018, 19, 254-259.	3.4	9

#	ARTICLE	IF	CITATIONS
37	Colorectal cancer development is affected by the ECM molecule EMILIN-2 hinging on macrophage polarization via the TLR-4/MyD88 pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 60.	8.6	9
38	DNA flow cytometric evaluation of cell cycle distribution in ulcerative colitis: a proposed method for assessing severity of disease.. <i>Gut</i> , 1995, 36, 50-54.	12.1	8
39	Prognostic Relevance of MLH1 and MSH2 Mutations in Hereditary Non-Polyposis Colorectal Cancer Patients. <i>Tumori</i> , 2009, 95, 731-738.	1.1	8
40	Microsatellite instability and MLH1 and MSH2 germline defects are related to clinicopathological features in sporadic colorectal cancer.. <i>Oncology Reports</i> , 2000, 7, 39-43.	2.6	7
41	Amsterdam criteria II and endometrial cancer index cases for an accurate selection of HNPCC families. <i>Tumori</i> , 2002, 88, 18-20.	1.1	6
42	Improving detection of celiac disease patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 721-724.	1.6	5
43	Value of the Rare Disease Registry of the Italian Region Friuli Venezia Giulia. <i>Value in Health</i> , 2019, 22, 1003-1011.	0.3	4
44	Filling the gap: A thorough investigation for the genetic diagnosis of unsolved polyposis patients with monoallelic <i>MUTYH</i> pathogenic variants. <i>Molecular Genetics & Genomic Medicine</i> , 2021, 9, e1831.	1.2	3
45	Effect of Short- and Long-Term Treatment with Omeprazole on Cell Cycle Distribution in the Gastric Mucosa: Results of a Flow Cytometric Study. <i>Scandinavian Journal of Gastroenterology</i> , 1993, 28, 617-621.	1.5	2
46	Reply to Jaskowski et al. <i>European Journal of Human Genetics</i> , 2007, 15, 141-142.	2.8	2
47	P.19.1 MULTICENTRIC ITALIAN STUDY THAT COMPARES DIAGNOSTIC AND PROGNOSTIC CAPACITY OF BALLOON ASSISTED ENTEROSCOPY (BAE) AND VIDEOCAPSULE ENDOSCOPY (VCE) IN PATIENTS WITH FAMILIAL POLYPOSIS: PRELIMINARY RESULTS. <i>Digestive and Liver Disease</i> , 2014, 46, S130.	0.9	2
48	Risk factors for endometrial cancer according to familial susceptibility. <i>International Journal of Cancer</i> , 1998, 77, 29-32.	5.1	2
49	Risk analysis of colorectal cancer in women with endometrial carcinoma. <i>Molecular Medicine Reports</i> , 0, , .	2.4	2
50	Risk analysis of colorectal cancer in women with endometrial carcinoma. <i>Molecular Medicine Reports</i> , 2008, 1, 549-53.	2.4	2
51	P.1.122: AUTOIMMUNE CHRONIC ATROPHIC GASTRITIS AND HELICOBACTER PYLORI: PREVALENCE OF THE INFECTION AND GENETIC HETEROGENEITY. <i>Digestive and Liver Disease</i> , 2011, 43, S188.	0.9	1
52	Angiogenesis evaluation in locally advanced colo-rectal and gastric cancers by probe-based Confocal Laser Endomicroscopy (pCLE). <i>Annals of Oncology</i> , 2016, 27, iv48.	1.2	1
53	Evaluation of neoangiogenesis in locally advanced gastric cancer before and after neoadjuvant radiochemotherapy by probe confocal laser endomicroscopy (PCLE). <i>Annals of Oncology</i> , 2019, 30, iv80-iv81.	1.2	1
54	Family's History Based on the CDH1 Germline Variant (c.360delG) and a Suspected Hereditary Gastric Cancer Form. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4904.	4.1	1

#	ARTICLE	IF	CITATIONS
55	pCLE highlights distinctive vascular patterns in early gastric cancer and in gastric diseases with high risk of malignant complications. <i>Scientific Reports</i> , 2021, 11, 21053.	3.3	1
56	Cell cycle S-phase evaluation by DNA flow cytometry on colonic flat mucosa in cancer patients and in patients at higher risk of colorectal cancer. <i>Gastroenterology</i> , 1995, 108, A469.	1.3	0
57	Replication error (RER) phenotype and mismatch repair (MMR) gene defects in sporadic colorectal cancer (CRC) at early onset. <i>Gastroenterology</i> , 1998, 114, A596.	1.3	0
58	Presentation of colorectal cancer in patients with ulcerative colitis: A GISC-GTSMII multicenter investigation. <i>Gastroenterology</i> , 2000, 118, A1408.	1.3	0
59	Amsterdam criteria II and endometrial cancer index cases for an accurate selection of HNPCC families. <i>Gastroenterology</i> , 2000, 118, A42.	1.3	0
60	Efficacy of colonoscopy and endoscopic polypectomy in colorectal cancer prevention: A cohort study. <i>Gastroenterology</i> , 2001, 120, A602-A603.	1.3	0
61	OC1.06.4 CAPSULE ENDOSCOPY IS USEFUL AND SAFE FOR SMALL BOWEL SURVEILLANCE IN FAMILIAL ADENOMATOUS POLYPOSIS. <i>Digestive and Liver Disease</i> , 2008, 40, S21-S22.	0.9	0
62	PA.245 PREOPERATIVE VIRTUAL COLONOSCOPY (VC) IS USEFUL IN PATIENTS WITH STENOSING COLORECTAL CANCER. <i>Digestive and Liver Disease</i> , 2008, 40, S165.	0.9	0
63	OC.06.2 CDH1 ANALYSIS AS A POSSIBLE MARKER FOR EARLY GASTRIC CANCER IN FIRST DEGREE GC-RELATIVES. <i>Digestive and Liver Disease</i> , 2010, 42, S84.	0.9	0
64	P.105 AN UNUSUAL CASE OF PNEUMATOSIS CYSTOIDES GASTRO-INTESTINALIS CAUSED BY NON-HODGKIN LYMPHOMA. <i>Digestive and Liver Disease</i> , 2010, 42, S140.	0.9	0
65	P.1.351: SERRATED ADENOMAS OF THE COLORECTUM: PREVALENCE IN ROUTINARY ENDOSCOPY PRACTICE. <i>Digestive and Liver Disease</i> , 2011, 43, S264.	0.9	0
66	OC.10.2 POST PROCEDURAL COMPLICATIONS RELATED TO DECOMPRESSIVE PERCUTANEUS ENDOSCOPIC GASTROSTOMY IN ADVANCED CANCER PATIENTS WITH PREVIOUS ABDOMINAL SURGERY. <i>Digestive and Liver Disease</i> , 2014, 46, S24.	0.9	0
67	P.16.6 AMINOPYRINE BREATH TEST AS A DIAGNOSTIC TOOL TO EVALUATE HEPATIC FUNCTIONAL RESERVE IN NEOPLASTIC PATIENTS RECEIVING HIGH DOSE CHEMOTHERAPY. <i>Digestive and Liver Disease</i> , 2014, 46, S116.	0.9	0
68	P.13.4 PHENOTYPE OF TWO ITALIAN LYNCH SYNDROME FAMILIES WITH EPCAM DELETIONS. <i>Digestive and Liver Disease</i> , 2014, 46, S102.	0.9	0
69	OC.08.1 NATURAL HISTORY OF LYNCH SYNDROME IN NORTHEASTERN ITALY. <i>Digestive and Liver Disease</i> , 2014, 46, S20.	0.9	0
70	Probe-confocal laser endomicroscopy: implications for nursing care. <i>Gastrointestinal Nursing</i> , 2014, 12, 30-36.	0.1	0
71	Su1708 Probe-Based Confocal LASER Endomicroscopy (pCLE) for Angiogenesis Evaluation in Locally Advanced Rectal and Gastric Cancers. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB385-AB386.	1.0	0
72	OC.04.7 IDENTIFICATION OF PROTEOMIC PROFILES ASSOCIATED WITH TUMOR REGRESSION GRADING IN RECTAL CANCER. <i>Digestive and Liver Disease</i> , 2016, 48, e85-e86.	0.9	0

#	ARTICLE	IF	CITATIONS
73	P.09.7 PROGNOSTIC SIGNIFICANCE OF CLINICALLY METASTATIC MESORECTAL LYMPH NODES IN LOCALLY ADVANCED RECTAL CANCER TREATED BY NEOADJUVANT CHEMORADIATION: IMPLICATIONS FOR SURGICAL STRATEGIES IN RELATION TO PATHOLOGICAL RESPONSE. <i>Digestive and Liver Disease</i> , 2016, 48, e174.	0.9	0
74	OC.04.2 GENETIC DIVERSITY OF THE KIR/HLA SYSTEM AND OUTCOME OF PATIENTS WITH METASTATIC COLORECTAL CANCER TREATED WITH CHEMOTHERAPY. <i>Digestive and Liver Disease</i> , 2016, 48, e83-e84.	0.9	0
75	P.08.10: Interference of PG2 Tata Box Region with the Serum PG2 Level in Gastric Cancer. <i>Digestive and Liver Disease</i> , 2017, 49, e182-e183.	0.9	0
76	Endoscopic Follow up can Select Patients for Multi-Gene Testing in Attenuated Adenomatous Polyposis with no APC or Mutyh Identified Mutations. <i>Gastroenterology</i> , 2017, 152, S557-S558.	1.3	0
77	Genetic polymorphisms and PG1/PG2 and G17 levels can predict gastric carcinoids in autoimmune atrophic chronic gastritis patients. <i>Annals of Oncology</i> , 2018, 29, v24.	1.2	0
78	P.05.34 EVALUATION OF NEOANGIOGENESIS IN LOCALLY ADVANCED GASTRIC CANCER BEFORE AND AFTER NEOADJUVANT RADIOCHEMOTHERAPY BY PROBE CONFOCAL LASER ENDOMICROSCOPY (PCLE). <i>Digestive and Liver Disease</i> , 2019, 51, e198.	0.9	0
79	<p>Probe-based confocal laser endomicroscopy (pCLE) is a suitable method for extrapulmonary high grade neuroendocrine rectal carcinoma (HGNEC) evaluation</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 4577-4583.	2.0	0
80	Is FNA always necessary in submucosal lesion miming GIST?. <i>Annals of Oncology</i> , 2019, 30, iv89.	1.2	0
81	Diagnosis and Surveillance: Endoscopic Hallmarks. <i>Current Clinical Pathology</i> , 2019, , 43-52.	0.0	0
82	Treatment of liver toxicity in women undergoing adjuvant chemotherapy for breast cancer: A phase III, monocentric, prospective, randomised trial of ursodeoxycolic acid (UDCA) vs no treatment. <i>Journal of Clinical Oncology</i> , 2007, 25, 9060-9060.	1.6	0
83	Endoscopic diagnosis and staging of gastric tumors. I <i>Supplementi Di Tumori</i> , 2003, 2, S16-8.	0.1	0
84	pCLE detects mucosal neoplastic vascular pattern in gastric linitis plastica. <i>Clinical and Experimental Medicine</i> , 0, , .	3.6	0