

Mara Fornasarig

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8802663/mara-fornasarig-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

1,495
citations

18
h-index

38
g-index

86
ext. papers

1,704
ext. citations

3.8
avg. IF

3.35
L-index

#	Paper	IF	Citations
58	Colorectal cancer development is affected by the ECM molecule EMILIN-2 hinging on macrophage polarization via the TLR-4/MyD88 pathway.. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022 , 41, 60	12.8	0
57	Filling the gap: A thorough investigation for the genetic diagnosis of unsolved polyposis patients with monoallelic MUTYH pathogenic variants. <i>Molecular Genetics & Genomic Medicine</i> , 2021 , e1831	2.3	1
56	pCLE highlights distinctive vascular patterns in early gastric cancer and in gastric diseases with high risk of malignant complications. <i>Scientific Reports</i> , 2021 , 11, 21053	4.9	0
55	Role of Endoscopic Ultrasound in Pancreatic Cancer Screening 2021 , 149-156		
54	Deregulated expression of Elastin Microfibril Interfacer 2 (EMILIN2) in gastric cancer affects tumor growth and angiogenesis. <i>Matrix Biology Plus</i> , 2020 , 6-7, 100029	5.1	6
53	Family History Based on the Germline Variant (c.360delG) and a Suspected Hereditary Gastric Cancer Form. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	
52	A Novel Kindred with Familial Gastrointestinal Stromal Tumors Caused by a Rare Germline Mutation (N655K): Clinico-Pathological Presentation and TKI Sensitivity. <i>Journal of Personalized Medicine</i> , 2020 , 10,	3.6	3
51	Low Pepsinogen I/II Ratio and High Gastrin-17 Levels Typify Chronic Atrophic Autoimmune Gastritis Patients With Gastric Neuroendocrine Tumors. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00238	4.3	11
50	Diagnosis and Surveillance: Endoscopic Hallmarks. <i>Current Clinical Pathology</i> , 2019 , 43-52	0.1	
49	Toward a better definition of EPCAM deletions in Lynch Syndrome: Report of new variants in Italy and the associated molecular phenotype. <i>Molecular Genetics & Genomic Medicine</i> , 2019 , 7, e587	2.3	6
48	Value of the Rare Disease Registry of the Italian Region Friuli Venezia Giulia. <i>Value in Health</i> , 2019 , 22, 1003-1011	3.3	2
47	Probe-based confocal laser endomicroscopy (pCLE) is a suitable method for extrapulmonary high grade neuroendocrine rectal carcinoma (HGNEC) evaluation. <i>OncoTargets and Therapy</i> , 2019 , 12, 4577-4583	4.4	
46	The Probe Based Confocal Laser Endomicroscopy (pCLE) in Locally Advanced Gastric Cancer: A Powerful Technique for Real-Time Analysis of Vasculature. <i>Frontiers in Oncology</i> , 2019 , 9, 513	5.3	7
45	Molecular and Pathological Features of Gastric Cancer in Lynch Syndrome and Familial Adenomatous Polyposis. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	20
44	A new mutation of the CDH1 gene in a patient with an aggressive signet-ring cell carcinoma of the stomach. <i>Cancer Biology and Therapy</i> , 2018 , 19, 254-259	4.6	7
43	Loss of Multimerin-2 and EMILIN-2 Expression in Gastric Cancer Associate with Altered Angiogenesis. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	17
42	A Specific Mutational Signature Associated with DNA 8-Oxoguanine Persistence in MUTYH-defective Colorectal Cancer. <i>EBioMedicine</i> , 2017 , 20, 39-49	8.8	112

41	Characterizing Metastatic -Positive Gastric Cancer at the Haplotype. <i>International Journal of Molecular Sciences</i> , 2017 , 19,	6.3	11
40	Probe-based confocal laser endomicroscopy for in vivo evaluation of the tumor vasculature in gastric and rectal carcinomas. <i>Scientific Reports</i> , 2017 , 7, 9819	4.9	15
39	Decompressive percutaneous endoscopic gastrostomy in advanced cancer patients with small-bowel obstruction is feasible and effective: a large prospective study. <i>Supportive Care in Cancer</i> , 2016 , 24, 2877-82	3.9	21
38	Pepsinogens to Distinguish Patients With Gastric Intestinal Metaplasia and Helicobacter pylori Infection Among Populations at Risk for Gastric Cancer. <i>Clinical and Translational Gastroenterology</i> , 2016 , 7, e183	4.2	27
37	Probe-confocal laser endomicroscopy: implications for nursing care. <i>Gastrointestinal Nursing</i> , 2014 , 12, 30-36	0.2	
36	Improving detection of celiac disease patients: a prospective study in iron-deficient blood donors without anemia in north Italy. <i>European Journal of Gastroenterology and Hepatology</i> , 2014 , 26, 721-4	2.2	4
35	P.19.1 MULTICENTRIC ITALIAN STUDY THAT COMPARES DIAGNOSTIC AND PROGNOSTIC CAPACITY OF BALLOON ASSISTED ENTEROSCOPY (BAE) AND VIDEOCAPSULE ENDOSCOPY (VCE) IN PATIENTS WITH FAMILIAL POLYPOSIS: PRELIMINARY RESULTS. <i>Digestive and Liver Disease</i> , 2014 , 46, S130	3.3	2
34	Cancer risk associated with STK11/LKB1 germline mutations in Peutz-Jeghers syndrome patients: results of an Italian multicenter study. <i>Digestive and Liver Disease</i> , 2013 , 45, 606-11	3.3	79
33	MUTYH c.933+3A>C, associated with a severely impaired gene expression, is the first Italian founder mutation in MUTYH-Associated Polyposis. <i>International Journal of Cancer</i> , 2013 , 132, 1060-9	7.5	12
32	Endomicroscopy and cancer: a new approach to the visualization of neoangiogenesis. <i>Gastroenterology Research and Practice</i> , 2012 , 2012, 537170	2	14
31	Long-term outcome of patients with complete pathologic response after neoadjuvant chemoradiation for cT3 rectal cancer: implications for local excision surgical strategies. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3686-93	3.1	70
30	Integrated analysis of unclassified variants in mismatch repair genes. <i>Genetics in Medicine</i> , 2011 , 13, 115-24	2.4	31
29	Prognostic Relevance of MLH1 and MSH2 Mutations in Hereditary Non-Polyposis Colorectal Cancer Patients. <i>Tumori</i> , 2009 , 95, 731-738	1.7	6
28	Somatic mosaicism in a patient with Lynch syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2009 , 149A, 212-5	2.5	16
27	Capsule endoscopy is useful and safe for small-bowel surveillance in familial adenomatous polyposis. <i>Gastrointestinal Endoscopy</i> , 2008 , 67, 61-7	5.2	90
26	Risk analysis of colorectal cancer in women with endometrial carcinoma. <i>Molecular Medicine Reports</i> , 2008 , 1, 549-53	2.9	2
25	Reply to Jaskowski et al. <i>European Journal of Human Genetics</i> , 2007 , 15, 141-142	5.3	2
24	Treatment of liver toxicity in women undergoing adjuvant chemotherapy for breast cancer: A phase III, monocentric, prospective, randomised trial of ursodeoxycolic acid (UDCA) vs no treatment. <i>Journal of Clinical Oncology</i> , 2007 , 25, 9060-9060	2.2	

23	Stability of BAT26 in tumours of hereditary nonpolyposis colorectal cancer patients with MSH2 intragenic deletion. <i>European Journal of Human Genetics</i> , 2006 , 14, 63-8	5.3	35
22	Twelve years of endoscopic surveillance in a family carrying biallelic Y165C MYH defect: report of a case. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 272-5	3.1	8
21	MUC gene abnormalities in sporadic and hereditary mucinous colon cancers with microsatellite instability. <i>Disease Markers</i> , 2005 , 21, 121-6	3.2	10
20	Genetic testing among high-risk individuals in families with hereditary nonpolyposis colorectal cancer. <i>British Journal of Cancer</i> , 2004 , 90, 882-7	8.7	50
19	Prevalence of the Y165C, G382D and 1395delGGA germline mutations of the MYH gene in Italian patients with adenomatous polyposis coli and colorectal adenomas. <i>International Journal of Cancer</i> , 2004 , 109, 680-4	7.5	143
18	Endoscopic diagnosis and staging of gastric tumors. <i>I Supplementi Di Tumori</i> , 2003 , 2, S16-8		
17	Different molecular mechanisms underlie genomic deletions in the MLH1 Gene. <i>Human Mutation</i> , 2002 , 20, 368-74	4.7	33
16	Prevalence of the E1317Q variant of the APC gene in Italian patients with colorectal adenomas. <i>Genetic Testing and Molecular Biomarkers</i> , 2002 , 6, 313-7		13
15	Amsterdam criteria II and endometrial cancer index cases for an accurate selection of HNPCC families. <i>Tumori</i> , 2002 , 88, 18-20	1.7	2
14	Microsatellite instability and MLH1 and MSH2 germline defects are related to clinicopathological features in sporadic colorectal cancer. <i>Oncology Reports</i> , 2000 , 7, 39-43	3.5	4
13	Evaluation of the replication error phenotype in relation to molecular and clinicopathological features in hereditary and early onset colorectal cancer. <i>European Journal of Cancer</i> , 1999 , 35, 289-95	7.5	12
12	High prevalence of activated intraepithelial cytotoxic T lymphocytes and increased neoplastic cell apoptosis in colorectal carcinomas with microsatellite instability. <i>American Journal of Pathology</i> , 1999 , 154, 1805-13	5.8	359
11	MLH1 and MSH2 constitutional mutations in colorectal cancer families not meeting the standard criteria for hereditary nonpolyposis colorectal cancer. <i>International Journal of Cancer</i> , 1998 , 75, 835-9	7.5	42
10	Risk factors for endometrial cancer according to familial susceptibility. <i>International Journal of Cancer</i> , 1998 , 77, 29-32	7.5	18
9	Lack of PMS2 gene-truncating mutations in patients with hereditary colorectal cancer. <i>International Journal of Oncology</i> , 1998 , 13, 565-9	1	8
8	Hereditary nonpolyposis colorectal cancer: an approach to the selection of candidates to genetic testing based on clinical and molecular characteristics. <i>Public Health Genomics</i> , 1998 , 1, 229-36	1.9	8
7	Risk factors for endometrial cancer according to familial susceptibility 1998 , 77, 29		2
6	Characterization of MSH2 and MLH1 mutations in Italian families with hereditary nonpolyposis colorectal cancer. <i>Genes Chromosomes and Cancer</i> , 1997 , 18, 8-18	5	60

5	Nonsteroidal antiinflammatory drugs for cancer pain: comparison between misoprostol and ranitidine in prevention of upper gastrointestinal damage. <i>Journal of Clinical Oncology</i> , 1995 , 13, 2637-42	2-2	33
4	Percutaneous endoscopic gastrostomy as a decompressive technique in bowel obstruction due to abdominal carcinomatosis. <i>Endoscopy</i> , 1995 , 27, 317-20	3-4	50
3	DNA flow cytometric evaluation of cell cycle distribution in ulcerative colitis: a proposed method for assessing severity of disease. <i>Gut</i> , 1995 , 36, 50-4	19-2	6
2	Effect of short- and long-term treatment with omeprazole on cell cycle distribution in the gastric mucosa. Results of a flow cytometric study. <i>Scandinavian Journal of Gastroenterology</i> , 1993 , 28, 617-21	2-4	2
1	pCLE detects mucosal neoplastic vascular pattern in gastric linitis plastica. <i>Clinical and Experimental Medicine</i> ,	4-9	