

Aaron M Bauer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/880296/publications.pdf>

Version: 2024-02-01

225
papers

6,201
citations

134610

34
h-index

111975

67
g-index

233
all docs

233
docs citations

233
times ranked

5514
citing authors

#	ARTICLE	IF	CITATIONS
1	A novel dataset to identify the endemic herpetofauna of the New Caledonia biodiversity hotspot with DNA barcodes. <i>Pacific Conservation Biology</i> , 2022, 28, 36-47.	0.5	6
2	A new Early Cretaceous lizard in Myanmar amber with exceptionally preserved integument. <i>Scientific Reports</i> , 2022, 12, 1660.	1.6	10
3	All in all it's just another branch in the tree: A new species of <i>Acanthocercus</i> Fitzinger, 1843 (Squamata: Agamidae), from Angola. <i>Zootaxa</i> , 2022, 5099, 221-243.	0.2	3
4	The evolutionary history of an accidental model organism, the leopard gecko <i>Eublepharis macularius</i> (Squamata: Eublepharidae). <i>Molecular Phylogenetics and Evolution</i> , 2022, 168, 107414.	1.2	13
5	Tribute to a legend of southern African herpetology: Wulf Dietrich Haacke (1936–2021), with a bibliography of his herpetological contributions. <i>African Journal of Herpetology</i> , 2022, 71, 1-13.	0.3	0
6	Auriculocondylar syndrome 2 results from the dominant-negative action of <i>PLCB4</i> variants. <i>DMM Disease Models and Mechanisms</i> , 2022, 15, .	1.2	6
7	Three New Species of <i>Cnemaspis</i> (Sauria: Gekkonidae) from Sarawak, East Malaysia, Borneo. <i>Zootaxa</i> , 2022, 5120, 1-29.	0.2	3
8	Resurrection of the African gecko genus <i>Ancyrodactylus</i> Moller, 1907 (Squamata: Gekkonidae) and description of six new species from Kenya. <i>Zootaxa</i> , 2022, 5141, 101-139.	0.2	3
9	A new gecko from the earliest Eocene of Dormaal, Belgium: a thermophilic element of the "greenhouse world". <i>Royal Society Open Science</i> , 2022, 9, .	1.1	6
10	Vocalization by extant nonavian reptiles: A synthetic overview of phonation and the vocal apparatus. <i>Anatomical Record</i> , 2021, 304, 1478-1528.	0.8	11
11	Ecomorphometric Analysis of Diversity in Cranial Shape of Pygopodid Geckos. <i>Integrative Organismal Biology</i> , 2021, 3, obab013.	0.9	4
12	Lizards of a different stripe: phylogenetics of the <i>Pedioplanis</i> undata species complex (Squamata). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.4	2
13	Genetically diverse yet morphologically conserved: Hidden diversity revealed among Bornean geckos (Gekkonidae: <i>Cyrtodactylus</i>). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 1113-1135.	0.6	7
14	Phylogenetic history influences convergence for a specialized ecology: comparative skull morphology of African burrowing skinks (Squamata; Scincidae). <i>Bmc Ecology and Evolution</i> , 2021, 21, 86.	0.7	7
15	And thereby hangs a tail: morphology, developmental patterns and biomechanics of the adhesive tails of crested geckos (<i>Correlophus ciliatus</i>). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20210650.	1.2	14
16	Underground Down Under: Skull anatomy of the southern blind snake <i>Anilius australis</i> Gray, 1845 (Typhlopidae: Serpentes: Squamata). <i>Anatomical Record</i> , 2021, 304, 2215-2242.	0.8	2
17	The herpetological contributions of Richard Thomas. <i>Anatomical Record</i> , 2021, 304, 2095-2109.	0.8	2
18	Unusual morphology in the mid-Cretaceous lizard <i>Oculudentavis</i> . <i>Current Biology</i> , 2021, 31, 3303-3314.e3.	1.8	15

#	ARTICLE	IF	CITATIONS
19	A new agamid lizard in mid-Cretaceous amber from northern Myanmar. <i>Cretaceous Research</i> , 2021, 124, 104813.	0.6	7
20	How the African house gecko (<i>Hemidactylus mabouia</i>) conquered the world. <i>Royal Society Open Science</i> , 2021, 8, 210749.	1.1	17
21	A revision of Angolan species in the genus <i>Pedioplanis</i> Fitzinger (Squamata: Lacertidae), with the description of a new species. <i>Zootaxa</i> , 2021, 5032, 1-46.	0.2	6
22	Excessive red tape is strangling biodiversity research in South Africa. <i>South African Journal of Science</i> , 2021, 117, .	0.3	9
23	Herpetological results of Francisco Newton's Zoological Expedition to Angola (1903–1906): a taxonomic revision and new records of a forgotten collection. <i>Zootaxa</i> , 2021, 5028, 1-80.	0.2	1
24	A comprehensive phylogeny of dwarf geckos of the genus <i>Lygodactylus</i> , with insights into their systematics and morphological variation. <i>Molecular Phylogenetics and Evolution</i> , 2021, 165, 107311.	1.2	5
25	Optical discs in zoological nomenclature: problems and proposed solution. <i>Bionomina</i> , 2021, 24, .	0.2	0
26	Marvalee Hendricks Wake. <i>Ichthyology and Herpetology</i> , 2021, 109, .	0.3	0
27	Lizards of the World: A Guide to Every Family. <i>Ichthyology and Herpetology</i> , 2021, 109, .	0.3	0
28	PHYLOGENY OF THE GENUS <i>CHONDRODACTYLUS</i> (SQUAMATA: GEKKONIDAE) WITH THE ESTABLISHMENT OF A STABLE TAXONOMY. <i>Bulletin of the Museum of Comparative Zoology</i> , 2021, 163, .	1.0	3
29	The development of cephalic armor in the tokay gecko (Squamata: Gekkonidae: <i>Gekko</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 16	0.6	16
30	Parachute geckos free fall into synonymy: <i>Gekko</i> phylogeny, and a new subgeneric classification, inferred from thousands of ultraconserved elements. <i>Molecular Phylogenetics and Evolution</i> , 2020, 146, 106731.	1.2	31
31	Surface sculpturing in the skull of gecko lizards (Squamata: Gekkota). <i>Biological Journal of the Linnean Society</i> , 2020, 131, 801-813.	0.7	5
32	The reptiles of Tinhosa Grande islet (Gulf of Guinea): A taxonomic update and the role of Quaternary sea level fluctuations in their diversification. <i>African Journal of Herpetology</i> , 2020, 69, 200-216.	0.3	5
33	A tribute to William Roy Branch (1946–2018): Doyen of African Herpetology. <i>African Journal of Herpetology</i> , 2020, 69, 1-11.	0.3	1
34	William Roy Branch: Bibliography, taxonomic discoveries and patronyms. <i>African Journal of Herpetology</i> , 2020, 69, 119-150.	0.3	1
35	Enigmatic amphibians in mid-Cretaceous amber were chameleon-like ballistic feeders. <i>Science</i> , 2020, 370, 687-691.	6.0	27
36	The global diversity and distribution of lizard clutch sizes. <i>Global Ecology and Biogeography</i> , 2020, 29, 1515-1530.	2.7	49

#	ARTICLE	IF	CITATIONS
37	A review of the African snake-eyed skinks (Scincidae: Panaspis) from Angola, with the description of a new species. <i>Zootaxa</i> , 2020, 4747, zootaxa.4747.1.3.	0.2	16
38	A review of the genus <i>Hemidactylus</i> Goldfuss, 1820 (Squamata: Gekkonidae) from Angola, with the description of two new species. <i>Zootaxa</i> , 2020, 4746, zootaxa.4746.1.1.	0.2	24
39	A dwarf among giants: phylogenetic position of the elusive Angolan Adder (<i>Bitis heraldica</i>) and biogeographic affinities of Angolan Afromontane regions. <i>African Journal of Herpetology</i> , 2020, 69, 108-118.	0.3	4
40	A review of the Angolan House snakes, genus <i>Boaedon</i> DumÃ©nil, Bibron and DumÃ©nil (1854) (Serpentes: Lamprophiidae), with description of three new species in the <i>Boaedon fuliginosus</i> (Boie, 1827) species complex. <i>African Journal of Herpetology</i> , 2020, 69, 29-78.	0.3	19
41	Multilocus phylogeny of Bornean Bent-Toed geckos (Gekkonidae: <i>Cyrtodactylus</i>) reveals hidden diversity, taxonomic disarray, and novel biogeographic patterns. <i>Molecular Phylogenetics and Evolution</i> , 2020, 147, 106785.	1.2	13
42	Distinct patterns of pigment development underlie convergent hyperpigmentation between nocturnal and diurnal geckos (Squamata: Gekkota). <i>BMC Evolutionary Biology</i> , 2020, 20, 40.	3.2	5
43	A phylogenetic study of Haemocystidium parasites and other Haemosporida using complete mitochondrial genome sequences. <i>Infection, Genetics and Evolution</i> , 2020, 85, 104576.	1.0	9
44	Joseph C. Mitchell (1948â€“2019): Herpetologist and Natural Historian of the Old Dominion. <i>Copeia</i> , 2020, 108, 188.	1.4	0
45	A new species of Rain Frog (Brevicipitidae, <i>Breviceps</i>) endemic to Angola. <i>ZooKeys</i> , 2020, 979, 133-160.	0.5	6
46	The global biogeography of lizard functional groups. <i>Journal of Biogeography</i> , 2019, 46, 2147-2158.	1.4	21
47	An expanded ND2 phylogeny of the brookii and prashadi groups with the description of three new Indian <i>Hemidactylus</i> Oken (Squamata: Gekkonidae). <i>Zootaxa</i> , 2019, 4619, zootaxa.4619.3.2.	0.2	21
48	A new species of Girdled Lizard (Squamata: Cordylidae) from the Serra da Neve Inselberg, Namibe Province, southwestern Angola. <i>Zootaxa</i> , 2019, 4668, zootaxa.4668.4.4.	0.2	20
49	Global patterns of body size evolution in squamate reptiles are not driven by climate. <i>Global Ecology and Biogeography</i> , 2019, 28, 471-483.	2.7	44
50	Descriptive osteology and patterns of limb loss of the European limbless skink <i>Ophiomorus punctatissimus</i> (Squamata, Scincidae). <i>Journal of Anatomy</i> , 2019, 235, 313-345.	0.9	16
51	Evolutionary history of burrowing asps (Lamprophiidae: Atractaspidinae) with emphasis on fang evolution and prey selection. <i>PLoS ONE</i> , 2019, 14, e0214889.	1.1	22
52	Sexual Dichromatism Drives Diversification within a Major Radiation of African Amphibians. <i>Systematic Biology</i> , 2019, 68, 859-875.	2.7	41
53	Description of a new long-tailed skink (Scincidae: <i>Trachylepis</i>) from Angola and the Democratic Republic of the Congo. <i>Zootaxa</i> , 2019, 4568, zootaxa.4568.1.3.	0.2	16
54	A species-level phylogeny of <i>Trachylepis</i> (Scincidae: Mabuyinae) provides insight into their reproductive mode evolution. <i>Molecular Phylogenetics and Evolution</i> , 2019, 136, 183-195.	1.2	16

#	ARTICLE	IF	CITATIONS
55	A new <i>Nucras</i> Gray, 1838 (Squamata: Lacertidae) from the Strandveld of the Western Cape, South Africa. <i>Zootaxa</i> , 2019, 4560, 149.	0.2	1
56	Sounding Off: Relationships between Call Properties, Body Size, Phylogeny, and Laryngotracheal Form of Geckos. <i>Herpetologica</i> , 2019, 75, 175.	0.2	11
57	<i>Epibator insularis</i> , a New Species of Scincid Lizard from l'Île Walpole, New Caledonia. <i>Pacific Science</i> , 2019, 73, 143.	0.2	3
58	A contribution to the phylogeny and taxonomy of the <i>Pachydactylus weberi</i> group (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 <i>Herpetology</i> , 2018, 67, 113-126.	0.3	3
59	Ontogeny, But Not Sexual Dimorphism, Drives the Intraspecific Variation of Quadrate Morphology in <i>Hemidactylus turcicus</i> (Squamata: Gekkonidae). <i>Herpetologica</i> , 2018, 74, 22.	0.2	5
60	An integrative approach to the nomenclature and taxonomic status of the genus <i>Blanus</i> Wagler, 1830 (Squamata: Blanidae) from the Iberian Peninsula. <i>Journal of Natural History</i> , 2018, 52, 849-880.	0.2	11
61	Geckos from the middle Miocene of DevĀnska NovĀ Ves (Slovakia): new material and a review of the previous record. <i>Swiss Journal of Geosciences</i> , 2018, 111, 183-190.	0.5	8
62	Comparative cranial osteology of European gekkotans (Reptilia, Squamata). <i>Zoological Journal of the Linnean Society</i> , 2018, 184, 857-895.	1.0	12
63	Developmental Osteology of the Parafrontal Bones of the Sphaerodactylidae. <i>Anatomical Record</i> , 2018, 301, 581-606.	0.8	11
64	Phylogeny and biogeography of the African burrowing snake subfamily Aparallactinae (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 <i>Journal of Natural History</i> , 2018, 52, 771-817.	1.2	32
65	Lifting the blue-headed veil – integrative taxonomy of the <i>Acanthocercus atricollis</i> species complex (Squamata: Agamidae). <i>Journal of Natural History</i> , 2018, 52, 771-817.	0.2	5
66	Extinct, obscure or imaginary: The lizard species with the smallest ranges. <i>Diversity and Distributions</i> , 2018, 24, 262-273.	1.9	66
67	Systematics and phylogeography of the widely distributed African skink <i>Trachylepis varia</i> species complex. <i>Molecular Phylogenetics and Evolution</i> , 2018, 120, 103-117.	1.2	11
68	A new earless species of <i>Poyntonophrynus</i> (Anura, Bufonidae) from the Serra da Neve Inselberg, Namibe Province, Angola. <i>ZooKeys</i> , 2018, 780, 109-136.	0.5	17
69	A new species of African snake-eyed skink (Scincidae: <i>Panaspis</i>) from central and northern Namibia. <i>Zootaxa</i> , 2018, 4527, 140-150.	0.2	6
70	Phylogenetic and morphological investigation of the <i>Mochlus afer-sundevallii</i> species complex (Squamata: Scincidae) across the arid corridor of sub-Saharan Africa. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 280-287.	1.2	13
71	Miscellanea <i>Herpetologica Sanctithomae</i> , with a provisional checklist of the terrestrial herpetofauna of SĀo TomĀ, PrĀncipe and Annobon islands. <i>Zootaxa</i> , 2018, 4387, 91-108.	0.2	15
72	A review of the morphology, biology, distribution and conservation status of the New Caledonian scincid lizard <i>Simiscincus aurantiacus</i> (Reptilia: Scincidae). <i>Records of the Australian Museum</i> , 2018, 70, 435-446.	0.3	0

#	ARTICLE	IF	CITATIONS
73	The measure of success: geographic isolation promotes diversification in <i>Pachydactylus</i> geckos. <i>BMC Evolutionary Biology</i> , 2017, 17, 9.	3.2	25
74	Cryptic species, taxonomic inflation, or a bit of both? New species phenomenon in Sri Lanka as suggested by a phylogeny of dwarf geckos (Reptilia, Squamata, Gekkonidae, <i>Cnemaspis</i>). <i>Systematics and Biodiversity</i> , 2017, 15, 427-439.	0.5	24
75	How common are cranial sesamoids among squamates?. <i>Journal of Morphology</i> , 2017, 278, 1400-1411.	0.6	18
76	Sheddable armour: identification of osteoderms in the integument of <i>Geckolepis maculata</i> (Gekkota). <i>African Journal of Herpetology</i> , 2017, 66, 12-24.	0.3	19
77	The global distribution of tetrapods reveals a need for targeted reptile conservation. <i>Nature Ecology and Evolution</i> , 2017, 1, 1677-1682.	3.4	378
78	The Eurasian hot nightlife: Environmental forces associated with nocturnality in lizards. <i>Global Ecology and Biogeography</i> , 2017, 26, 1316-1325.	2.7	22
79	Barcoding utility in a mega-diverse, cross-continental genus: keeping pace with <i>Cyrtodactylus</i> geckos. <i>Scientific Reports</i> , 2017, 7, 5592.	1.6	24
80	Cool Geckos: Does Plesiomorphy Explain Morphological Similarities between Geckos from the Southern Cone?. <i>Journal of Herpetology</i> , 2017, 51, 330.	0.2	13
81	A new species of large-bodied, tuberculate <i>Hemidactylus</i> Oken (Squamata: Gekkonidae) from the Eastern Ghats, India. <i>Zootaxa</i> , 2017, 4347, 331.	0.2	13
82	The "Cobra-preta" of São Tomé Island, Gulf of Guinea, is a new species of <i>Naja Laurenti</i> , 1768 (Squamata: Elapidae). <i>Zootaxa</i> , 2017, 4324, 121.	0.2	22
83	Comparative skull anatomy of terrestrial and crevice-dwelling <i>Trachylepis</i> skinks (Squamata: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 67 Td	1.9	20
84	Ancient divergence time estimates in <i>Eutropis rugifera</i> support the existence of Pleistocene barriers on the exposed Sunda Shelf. <i>PeerJ</i> , 2017, 5, e3762.	0.9	17
85	Old but not ancient: coalescent species tree of New Caledonian geckos reveals recent post-inundation diversification. <i>Journal of Biogeography</i> , 2016, 43, 1266-1276.	1.4	29
86	The phylogenetic distribution, anatomy and histology of the postloocal bones and adnexa of geckos. <i>Journal of Morphology</i> , 2016, 277, 264-277.	0.6	4
87	Stripes, jewels and spines: further investigations into the evolution of defensive strategies in a chemically defended gecko radiation (<i>Strophurus</i> , Diplodactylidae). <i>Zoologica Scripta</i> , 2016, 45, 481-493.	0.7	13
88	Mid-Cretaceous amber fossils illuminate the past diversity of tropical lizards. <i>Science Advances</i> , 2016, 2, e1501080.	4.7	100
89	Resolving the higher-order phylogenetic relationships of the circumtropical <i>Mabuya</i> group (Squamata: Scincidae): An out-of-Asia diversification. <i>Molecular Phylogenetics and Evolution</i> , 2016, 102, 220-232.	1.2	44
90	<p>A new Bent-toed Gecko (Squamata: Gekkonidae:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (Cyrtodactylus) Zootaxa, 2016, 4088, 409.	0.2	17

#	ARTICLE	IF	CITATIONS
91	Two new species of diminutive leaf-litter skinks (Squamata: Scincidae: <i>Tytthoscincus</i>) from Gunung Penrissen, Sarawak, Malaysia (northern Borneo). <i>Zootaxa</i> , 2016, 4093, 407-23.	0.2	8
92	A review of the genus <i>Trachylepis</i> (Sauria: Scincidae) from the Gulf of Guinea, with descriptions of two new species in the <i>Trachylepis maculilabris</i> (Gray, 1845) species complex. <i>Zootaxa</i> , 2016, 4109, 284-314.	0.2	20
93	Molecular phylogeny of <i>Panaspis</i> and <i>Afroablepharus</i> skinks (Squamata: Scincidae) in the savannas of sub-Saharan Africa. <i>Molecular Phylogenetics and Evolution</i> , 2016, 100, 409-423.	1.2	34
94	A new species of the <i>Cyrtodactylus</i> (<i>Geckoella</i>) <i>collegalensis</i> (Beddome, 1870) complex (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4	0.2	22
95	Patterns of species richness, endemism and environmental gradients of African reptiles. <i>Journal of Biogeography</i> , 2016, 43, 2380-2390.	1.4	42
96	A single origin of extreme matrotrophy in African mabuyine skinks. <i>Biology Letters</i> , 2016, 12, 20160430.	1.0	13
97	First molecular verification of <i>Dixonius vietnamensis</i> Das, 2004 (Squamata: Gekkonidae) with the description of a new species from Vinh Cuu Nature Reserve, Dong Nai Province, Vietnam. <i>Zootaxa</i> , 2016, 4136, 553.	0.2	3
98	Rediscovery and a new record of <i>Hemidactylus laevis</i> (Reptilia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 <i>fragilis</i> . <i>Zootaxa</i> , 2016, 4117, 529.	0.2	3
99	On the taxonomic status of two enigmatic southern African fossorial skinks, <i>Scelotes bicolor</i> and <i>S. schebeni</i> . <i>African Journal of Herpetology</i> , 2016, 65, 33-38.	0.3	2
100	Mitochondrial introgression via ancient hybridization, and systematics of the Australian endemic pygopodid gecko genus <i>Delma</i> . <i>Molecular Phylogenetics and Evolution</i> , 2016, 94, 577-590.	1.2	20
101	The mitochondrial genome of the gold-dust day gecko, <i>Phelsuma laticauda</i> (Sauria, Gekkota), Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 4	0.6	1
102	Rediscovery of the Frilled Tail Gecko <i>Hemidactylus platyurus</i> (Schneider, 1792) in Sri Lanka after more than 160 years. <i>Journal of Threatened Taxa</i> , 2016, 8, 9663.	0.1	1
103	Peramorphic traits in the tokay gecko skull. <i>Journal of Morphology</i> , 2015, 276, 915-928.	0.6	22
104	A new rock dwelling <i>Hemidactylus</i> (Squamata: Gekkonidae) from Chhattisgarh, India. <i>Zootaxa</i> , 2015, 4021, 334-50.	0.2	11
105	New species of <i>Blaesodactylus</i> (Squamata: Gekkonidae) from Tsingy karstic outcrops in Ankarana National Park, northern Madagascar. <i>Zootaxa</i> , 2015, 3980, 406-16.	0.2	8
106	New genus and species names for the Eocene lizard <i>Cadurcogekko rugosus</i> AugÃ©, 2005. <i>Zootaxa</i> , 2015, 3985, 265-74.	0.2	11
107	A new species of <i>Dixonius</i> (Squamata: Gekkonidae) from Phu Quy Island, Vietnam. <i>Zootaxa</i> , 2015, 4040, 48.	0.2	7
108	Reptile Remains from Tiga (Tokanod), Loyalty Islands, New Caledonia. <i>Pacific Science</i> , 2015, 69, 531-557.	0.2	9

#	ARTICLE	IF	CITATIONS
109	Into the light: diurnality has evolved multiple times in geckos. <i>Biological Journal of the Linnean Society</i> , 2015, 115, 896-910.	0.7	123
110	The geography of snake reproductive mode: a global analysis of the evolution of snake viviparity. <i>Global Ecology and Biogeography</i> , 2015, 24, 1433-1442.	2.7	36
111	Morphology and molecules reveal two new species of the poorly studied gecko genus <i>Paragehyra</i> (Squamata: Gekkonidae) from Madagascar. <i>Organisms Diversity and Evolution</i> , 2015, 15, 175-198.	0.7	8
112	Late bloomers and baby boomers: ecological drivers of longevity in squamates and the tuatara. <i>Global Ecology and Biogeography</i> , 2015, 24, 396-405.	2.7	78
113	Taxonomic resolution to the problem of polyphyly in the New Caledonian scincid lizard genus <i>Lioscincus</i> (Squamata: Scincidae). <i>Records of the Australian Museum</i> , 2015, 67, 207-224.	0.3	4
114	A new species of arboreal forest-dwelling gecko (<i>Hemidactylus</i> : Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5	0.2	8
115	A new species of lizard in the genus <i>Caledoniscincus</i> (Reptilia: Scincidae) from far northwest New Caledonia. <i>Zootaxa</i> , 2014, 3795, 45.	0.2	2
116	Multiple origins of parthenogenesis, and a revised species phylogeny for the Southeast Asian butterfly lizards, <i>Leiolepis</i> . <i>Biological Journal of the Linnean Society</i> , 2014, 113, 1080-1093.	0.7	30
117	On the Fossil Record of the Gekkota. <i>Anatomical Record</i> , 2014, 297, C1-C1.	0.8	0
118	Hiding in plain sight: a new species of bent-toed gecko (Squamata: Gekkonidae: <i>Cyrtodactylus</i>) from West Timor, collected by Malcolm Smith in 1924. <i>Zootaxa</i> , 2014, 3900, 555-68.	0.2	14
119	On the Fossil Record of the Gekkota. <i>Anatomical Record</i> , 2014, 297, 433-462.	0.8	67
120	Laryngotracheal and cervical muscular anatomy in the genus <i>Uroplatus</i> (Gekkota: Gekkonidae) in relation to distress call emission. <i>African Journal of Herpetology</i> , 2014, 63, 127-151.	0.3	8
121	A review of the genus <i>Homopholis</i> Boulenger (Reptilia: Squamata: Gekkonidae) in southern Africa. <i>African Journal of Herpetology</i> , 2014, 63, 109-126.	0.3	3
122	A hybrid phylogenetic-phylogenomic approach for species tree estimation in African <i>Agama</i> lizards with applications to biogeography, character evolution, and diversification. <i>Molecular Phylogenetics and Evolution</i> , 2014, 79, 215-230.	1.2	77
123	A molecular phylogeny of Afrotropical dwarf geckos (<i>Lygodactylus</i>) reveals a single radiation and increased species diversity in a South African montane center of endemism. <i>Molecular Phylogenetics and Evolution</i> , 2014, 80, 31-42.	1.2	22
124	Insights into Himalayan biogeography from geckos: A molecular phylogeny of <i>Cyrtodactylus</i> (Squamata: Gekkonidae). <i>Molecular Phylogenetics and Evolution</i> , 2014, 80, 145-155.	1.2	73
125	Phylogeny, taxonomy and biogeography of a circum-Indian Ocean clade of leaf-toed geckos (Reptilia: Tj ETQq1 1 0,784314 rgBT /Overlock 24	0.5	24
126	Cryptic species and Miocene diversification of Palaearctic naked-toed geckos (Squamata: Gekkonidae) in the Indian dry zone. <i>Zoologica Scripta</i> , 2014, 43, 455-471.	0.7	18

#	ARTICLE	IF	CITATIONS
127	A phylogenetic analysis of the southern African gecko genus <i>Afroedura</i> Loveridge (Squamata: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T) South Africa. <i>Zootaxa</i> , 2014, 3846, 451-501.	0.2	22
128	A new small karst-dwelling species of Cyrtodactylus (Reptilia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50)	0.2	12
129	A reconsideration of <i>Sphaerodactylus dommeli</i> Böhme, 1984 (Squamata: Gekkota: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T) Research, 2013, 51, 55-63.	0.6	10
130	An extraordinary tail - integrative review of the agamid genus <i>Xenagama</i> . <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2013, 51, 144-164.	0.6	9
131	Are lizards feeling the heat? A tale of ecology and evolution under two temperatures. <i>Global Ecology and Biogeography</i> , 2013, 22, 834-845.	2.7	116
132	Cold Code: the global initiative to <sc>DNA</sc> barcode amphibians and nonavian reptiles. <i>Molecular Ecology Resources</i> , 2013, 13, 161-167.	2.2	72
133	<i>Gobekko cretacicus</i> (Reptilia: Squamata) and its bearing on the interpretation of gekkotan affinities. <i>Zoological Journal of the Linnean Society</i> , 2013, 167, 430-448.	1.0	24
134	Origin and identity of the von Borcke collection of amphibians and reptiles in the Museum für Naturkunde in Berlin: A cache of Seba specimens?. <i>Zoosystematics and Evolution</i> , 2013, 89, 167-185.	0.4	10
135	To be or not to be <i>Angolosaurus</i>: a multilocus perspective on the phylogenetic position of Africa's desert plated lizard (Gerrhosauridae). <i>Zoologica Scripta</i> , 2013, 42, 381-388.	0.7	2
136	A preliminary phylogeny of the Palearctic naked-toed geckos (Reptilia: Squamata: Gekkonidae) with taxonomic implications. <i>Zootaxa</i> , 2013, 3599, 301-24.	0.2	39
137	<p class="HeadingRunIn">A new species of lizard in the genus Caledoniscincus (Reptilia: Scincidae) from southern New Caledonia and a review of Caledoniscincus atropunctatus (Roux)</p><p>. <i>Zootaxa</i> , 2013, 3694, 501.	0.2	5
138	<p>Nomenclatural and taxonomic problems related tothe electronic publication of new nomina and nomenclatural acts in zoology, with brief comments on optical discs and on the situation in botany</p><p>. <i>Zootaxa</i> , 2013, 3735, 1.	0.2	38
139	<p class="HeadingRunIn">A new species of Lygodactylus (Squamata: Gekkonidae) endemic to Mount Namuli, an isolated "sky island" of northern Mozambique</p><p>. <i>Zootaxa</i> , 2013, 3710, 415.	0.2	32
140	A New Member of the <i>Bavayia cyclura</i> Species Group (Reptilia: Squamata: Diplodactylidae) from the Southern Ranges of New Caledonia. <i>Pacific Science</i> , 2012, 66, 239-247.	0.2	6
141	Untangling the complex: molecular patterns in <i>Trachylepis variegata</i> and <i>T. punctulata</i> (Reptilia: Scincidae). <i>African Journal of Herpetology</i> , 2012, 61, 128-142.	0.3	7
142	A redescription and phylogenetic reinterpretation of the fossil lizard <i>Hoburogekko suchanovi</i> Alifanov, 1989 (Squamata, Gekkota), from the Early Cretaceous of Mongolia. <i>Journal of Vertebrate Paleontology</i> , 2012, 32, 1303-1312.	0.4	24
143	Temporal Bones of the Gekkota Support Molecular Relationships within the Pygopodoidea. <i>Journal of Herpetology</i> , 2012, 46, 381-386.	0.2	10
144	Repeated Origin and Loss of Adhesive Toepads in Geckos. <i>PLoS ONE</i> , 2012, 7, e39429.	1.1	215

#	ARTICLE	IF	CITATIONS
145	Revision of the giant geckos of New Caledonia (Reptilia: Diplodactylidae: Rhacodactylus). Zootaxa, 2012, 3404, 1.	0.2	28
146	A new species of scincid lizard in the genus Caledoniscincus (Reptilia: Scincidae) from northwest New Caledonia. Zootaxa, 2012, 3229, 47.	0.2	2
147	Anatomy of an enigma: an osteological investigation of the Namibian festive gecko (<i>Narudasia</i>)	0.6	18
148	Phylogeny, taxonomy, and zoogeography of the genus <i>Gekko</i> Laurenti, 1768 with the revalidation of <i>G. reevesii</i> Gray, 1831 (Sauria: Gekkonidae). Zootaxa, 2011, 2989, 1.	0.2	54
149	Phylogeny of a trans-Wallacean radiation (Squamata, Gekkonidae, <i>Gehyra</i>) supports a single early colonization of Australia. Zoologica Scripta, 2011, 40, 584-602.	0.7	64
150	Bridging the gap: western rock skinks (<i>Trachylepis sulcata</i>) have a short history in South Africa. Molecular Ecology, 2011, 20, 1744-1758.	2.0	36
151	A new genus of miniaturized and pug-nosed gecko from South America (Sphaerodactylidae: Gekkota). Zoological Journal of the Linnean Society, 2011, 163, 1244-1266.	1.0	38
152	Between a rock and a hard polytomy: Rapid radiation in the rupicolous girdled lizards (Squamata: <i>Tropidura</i>)	1.2	72
153	Availability of new Bayesian-delimited gecko names and the importance of character-based species descriptions. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 490-492.	1.2	91
154	A long-known new species of gecko allied to <i>Pachydactylus bicolor</i> (Squamata: Gekkonidae) from the central Namibian coast. African Journal of Herpetology, 2011, 60, 113-129.	0.3	10
155	South Asia supports a major endemic radiation of <i>Hemidactylus</i> geckos. Molecular Phylogenetics and Evolution, 2010, 57, 343-352.	1.2	79
156	<i>Euleptes gallica</i> Müller (Squamata: Gekkota: Sphaerodactylidae) from the Lower Miocene of North-West Bohemia, Czech Republic. Folia Zoologica, 2010, 59, 323-328.	0.9	22
157	Erosion of Lizard Diversity by Climate Change and Altered Thermal Niches. Science, 2010, 328, 894-899.	6.0	1,430
158	<i>Typhlosaurus jappi</i> Broadley, 1968, a Valid Species of Acontine Skink. African Journal of Herpetology, 2009, 58, 56-58.	0.3	3
159	Ecological notes on two sympatric <i>Psammophis</i> species from East Africa. African Journal of Herpetology, 2009, 58, 126-130.	0.3	1
160	Natural history of the New Caledonian whiptailed skink <i>Tropidoscincus variabilis</i> (Bavay, 1869) (Squamata: Scincidae). Amphibia - Reptilia, 2009, 30, 207-220.	0.1	1
161	Sexual size dimorphism, diet, and reproductive biology of the Afro-Asian Sand Snake, <i>Psammophis schokari</i> (Psammophiidae). Amphibia - Reptilia, 2009, 30, 331-340.	0.1	12
162	Evidence for Gondwanan vicariance in an ancient clade of gecko lizards. Journal of Biogeography, 2008, 35, 88-104.	1.4	95

#	ARTICLE	IF	CITATIONS
163	Global diversity of lizards in freshwater (Reptilia: Lacertilia). <i>Hydrobiologia</i> , 2008, 595, 581-586.	1.0	12
164	<i>Simotes semicinctus</i> Peters, 1862, a junior synonym of <i>Coronella austriaca</i> Laurenti, 1768 (Squamata). <i>Tj ETQq0 0 0 rgBT /Overlock 10</i>	0.4	2
165	<i>Homopholis</i> and <i>blaesodactylus</i> (Squamata: Gekkonidae) revisited: New insights from a molecular phylogeny. <i>African Journal of Herpetology</i> , 2007, 56, 101-114.	0.3	12
166	A new species of day gecko from high elevation in Sri Lanka, with a preliminary phylogeny of Sri Lankan <i>Cnemaspis</i> (Reptilia, Squamata, Gekkonidae). <i>Zoosystematics and Evolution</i> , 2007, 83, 22-32.	0.4	54
167	Molecular phylogeny of the scincid lizards of New Caledonia and adjacent areas: Evidence for a single origin of the endemic skinks of Tasmantis. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 1151-1166.	1.2	100
168	Nuclear and mtDNA-based phylogeny of southern African sand lizards, <i>Pedioplanis</i> (Sauria: Lacertidae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 622-633.	1.2	30
169	A new species of prehensile-tailed gecko, <i>Urocotyledon</i> (Squamata: Gekkonidae), from the Udzungwa Mountains, Tanzania. <i>African Journal of Herpetology</i> , 2006, 55, 13-22.	0.3	8
170	Confirmation of the occurrence of <i>Hemidactylus robustus</i> Heyden, 1827 (Reptilia: Gekkonidae) in Iran and Pakistan. <i>Zoology in the Middle East</i> , 2006, 39, 59-62.	0.2	6
171	An annotated catalogue of the types of crocodylians (Reptilia: Crocodylia) in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin (ZMB). <i>Zoosystematics and Evolution</i> , 2006, 82, 243-247.	0.4	4
172	An annotated catalogue of the types of chameleons (Reptilia: Squamata: Chamaeleonidae) in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin (ZMB). <i>Zoosystematics and Evolution</i> , 2006, 82, 268-281.	0.4	3
173	A revision of the East African species of <i>Melanoseps</i> Boulenger (Sauria: Scincidae: Feylininae). <i>African Journal of Herpetology</i> , 2006, 55, 95-112.	0.3	9
174	New species of <i>Hemidactylus</i> (Squamata: Gekkonidae) from Cameroon. <i>African Journal of Herpetology</i> , 2006, 55, 83-93.	0.3	7
175	An Early Eocene gecko from Baltic amber and its implications for the evolution of gecko adhesion. <i>Journal of Zoology</i> , 2005, 265, 327-332.	0.8	48
176	<i>Tremeropugus typicus</i> A. Smith, 1831: Overlooked synonyms of <i>Xenopus</i> Wagler, 1827 and <i>Xenopus laevis</i> (Daudin, 1802) (Amphibia: Pipidae). <i>African Journal of Herpetology</i> , 2005, 54, 181-184.	0.3	2
177	Phylogenetic relationships of southern African geckos in the <i>Pachydactylus</i> group (Squamata: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.3	47
178	Molecular phylogenetics of Malagasy skinks (Squamata: Scincidae). <i>African Journal of Herpetology</i> , 2004, 53, 135-146.	0.3	19
179	Leaf biomechanics as a potential tool to predict feeding preferences of the geometric tortoise <i>Psammobates geometricus</i> . <i>African Zoology</i> , 2004, 39, 175-181.	0.2	6
180	On the systematic status of the desert plated lizard (<i>Angolosaurus skoogi</i>): phylogenetic inference from DNA sequence analysis of the African Gerrhosauridae. <i>Biological Journal of the Linnean Society</i> , 2003, 78, 253-261.	0.7	27

#	ARTICLE	IF	CITATIONS
181	On the identity of <i>lacerta punctata</i> Linnaeus 1758, the type species of the genus <i>Euprepis</i> Wagler 1830, and the generic assignment of Afro-Malagasy skinks. African Journal of Herpetology, 2003, 52, 1-7.	0.3	61
182	An annotated catalogue of the types of scincid lizards (Reptilia, Squamata, Scincidae) in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin (ZMB). Zoosystematics and Evolution, 2003, 79, 253-321.	0.4	7
183	A new forest-dwelling <i>hemidactylus</i> (Squamata: Gekkonidae) from Gabon, West Africa. African Journal of Herpetology, 2002, 51, 1-8.	0.3	10
184	Underwood's classification of the geckos: a 21st century appreciation. Bulletin of the Natural History Museum Zoology Series, 2002, 68, .	0.2	8
185	An annotated type catalogue of the scolecophidian, alethinophidian, and macrostomatan snakes in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin. Zoosystematics and Evolution, 2002, 78, 157-176.	0.4	2
186	A reconsideration of the systematic status of <i>Rhoptropus bradfieldi diporus</i> Haacke 1965. African Journal of Herpetology, 2001, 50, 71-78.	0.3	5
187	Relationships of the <i>Pachydactylus rugosus</i> group of geckos (Reptilia: Squamata: Gekkonidae). African Zoology, 2000, 35, 55-67.	0.2	31
188	Laryngotracheal morphology of Afro-Madagascan Geckos: A comparative survey. Journal of Morphology, 2000, 245, 241-268.	0.6	36
189	Comments on the types and type localities of South African reptiles collected by Heinrich Bergius and Ludwig Krebs. African Journal of Herpetology, 2000, 49, 53-60.	0.3	7
190	Laryngotracheal morphology of Afro-Madagascan Geckos: A comparative survey. , 2000, 245, 241.		1
191	Evolutionary scenarios in the <i>Pachydactylus</i> Group geckos of southern Africa: new hypotheses. African Journal of Herpetology, 1999, 48, 53-62.	0.3	47
192	New data on the South African acontine skink <i>Typhlosaurus lomii</i> Haacke 1986 (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 00	0.3	2
193	The scincid lizard genus <i>Caledoniscincus</i> (Reptilia: Scincidae) from New Caledonia in the southwest Pacific: a review of <i>Caledoniscincus austrocaledonicus</i> (Bavay) and description of six new species from Province Nord. Records of the Australian Museum, 1999, 51, 57-82.	0.3	10
194	The scincid lizard <i>Lioscincus tillieri</i> (Reptilia: Scincidae) from New Caledonia in the southwest Pacific: new information on the species' biology, distribution and morphology. Records of the Australian Museum, 1999, 51, 93-98.	0.3	5
195	The scincid lizard genus <i>Sigaloseps</i> (Reptilia: Scincidae) from New Caledonia in the southwest Pacific: description of a new species and review of the biology, distribution, and morphology of <i>Sigaloseps deplanchei</i> (Bavay). Records of the Australian Museum, 1999, 51, 83-91.	0.3	3
196	Morphology of the adhesive tail tips of carphodactyline geckos (Reptilia: Diplodactylidae). , 1998, 235, 41-58.		50
197	A review of the <i>Mabuya quinquetaeniata</i> complex in East Africa (Sauria: Scincidae). African Journal of Herpetology, 1998, 47, 43-58.	0.3	12
198	The larynx and trachea of the barking gecko, <i>Ptenopus garrulus maculatus</i> (Reptilia: Gekkonidae) and their relation to vocalization. South African Journal of Zoology, 1998, 33, 23-30.	0.5	11

#	ARTICLE	IF	CITATIONS
199	An Annotated Type Catalogue of the Amphisbaenians (Reptilia: Squamata: Amphisbaenia) in the Zoological Museum, Berlin. <i>Mitteilungen Aus Dem Zoologischen Museum in Berlin</i> , 1997, 73, 41-50.	0.1	3
200	An Annotated Type Catalogue of the Hemisotid, Microhylid, Myobatrachid, Pelobatid and Pipid Frogs in the Zoological Museum, Berlin. <i>Mitteilungen Aus Dem Zoologischen Museum in Berlin</i> , 1996, 72, 259-275.	0.1	8
201	A review of the Namaqua gecko, <i>Pachydactylus namaquensis</i> (Reptilia: Gekkonidae) from southern Africa, with the description of two new species. <i>South African Journal of Zoology</i> , 1996, 31, 53-69.	0.5	15
202	An Annotated Type Catalogue of the Lacertids (Reptilia: Lacertidae) in the Zoological Museum, Berlin. <i>Mitteilungen Aus Dem Zoologischen Museum in Berlin</i> , 1995, 71, 37-62.	0.1	8
203	The Use of Radiography in the Analysis of Resin-Embedded Lizards. <i>Curator</i> , 1995, 38, 185-189.	0.2	2
204	An Annotated Type Catalogue of the Pygopods, Xantusiids, Gerrhosaurids and Cordylids (Reptilia:) in the Zoological Museum, Berlin. <i>Mitteilungen Aus Dem Zoologischen Museum in Berlin</i> , 1994, 70, 85-92.	0.1	7
205	An Annotated Type Catalogue of the Teiid and Microteiid lizards in the Zoological Museum, Berlin. (Reptilia: Squamata: Teiidae and Gymnophthalmidae). <i>Mitteilungen Aus Dem Zoologischen Museum in Berlin</i> , 1994, 70, 267-280.	0.1	4
206	An Annotated Type Catalogue of the Anguimorph Lizards (Squamata: Anguillidae, Helodermatidae,) in the Zoological Museum in Berlin, 1993, 69, 45-56.	0.1	12
207	An Annotated Type Catalogue of the Caecilians and Salamanders (Amphibia: Gymnophiona and Caudata) in the Zoological Museum, Berlin. <i>Mitteilungen Aus Dem Zoologischen Museum in Berlin</i> , 1993, 69, 285-306.	0.1	12
208	A SUMMARY OF AFRICAN HOLDINGS AND AFRICAN RESEARCH OF THE DEPARTMENT OF HERPETOLOGY, CALIFORNIA ACADEMY OF SCIENCES. <i>Journal of the Herpetological Association of Africa</i> , 1992, 41, 10-13.	0.2	0
209	HERPETOFAUNAL PATTERNS IN THE KAMANJAB DISTRICT AND ADJACENT DAMARALAND, NAMIBIA. <i>Journal of the Herpetological Association of Africa</i> , 1992, 40, 37-37.	0.2	2
210	THE STATUS OF <i>PHYLLODACTYLUS PERINGUEYI</i> (REPTILIA: GEKKONIDAE). <i>Journal of the Herpetological Association of Africa</i> , 1992, 40, 21-21.	0.2	1
211	GEOGRAPHICAL DISTRIBUTION. <i>Journal of the Herpetological Association of Africa</i> , 1992, 41, 35-39.	0.2	0
212	NOTES ON <i>PACHYDACTYLUS FASCIATUS</i> , A POORLY KNOWN GECKO FROM NORTHERN NAMIBIA. <i>Journal of the Herpetological Association of Africa</i> , 1991, 39, 1-5.	0.2	5
213	An Annotated Type Catalogue of the Geckos (Reptilia: Gekkonidae) in the Zoological Museum, Berlin. <i>Mitteilungen Aus Dem Zoologischen Museum in Berlin</i> , 1991, 67, 279-310.	0.1	34
214	Structure of the larynx of the tokay gecko (<i>Gekko gecko</i>), with particular reference to the vocal cords and glottal lips. <i>Journal of Morphology</i> , 1991, 210, 227-238.	0.6	23
215	GEOGRAPHICAL DISTRIBUTION. <i>Journal of the Herpetological Association of Africa</i> , 1991, 39, 19-20.	0.2	0
216	NEW REPTILE RECORDS FOR THE LITTLE KAROO. <i>Journal of the Herpetological Association of Africa</i> , 1991, 39, 18-18.	0.2	0

#	ARTICLE	IF	CITATIONS
217	Supraorbital ossifications in geckos (Reptilia: Gekkonidae). Canadian Journal of Zoology, 1989, 67, 678-684.	0.4	25
218	A systematic review of the genus <i>Uroplatus</i> (Reptilia: Gekkonidae), with comments on its biology. Journal of Natural History, 1989, 23, 169-203.	0.2	25
219	Extracranial Endolymphatic Sacs in <i>Eurydactyloides</i> (Reptilia: Gekkonidae), with Comments on Endolymphatic Function in Lizards. Journal of Herpetology, 1989, 23, 172.	0.2	15
220	Paraphalangeal elements of gekkonid lizards: A comparative survey. Journal of Morphology, 1988, 197, 221-240.	0.6	53
221	Saltation in the Pygopodid Lizard, <i>Delma tinctoria</i> . Journal of Herpetology, 1986, 20, 462.	0.2	9
222	Phylogenetic history, allometry and disparate functional pressures influence the morphological diversification of the gekkotan quadrate, a keystone cranial element. Biological Journal of the Linnean Society, 0, , .	0.7	2
223	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia; Squamata; Gekkonidae) and its relevance to taxonomy and conservation. Vertebrate Zoology, 0, 71, 101-154.	2.0	25
224	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia; Squamata; Gekkonidae) and its relevance to taxonomy and conservation. Vertebrate Zoology, 0, 71, 101-154.	2.0	16
225	Bone-by-bone: A detailed skull description of the White-headed dwarf gecko <i>Lygodactylus picturatus</i> (Peters, 1870). African Journal of Herpetology, 0, , 1-20.	0.3	4