

# Naoaki Saito

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8803202/naoaki-saito-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59  
papers

1,781  
citations

22  
h-index

41  
g-index

60  
ext. papers

2,001  
ext. citations

5.3  
avg, IF

4.08  
L-index

#	Paper	IF	Citations
59	Nox3-Derived Superoxide in Cochleae Induces Sensorineural Hearing Loss. <i>Journal of Neuroscience</i> , <b>2021</b> , 41, 4716-4731	6.6	5
58	Congenital hearing impairment associated with peripheral cochlear nerve dysmyelination in glycosylation-deficient muscular dystrophy. <i>PLoS Genetics</i> , <b>2020</b> , 16, e1008826	6	6
57	DGK $\beta$ Knock-Out Mice Show Impairments in Cerebellar Motor Coordination, LTD, and the Dendritic Development of Purkinje Cells through the Activation of PKC $\delta$ . <i>JNeuro</i> , <b>2020</b> , 7,	3.9	6
56	mTORC1 is involved in DGK $\beta$ -induced neurite outgrowth and spinogenesis. <i>Neurochemistry International</i> , <b>2020</b> , 134, 104645	4.4	2
55	The integrity of cochlear hair cells is established and maintained through the localization of Dia1 at apical junctional complexes and stereocilia. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 536	9.8	8
54	Rac-Dependent Signaling from Keratinocytes Promotes Differentiation of Intradermal White Adipocytes. <i>Journal of Investigative Dermatology</i> , <b>2020</b> , 140, 75-84.e6	4.3	3
53	Congenital hearing impairment associated with peripheral cochlear nerve dysmyelination in glycosylation-deficient muscular dystrophy <b>2020</b> , 16, e1008826		
52	Congenital hearing impairment associated with peripheral cochlear nerve dysmyelination in glycosylation-deficient muscular dystrophy <b>2020</b> , 16, e1008826		
51	Congenital hearing impairment associated with peripheral cochlear nerve dysmyelination in glycosylation-deficient muscular dystrophy <b>2020</b> , 16, e1008826		
50	Congenital hearing impairment associated with peripheral cochlear nerve dysmyelination in glycosylation-deficient muscular dystrophy <b>2020</b> , 16, e1008826		
49	Congenital hearing impairment associated with peripheral cochlear nerve dysmyelination in glycosylation-deficient muscular dystrophy <b>2020</b> , 16, e1008826		
48	Congenital hearing impairment associated with peripheral cochlear nerve dysmyelination in glycosylation-deficient muscular dystrophy <b>2020</b> , 16, e1008826		
47	Spinocerebellar ataxia type 14 caused by a nonsense mutation in the PRKCG gene. <i>Molecular and Cellular Neurosciences</i> , <b>2019</b> , 98, 46-53	4.8	9
46	Hearing vulnerability after noise exposure in a mouse model of reactive oxygen species overproduction. <i>Journal of Neurochemistry</i> , <b>2018</b> , 146, 459-473	6	11
45	Roles of Cdc42 and Rac in Bergmann glia during cerebellar corticogenesis. <i>Experimental Neurology</i> , <b>2018</b> , 302, 57-67	5.7	4
44	The Role of Cysteine String Protein $\beta$ -Phosphorylation at Serine 10 and 34 by Protein Kinase C $\beta$ for Presynaptic Maintenance. <i>Journal of Neuroscience</i> , <b>2018</b> , 38, 278-290	6.6	8
43	Propofol induced diverse and subtype-specific translocation of PKC families. <i>Journal of Pharmacological Sciences</i> , <b>2018</b> , 137, 20-29	3.7	3

42	Xeroderma pigmentosum group C protein interacts with histones: regulation by acetylated states of histone H3. <i>Genes To Cells</i> , <b>2017</b> , 22, 310-327	2.3	19
41	Novel role of Rac-Mid1 signaling in medial cerebellar development. <i>Development (Cambridge)</i> , <b>2017</b> , 144, 1863-1875	6.6	13
40	Golgi-Associated Protein Kinase C- $\beta$ s Delivered to Phagocytic Cups: Role of Phosphatidylinositol 4-Phosphate. <i>Journal of Immunology</i> , <b>2017</b> , 199, 271-277	5.3	5
39	A Novel Rac1-GSPT1 Signaling Pathway Controls Astrogliosis Following Central Nervous System Injury. <i>Journal of Biological Chemistry</i> , <b>2017</b> , 292, 1240-1250	5.4	21
38	Validation of Anti-CSP $\beta$ -SNAP25, Tyrosine Hydroxylase, Ubiquitin, Cleaved Caspase 3, and pSer PKC Motif Antibodies for Utilization in Western Blotting. <i>Acta Histochemica Et Cytochemica</i> , <b>2017</b> , 50, 177-180	1.9	4
37	Diacylglycerol Kinase alpha is Involved in the Vitamin E-Induced Amelioration of Diabetic Nephropathy in Mice. <i>Scientific Reports</i> , <b>2017</b> , 7, 2597	4.9	17
36	Loss of the Phenolic Hydroxyl Group and Aromaticity from the Side Chain of Anti-Proliferative 10-Methyl-aplog-1, a Simplified Analog of Aplysiatoxin, Enhances Its Tumor-Promoting and Proinflammatory Activities. <i>Molecules</i> , <b>2017</b> , 22,	4.8	3
35	Constitutive activation of DIA1 (DIAPH1) via C-terminal truncation causes human sensorineural hearing loss. <i>EMBO Molecular Medicine</i> , <b>2016</b> , 8, 1310-1324	12	38
34	The extracellular A-loop of dual oxidases affects the specificity of reactive oxygen species release. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 6495-506	5.4	30
33	Essential role of constitutive androstane receptor in Ginkgo biloba extract induced liver hypertrophy and hepatocarcinogenesis. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 83, 201-9	4.7	14
32	Maintenance of stereocilia and apical junctional complexes by Cdc42 in cochlear hair cells. <i>Journal of Cell Science</i> , <b>2014</b> , 127, 2040-52	5.3	39
31	Diacylglycerol kinase as a possible therapeutic target for neuronal diseases. <i>Journal of Biomedical Science</i> , <b>2014</b> , 21, 28	13.3	29
30	Both the C1 domain and a basic amino acid cluster at the C-terminus are important for the neurite and branch induction ability of DGK $\beta$ . <i>Biochemical and Biophysical Research Communications</i> , <b>2014</b> , 447, 89-94	3.4	6
29	Diacylglycerol kinase $\beta$ regulates antigen-induced mast cell degranulation by mediating Ca <sup>2+</sup> influxes. <i>Biochemical and Biophysical Research Communications</i> , <b>2014</b> , 445, 340-5	3.4	13
28	RANTES/CCL5 mediated-biological effects depend on the syndecan-4/PKC $\beta$ signaling pathway. <i>Biology Open</i> , <b>2014</b> , 3, 995-1004	2.2	7
27	The role of Pak-interacting exchange factor- $\beta$ phosphorylation at serines 340 and 583 by PKC $\beta$ in dopamine release. <i>Journal of Neuroscience</i> , <b>2014</b> , 34, 9268-80	6.6	10
26	PKC- $\beta$ pseudosubstrate and catalytic activity are necessary for membrane delivery during IgG-mediated phagocytosis. <i>Journal of Leukocyte Biology</i> , <b>2013</b> , 94, 109-22	6.5	8
25	Novel PKC $\beta$ -mediated phosphorylation site(s) on cofilin and their potential role in terminating histamine release. <i>Molecular Biology of the Cell</i> , <b>2012</b> , 23, 3707-21	3.5	17

24	c-Abl tyrosine kinase regulates serum-induced nuclear export of diacylglycerol kinase $\beta$ by phosphorylation at Tyr-218. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 5507-17	5-4	15
23	Effect of trehalose on the properties of mutant $\gamma$ PKC, which causes spinocerebellar ataxia type 14, in neuronal cell lines and cultured Purkinje cells. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 33252-33264	5-4	22
22	Protein kinase C-induced phosphorylation of Orai1 regulates the intracellular $Ca^{2+}$ level via the store-operated $Ca^{2+}$ channel. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 25720-30	5-4	91
21	3P212 Single-molecule tracking of PKC received and transferred by diffusing small antennas of signal-induced diacylglycerol (Cell biology, The 48th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , <b>2010</b> , 50, S182	0	
20	Mutant $\gamma$ PKC found in spinocerebellar ataxia type 14 induces aggregate-independent maldevelopment of dendrites in primary cultured Purkinje cells. <i>Neurobiology of Disease</i> , <b>2009</b> , 33, 260-73	5	48
19	Enzymological analysis of mutant protein kinase C $\gamma$ causing spinocerebellar ataxia type 14 and dysfunction in $Ca^{2+}$ homeostasis. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 19854-63	5-4	83
18	A regulated adaptor function of p40phox: distinct p67phox membrane targeting by p40phox and by p47phox. <i>Molecular Biology of the Cell</i> , <b>2007</b> , 18, 441-54	3-5	71
17	Targeting of protein kinase C-epsilon during Fc $\gamma$ receptor-dependent phagocytosis requires the epsilon C1B domain and phospholipase C- $\gamma$ 1. <i>Molecular Biology of the Cell</i> , <b>2006</b> , 17, 799-813	3-5	45
16	Phosphorylation and up-regulation of diacylglycerol kinase $\gamma$ via its interaction with protein kinase C $\gamma$ . <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 31627-37	5-4	34
15	Immunocytochemical localization of a neuron-specific diacylglycerol kinase beta and gamma in the developing rat brain. <i>Molecular Brain Research</i> , <b>2005</b> , 139, 288-99		36
14	Mutant protein kinase C $\gamma$ found in spinocerebellar ataxia type 14 is susceptible to aggregation and causes cell death. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 29096-106	5-4	60
13	Superoxide production at phagosomal cup/phagosome through beta I protein kinase C during Fc $\gamma$ R-mediated phagocytosis in microglia. <i>Journal of Immunology</i> , <b>2004</b> , 173, 4582-9	5-3	51
12	Isoform-specific phosphorylation of metabotropic glutamate receptor 5 by protein kinase C (PKC) blocks $Ca^{2+}$ oscillation and oscillatory translocation of $Ca^{2+}$ -dependent PKC. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 2254-61	5-4	33
11	A role for PKC-epsilon in Fc $\gamma$ R-mediated phagocytosis by RAW 264.7 cells. <i>Journal of Cell Biology</i> , <b>2002</b> , 159, 939-44	7-3	77
10	Protein kinase C $\gamma$ (PKC $\gamma$ ): function of neuron specific isotype. <i>Journal of Biochemistry</i> , <b>2002</b> , 132, 683-7	3-1	147
9	Generation of a constitutively active fragment of PKN in microglia/macrophages after middle cerebral artery occlusion in rats. <i>Journal of Neurochemistry</i> , <b>2001</b> , 79, 903-13	6	19
8	Role of synaptophysin in exocytotic release of dopamine from <i>Xenopus</i> oocytes injected with rat brain mRNA. <i>Cellular and Molecular Neurobiology</i> , <b>2000</b> , 20, 401-8	4-6	14
7	Subtype-specific translocation of diacylglycerol kinase alpha and gamma and its correlation with protein kinase C. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 24760-6	5-4	72

6	Differential requirement for classic and novel PKC isoforms in respiratory burst and phagocytosis in RAW 264.7 cells. <i>Journal of Immunology</i> , <b>2000</b> , 165, 2809-17	5-3	143
5	In vivo gene transfer into the periventricular region by electroporation. <i>Neurologia Medico-Chirurgica</i> , <b>2000</b> , 40, 618-22; discussion 622-3	2-6	12
4	Association study of a polymorphism of nonerythroid $\beta$ -spectrin gene with schizophrenia <b>1999</b> , 88, 291-293		1
3	Direct visualization of the translocation of the gamma-subspecies of protein kinase C in living cells using fusion proteins with green fluorescent protein. <i>Journal of Cell Biology</i> , <b>1997</b> , 139, 1465-76	7-3	213
2	Modulation of serotonin transporter activity by a protein kinase C activator and an inhibitor of type 1 and 2A serine/threonine phosphatases. <i>Journal of Neurochemistry</i> , <b>1997</b> , 68, 2618-24	6	49
1	Electron microscopic localization of gamma- and beta II-subspecies of protein kinase C in rat hippocampus. <i>Brain Research</i> , <b>1990</b> , 518, 209-17	3-7	87