

Maria Iracema Bezerra Loiola

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8803423/publications.pdf>

Version: 2024-02-01

80
papers

2,107
citations

687220

13
h-index

276775

41
g-index

80
all docs

80
docs citations

80
times ranked

2244
citing authors

#	ARTICLE	IF	CITATIONS
1	Growing knowledge: an overview of Seed Plant diversity in Brazil. <i>Rodriguesia</i> , 2015, 66, 1085-1113.	0.9	1,032
2	Brazilian Flora 2020: Innovation and collaboration to meet Target 1 of the Global Strategy for Plant Conservation (GSPC). <i>Rodriguesia</i> , 2018, 69, 1513-1527.	0.9	398
3	Uso e diversidade de plantas medicinais da Caatinga na comunidade rural de Laginhas, município de Caicão, Rio Grande do Norte (Nordeste do Brasil). <i>Revista Brasileira De Plantas Mediciniais</i> , 2010, 12, 31-42.	0.3	90
4	Floristics and life-forms along a topographic gradient, central-western Ceará, Brazil. <i>Rodriguesia</i> , 2011, 62, 341-366.	0.9	41
5	Flora do Ceará, Brasil: Cactaceae. <i>Rodriguesia</i> , 2013, 64, 757-774.	0.9	35
6	Flora da Paraíba, Brasil: Erythroxylaceae Kunth. <i>Acta Botanica Brasilica</i> , 2007, 21, 473-487.	0.8	27
7	Fly pollination and pollinator sharing in two synchronopatric species: <i>Cordia multispicata</i> (Boraginaceae) and <i>Borreria alata</i> (Rubiaceae). <i>Revista Brasileira De Botanica</i> , 2000, 23, 305-311.	0.5	26
8	New data on the stem and leaf anatomy of two conifers from the Lower Cretaceous of the Araripe Basin, northeastern Brazil, and their taxonomic and paleoecological implications. <i>PLoS ONE</i> , 2017, 12, e0173090.	1.1	21
9	Evaluating the relative importance of woody versus non-woody plants for alpha-diversity in a semiarid ecosystem in Brazil. <i>Plant Ecology and Evolution</i> , 2015, 148, 361-376.	0.3	20
10	Poaceae da Estação Ecológica do Seridó, Rio Grande do Norte, Brasil. <i>Hoehnea (revista)</i> , 2009, 36, 679-707.	0.2	19
11	Pleistocene radiation of coastal species of <i>Pilosocereus</i> (Cactaceae) in eastern Brazil. <i>Journal of Arid Environments</i> , 2016, 135, 22-32.	1.2	17
12	Flora da Paraíba, Brasil: Combretaceae. <i>Acta Botanica Brasilica</i> , 2009, 23, 330-342.	0.8	17
13	A survey of an ectotrophic sand dune forest in the northeast Brazil. <i>Mycosphere</i> , 2013, 4, 1106-1116.	1.9	17
14	O gênero <i>Chamaecrista</i> Moench (Caesalpinioideae) em áreas do entorno do Parque Estadual das Dunas de Natal, Rio Grande do Norte, Brasil. <i>Hoehnea (revista)</i> , 2009, 36, 725-736.	0.2	16
15	Flora do Ceará, Brasil: Combretaceae. <i>Rodriguesia</i> , 2014, 65, 685-700.	0.9	16
16	Composição florística de uma comunidade savânica no Rio Grande do Norte, Nordeste do Brasil. <i>Acta Botanica Brasilica</i> , 2012, 26, 559-569.	0.8	14
17	Flora do Ceará, Brasil: Capparaceae. <i>Rodriguesia</i> , 2014, 65, 671-684.	0.9	14
18	Flora and Annual Distribution of Flowers and Fruits in the Ubajara National Park, Ceará, Brazil. <i>Floresta E Ambiente</i> , 2020, 27, .	0.1	13

#	ARTICLE	IF	CITATIONS
19	Assembly rules in a resource gradient: Competition and abiotic filtering determine the structuring of plant communities in stressful environments. PLoS ONE, 2020, 15, e0230097.	1.1	12
20	Vertical stratification and development aspects of phlebotomine sand flies (Diptera: Psychodidae) in an area of Atlantic Forest tree species in a metropolitan region in northeastern Brazil. Journal of Vector Ecology, 2007, 32, 336.	0.5	11
21	Evaluation of the leishmanicide action of ethanol extracts of <i>Crotalaria retusa</i> L. (Fabaceae). Revista Brasileira De Farmacognosia, 2009, 19, 51-56.	0.6	11
22	Two new species of <i>Erythroxyllum</i> sect. <i>Rhabdophyllum</i> (Erythroxyllaceae) from north-eastern Brazil. Kew Bulletin, 2008, 63, 655-659.	0.4	10
23	A new species of <i>Erythroxyllum</i> (Erythroxyllaceae) from the Brazilian semiarid region. Phytotaxa, 2013, 150, 61.	0.1	10
24	A new species of <i>Erythroxyllum</i> (Erythroxyllaceae) from northeastern Brazil. Brittonia, 2014, 66, 60-64.	0.8	10
25	<i>Phyllanthus carmenluciae</i> , a supreme species of <i>Phyllanthus</i> (Phyllantaceae) from Brazil. Phytotaxa, 2017, 305, 35.	0.1	10
26	Relationships between soil seed bank composition and standing vegetation along chronosequences in a tropical dry forest in north-eastern Brazil. Journal of Tropical Ecology, 2019, 35, 173-184.	0.5	10
27	Erythroxyllaceae no Rio Grande do Norte, Brasil. Rodriguesia, 2014, 65, 659-671.	0.9	9
28	Spines and ribs of <i>Pilosocereus arrabidae</i> (Lem.) Byles & G.D. Rowley and allies (Cactaceae): Ecologic or genetic traits?. Flora: Morphology, Distribution, Functional Ecology of Plants, 2015, 214, 44-49.	0.6	9
29	A new cheirolepidiaceous conifer <i>Pseudofrenelopsis salesii</i> sp. nov. from the Early Cretaceous of Brazil (Romualdo Formation, Araripe Basin): Paleoecological and taphonomic significance. Review of Palaeobotany and Palynology, 2018, 258, 154-162.	0.8	8
30	<i>Erythroxyllum ayrtonianum</i> (Erythroxyllaceae): A New Species from Brazil. Novon, 2012, 22, 48-50.	0.3	7
31	<i>Borreria apodiensis</i> (Rubiaceae: Spermacoceae), a new species from Cear� and Rio Grande do Norte, Brazil. Acta Botanica Brasilica, 2016, 30, 283-289.	0.8	7
32	<i>Solanum fernandesii</i> (Solanaceae): A new species of "spiny solanum" of the Gardneri clade from northeastern Brazil. Phytotaxa, 2016, 270, 33.	0.1	7
33	Flora do Cear�, Brasil: Polygonaceae. Rodriguesia, 2016, 67, 981-996.	0.9	7
34	Temporal and physiological influence of the absorption of nutrients and toxic elements by <i>Eichhornia crassipes</i> . Journal of Environmental Monitoring, 2011, 13, 274-279.	2.1	6
35	New Synonyms and Recircumscription of <i>Terminalia</i> sect. <i>Diptera</i> (Combretaceae) from South America. Systematic Botany, 2018, 43, 250-257.	0.2	6
36	O g�nero <i>Borreria</i> (Spermacoceae, Rubiaceae) no estado do Cear�, Brasil. Rodriguesia, 2018, 69, 715-731.	0.9	6

#	ARTICLE	IF	CITATIONS
37	<i>Ipomoea bonsai</i> (Convolvulaceae), a Magnificent New Species from the Caatinga Domain, Brazil. Systematic Botany, 2020, 45, 652-657.	0.2	6
38	New synonyms and lectotypifications in Brazilian <i>Erythroxyllum</i> (Erythroxyllaceae). Phytotaxa, 2015, 201, 100.	0.1	5
39	Flora do Cear�, Brasil: Krameriaceae. Rodriguesia, 2015, 66, 905-912.	0.9	5
40	Flora do Cear�, Brasil: Erythroxyllaceae. Rodriguesia, 2018, 69, 881-903.	0.9	5
41	Passifloraceae s.s. na Chapada do Araripe, nordeste do Brasil. Revista Brasileira De Geografia Fisica, 2021, 14, 770-783.	0.0	5
42	<i>Brachyphyllum</i> : State of the art and new data regarding <i>B. obesum</i> , the most representative fossil plant in the Araripe Basin, Brazil. Journal of South American Earth Sciences, 2021, 110, 103405.	0.6	5
43	Flora of Baturit�, Cear�: a Wet Island in the Brazilian Semi-arid. Floresta E Ambiente, 2020, 27, .	0.1	5
44	Percep�o ambiental das artes que usam as folhas de carna�ba (<i>Copernicia prunifera</i> H.E.Moore.) Tj ETQq0 0 0 rgBT /Overlock 104 26, 63-76.	0.0	4
45	Angiosperm flora used by meliponine guilds (Apidae, Meliponina) occurring at rainforest edges in the state of Cear�, Brazil. Anais Da Academia Brasileira De Ciencias, 2014, 86, 1395-1410.	0.3	4
46	<i>Erythroxyllum sobraleanum</i> (Erythroxyllaceae): A new species from Southeastern Brazil. Phytotaxa, 2014, 183, 56.	0.1	4
47	Flora do Esp�rito Santo: Subtribo Terminaliinae (Combretaceae). Rodriguesia, 2017, 68, 1547-1557.	0.9	4
48	Description of a New Species of Spiny <i>Solanum</i> (Solanaceae) from Rocky Outcrops of Northeastern Brazil, with Modeling of Its Environmental Suitability. Systematic Botany, 2019, 44, 415-423.	0.2	4
49	Tropane alkaloids from the stem bark of <i>Erythroxyllum bezerrae</i> . Phytochemistry, 2020, 178, 112458.	1.4	4
50	Effect of indole alkaloids from roots of <i>Rauvolfia ligustrina</i> in the noradrenergic neurotransmission. F�tooterap�, 2020, 143, 104545.	1.1	4
51	Flora do Cear�, Brasil: Cleomaceae. Rodriguesia, 2018, 69, 1659-1672.	0.9	4
52	Flora of Cear�, Brasil: Passifloraceae s.s. Rodriguesia, 0, 72, .	0.9	4
53	Nomenclatural notes on <i>Erythroxyllum</i> sect. <i>Rhabdophyllum</i> (Erythroxyllaceae): new synonyms and lectotypifications. Nordic Journal of Botany, 2015, 33, 451-454.	0.2	3
54	EFFECTS OF HARVESTING ON LEAF PRODUCTION AND REPRODUCTIVE PERFORMANCE OF <i>Copernicia prunifera</i> (Mill.) H.E. Moore.1. Revista Arvore, 2016, 40, 117-123.	0.5	3

#	ARTICLE	IF	CITATIONS
55	Flora do Cear�, Brasil: Bixaceae. Rodriguesia, 2017, 68, 1313-1322.	0.9	3
56	Flora das cangas da Serra dos Caraj�s, Par�, Brasil: Erythroxylaceae. Rodriguesia, 2018, 69, 1113-1124.	0.9	3
57	Combretaceae no estado do Rio Grande do Norte, Brasil. Rodriguesia, 2018, 69, 1771-1787.	0.9	3
58	Flora do Cear�, Brasil: Polygalaceae. Rodriguesia, 2018, 69, 673-692.	0.9	3
59	TERPENOIDS AND COUMARINS FROM <i>Jatropha ribifolia</i> (Pohl) Baill. Quimica Nova, 2014, , .	0.3	3
60	Terminalia L. (Combretaceae) do Estado de Pernambuco, Brasil. Hoehnea (revista), 2018, 45, 307-313.	0.2	3
61	Flora do Cear�: Turneraceae. Rodriguesia, 2018, 69, 1673-1700.	0.9	3
62	Flora of Cear�, Brazil: Portulacaceae s.s.. Rodriguesia, 0, 73, .	0.9	3
63	Diversidade de Lianas e Trepadeiras do Parque Nacional de Ubajara, Cear�, Brasil. Revista Brasileira De Geografia Fisica, 2020, 13, 1675.	0.0	2
64	Percep�o etnobot�nica associada � apicultura: esp�cies vegetais com potencial mel�fero para o Semi�rido Potiguar, regi�o de Caatinga, Estado do Rio Grande do Norte, Brasil. Hoehnea (revista), 0, 48, .	0.2	2
65	Allelopathy in five species of <i>Erythroxylum</i> - doi: 10.4025/actasciagron.v35i3.16016. Acta Scientiarum - Agronomy, 2013, 35, .	0.6	1
66	Complete ¹H and ¹³C NMR assignments of an uncommon 2,3&mdihydroxynaphthoquinone isolated from <i>Cordia multispicata</i> (Cham.). Magnetic Resonance in Chemistry, 2017, 55, 682-685.	1.1	1
67	Paleodistribution of Neotropical species of <i>Erythroxylum</i> (Erythroxylaceae) in humid and dry environments. Acta Botanica Brasilica, 2017, 31, 645-656.	0.8	1
68	Flora of Cear�, Brazil: Ditassa (Asclepiadoideae/Apocynaceae). Rodriguesia, 0, 72, .	0.9	1
69	Flora of Cear�, Brazil: subtribe Gonolobinae (Asclepiadoideae/Apocynaceae). Rodriguesia, 0, 72, .	0.9	1
70	Diversidade Flor�stica dos Afloramentos Rochosos da Reserva Biol�gica de Pedra Talhada, Quebrangulo, Alagoas. Revista Brasileira De Geografia Fisica, 2021, 14, 743-757.	0.0	1
71	Flora do Cear�, Brasil: Oxalidaceae. Rodriguesia, 2018, 69, 863-880.	0.9	1
72	Tephrosia (Leguminosae) no estado do Cear�, Nordeste do Brasil. Rodriguesia, 2018, 69, 1877-1887.	0.9	1

#	ARTICLE	IF	CITATIONS
73	Comunidade Halofítica Herbácea-arbustiva em Perímetro Irrigado do Município de Pentecoste-CE. Revista Brasileira De Geografia Física, 2019, 12, 1934.	0.0	1
74	<i>Erythroxyllum niziae</i> (Erythroxyllaceae): A New Species from the West-Central Cerrado of Brazil. Systematic Botany, 2019, 44, 659-663.	0.2	1
75	Faramea baturitensis (Rubiaceae: Coussareeae), a new species from Serra de Baturit-NE, Northeast Brazil. Acta Botanica Brasilica, 2020, 34, 778-782.	0.8	1
76	Flora of Ceará, Brazil: Heliotropiaceae. Rodriguesia, 0, 73, .	0.9	1
77	Incidence and diversity of arbuscular mycorrhizal fungi and successor herbaceous plants in an agro-system irrigated with produced water. Symbiosis, 2017, 71, 223-232.	1.2	0
78	Do jardim À sala de aula: metodologias para o ensino de Botânica na escola. Revista De Ensino De Ciências E Matemática, 2021, 12, 1-23.	0.0	0
79	Etnoconhecimento dos apicultores de um município do semiárido potiguar, Nordeste do Brasil. Gaia Scientia, 2021, 15, .	0.0	0
80	<i>Erythroxyllum</i> (Erythroxyllaceae) from the seasonal dry forests of the state of Goiás, Brazil. Phytotaxa, 2021, 480, 269-276.	0.1	0