

# Yiran Huang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/880366/publications.pdf>

Version: 2024-02-01

100  
papers

2,264  
citations

236833

25  
h-index

289141

40  
g-index

106  
all docs

106  
docs citations

106  
times ranked

3793  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Prostate cancer in Asia: A collaborative report. <i>Asian Journal of Urology</i> , 2014, 1, 15-29.  | 0.5 | 136       |
| 2  | Programming bulk enzyme heterojunctions for biosensor development with tetrahedral DNA framework. <i>Nature Communications</i> , 2020, 11, 838.   | 5.8 | 84        |
| 3  | The m6A-suppressed P2RX6 activation promotes renal cancer cells migration and invasion through ATP-induced Ca <sup>2+</sup> influx modulating ERK1/2 phosphorylation and MMP9 signaling pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 233. | 3.5 | 82        |
| 4  | A positive feed-forward loop between LncRNA-URRCC and EGFL7/P-AKT/FOXO3 signaling promotes proliferation and metastasis of clear cell renal cell carcinoma. <i>Molecular Cancer</i> , 2019, 18, 81.   | 7.9 | 71        |
| 5  | Hypoxia-induced downregulation of miR-30c promotes epithelial-mesenchymal transition in human renal cell carcinoma. <i>Cancer Science</i> , 2013, 104, 1609-1617.   | 1.7 | 69        |
| 6  | CXCL1-LCN2 paracrine axis promotes progression of prostate cancer via the Src activation and epithelial-mesenchymal transition. <i>Cell Communication and Signaling</i> , 2019, 17, 118.  | 2.7 | 64        |
| 7  | MiR-532-5p suppresses renal cancer cell proliferation by disrupting the ETS1-mediated positive feedback loop with the KRAS-NAP1L1/P-ERK axis. <i>British Journal of Cancer</i> , 2018, 119, 591-604.  | 2.9 | 63        |
| 8  | Prediction and diagnosis of renal cell carcinoma using nuclear magnetic resonance-based serum metabolomics and self-organizing maps. <i>Oncotarget</i> , 2016, 7, 59189-59198.  | 0.8 | 58        |
| 9  | SUV39H1 deficiency suppresses clear cell renal cell carcinoma growth by inducing ferroptosis. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 406-419.   | 5.7 | 56        |
| 10 | circPTCH1 promotes invasion and metastasis in renal cell carcinoma via regulating miR-485-5p/MMP14 axis. <i>Theranostics</i> , 2020, 10, 10791-10807.   | 4.6 | 55        |
| 11 | Activation of Notch pathway is linked with epithelial-mesenchymal transition in prostate cancer cells. <i>Cell Cycle</i> , 2017, 16, 999-1007.  | 1.3 | 51        |
| 12 | Insulinoma-associated protein 1 is a novel sensitive and specific marker for small cell carcinoma of the prostate. <i>Human Pathology</i> , 2018, 79, 151-159.  | 1.1 | 49        |
| 13 | Hypoxia-induced lncHILAR promotes renal cancer metastasis via ceRNA for the miR-613/206/1-1-3p/Jagged-1/Notch/CXCR4 signaling pathway. <i>Molecular Therapy</i> , 2021, 29, 2979-2994.  | 3.7 | 48        |
| 14 | Effect of remote ischaemic preconditioning on renal protection in patients undergoing laparoscopic partial nephrectomy: a "blinded" randomised controlled trial. <i>BJU International</i> , 2013, 112, 74-80.   | 1.3 | 45        |
| 15 | Prostate Specific Antigen and Prostate Cancer in Chinese Men Undergoing Initial Prostate Biopsies Compared with Western Cohorts. <i>Journal of Urology</i> , 2017, 197, 90-96.  | 0.2 | 44        |
| 16 | LSD1 inhibition suppresses the growth of clear cell renal cell carcinoma via upregulating P21 signaling. <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 324-334.   | 5.7 | 44        |
| 17 | miR-199a-3p inhibits hepatocyte growth factor/c-Met signaling in renal cancer carcinoma. <i>Tumor Biology</i> , 2014, 35, 5833-5843.  | 0.8 | 40        |
| 18 | PRKAR2B-HIF1 $\alpha$ loop promotes aerobic glycolysis and tumour growth in prostate cancer. <i>Cell Proliferation</i> , 2020, 53, e12918.  | 2.4 | 36        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | PRMT1 is a novel molecular therapeutic target for clear cell renal cell carcinoma. <i>Theranostics</i> , 2021, 11, 5387-5403.  | 4.6 | 36        |
| 20 | Curcumin inhibits cell proliferation and motility via suppression of TROP2 in bladder cancer cells. <i>International Journal of Oncology</i> , 2018, 53, 515-526.  | 1.4 | 34        |
| 21 | High Expression of Stearoyl-CoA Desaturase 1 Predicts Poor Prognosis in Patients with Clear-Cell Renal Cell Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0166231.   | 1.1 | 31        |
| 22 | PRKAR2B promotes prostate cancer metastasis by activating Wnt/ $\beta$ -catenin and inducing epithelial-mesenchymal transition. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 7319-7327.  | 1.2 | 31        |
| 23 | Preoperative serum pre-albumin as an independent prognostic indicator in patients with localized upper tract urothelial carcinoma after radical nephroureterectomy. <i>Oncotarget</i> , 2017, 8, 36772-36779.  | 0.8 | 31        |
| 24 | Molecular Mechanism underlying PRMT1 Dimerization for SAM Binding and Methylase Activity. <i>Journal of Chemical Information and Modeling</i> , 2015, 55, 2623-2632.   | 2.5 | 30        |
| 25 | Comparing Zero Ischemia Laparoscopic Radio Frequency Ablation Assisted Tumor Enucleation and Laparoscopic Partial Nephrectomy for Clinical T1a Renal Tumor: A Randomized Clinical Trial. <i>Journal of Urology</i> , 2016, 195, 1677-1683.                               | 0.2 | 30        |
| 26 | Catalpol Inhibited the Proliferation of T24 Human Bladder Cancer Cells by Inducing Apoptosis Through the Blockade of Akt-Mediated Anti-apoptotic Signaling. <i>Cell Biochemistry and Biophysics</i> , 2015, 71, 1349-1356.   | 0.9 | 29        |
| 27 | Knockdown of ubiquitin associated protein 2-like inhibits the growth and migration of prostate cancer cells. <i>Oncology Reports</i> , 2014, 32, 1578-1584.  | 1.2 | 28        |
| 28 | Pretreatment Serum Prealbumin as an Independent Prognostic Indicator in Patients With Metastatic Renal Cell Carcinoma Using Tyrosine Kinase Inhibitors as First-Line Target Therapy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e437-e446.                         | 0.9 | 27        |
| 29 | Upregulated KDM4B promotes prostate cancer cell proliferation by activating autophagy. <i>Journal of Cellular Physiology</i> , 2020, 235, 2129-2138.   | 2.0 | 27        |
| 30 | miRNA-335-5p negatively regulates granulosa cell proliferation via SGK3 in PCOS. <i>Reproduction</i> , 2018, 156, 439-449.   | 1.1 | 27        |
| 31 | Abiraterone acetate for metastatic castration-resistant prostate cancer after docetaxel failure: A randomized, double-blind, placebo-controlled phase 3 bridging study. <i>International Journal of Urology</i> , 2016, 23, 404-411.                                     | 0.5 | 26        |
| 32 | Platelet to lymphocyte ratio as an independent prognostic indicator for prostate cancer patients receiving androgen deprivation therapy. <i>BMC Cancer</i> , 2016, 16, 329.  | 1.1 | 26        |
| 33 | Preoperative prognostic nutritional index is a significant predictor of survival in patients with localized upper tract urothelial carcinoma after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 671.e1-671.e9. | 0.8 | 26        |
| 34 | Prognostic value of preoperative plasma fibrinogen level and platelet-to-lymphocyte ratio (F-PLR) in patients with localized upper tract urothelial carcinoma. <i>Oncotarget</i> , 2017, 8, 36761-36771.   | 0.8 | 26        |
| 35 | Transcriptional regulation of PRKAR2B by miR-200b-3p/200c-3p and XBP1 in human prostate cancer. <i>Biomedicine and Pharmacotherapy</i> , 2020, 124, 109863.  | 2.5 | 26        |
| 36 | Postoperative D-dimer predicts venous thromboembolism in patients undergoing urologic tumor surgery. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 307.e15-307.e21.   | 0.8 | 25        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Preoperative Neutrophil-to-Lymphocyte Ratio and Neutrophilia Are Independent Predictors of Recurrence in Patients with Localized Papillary Renal Cell Carcinoma. <i>BioMed Research International</i> , 2015, 2015, 1-9.   | 0.9 | 24        |
| 38 | SENP1 promotes proliferation of clear cell renal cell carcinoma through activation of glycolysis. <i>Oncotarget</i> , 2016, 7, 80435-80449.  | 0.8 | 24        |
| 39 | A phase 3, double-blind, randomized placebo-controlled efficacy and safety study of abiraterone acetate in chemotherapy-naïve patients with mCRPC in China, Malaysia, Thailand and Russia. <i>Asian Journal of Urology</i> , 2017, 4, 75-85.                       | 0.5 | 23        |
| 40 | Raman spectroscopy as an ex vivo noninvasive approach to distinguish complete and incomplete spermatogenesis within human seminiferous tubules. <i>Fertility and Sterility</i> , 2014, 102, 54-60.e2.  | 0.5 | 22        |
| 41 | The influence of genetic variants of sorafenib on clinical outcomes and toxic effects in patients with advanced renal cell carcinoma. <i>Scientific Reports</i> , 2016, 6, 20089.  | 1.6 | 22        |
| 42 | Cannabinoid receptor 2 as a novel target for promotion of renal cell carcinoma prognosis and progression. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 39-52.  | 1.2 | 22        |
| 43 | PRKAR2B plays an oncogenic role in the castration-resistant prostate cancer. <i>Oncotarget</i> , 2017, 8, 6114-6129.   | 0.8 | 21        |
| 44 | Incidental Prostate Cancer at the Time of Cystectomy: The Incidence and Clinicopathological Features in Chinese Patients. <i>PLoS ONE</i> , 2014, 9, e94490.   | 1.1 | 20        |
| 45 | Significance of preoperative prognostic nutrition index as prognostic predictors in patients with metastatic renal cell carcinoma with tyrosine kinase inhibitors as first-line target therapy. <i>International Urology and Nephrology</i> , 2017, 49, 1955-1963. | 0.6 | 20        |
| 46 | Tumor-educated B cells promote renal cancer metastasis via inducing the IL-1 $\beta$ /HIF-2 $\alpha$ /Notch1 signals. <i>Cell Death and Disease</i> , 2020, 11, 163.   | 2.7 | 20        |
| 47 | Mesenchymal stem cells overexpressing lh promote bone repair. <i>Journal of Orthopaedic Surgery and Research</i> , 2014, 9, 102.   | 0.9 | 19        |
| 48 | c-Myc modulates glucose metabolism via regulation of miR-184/PKM2 pathway in clear-cell renal cell carcinoma. <i>International Journal of Oncology</i> , 2016, 49, 1569-1575.  | 1.4 | 18        |
| 49 | Comparison of efficacy, safety, and quality of life between sorafenib and sunitinib as first-line therapy for Chinese patients with metastatic renal cell carcinoma. <i>Chinese Journal of Cancer</i> , 2017, 36, 64.  | 4.9 | 18        |
| 50 | Sphingosine kinase 1 overexpression contributes to sunitinib resistance in clear cell renal cell carcinoma. <i>Oncotarget</i> , 2018, 7, e1502130.   | 2.1 | 18        |
| 51 | Sphingosine kinase 1 is overexpressed and promotes adrenocortical carcinoma progression. <i>Oncotarget</i> , 2016, 7, 3233-3244.   | 0.8 | 17        |
| 52 | Endothelial Nitric Oxide Synthase (eNOS) T-786C, 4a4b, and G894T Polymorphisms and Male Infertility: Study for Idiopathic Asthenozoospermia and Meta-Analysis. <i>Biology of Reproduction</i> , 2015, 92, 38.  | 1.2 | 16        |
| 53 | Decreased ANGPTL4 impairs endometrial angiogenesis during peri-implantation period in patients with recurrent implantation failure. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 10730-10743.   | 1.6 | 16        |
| 54 | Decreased TSPAN1 promotes prostate cancer progression and is a marker for early biochemical recurrence after radical prostatectomy. <i>Oncotarget</i> , 2016, 7, 63294-63305.  | 0.8 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The selective MEK1 inhibitor Selumetinib enhances the antitumor activity of everolimus against renal cell carcinoma <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2017, 8, 20825-20833.         | 0.8 | 15        |
| 56 | Axitinib versus sorafenib as a second-line therapy in Asian patients with metastatic renal cell carcinoma: results from a randomized registrational study. <i>OncoTargets and Therapy</i> , 2015, 8, 1363. | 1.0 | 14        |
| 57 | Comparison of efficacy and safety among axitinib, sunitinib, and sorafenib as neoadjuvant therapy for renal cell carcinoma: a retrospective study. <i>Cancer Communications</i> , 2019, 39, 1-4.           | 3.7 | 14        |
| 58 | miR-30a-3p inhibits renal cancer cell invasion and metastasis through targeting ATG12. <i>Translational Andrology and Urology</i> , 2020, 9, 646-653.  | 0.6 | 14        |
| 59 | Age-Specific Cutoff Value for the Application of Percent Free Prostate-Specific Antigen (PSA) in Chinese Men with Serum PSA Levels of 4.0–10.0 ng/ml. <i>PLoS ONE</i> , 2015, 10, e0130308.                | 1.1 | 14        |
| 60 | Co-Expression of Stem Cell and Epithelial Mesenchymal Transition Markers in Circulating Tumor Cells of Bladder Cancer Patients. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 10739-10748.             | 1.0 | 13        |
| 61 | The role of stearyl-coenzyme A desaturase 1 in clear cell renal cell carcinoma. <i>Tumor Biology</i> , 2016, 37, 479-489.  | 0.8 | 12        |
| 62 | ERK Inhibitor Enhances Everolimus Efficacy through the Attenuation of dNTP Pools in Renal Cell Carcinoma. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 14, 550-561.                                    | 2.3 | 12        |
| 63 | Pazopanib versus sunitinib in Chinese patients with locally advanced or metastatic renal cell carcinoma: pooled subgroup analysis from the randomized, COMPARZ studies. <i>BMC Cancer</i> , 2020, 20, 219. | 1.1 | 12        |
| 64 | Dual Targeting of Endoplasmic Reticulum by Redox-Deubiquitination Regulation for Cancer Therapy. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 5193-5209.                                | 3.3 | 12        |
| 65 | Development and evaluation of a novel series of Nitroxoline-derived BET inhibitors with antitumor activity in renal cell carcinoma. <i>Oncogenesis</i> , 2018, 7, 83.                                      | 2.1 | 10        |
| 66 | Sunitinib or Sorafenib as Neoadjuvant Therapy May not Improve the Survival Outcomes of Renal Cell Carcinoma with Tumor Thrombus. <i>Urologia Internationalis</i> , 2018, 101, 391-399.                     | 0.6 | 10        |
| 67 | Preoperative Anemia as an Independent Prognostic Indicator of Papillary Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e353-e360.  | 0.9 | 9         |
| 68 | Transitional cell carcinoma with extension of the renal vein and IVC tumor thrombus: report of three cases and literature review. <i>World Journal of Surgical Oncology</i> , 2016, 14, 309.               | 0.8 | 9         |
| 69 | Overexpression of cannabinoid receptor 1 promotes renal cell carcinoma progression. <i>Tumor Biology</i> , 2016, 37, 16237-16247.  | 0.8 | 9         |
| 70 | Association of post-treatment hypoalbuminemia and survival in Chinese patients with metastatic renal cell carcinoma. <i>Chinese Journal of Cancer</i> , 2017, 36, 47.                                      | 4.9 | 8         |
| 71 | Association of MAMLD1 single-nucleotide polymorphisms with hypospadias in Chinese Han population. <i>Frontiers in Bioscience - Landmark</i> , 2017, 22, 1173-1176.   | 3.0 | 8         |
| 72 | Chinese guidelines on the management of renal cell carcinoma (2015 edition). <i>Chinese Clinical Oncology</i> , 2016, 5, 12.   | 0.4 | 8         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Comparing renal function preservation after laparoscopic radio frequency ablation assisted tumor enucleation and laparoscopic partial nephrectomy for clinical T1a renal tumor: using a 3D parenchyma measurement system. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 905-912. | 1.2 | 7         |
| 74 | Abiraterone acetate for chemotherapy-naive metastatic castration-resistant prostate cancer: a single-centre prospective study of efficacy, safety, and prognostic factors. <i>BMC Urology</i> , 2018, 18, 110.  | 0.6 | 7         |
| 75 | Dysregulation of collagen expression in peri-implantation endometrium of women with high ovarian response. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 1035-1044.   | 0.6 | 7         |
| 76 | Comparison of PFS and safety for Asian compared to North American and European populations in the phase III trial of pazopanib versus sunitinib in patients with treatment-naive RCC (COMPARZ).. <i>Journal of Clinical Oncology</i> , 2013, 31, 366-366.   | 0.8 | 7         |
| 77 | Downregulation of circ-TRPS1 suppressed prostatic cancer prognoses by regulating miR-124-3p/EZH2 axis-mediated stemness. <i>American Journal of Cancer Research</i> , 2020, 10, 4372-4385.  | 1.4 | 7         |
| 78 | Percent free prostate-specific antigen for prostate cancer diagnosis in Chinese men with a PSA of 4.0-10.0ng/mL: Results from the Chinese Prostate Cancer Consortium. <i>Asian Journal of Urology</i> , 2015, 2, 107-113.   | 0.5 | 6         |
| 79 | Zero ischemia laparoscopic microwave ablation assisted enucleation vs. laparoscopic partial nephrectomy in clinical T1a renal tumor: a randomized clinical trial. <i>Translational Cancer Research</i> , 2020, 9, 194-202.  | 0.4 | 6         |
| 80 | Comprehensive Genomic Landscape in Chinese Clear Cell Renal Cell Carcinoma Patients. <i>Frontiers in Oncology</i> , 2021, 11, 697219.   | 1.3 | 5         |
| 81 | Exfoliative esophagitis in a patient with metastatic renal cell carcinoma during sunitinib treatment. <i>Medical Oncology</i> , 2013, 30, 436.  | 1.2 | 4         |
| 82 | Spherical cap surface model: A novel method for predicting renal function after partial nephrectomy. <i>International Journal of Urology</i> , 2016, 23, 667-672.   | 0.5 | 4         |
| 83 | Comparison Between 1-Day and Inpatient Procedure of Holmium Laser Enucleation in Patients With Benign Prostate Hyperplasia. <i>American Journal of Men's Health</i> , 2019, 13, 155798831989448.  | 0.7 | 4         |
| 84 | Clinical outcomes of second-line treatment following first-line VEGFR-TKI failure in patients with metastatic renal cell carcinoma: a comparison of axitinib alone and axitinib plus anti-VEGF antibody. <i>Cancer Communications</i> , 2021, 41, 1071-1074.  | 3.7 | 4         |
| 85 | Expression of PBRM1 as a prognostic predictor in metastatic renal cell carcinoma patients treated with tyrosine kinase inhibitor. <i>International Journal of Clinical Oncology</i> , 2020, 25, 338-346.  | 1.0 | 3         |
| 86 | View changes and educational demands on sexual/reproductive health of students at Shanghai Jiaotong University. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 16414-23.   | 1.3 | 3         |
| 87 | Depletion of astrocyte elevated gene-1 suppresses tumorigenesis through inhibition of Akt activity in bladder cancer cells. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 5422-5431.  | 0.0 | 3         |
| 88 | Re: Characterization of Clinical Cases of Advanced Papillary Renal Cell Carcinoma via Comprehensive Genomic Profiling. <i>European Urology</i> , 2018, 74, 398-399.   | 0.9 | 2         |
| 89 | Sorafenib treatment of Asian patients with advanced renal cell carcinoma (RCC) in daily practice: Subset analysis of the large non-interventional PREDICT study.. <i>Journal of Clinical Oncology</i> , 2012, 30, 4628-4628.  | 0.8 | 2         |
| 90 | Influence of American Society of Anesthesiologists Score on Oncologic Outcomes in Patients With Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy: A Large-Sample Study in Two Institutions. <i>Frontiers in Oncology</i> , 2021, 11, 723669.   | 1.3 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Second-line treatment with axitinib plus toripalimab in metastatic renal cell carcinoma: a retrospective multicenter study. <i>Future Oncology</i> , 2022, 18, 1461-1471.   | 1.1 | 2         |
| 92  | Overactive bladder symptom score to evaluate efficacy of solifenacin for the treatment of overactive bladder symptoms. <i>Chinese Medical Journal</i> , 2014, 127, 261-5.   | 0.9 | 2         |
| 93  | Prospective Clinical Trial of the Oncologic Outcomes and Safety of Extraperitoneal Laparoscopic Extended Retroperitoneal Lymph Node Dissection at Time of Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2022, 12, 791140. | 1.3 | 2         |
| 94  | TKI2 is upregulated and plays an oncogenic role in renal cell carcinoma. <i>Oncotarget</i> , 2016, 7, 17212-17219.  | 0.8 | 1         |
| 95  | Axitinib versus sorafenib as secondâ€line therapy in Asian patients with metastatic renal cell carcinoma (mRCC): Results from a registrational study.. <i>Journal of Clinical Oncology</i> , 2012, 30, LBA4537-LBA4537.   | 0.8 | 1         |
| 96  | SERS measurement of the bladder cancer cells with the nanoparticles. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2015, 28, 1853-6.   | 0.2 | 1         |
| 97  | Longitudinal personalized urinary tumor DNA analysis in muscle-invasive bladder cancer from the neoadjuvant immunotherapy trial RJBLC-I2N003.. <i>Journal of Clinical Oncology</i> , 2022, 40, 552-552.   | 0.8 | 1         |
| 98  | DNA damage repair (DDR) pathway alteration in advanced renal cell carcinoma (RCC) is association with good progression-free survival with tyrosine kinase inhibitor (TKI) therapy.. <i>Journal of Clinical Oncology</i> , 2021, 39, 346-346.                        | 0.8 | 0         |
| 99  | Axitinib versus sorafenib as secondâ€line therapy in Asian patients with metastatic renal cell carcinoma (mRCC): Results from a registrational study.. <i>Journal of Clinical Oncology</i> , 2012, 30, LBA4537-LBA4537.   | 0.8 | 0         |
| 100 | Cognitive Function after Cardiopulmonary Bypass and Deep Hypothermic Circulatory Arrest in Management of Renal Cell Carcinoma with Vena Caval Thrombus. <i>Urology</i> , 2022, , .  | 0.5 | 0         |