

# Yiran Huang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/880366/publications.pdf>

Version: 2024-02-01

100  
papers

2,264  
citations

236833

25  
h-index

289141

40  
g-index

106  
all docs

106  
docs citations

106  
times ranked

3793  
citing authors

#	ARTICLE	IF	CITATIONS
1	Second-line treatment with axitinib plus toripalimab in metastatic renal cell carcinoma: a retrospective multicenter study. <i>Future Oncology</i> , 2022, 18, 1461-1471.	1.1	2
2	Longitudinal personalized urinary tumor DNA analysis in muscle-invasive bladder cancer from the neoadjuvant immunotherapy trial RJBLC-12N003.. <i>Journal of Clinical Oncology</i> , 2022, 40, 552-552.	0.8	1
3	Prospective Clinical Trial of the Oncologic Outcomes and Safety of Extraperitoneal Laparoscopic Extended Retroperitoneal Lymph Node Dissection at Time of Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2022, 12, 791140.	1.3	2
4	Cognitive Function after Cardiopulmonary Bypass and Deep Hypothermic Circulatory Arrest in Management of Renal Cell Carcinoma with Vena Caval Thrombus. <i>Urology</i> , 2022, , .	0.5	0
5	SUV39H1 deficiency suppresses clear cell renal cell carcinoma growth by inducing ferroptosis. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 406-419.	5.7	56
6	PRMT1 is a novel molecular therapeutic target for clear cell renal cell carcinoma. <i>Theranostics</i> , 2021, 11, 5387-5403.	4.6	36
7	DNA damage repair (DDR) pathway alteration in advanced renal cell carcinoma (RCC) is association with good progression-free survival with tyrosine kinase inhibitor (TKI) therapy.. <i>Journal of Clinical Oncology</i> , 2021, 39, 346-346.	0.8	0
8	Hypoxia-induced lncHILAR promotes renal cancer metastasis via ceRNA for the miR-613/206/1-1-3p/Jagged-1/Notch/CXCR4 signaling pathway. <i>Molecular Therapy</i> , 2021, 29, 2979-2994.	3.7	48
9	Dual Targeting of Endoplasmic Reticulum by Redox-Deubiquitination Regulation for Cancer Therapy. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 5193-5209.	3.3	12
10	Clinical outcomes of secondâ€line treatment following firstâ€line VEGFRâ€TKI failure in patients with metastatic renal cell carcinoma: a comparison of axitinib alone and axitinib plus antiâ€PDâ€1 antibody. <i>Cancer Communications</i> , 2021, 41, 1071-1074.	3.7	4
11	Comprehensive Genomic Landscape in Chinese Clear Cell Renal Cell Carcinoma Patients. <i>Frontiers in Oncology</i> , 2021, 11, 697219.	1.3	5
12	Influence of American Society of Anesthesiologists Score on Oncologic Outcomes in Patients With Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy: A Large-Sample Study in Two Institutions. <i>Frontiers in Oncology</i> , 2021, 11, 723669.	1.3	2
13	Upregulated KDM4B promotes prostate cancer cell proliferation by activating autophagy. <i>Journal of Cellular Physiology</i> , 2020, 235, 2129-2138.	2.0	27
14	Expression of PBRM1 as a prognostic predictor in metastatic renal cell carcinoma patients treated with tyrosine kinase inhibitor. <i>International Journal of Clinical Oncology</i> , 2020, 25, 338-346.	1.0	3
15	PRKAR2Bâ€HIFâ€1Î± loop promotes aerobic glycolysis and tumour growth in prostate cancer. <i>Cell Proliferation</i> , 2020, 53, e12918.	2.4	36
16	Decreased ANGPTL4 impairs endometrial angiogenesis during periâ€implantation period in patients with recurrent implantation failure. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 10730-10743.	1.6	16
17	circPTCH1 promotes invasion and metastasis in renal cell carcinoma via regulating miR-485-5p/MMP14 axis. <i>Theranostics</i> , 2020, 10, 10791-10807.	4.6	55
18	miR-30a-3p inhibits renal cancer cell invasion and metastasis through targeting ATG12. <i>Translational Andrology and Urology</i> , 2020, 9, 646-653.	0.6	14

#	ARTICLE	IF	CITATIONS
19	Zero ischemia laparoscopic microwave ablation assisted enucleation vs. laparoscopic partial nephrectomy in clinical T1a renal tumor: a randomized clinical trial. <i>Translational Cancer Research</i> , 2020, 9, 194-202.	0.4	6
20	Pazopanib versus sunitinib in Chinese patients with locally advanced or metastatic renal cell carcinoma: pooled subgroup analysis from the randomized, COMPARZ studies. <i>BMC Cancer</i> , 2020, 20, 219.	1.1	12
21	Tumor-educated B cells promote renal cancer metastasis via inducing the IL-1 $\beta$ /HIF-2 $\beta$ /Notch1 signals. <i>Cell Death and Disease</i> , 2020, 11, 163.	2.7	20
22	Programming bulk enzyme heterojunctions for biosensor development with tetrahedral DNA framework. <i>Nature Communications</i> , 2020, 11, 838.	5.8	84
23	Transcriptional regulation of PRKAR2B by miR-200b-3p/200c-3p and XBP1 in human prostate cancer. <i>Biomedicine and Pharmacotherapy</i> , 2020, 124, 109863.	2.5	26
24	Co-Expression of Stem Cell and Epithelial Mesenchymal Transition Markers in Circulating Tumor Cells of Bladder Cancer Patients. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 10739-10748.	1.0	13
25	Downregulation of circ-TRPS1 suppressed prostatic cancer prognoses by regulating miR-124-3p/EZH2 axis-mediated stemness. <i>American Journal of Cancer Research</i> , 2020, 10, 4372-4385.	1.4	7
26	Comparison of efficacy and safety among axitinib, sunitinib, and sorafenib as neoadjuvant therapy for renal cell carcinoma: a retrospective study. <i>Cancer Communications</i> , 2019, 39, 1-4.	3.7	14
27	CXCL1-LCN2 paracrine axis promotes progression of prostate cancer via the Src activation and epithelial-mesenchymal transition. <i>Cell Communication and Signaling</i> , 2019, 17, 118.	2.7	64
28	The m6A-suppressed P2RX6 activation promotes renal cancer cells migration and invasion through ATP-induced Ca <sup>2+</sup> influx modulating ERK1/2 phosphorylation and MMP9 signaling pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 233.	3.5	82
29	A positive feed-forward loop between LncRNA-URRCC and EGFL7/P-AKT/FOXO3 signaling promotes proliferation and metastasis of clear cell renal cell carcinoma. <i>Molecular Cancer</i> , 2019, 18, 81.	7.9	71
30	ERK Inhibitor Enhances Everolimus Efficacy through the Attenuation of dNTP Pools in Renal Cell Carcinoma. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 14, 550-561.	2.3	12
31	Dysregulation of collagen expression in peri-implantation endometrium of women with high ovarian response. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 1035-1044.	0.6	7
32	Comparison Between 1-Day and Inpatient Procedure of Holmium Laser Enucleation in Patients With Benign Prostate Hyperplasia. <i>American Journal of Men's Health</i> , 2019, 13, 155798831989448.	0.7	4
33	LSD1 inhibition suppresses the growth of clear cell renal cell carcinoma via upregulating P21 signaling. <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 324-334.	5.7	44
34	Re: Characterization of Clinical Cases of Advanced Papillary Renal Cell Carcinoma via Comprehensive Genomic Profiling. <i>European Urology</i> , 2018, 74, 398-399.	0.9	2
35	Postoperative D-dimer predicts venous thromboembolism in patients undergoing urologic tumor surgery. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 307.e15-307.e21.	0.8	25
36	Cannabinoid receptor 2 as a novel target for promotion of renal cell carcinoma prognosis and progression. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 39-52.	1.2	22

#	ARTICLE	IF	CITATIONS
37	Development and evaluation of a novel series of Nitroxoline-derived BET inhibitors with antitumor activity in renal cell carcinoma. <i>Oncogenesis</i> , 2018, 7, 83.	2.1	10
38	Abiraterone acetate for chemotherapy-naïve metastatic castration-resistant prostate cancer: a single-centre prospective study of efficacy, safety, and prognostic factors. <i>BMC Urology</i> , 2018, 18, 110.	0.6	7
39	Sphingosine kinase 1 overexpression contributes to sunitinib resistance in clear cell renal cell carcinoma. <i>OncImmunity</i> , 2018, 7, e1502130.	2.1	18
40	Sunitinib or Sorafenib as Neoadjuvant Therapy May not Improve the Survival Outcomes of Renal Cell Carcinoma with Tumor Thrombus. <i>Urologia Internationalis</i> , 2018, 101, 391-399.	0.6	10
41	PRKAR2B promotes prostate cancer metastasis by activating Wnt/ $\beta$ -catenin and inducing epithelial-mesenchymal transition. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 7319-7327.	1.2	31
42	MiR-532-5p suppresses renal cancer cell proliferation by disrupting the ETS1-mediated positive feedback loop with the KRAS-NAP1L1/P-ERK axis. <i>British Journal of Cancer</i> , 2018, 119, 591-604.	2.9	63
43	Insulinoma-associated protein 1 is a novel sensitive and specific marker for small cell carcinoma of the prostate. <i>Human Pathology</i> , 2018, 79, 151-159.	1.1	49
44	Curcumin inhibits cell proliferation and motility via suppression of TROP2 in bladder cancer cells. <i>International Journal of Oncology</i> , 2018, 53, 515-526.	1.4	34
45	miRNA-335-5p negatively regulates granulosa cell proliferation via SGK3 in PCOS. <i>Reproduction</i> , 2018, 156, 439-449.	1.1	27
46	Pretreatment Serum Prealbumin as an Independent Prognostic Indicator in Patients With Metastatic Renal Cell Carcinoma Using Tyrosine Kinase Inhibitors as First-Line Target Therapy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e437-e446.	0.9	27
47	A phase 3, double-blind, randomized placebo-controlled efficacy and safety study of abiraterone acetate in chemotherapy-naïve patients with mCRPC in China, Malaysia, Thailand and Russia. <i>Asian Journal of Urology</i> , 2017, 4, 75-85.	0.5	23
48	Activation of Notch pathway is linked with epithelial-mesenchymal transition in prostate cancer cells. <i>Cell Cycle</i> , 2017, 16, 999-1007.	1.3	51
49	Comparing renal function preservation after laparoscopic radio frequency ablation assisted tumor enucleation and laparoscopic partial nephrectomy for clinical T1a renal tumor: using a 3D parenchyma measurement system. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 905-912.	1.2	7
50	Significance of preoperative prognostic nutrition index as prognostic predictors in patients with metastatic renal cell carcinoma with tyrosine kinase inhibitors as first-line target therapy. <i>International Urology and Nephrology</i> , 2017, 49, 1955-1963.	0.6	20
51	Preoperative prognostic nutritional index is a significant predictor of survival in patients with localized upper tract urothelial carcinoma after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 671.e1-671.e9.	0.8	26
52	Association of post-treatment hypoalbuminemia and survival in Chinese patients with metastatic renal cell carcinoma. <i>Chinese Journal of Cancer</i> , 2017, 36, 47.	4.9	8
53	Prostate Specific Antigen and Prostate Cancer in Chinese Men Undergoing Initial Prostate Biopsies Compared with Western Cohorts. <i>Journal of Urology</i> , 2017, 197, 90-96.	0.2	44
54	The selective MEK1 inhibitor Selumetinib enhances the antitumor activity of everolimus against renal cell carcinoma <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2017, 8, 20825-20833.	0.8	15

#	ARTICLE	IF	CITATIONS
55	Comparison of efficacy, safety, and quality of life between sorafenib and sunitinib as first-line therapy for Chinese patients with metastatic renal cell carcinoma. <i>Chinese Journal of Cancer</i> , 2017, 36, 64.	4.9	18
56	Association of MAMLD1 single-nucleotide polymorphisms with hypospadias in Chinese Han population. <i>Frontiers in Bioscience - Landmark</i> , 2017, 22, 1173-1176.	3.0	8
57	Prognostic value of preoperative plasma fibrinogen level and platelet-to-lymphocyte ratio (F-PLR) in patients with localized upper tract urothelial carcinoma. <i>Oncotarget</i> , 2017, 8, 36761-36771.	0.8	26
58	Preoperative serum pre-albumin as an independent prognostic indicator in patients with localized upper tract urothelial carcinoma after radical nephroureterectomy. <i>Oncotarget</i> , 2017, 8, 36772-36779.	0.8	31
59	PRKAR2B plays an oncogenic role in the castration-resistant prostate cancer. <i>Oncotarget</i> , 2017, 8, 6114-6129.	0.8	21
60	Depletion of astrocyte elevated gene-1 suppresses tumorigenesis through inhibition of Akt activity in bladder cancer cells. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 5422-5431.	0.0	3
61	TIKI2 is upregulated and plays an oncogenic role in renal cell carcinoma. <i>Oncotarget</i> , 2016, 7, 17212-17219.	0.8	1
62	High Expression of Stearoyl-CoA Desaturase 1 Predicts Poor Prognosis in Patients with Clear-Cell Renal Cell Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0166231.	1.1	31
63	Spherical cap surface model: A novel method for predicting renal function after partial nephrectomy. <i>International Journal of Urology</i> , 2016, 23, 667-672.	0.5	4
64	Abiraterone acetate for metastatic castration-resistant prostate cancer after docetaxel failure: A randomized, double-blind, placebo-controlled phase 3 bridging study. <i>International Journal of Urology</i> , 2016, 23, 404-411.	0.5	26
65	c-Myc modulates glucose metabolism via regulation of miR-184/PKM2 pathway in clear-cell renal cell carcinoma. <i>International Journal of Oncology</i> , 2016, 49, 1569-1575.	1.4	18
66	Transitional cell carcinoma with extension of the renal vein and IVC tumor thrombus: report of three cases and literature review. <i>World Journal of Surgical Oncology</i> , 2016, 14, 309.	0.8	9
67	Platelet to lymphocyte ratio as an independent prognostic indicator for prostate cancer patients receiving androgen deprivation therapy. <i>BMC Cancer</i> , 2016, 16, 329.	1.1	26
68	The influence of genetic variants of sorafenib on clinical outcomes and toxic effects in patients with advanced renal cell carcinoma. <i>Scientific Reports</i> , 2016, 6, 20089.	1.6	22
69	Overexpression of cannabinoid receptor 1 promotes renal cell carcinoma progression. <i>Tumor Biology</i> , 2016, 37, 16237-16247.	0.8	9
70	Comparing Zero Ischemia Laparoscopic Radio Frequency Ablation Assisted Tumor Enucleation and Laparoscopic Partial Nephrectomy for Clinical T1a Renal Tumor: A Randomized Clinical Trial. <i>Journal of Urology</i> , 2016, 195, 1677-1683.	0.2	30
71	The role of stearoyl-coenzyme A desaturase 1 in clear cell renal cell carcinoma. <i>Tumor Biology</i> , 2016, 37, 479-489.	0.8	12
72	Prediction and diagnosis of renal cell carcinoma using nuclear magnetic resonance-based serum metabolomics and self-organizing maps. <i>Oncotarget</i> , 2016, 7, 59189-59198.	0.8	58

#	ARTICLE	IF	CITATIONS
73	Decreased TSPAN1 promotes prostate cancer progression and is a marker for early biochemical recurrence after radical prostatectomy. <i>Oncotarget</i> , 2016, 7, 63294-63305.	0.8	16
74	SENP1 promotes proliferation of clear cell renal cell carcinoma through activation of glycolysis. <i>Oncotarget</i> , 2016, 7, 80435-80449.	0.8	24
75	Sphingosine kinase 1 is overexpressed and promotes adrenocortical carcinoma progression. <i>Oncotarget</i> , 2016, 7, 3233-3244.	0.8	17
76	Chinese guidelines on the management of renal cell carcinoma (2015 edition). <i>Chinese Clinical Oncology</i> , 2016, 5, 12.	0.4	8
77	Axitinib versus sorafenib as a second-line therapy in Asian patients with metastatic renal cell carcinoma: results from a randomized registrational study. <i>OncoTargets and Therapy</i> , 2015, 8, 1363.	1.0	14
78	Preoperative Neutrophil-to-Lymphocyte Ratio and Neutrophilia Are Independent Predictors of Recurrence in Patients with Localized Papillary Renal Cell Carcinoma. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	24
79	Percent free prostate-specific antigen for prostate cancer diagnosis in Chinese men with a PSA of 4.0–10.0 ng/mL: Results from the Chinese Prostate Cancer Consortium. <i>Asian Journal of Urology</i> , 2015, 2, 107-113.	0.5	6
80	Endothelial Nitric Oxide Synthase (eNOS) T-786C, 4a4b, and G894T Polymorphisms and Male Infertility: Study for Idiopathic Asthenozoospermia and Meta-Analysis1. <i>Biology of Reproduction</i> , 2015, 92, 38.	1.2	16
81	Preoperative Anemia as an Independent Prognostic Indicator of Papillary Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e353-e360.	0.9	9
82	Molecular Mechanism underlying PRMT1 Dimerization for SAM Binding and Methylase Activity. <i>Journal of Chemical Information and Modeling</i> , 2015, 55, 2623-2632.	2.5	30
83	Catalpol Inhibited the Proliferation of T24 Human Bladder Cancer Cells by Inducing Apoptosis Through the Blockade of Akt-Mediated Anti-apoptotic Signaling. <i>Cell Biochemistry and Biophysics</i> , 2015, 71, 1349-1356.	0.9	29
84	Age-Specific Cutoff Value for the Application of Percent Free Prostate-Specific Antigen (PSA) in Chinese Men with Serum PSA Levels of 4.0–10.0 ng/ml. <i>PLoS ONE</i> , 2015, 10, e0130308.	1.1	14
85	View changes and educational demands on sexual/reproductive health of students at Shanghai Jiaotong University. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 16414-23.	1.3	3
86	SERS measurement of the bladder cancer cells with the nanoparticles. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2015, 28, 1853-6.	0.2	1
87	Incidental Prostate Cancer at the Time of Cystectomy: The Incidence and Clinicopathological Features in Chinese Patients. <i>PLoS ONE</i> , 2014, 9, e94490.	1.1	20
88	Mesenchymal stem cells overexpressing Ihh promote bone repair. <i>Journal of Orthopaedic Surgery and Research</i> , 2014, 9, 102.	0.9	19
89	Prostate cancer in Asia: A collaborative report. <i>Asian Journal of Urology</i> , 2014, 1, 15-29.	0.5	136
90	Raman spectroscopy as an ex vivo noninvasive approach to distinguish complete and incomplete spermatogenesis within human seminiferous tubules. <i>Fertility and Sterility</i> , 2014, 102, 54-60.e2.	0.5	22

#	ARTICLE	IF	CITATIONS
91	miR-199a-3p inhibits hepatocyte growth factor/c-Met signaling in renal cancer carcinoma. <i>Tumor Biology</i> , 2014, 35, 5833-5843.	0.8	40
92	Knockdown of ubiquitin associated protein 2-like inhibits the growth and migration of prostate cancer cells. <i>Oncology Reports</i> , 2014, 32, 1578-1584.	1.2	28
93	Overactive bladder symptom score to evaluate efficacy of solifenacin for the treatment of overactive bladder symptoms. <i>Chinese Medical Journal</i> , 2014, 127, 261-5.	0.9	2
94	Effect of remote ischaemic preconditioning on renal protection in patients undergoing laparoscopic partial nephrectomy: a "blinded" randomised controlled trial. <i>BJU International</i> , 2013, 112, 74-80.	1.3	45
95	Exfoliative esophagitis in a patient with metastatic renal cell carcinoma during sunitinib treatment. <i>Medical Oncology</i> , 2013, 30, 436.	1.2	4
96	Hypoxia-induced downregulation of miR-30c promotes epithelial-mesenchymal transition in human renal cell carcinoma. <i>Cancer Science</i> , 2013, 104, 1609-1617.	1.7	69
97	Comparison of PFS and safety for Asian compared to North American and European populations in the phase III trial of pazopanib versus sunitinib in patients with treatment-naive RCC (COMPARZ).. <i>Journal of Clinical Oncology</i> , 2013, 31, 366-366.	0.8	7
98	Sorafenib treatment of Asian patients with advanced renal cell carcinoma (RCC) in daily practice: Subset analysis of the large non-interventional PREDICT study.. <i>Journal of Clinical Oncology</i> , 2012, 30, 4628-4628.	0.8	2
99	Axitinib versus sorafenib as second-line therapy in Asian patients with metastatic renal cell carcinoma (mRCC): Results from a registrational study.. <i>Journal of Clinical Oncology</i> , 2012, 30, LBA4537-LBA4537.	0.8	1
100	Axitinib versus sorafenib as second-line therapy in Asian patients with metastatic renal cell carcinoma (mRCC): Results from a registrational study.. <i>Journal of Clinical Oncology</i> , 2012, 30, LBA4537-LBA4537.	0.8	0