
Helena M Solo-Gabriele

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8803837/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Sources of <i>Escherichia coli</i> in a Coastal Subtropical Environment. Applied and Environmental Microbiology, 2000, 66, 230-237. | 1.4 | 405 |
| 2 | Influence of Soil on Fecal Indicator Organisms in a Tidally Influenced Subtropical Environment. Applied and Environmental Microbiology, 2002, 68, 1165-1172. | 1.4 | 365 |
| 3 | Monitoring marine recreational water quality using multiple microbial indicators in an urban tropical environment. Water Research, 2004, 38, 3119-3131. | 5.3 | 178 |
| 4 | The coastal environment and human health: microbial indicators, pathogens, sentinels and reservoirs. Environmental Health, 2008, 7, S3. | 1.7 | 168 |
| 5 | Presence of Pathogens and Indicator Microbes at a Non-Point Source Subtropical Recreational Marine Beach. Applied and Environmental Microbiology, 2010, 76, 724-732. | 1.4 | 159 |
| 6 | Quantitative evaluation of bacteria released by bathers in a marine water. Water Research, 2007, 41, 3-10. | 5.3 | 144 |
| 7 | Microbes in beach sands: integrating environment, ecology and public health. Reviews in Environmental Science and Biotechnology, 2014, 13, 329-368. | 3.9 | 127 |
| 8 | The BEACHES Study: health effects and exposures from non-point source microbial contaminants in subtropical recreational marine waters. International Journal of Epidemiology, 2010, 39, 1291-1298. | 0.9 | 123 |
| 9 | Traditional and molecular analyses for fecal indicator bacteria in non-point source subtropical recreational marine waters. Water Research, 2010, 44, 3763-3772. | 5.3 | 122 |
| 10 | Faecal indicator bacteria enumeration in beach sand: a comparison study of extraction methods in medium to coarse sands. Journal of Applied Microbiology, 2009, 107, 1740-1750. | 1.4 | 117 |
| 11 | Microbial load from animal feces at a recreational beach. Marine Pollution Bulletin, 2009, 58, 1649-1656. | 2.3 | 112 |
| 12 | Leaching of CCA-treated wood: implications for waste disposal. Journal of Hazardous Materials, 2004, 114, 75-91. | 6.5 | 94 |
| 13 | Release of Arsenic to the Environment from CCA-Treated Wood. 1. Leaching and Speciation during Service. Environmental Science & amp; Technology, 2006, 40, 988-993. | 4.6 | 94 |
| 14 | Release of Arsenic to the Environment from CCA-Treated Wood. 2. Leaching and Speciation during Disposal. Environmental Science & Technology, 2006, 40, 994-999. | 4.6 | 94 |
| 15 | Children's Exposure to Arsenic from CCAâ€Treated Wooden Decks and Playground Structures. Risk Analysis, 2004, 24, 51-64. | 1.5 | 83 |
| 16 | Indicator microbes correlate with pathogenic bacteria, yeasts and helminthes in sand at a subtropical recreational beach site. Journal of Applied Microbiology, 2011, 110, 1571-1583. | 1.4 | 82 |
| 17 | Evaluation of XRF and LIBS technologies for on-line sorting of CCA-treated wood waste. Waste Management, 2004, 24, 413-424. | 3.7 | 80 |
| 18 | Beach sand and the potential for infectious disease transmission: observations and recommendations. Journal of the Marine Biological Association of the United Kingdom, 2016, 96, 101-120. | 0.4 | 80 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Characteristics of chromated copper arsenate-treated wood ash. Journal of Hazardous Materials, 2002, 89, 213-232. | 6.5 | 75 |
| 20 | Preservative leaching from weathered CCA-treated wood. Journal of Environmental Management, 2005, 75, 105-113. | 3.8 | 75 |
| 21 | Relationships between sand and water quality at recreational beaches. Water Research, 2011, 45, 6763-6769. | 5.3 | 68 |
| 22 | Shedding of Staphylococcus aureus and methicillin-resistant Staphylococcus aureus from adult and pediatric bathers in marine waters. BMC Microbiology, 2011, 11, 5. | 1.3 | 68 |
| 23 | Waste type, incineration, and aeration are associated with per- and polyfluoroalkyl levels in landfill leachates. Waste Management, 2020, 107, 191-200. | 3.7 | 67 |
| 24 | U.S. Recreational Water Quality Criteria: A Vision for the Future. International Journal of Environmental Research and Public Health, 2015, 12, 7752-7776. | 1.2 | 66 |
| 25 | A Review of the Field on Children's Exposure to Environmental Contaminants: A Risk Assessment Approach. International Journal of Environmental Research and Public Health, 2017, 14, 265. | 1.2 | 66 |
| 26 | A water quality modeling study of non-point sources at recreational marine beaches. Water Research, 2011, 45, 2985-2995. | 5.3 | 65 |
| 27 | Spatial and temporal variation in indicator microbe sampling is influential in beach management decisions. Water Research, 2012, 46, 2237-2246. | 5.3 | 65 |
| 28 | Correlations between microbial indicators, pathogens, and environmental factors in a subtropical Estuary. Marine Pollution Bulletin, 2009, 58, 1374-1381. | 2.3 | 60 |
| 29 | Relationship between Enterococcal Levels and Sediment Biofilms at Recreational Beaches in South Florida. Applied and Environmental Microbiology, 2012, 78, 5973-5982. | 1.4 | 59 |
| 30 | Relative Leaching and Aquatic Toxicity of Pressure-Treated Wood Products Using Batch Leaching Tests. Environmental Science & Technology, 2005, 39, 155-163. | 4.6 | 54 |
| 31 | Impacts of a changing earth on microbial dynamics and human health risks in the continuum between beach water and sand. Water Research, 2019, 162, 456-470. | 5.3 | 53 |
| 32 | Impact of chromated copper arsenate (CCA) in wood mulch. Science of the Total Environment, 2003, 309, 173-185. | 3.9 | 52 |
| 33 | CCA-Treated wood disposed in landfills and life-cycle trade-offs with waste-to-energy and MSW landfill disposal. Waste Management, 2007, 27, S21-S28. | 3.7 | 51 |
| 34 | Field-scale leaching of arsenic, chromium and copper from weathered treated wood. Environmental Pollution, 2010, 158, 1479-1486. | 3.7 | 51 |
| 35 | Evaluation of Conventional and Alternative Monitoring Methods for a Recreational Marine Beach with Nonpoint Source of Fecal Contamination. Environmental Science & Technology, 2010, 44, 8175-8181. | 4.6 | 51 |
| 36 | Relationships between SARS-CoV-2 in Wastewater and COVID-19 Clinical Cases and Hospitalizations, with and without Normalization against Indicators of Human Waste. ACS ES&T Water, 2022, 2, 1992-2003. | 2.3 | 51 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Chromated Copper Arsenate-Treated Wood in Recovered Wood. Environmental Engineering Science, 2000, 17, 19-28. | 0.8 | 50 |
| 38 | Leaching of chromated copper arsenate (CCA)-treated wood in a simulated monofill and its potential impacts to landfill leachate. Journal of Hazardous Materials, 2006, 135, 21-31. | 6.5 | 50 |
| 39 | Interactions of Arsenic and the Dissolved Substances Derived from Turf Soils. Environmental Science & Technology, 2006, 40, 4659-4665. | 4.6 | 48 |
| 40 | Chromium, Copper, and Arsenic Concentrations in Soil Underneath CCA-Treated Wood Structures. Soil and Sediment Contamination, 2003, 12, 779-798. | 1.1 | 47 |
| 41 | Use of handheld X-ray fluorescence spectrometry units for identification of arsenic in treated wood. Environmental Pollution, 2007, 148, 627-633. | 3.7 | 46 |
| 42 | Modeling sedimentâ€related enterococci loading, transport, and inactivation at an embayed nonpoint source beach. Water Resources Research, 2013, 49, 693-712. | 1.7 | 45 |
| 43 | A pilot study of children's exposure to CCA-treated wood from playground equipment. Science of the Total Environment, 2006, 367, 80-88. | 3.9 | 44 |
| 44 | Quantities of Arsenic-Treated Wood in Demolition Debris Generated by Hurricane Katrina. Environmental Science & Technology, 2007, 41, 1533-1536. | 4.6 | 44 |
| 45 | Quantitative evaluation of enterococci and Bacteroidales released by adults and toddlers in marine water. Water Research, 2009, 43, 4610-4616. | 5.3 | 44 |
| 46 | Arsenic Speciation of Solvent-Extracted Leachate from New and Weathered CCA-Treated Wood. Environmental Science & Technology, 2004, 38, 4527-4534. | 4.6 | 43 |
| 47 | Daily measures of microbes and human health at a non-point source marine beach. Journal of Water and Health, 2011, 9, 443-457. | 1.1 | 43 |
| 48 | Disposal practices and management alternatives for CCA-treated wood waste. Waste Management and Research, 1999, 17, 378-389. | 2.2 | 40 |
| 49 | Pilot scale evaluation of sorting technologies for CCA treated wood waste. Waste Management and Research, 2002, 20, 290-301. | 2.2 | 39 |
| 50 | Use of stable isotopes to quantify flows between the Everglades and urban areas in Miami-Dade County Florida. Journal of Hydrology, 2004, 293, 1-19. | 2.3 | 39 |
| 51 | Characteristics of surface-water flows in the ridge and slough landscape of Everglades National Park: implications for particulate transport. Hydrobiologia, 2006, 569, 5-22. | 1.0 | 39 |
| 52 | Estimation of enterococci input from bathers and animals on a recreational beach using camera images. Marine Pollution Bulletin, 2010, 60, 1270-1278. | 2.3 | 39 |
| 53 | Pore water transport of enterococci out of beach sediments. Marine Pollution Bulletin, 2011, 62, 2293-2298. | 2.3 | 39 |
| 54 | Assessment for oil spill chemicals: Current knowledge, data gaps, and uncertainties addressing human physical health risk. Marine Pollution Bulletin, 2020, 150, 110746. | 2.3 | 39 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | From Waste Collection Vehicles to Landfills: Indication of Per- and Polyfluoroalkyl Substance (PFAS) Transformation. Environmental Science and Technology Letters, 2021, 8, 66-72. | 3.9 | 39 |
| 56 | Arsenic, copper, and chromium from treated wood products in the U.S. disposal sector. Waste Management, 2019, 87, 731-740. | 3.7 | 38 |
| 57 | Hydrologic measurements and implications for tree island formation within Everglades National Park. Journal of Hydrology, 2006, 329, 606-619. | 2.3 | 37 |
| 58 | Landfill Disposal of CCA-Treated Wood with Construction and Demolition (C&D) Debris: Arsenic, Chromium, and Copper Concentrations in Leachate. Environmental Science & Technology, 2008, 42, 5740-5745. | 4.6 | 36 |
| 59 | Lessons learned from SARS-CoV-2 measurements in wastewater. Science of the Total Environment, 2021, 798, 149177. | 3.9 | 36 |
| 60 | Quantitative Microbial Risk Assessment of Human Illness from Exposure to Marine Beach Sand. Environmental Science & Technology, 2012, 46, 2799-2805. | 4.6 | 35 |
| 61 | A mass balance approach for evaluating leachable arsenic and chromium from an in-service CCA-treated wood structure. Science of the Total Environment, 2007, 372, 624-635. | 3.9 | 33 |
| 62 | Disaster Waste Characteristics and Radiation Distribution as a Result of the Great East Japan Earthquake. Environmental Science & Technology, 2012, 46, 3618-3624. | 4.6 | 33 |
| 63 | Human-Associated Methicillin-Resistant Staphylococcus aureus from a Subtropical Recreational Marine Beach. Microbial Ecology, 2013, 65, 1039-1051. | 1.4 | 32 |
| 64 | Possible impacts of sea level rise on disease transmission and potential adaptation strategies, a review. Journal of Environmental Management, 2018, 217, 951-968. | 3.8 | 31 |
| 65 | Online sorting of recovered wood waste by automated XRF-technology. Part I: Detection of preservative-treated wood waste. Waste Management, 2011, 31, 688-694. | 3.7 | 30 |
| 66 | Evaluation of extraction workflows for quantitative analysis of per- and polyfluoroalkyl substances: A case study using soil adjacent to a landfill. Science of the Total Environment, 2021, 760, 143944. | 3.9 | 30 |
| 67 | Evaluation of methods for sorting CCA-treated wood. Waste Management, 2007, 27, 1617-1625. | 3.7 | 29 |
| 68 | Effects of full-scale beach renovation on fecal indicator levels in shoreline sand and water. Water Research, 2014, 48, 579-591. | 5.3 | 28 |
| 69 | Implication of chromium speciation on disposal of discarded CCA-treated wood. Journal of Hazardous Materials, 2006, 128, 280-288. | 6.5 | 26 |
| 70 | Microbial release from seeded beach sediments during wave conditions. Marine Pollution Bulletin, 2014, 79, 114-122. | 2.3 | 26 |
| 71 | Wave energy level and geographic setting correlate with Florida beach water quality. Marine Pollution Bulletin, 2016, 104, 54-60. | 2.3 | 26 |
| 72 | Role of soil-derived dissolved substances in arsenic transport and transformation in laboratory experiments. Science of the Total Environment, 2008, 406, 180-189. | 3.9 | 24 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Municipal solid waste incineration (MSWI) ash co-disposal: Influence on per- and polyfluoroalkyl substances (PFAS) concentration in landfill leachate. Waste Management, 2022, 144, 49-56. | 3.7 | 24 |
| 74 | Chromium, Copper, and Arsenic Concentrations in Soil Underneath CCA-Treated Wood Structures. Soil and Sediment Contamination, 2003, 12, 779-798. | 1.1 | 23 |
| 75 | Online sorting of recovered wood waste by automated XRF-technology: Part II. Sorting efficiencies. Waste Management, 2011, 31, 695-704. | 3.7 | 22 |
| 76 | Mitigating flood exposure. Disaster Health, 2013, 1, 30-44. | 0.6 | 21 |
| 77 | Risk Assessment for Children Exposed to Beach Sands Impacted by Oil Spill Chemicals. International Journal of Environmental Research and Public Health, 2016, 13, 853. | 1.2 | 20 |
| 78 | Human Health and Socioeconomic Effects of the Deepwater Horizon Oil Spill in the Gulf of Mexico. Oceanography, 2021, 34, 174-191. | 0.5 | 20 |
| 79 | Arsenic Leaching from Mulch Made from Recycled Construction and Demolition Wood and Impacts of Iron-Oxide Colorants. Environmental Science & Technology, 2006, 40, 5102-5107. | 4.6 | 19 |
| 80 | Impact of Surface Water Conditions on Preservative Leaching and Aquatic Toxicity from Treated Wood Products. Environmental Science & Technology, 2007, 41, 3781-3786. | 4.6 | 19 |
| 81 | A predictive model for microbial counts on beaches where intertidal sand is the primary source. Marine Pollution Bulletin, 2015, 94, 37-47. | 2.3 | 19 |
| 82 | Metals content of recycled construction and demolition wood before and after implementation of best management practices. Environmental Pollution, 2018, 242, 1198-1205. | 3.7 | 19 |
| 83 | Fecal indicator bacteria levels at beaches in the Florida Keys after Hurricane Irma. Marine Pollution Bulletin, 2019, 138, 266-273. | 2.3 | 19 |
| 84 | Metal loss from treated wood products in contact with municipal solid waste landfill leachate. Journal of Hazardous Materials, 2010, 175, 558-568. | 6.5 | 18 |
| 85 | Evaluation of the use of reach transmissivity to quantify exchange between groundwater and surface water. Journal of Hydrology, 2003, 274, 145-159. | 2.3 | 17 |
| 86 | Environmental controls, oceanography and population dynamics of pathogens and harmful algal blooms: connecting sources to human exposure. Environmental Health, 2008, 7, S5. | 1.7 | 17 |
| 87 | Comparison of Metals Leaching from CCA- and ACQ-Treated Wood in Simulated Construction and Demolition Debris Landfills. Journal of Environmental Engineering, ASCE, 2009, 135, 910-917. | 0.7 | 17 |
| 88 | Trauma Signature Analysis of the Great East Japan Disaster: Guidance for Psychological Consequences. Disaster Medicine and Public Health Preparedness, 2013, 7, 201-214. | 0.7 | 17 |
| 89 | Effect of beach management policies on recreational water quality. Journal of Environmental Management, 2018, 212, 266-277. | 3.8 | 17 |
| 90 | Children's Abrasions in Recreational Beach Areas and a Review of Possible Wound Infections. International Journal of Environmental Research and Public Health, 2020, 17, 4060. | 1.2 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Assessment of local and regional strategies to control bacteria levels at beaches with consideration of impacts from climate change. Marine Pollution Bulletin, 2019, 138, 249-259. | 2.3 | 16 |
| 92 | Occurrence of Cryptosporidium oocysts and Giardia cysts in water supplies of San Pedro Sula, Honduras. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 1998, 4, 398-400. | 0.6 | 16 |
| 93 | Evaluation of commercial landscaping mulch for possible contamination from CCA. Waste Management, 2007, 27, 1765-1773. | 3.7 | 15 |
| 94 | Quantification of Protozoa and Viruses from Small Water Volumes. International Journal of Environmental Research and Public Health, 2015, 12, 7118-7132. | 1.2 | 15 |
| 95 | Comparison of Electronegative Filtration to Magnetic Bead-Based Concentration and V2G-qPCR to RT-qPCR for Quantifying Viral SARS-CoV-2 RNA from Wastewater. ACS ES&T Water, 2022, 2, 2004-2013. | 2.3 | 15 |
| 96 | Disposal practices and management alternatives for CCA-treated wood waste. Waste Management and Research, 1999, 17, 378-389. | 2.2 | 14 |
| 97 | Hexavalent Chromium Reduction in Soils Contaminated with Chromated Copper Arsenate Preservative. Soil and Sediment Contamination, 2006, 15, 387-399. | 1.1 | 14 |
| 98 | Transport and interaction of arsenic, chromium, and copper associated with CCA-treated wood in columns of sand and sand amended with peat. Chemosphere, 2010, 78, 989-995. | 4.2 | 14 |
| 99 | Children's Exposure to Environmental Contaminants: An Editorial Reflection of Articles in the IJERPH Special Issue Entitled, "Children's Exposure to Environmental Contaminants― International Journal of Environmental Research and Public Health, 2016, 13, 1117. | 1.2 | 14 |
| 100 | Environmental PCBs in GuÃ;nica Bay, Puerto Rico: implications for community health. Environmental Science and Pollution Research, 2016, 23, 2003-2013. | 2.7 | 14 |
| 101 | Significance of beach geomorphology on fecal indicator bacteria levels. Marine Pollution Bulletin, 2017, 121, 160-167. | 2.3 | 14 |
| 102 | Children Exposure-Related Behavior Patterns and Risk Perception Associated with Recreational Beach Use. International Journal of Environmental Research and Public Health, 2019, 16, 2783. | 1.2 | 14 |
| 103 | Factors Controlling Surface Water Flow in a Low-gradient Subtropical Wetland. Wetlands, 2010, 30, 275-286. | 0.7 | 13 |
| 104 | Using probabilities of enterococci exceedance and logistic regression to evaluate long term weekly beach monitoring data. Journal of Water and Health, 2016, 14, 81-89. | 1.1 | 13 |
| 105 | Framework for a Community Health Observing System for the Gulf of Mexico Region: Preparing for Future Disasters. Frontiers in Public Health, 2020, 8, 578463. | 1.3 | 13 |
| 106 | Per- and Polyfluoroalkyl Substances (PFAS) in Street Sweepings. Environmental Science & Technology, 2022, 56, 6069-6077. | 4.6 | 13 |
| 107 | An Alternative Approach to Water Regulations for Public Health Protection at Bathing Beaches. Journal of Environmental and Public Health, 2013, 2013, 1-9. | 0.4 | 12 |
| 108 | Impacts of hurricanes on surface water flow within a wetland. Journal of Hydrology, 2010, 392, 164-173. | 2.3 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Proliferation of microalgae and enterococci in the Lake Okeechobee, St. Lucie, and Loxahatchee watersheds. Water Research, 2020, 171, 115441. | 5.3 | 10 |
| 110 | Towards integrated modeling of the long-term impacts of oil spills. Marine Policy, 2021, 131, 104554. | 1.5 | 10 |
| 111 | Evaluation of methods to sample fecal indicator bacteria in foreshore sand and pore water at freshwater beaches. Water Research, 2017, 121, 204-212. | 5.3 | 9 |
| 112 | Categorization of nearshore sampling data using oil slick trajectory predictions. Marine Pollution Bulletin, 2020, 150, 110577. | 2.3 | 9 |
| 113 | Children and Sand Play: Screening of Potential Harmful Microorganisms in Sandboxes, Parks, and Beaches. Current Fungal Infection Reports, 2015, 9, 155-163. | 0.9 | 8 |
| 114 | Oceans and human health. Journal of the Marine Biological Association of the United Kingdom, 2016, 96, 1-3. | 0.4 | 8 |
| 115 | Soil, Hand, and Body Adherence Measures across Four Beach Areas: Potential Influence on Exposure to Oil Spill Chemicals. International Journal of Environmental Research and Public Health, 2020, 17, 4196. | 1.2 | 8 |
| 116 | Trends in regional enterococci levels at marine beaches and correlations with environmental, global oceanic changes, community populations, and wastewater infrastructure. Science of the Total Environment, 2021, 793, 148641. | 3.9 | 8 |
| 117 | Use of chemical concentration changes in coastal sediments to compute oil exposure dates. Environmental Pollution, 2020, 259, 113858. | 3.7 | 7 |
| 118 | Estimating Health Risks to Children Associated with Recreational Play on Oil Spill-Contaminated Beaches. International Journal of Environmental Research and Public Health, 2021, 18, 126. | 1.2 | 7 |
| 119 | Integrating Virus Monitoring Strategies for Safe Non-Potable Water Reuse. Water (Switzerland), 2022, 14, 1187. | 1.2 | 7 |
| 120 | Risk Assessment for Children Exposed to Arsenic on Baseball Fields with Contaminated Fill Material. International Journal of Environmental Research and Public Health, 2018, 15, 67. | 1.2 | 6 |
| 121 | Soil–skin adherence measures from hand press trials in a Gulf study of exposures. Journal of Exposure Science and Environmental Epidemiology, 2021, 31, 158-169. | 1.8 | 6 |
| 122 | A Rapid, Isothermal, and Point-of-Care System for COVID-19 Diagnostics. Journal of Biomolecular Techniques, 2021, 32, 221-227. | 0.8 | 6 |
| 123 | Using satellite-based AOD and ground-based measurements to evaluate the impact of the DWH oil spill on coastal air quality. Marine Pollution Bulletin, 2022, 181, 113910. | 2.3 | 5 |
| 124 | A novel method to evaluate chemical concentrations in muddy and sandy coastal regions before and after oil exposures. Environmental Pollution, 2021, 269, 116102. | 3.7 | 4 |
| 125 | Comment on "Evaluating landfill disposal of chromated copper arsenate (CCA) treated wood and potential effects on groundwater: Evidence from Florida―by Jennifer K. Saxe, Eric J. Wannamaker, Scott W. Conklin, Todd F. Shupe and Barbara D. Beck [Chemosphere 66 (3) (2007) 496–504]. Chemosphere, 2008, 70, 1930-1931. | 4.2 | 3 |
| 126 | Impact of wastewater infrastructure improvements on beach water fecal indicator bacteria levels in Monroe County, Florida. Science of the Total Environment, 2021, 763, 143024. | 3.9 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Review of methods to determine hand surface area of children less than six years old: a case study. Environmental Geochemistry and Health, 2021, 43, 209-219. | 1.8 | 3 |
| 128 | Persistence of aerially-sprayed naled in coastal sediments. Science of the Total Environment, 2021, 794, 148701. | 3.9 | 3 |
| 129 | Recreational Environment. , 2016, , 167-192. | | 2 |
| 130 | Persistence of aerially applied mosquito-pesticide, Naled, in fresh and marine waters. Science of the Total Environment, 2020, 725, 138391. | 3.9 | 2 |
| 131 | Quantified Activity Patterns for Young Children in Beach Environments Relevant for Exposure to Contaminants. International Journal of Environmental Research and Public Health, 2021, 18, 3274. | 1.2 | 2 |
| 132 | Disposal Management of Preservative-Treated Wood Products. ACS Symposium Series, 2008, , 545-562. | 0.5 | 1 |
| 133 | Potential Impacts of PCBs on Sediment Microbiomes in a Tropical Marine Environment. Journal of Marine Science and Engineering, 2016, 4, 13. | 1.2 | 1 |
| 134 | Sampling method comparison of enterococci aerosolization during continuous bubble bursting generation. FEMS Microbiology Letters, 2022, , . | 0.7 | 1 |
| 135 | Beaches and Coastal Environments. , 2011, , 451-483. | | 0 |