

Su-Ting Han

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8804983/su-ting-han-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165
papers

6,049
citations

42
h-index

71
g-index

173
ext. papers

7,577
ext. citations

10.7
avg, IF

6.35
L-index

#	Paper	IF	Citations
165	Towards the development of flexible non-volatile memories. <i>Advanced Materials</i> , 2013 , 25, 5425-49	24	394
164	An Overview of the Development of Flexible Sensors. <i>Advanced Materials</i> , 2017 , 29, 1700375	24	293
163	Photonic Synapses Based on Inorganic Perovskite Quantum Dots for Neuromorphic Computing. <i>Advanced Materials</i> , 2018 , 30, e1802883	24	282
162	Recent advances in black phosphorus-based photonics, electronics, sensors and energy devices. <i>Materials Horizons</i> , 2017 , 4, 997-1019	14.4	250
161	Synergies of Electrochemical Metallization and Valance Change in All-Inorganic Perovskite Quantum Dots for Resistive Switching. <i>Advanced Materials</i> , 2018 , 30, e1800327	24	177
160	From biomaterial-based data storage to bio-inspired artificial synapse. <i>Materials Today</i> , 2018 , 21, 537-552	1.8	159
159	Layer-by-layer-assembled reduced graphene oxide/gold nanoparticle hybrid double-floating-gate structure for low-voltage flexible flash memory. <i>Advanced Materials</i> , 2013 , 25, 872-7, 793	24	153
158	Bioinspired Artificial Sensory Nerve Based on Nafion Memristor. <i>Advanced Functional Materials</i> , 2019 , 29, 1808783	15.6	140
157	Black Phosphorus Quantum Dots with Tunable Memory Properties and Multilevel Resistive Switching Characteristics. <i>Advanced Science</i> , 2017 , 4, 1600435	13.6	135
156	Microcontact printing of ultrahigh density gold nanoparticle monolayer for flexible flash memories. <i>Advanced Materials</i> , 2012 , 24, 3556-61	24	131
155	An unconverted photonic nonvolatile memory. <i>Nature Communications</i> , 2014 , 5, 4720	17.4	108
154	Semiconductor Quantum Dots for Memories and Neuromorphic Computing Systems. <i>Chemical Reviews</i> , 2020 , 120, 3941-4006	68.1	103
153	Recent Advances of Flexible Data Storage Devices Based on Organic Nanoscaled Materials. <i>Small</i> , 2018 , 14, 1703126	11	102
152	Mimicking Neuroplasticity in a Hybrid Biopolymer Transistor by Dual Modes Modulation. <i>Advanced Functional Materials</i> , 2019 , 29, 1902374	15.6	95
151	Nonvolatile multilevel data storage memory device from controlled ambipolar charge trapping mechanism. <i>Scientific Reports</i> , 2013 , 3, 2319	4.9	95
150	Gate-Tunable Synaptic Plasticity through Controlled Polarity of Charge Trapping in Fullerene Composites. <i>Advanced Functional Materials</i> , 2018 , 28, 1805599	15.6	88
149	Recent Advances in Ambipolar Transistors for Functional Applications. <i>Advanced Functional Materials</i> , 2019 , 29, 1902105	15.6	86

148	Emerging perovskite materials for high density data storage and artificial synapses. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1600-1617	7.1	77
147	Phototunable Biomemory Based on Light-Mediated Charge Trap. <i>Advanced Science</i> , 2018 , 5, 1800714	13.6	75
146	Evolutionary Metal Oxide Clusters for Novel Applications: Toward High-Density Data Storage in Nonvolatile Memories. <i>Advanced Materials</i> , 2018 , 30, 1703950	24	74
145	Nanoparticle size dependent threshold voltage shifts in organic memory transistors. <i>Journal of Materials Chemistry</i> , 2011 , 21, 14575		74
144	Tunable synaptic behavior realized in C3N composite based memristor. <i>Nano Energy</i> , 2019 , 58, 293-303	17.1	71
143	Phosphorene/ZnO Nano-Heterojunctions for Broadband Photonic Nonvolatile Memory Applications. <i>Advanced Materials</i> , 2018 , 30, e1801232	24	68
142	Toward non-volatile photonic memory: concept, material and design. <i>Materials Horizons</i> , 2018 , 5, 641-654	14.4	67
141	2D Metal-Organic Framework Nanosheets with Time-Dependent and Multilevel Memristive Switching. <i>Advanced Functional Materials</i> , 2019 , 29, 1806637	15.6	67
140	Photonic Memristor for Future Computing: A Perspective. <i>Advanced Optical Materials</i> , 2019 , 7, 1900766	8.1	65
139	Highly Sensitive and Ultrastable Skin Sensors for Biopressure and Bioforce Measurements Based on Hierarchical Microstructures. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 4086-4094	9.5	59
138	Infrared-Sensitive Memory Based on Direct-Grown MoS ₂ -Upconversion-Nanoparticle Heterostructure. <i>Advanced Materials</i> , 2018 , 30, e1803563	24	57
137	Neuromorphic Engineering: From Biological to Spike-Based Hardware Nervous Systems. <i>Advanced Materials</i> , 2020 , 32, e2003610	24	56
136	Silver nanosheet-coated inverse opal film as a highly active and uniform SERS substrate. <i>Journal of Materials Chemistry</i> , 2012 , 22, 1370-1374		55
135	Near-Infrared Annihilation of Conductive Filaments in Quasiplane MoSe ₂ /Bi ₂ Se ₃ Nanosheets for Mimicking Heterosynaptic Plasticity. <i>Small</i> , 2019 , 15, e1805431	11	55
134	Biological Spiking Synapse Constructed from Solution Processed Bimetal Core-Shell Nanoparticle Based Composites. <i>Small</i> , 2018 , 14, e1800288	11	54
133	Low voltage flexible nonvolatile memory with gold nanoparticles embedded in poly(methyl methacrylate). <i>Nanotechnology</i> , 2012 , 23, 344014	3.4	50
132	Artificial Synapse Emulated by Charge Trapping-Based Resistive Switching Device. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800342	6.8	49
131	Solution processed molecular floating gate for flexible flash memories. <i>Scientific Reports</i> , 2013 , 3, 3093	4.9	48

130	Configurable multi-state non-volatile memory behaviors in TiC nanosheets. <i>Nanoscale</i> , 2019 , 11, 7102-7110	11.0	45
129	Recent Advances of Volatile Memristors: Devices, Mechanisms, and Applications. <i>Advanced Intelligent Systems</i> , 2020 , 2, 2000055	6	45
128	Extremely high thermal conductivity of carbon fiber/epoxy with synergistic effect of MXenes by freeze-drying. <i>Composites Communications</i> , 2020 , 19, 134-141	6.7	45
127	Fully photon modulated heterostructure for neuromorphic computing. <i>Nano Energy</i> , 2019 , 65, 104000	17.1	45
126	Artificial synapses emulated through a light mediated organic/inorganic hybrid transistor. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 48-59	7.1	44
125	Lead-free monocrystalline perovskite resistive switching device for temporal information processing. <i>Nano Energy</i> , 2020 , 71, 104616	17.1	43
124	Leaky integrate-and-fire neurons based on perovskite memristor for spiking neural networks. <i>Nano Energy</i> , 2020 , 74, 104828	17.1	43
123	A bio-inspired electronic synapse using solution processable organic small molecule. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 1491-1501	7.1	42
122	Energy-band engineering for tunable memory characteristics through controlled doping of reduced graphene oxide. <i>ACS Nano</i> , 2014 , 8, 1923-31	16.7	42
121	Controlled ambipolar charge transport through a self-assembled gold nanoparticle monolayer. <i>Advanced Materials</i> , 2012 , 24, 1247-51	24	41
120	CdSe/ZnS core/shell quantum dots charge trapping layer for flexible photonic memory. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 3173-3180	7.1	40
119	Ultra-flexible nonvolatile memory based on donor-acceptor diketopyrrolopyrrole polymer blends. <i>Scientific Reports</i> , 2015 , 5, 10683	4.9	38
118	Phosphorene nano-heterostructure based memristors with broadband response synaptic plasticity. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 9383-9393	7.1	37
117	The strain and thermal induced tunable charging phenomenon in low power flexible memory arrays with a gold nanoparticle monolayer. <i>Nanoscale</i> , 2013 , 5, 1972-9	7.7	37
116	Template-Directed Growth of Hierarchical MOF Hybrid Arrays for Tactile Sensor. <i>Advanced Functional Materials</i> , 2020 , 30, 2001296	15.6	36
115	A self-powered artificial retina perception system for image preprocessing based on photovoltaic devices and memristive arrays. <i>Nano Energy</i> , 2020 , 78, 105246	17.1	34
114	Functional high-k nanocomposite dielectrics for flexible transistors and inverters with excellent mechanical properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 14246		33
113	MXene-ZnO Memristor for Multimodal In-Sensor Computing. <i>Advanced Functional Materials</i> , 2021 , 31, 2100144	15.6	33

112	Hybrid Flexible Resistive Random Access Memory-Gated Transistor for Novel Nonvolatile Data Storage. <i>Small</i> , 2016 , 12, 390-6	11	32
111	Polymer-nanoparticle hybrid dielectrics for flexible transistors and inverters. <i>Journal of Materials Chemistry</i> , 2012 , 22, 4060		31
110	Organic small molecule-based RRAM for data storage and neuromorphic computing. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 12714-12738	7.1	30
109	Ferroelectric polymers for non-volatile memory devices: a review. <i>Polymer International</i> , 2020 , 69, 533-544	4.4	30
108	Controllable threshold voltage shifts of polymer transistors and inverters by utilizing gold nanoparticles. <i>Applied Physics Letters</i> , 2012 , 101, 033306	3.4	30
107	Synaptic Plasticity and Filtering Emulated in Metal-Organic Frameworks Nanosheets Based Transistors. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900978	6.4	30
106	Organic Memristor Utilizing Copper Phthalocyanine Nanowires with Infrared Response and Cation Regulating Properties. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800793	6.4	28
105	Biodegradable skin-inspired nonvolatile resistive switching memory based on gold nanoparticles embedded alkali lignin. <i>Organic Electronics</i> , 2018 , 59, 382-388	3.5	28
104	Two-dimensional molybdenum disulphide nanosheet-covered metal nanoparticle array as a floating gate in multi-functional flash memories. <i>Nanoscale</i> , 2015 , 7, 17496-503	7.7	27
103	Localized Surface Plasmon Resonance-Mediated Charge Trapping/Detrapping for Core-Shell Nanorod-Based Optical Memory Cells. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 34101-34110	9.5	27
102	Surface engineering of reduced graphene oxide for controllable ambipolar flash memories. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 1699-708	9.5	27
101	Photo-reactive charge trapping memory based on lanthanide complex. <i>Scientific Reports</i> , 2015 , 5, 14998	4.9	27
100	Charge Transfer Doping Modulated Raman Scattering and Enhanced Stability of Black Phosphorus Quantum Dots on a ZnO Nanorod. <i>Advanced Optical Materials</i> , 2018 , 6, 1800440	8.1	27
99	Tailoring synaptic plasticity in a perovskite QD-based asymmetric memristor. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 2985-2992	7.1	25
98	Optically Modulated Threshold Switching in Core-Shell Quantum Dot Based Memristive Device. <i>Advanced Functional Materials</i> , 2020 , 30, 1909114	15.6	25
97	Solution-Processed Rare-Earth Oxide Thin Films for Alternative Gate Dielectric Application. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 31128-31135	9.5	25
96	Near-Infrared-Irradiation-Mediated Synaptic Behavior from Tunable Charge-Trapping Dynamics. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900765	6.4	25
95	Polyoxometalates-Modulated Reduced Graphene Oxide Flash Memory with Ambipolar Trapping as Bidirectional Artificial Synapse. <i>Advanced Electronic Materials</i> , 2018 , 4, 1800444	6.4	25

94	Keggin-type polyoxometalate cluster as an active component for redox-based nonvolatile memory. <i>Nanoscale Horizons</i> , 2019 , 4, 697-704	10.8	24
93	Defect Reconstruction Triggered Full-Color Photodetection in Single Nanowire Phototransistor. <i>ACS Photonics</i> , 2019 , 6, 886-894	6.3	23
92	TiO ₂ based sensor with butterfly wing configurations for fast acetone detection at room temperature. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 11118-11125	7.1	23
91	Flexible Pyrene/Phenanthro[9,10-d]imidazole-Based Memristive Devices for Mimicking Synaptic Plasticity. <i>Advanced Intelligent Systems</i> , 2019 , 1, 1900008	6	22
90	Recent advances in synthesis and application of perovskite quantum dot based composites for photonics, electronics and sensors. <i>Science and Technology of Advanced Materials</i> , 2020 , 21, 278-302	7.1	21
89	Poly(3-hexylthiophene) nanotubes with tunable aspect ratios and charge transport properties. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 11874-81	9.5	21
88	Near infrared neuromorphic computing via upconversion-mediated optogenetics. <i>Nano Energy</i> , 2020 , 67, 104262	17.1	21
87	Recent Advances in Flexible Field-Effect Transistors toward Wearable Sensors. <i>Advanced Intelligent Systems</i> , 2020 , 2, 2000113	6	21
86	The Role of Metal-Organic Frameworks in Electronic Sensors. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 15192-15212	16.4	21
85	Functional Non-Volatile Memory Devices: From Fundamentals to Photo-Tunable Properties. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019 , 13, 1800644	2.5	20
84	Building memory devices from biocomposite electronic materials. <i>Science and Technology of Advanced Materials</i> , 2020 , 21, 100-121	7.1	20
83	Graphitic carbon nitride nanosheets for solution processed non-volatile memory devices. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 10203-10210	7.1	20
82	Emerging MXenes for Functional Memories. <i>Small Science</i> , 2021 , 1, 2100006		19
81	Surface Decoration on Polymeric Gate Dielectrics for Flexible Organic Field-Effect Transistors via Hydroxylation and Subsequent Monolayer Self-Assembly. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 23464-71	9.5	18
80	The strategies of filament control for improving the resistive switching performance. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 16295-16317	7.1	18
79	Memristor modeling: challenges in theories, simulations, and device variability. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 16859-16884	7.1	17
78	Memristor-based biomimetic compound eye for real-time collision detection. <i>Nature Communications</i> , 2021 , 12, 5979	17.4	17
77	Modulation of Binary Neuroplasticity in a Heterojunction-Based Ambipolar Transistor. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 15370-15379	9.5	16

76	Real-time storage of thermal signals in organic memory with floating core-shell nanoparticles. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8415-8423	7.1	16
75	Ambipolar organic light-emitting electrochemical transistor based on a heteroleptic charged iridium(III) complex. <i>Applied Physics Letters</i> , 2013 , 102, 083301	3.4	16
74	A solution processed metal-oxo cluster for rewritable resistive memory devices. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 843-852	7.1	15
73	Reversible conversion of dominant polarity in ambipolar polymer/graphene oxide hybrids. <i>Scientific Reports</i> , 2015 , 5, 9446	4.9	15
72	Enhanced self-assembled monolayer treatment on polymeric gate dielectrics with ultraviolet/ozone assistance in organic thin film transistors. <i>RSC Advances</i> , 2015 , 5, 64471-64477	3.7	14
71	Poly(3-hexylthiophene)/Gold Nanoparticle Hybrid System with an Enhanced Photoresponse for Light-Controlled Electronic Devices. <i>Particle and Particle Systems Characterization</i> , 2013 , 30, 599-605	3.1	14
70	Spherical Triboelectric Nanogenerator with Dense Point Contacts for Harvesting Multidirectional Water Wave and Vibration Energy. <i>ACS Energy Letters</i> , 2021 , 6, 2809-2816	20.1	14
69	Recent advances in metal nanoparticle-based floating gate memory. <i>Nano Select</i> , 2021 , 2, 1245-1265	3.1	14
68	Reconfigurable 2D WSe ₂ -Based Memtransistor for Mimicking Homosynaptic and Heterosynaptic Plasticity. <i>Small</i> , 2021 , 17, e2103175	11	14
67	Flexible organic/inorganic heterojunction transistors with low operating voltage. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 7073	7.1	13
66	Recent advances in optical and optoelectronic data storage based on luminescent nanomaterials. <i>Nanoscale</i> , 2020 , 12, 23391-23423	7.7	13
65	Investigation on the mobility and stability in organic thin film transistors consisting of bilayer gate dielectrics. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016 , 213, 79-84	1.6	13
64	Controlled Nonvolatile Transition in Polyoxometalates-Graphene Oxide Hybrid Memristive Devices. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800551	6.8	13
63	Multimodal optoelectronic neuromorphic electronics based on lead-free perovskite-mixed carbon nanotubes. <i>Carbon</i> , 2021 , 176, 592-601	10.4	12
62	Building Functional Memories and Logic Circuits with 2D Boron Nitride. <i>Advanced Functional Materials</i> , 2021 , 31, 2004733	15.6	12
61	Synaptic transistors and neuromorphic systems based on carbon nano-materials. <i>Nanoscale</i> , 2021 , 13, 7498-7522	7.7	12
60	Type-I Core-Shell ZnSe/ZnS Quantum Dot-Based Resistive Switching for Implementing Algorithm. <i>Nano Letters</i> , 2020 , 20, 5562-5569	11.5	11
59	Self-aligned, full solution process polymer field-effect transistor on flexible substrates. <i>Scientific Reports</i> , 2015 , 5, 15770	4.9	11

58	A UV damage-sensing nociceptive device for bionic applications. <i>Nanoscale</i> , 2020 , 12, 1484-1494	7.7	11
57	Self-assembling crystalline peptide microrod for neuromorphic function implementation. <i>Matter</i> , 2021 , 4, 1702-1719	12.7	11
56	Fermi-level depinning of 2D transition metal dichalcogenide transistors. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 11407-11427	7.1	11
55	Mimicking the competitive and cooperative behaviors with multi-terminal synaptic memtransistors. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 6063-6071	7.1	10
54	Polypyridyl chromium(III) complexes for non-volatile memory application: impact of the coordination sphere on memory device performance. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1445-1450	7.1	10
53	Flash memory based on solution processed hafnium dioxide charge trapping layer. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 4233-4238	7.1	10
52	Controlled assembly of silver nanoparticles monolayer on 3D polymer nanotubes and their applications. <i>Small</i> , 2014 , 10, 4645-50	11	10
51	A low voltage programmable unipolar inverter with a gold nanoparticle monolayer on plastic. <i>Nanotechnology</i> , 2013 , 24, 205202	3.4	10
50	Near-Infrared Artificial Synapses for Artificial Sensory Neuron System. <i>Small</i> , 2021 , 17, e2103837	11	10
49	Direct bandgap opening in sodium-doped antimonene quantum dots: an emerging 2D semiconductor. <i>Materials Horizons</i> , 2020 , 7, 1588-1596	14.4	9
48	Nanocomposite Dielectric Materials for Organic Flexible Electronics 2014 , 195-220		9
47	2D Heterostructure for High-Order Spatiotemporal Information Processing. <i>Advanced Functional Materials</i> , 2108440	15.6	9
46	Fluorenone/carbazole based bipolar small molecules for non-volatile memory devices. <i>Organic Electronics</i> , 2020 , 78, 105584	3.5	8
45	Electromechanical coupling effects for data storage and synaptic devices. <i>Nano Energy</i> , 2020 , 77, 105156	7.1	8
44	Functional Applications of Future Data Storage Devices. <i>Advanced Electronic Materials</i> , 2021 , 7, 200118	16.4	8
43	MXenes for memristive and tactile sensory systems. <i>Applied Physics Reviews</i> , 2021 , 8, 011316	17.3	8
42	Energy-efficient transistors: suppressing the subthreshold swing below the physical limit. <i>Materials Horizons</i> , 2021 , 8, 1601-1617	14.4	8
41	Interface Engineering via Photopolymerization-Induced Phase Separation for Flexible UV-Responsive Phototransistors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 7487-7496	9.5	7

40	Optoelectronic synaptic transistors based on upconverting nanoparticles. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 640-648	7.1	7
39	2D oriented covalent organic frameworks for alcohol-sensory synapses. <i>Materials Horizons</i> , 2021 , 8, 2041-2047	1.4	7
38	Stacked Two-Dimensional MXene Composites for an Energy-Efficient Memory and Digital Comparator. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 39595-39605	9.5	7
37	Interface Modification in Three-Terminal Organic Memory and Synaptic Device. <i>Advanced Electronic Materials</i> , 2020 , 6, 2000641	6.4	6
36	Electronic synapses mimicked in bilayer organic-inorganic heterojunction based memristor. <i>Organic Electronics</i> , 2021 , 90, 106062	3.5	6
35	Room-temperature magnetoelastic coupling. <i>Science</i> , 2020 , 367, 627-628	33.3	5
34	Dual plasmonic-enhanced bulk-heterojunction solar cell incorporating gold nanoparticles into solution-processed anode buffer layer and active layer. <i>Physica Status Solidi - Rapid Research Letters</i> , 2015 , 9, 115-119	2.5	5
33	Inorganic Perovskite Quantum Dot-Based Strain Sensors for Data Storage and In-Sensor Computing. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 30861-30873	9.5	5
32	Recent Progress of Protein-Based Data Storage and Neuromorphic Devices. <i>Advanced Intelligent Systems</i> , 2021 , 3, 2000180	6	5
31	Phototunable memories and reconfigurable logic applications based on natural melanin. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 3569-3577	7.1	5
30	Exploring Phase-Change Memory: From Material Systems to Device Physics. <i>Physica Status Solidi - Rapid Research Letters</i> , 2021 , 15, 2000394	2.5	5
29	High-Performance Polycrystalline Silicon Thin-Film Transistors without Source/Drain Doping by Utilizing Anisotropic Conductivity of Bridged-Grain Lines. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900961	6.4	4
28	Ambipolar polymers for transistor applications. <i>Polymer International</i> , 2021 , 70, 358-366	3.3	4
27	The Role of Metal-Organic Frameworks in Electronic Sensors. <i>Angewandte Chemie</i> , 2021 , 133, 15320-15340	3.6	4
26	Filament Engineering of Two-Dimensional h-BN for a Self-Power Mechano-Nociceptor System.. <i>Small</i> , 2022 , e2200185	11	4
25	Light Driven Active Transition of Switching Modes in Homogeneous Oxides/Graphene Heterostructure. <i>Advanced Science</i> , 2019 , 6, 1900213	13.6	3
24	The role of a nanoparticle monolayer on the flow of polymer melts in nanochannels. <i>Nanoscale</i> , 2014 , 6, 11013-8	7.7	3
23	Mobility Enhancement of P3HT-Based OTFTs upon Blending with Au Nanorods. <i>Particle and Particle Systems Characterization</i> , 2015 , 32, 1051-1057	3.1	3

22	Evolutionary 2D organic crystals for optoelectronic transistors and neuromorphic computing. <i>Neuromorphic Computing and Engineering</i> , 2022 , 2, 012001		3
21	Polymer-modified solution-processed metal oxide dielectrics on aluminum foil substrate for flexible organic transistors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016 , 213, 2509-2517	15.6	3
20	Ambipolar Transistors: Recent Advances in Ambipolar Transistors for Functional Applications (Adv. Funct. Mater. 40/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970279	15.6	2
19	Importance of alkyl chain-length on the self-assembly of new Ni(qdt) ₂ complexes and charge transport properties. <i>RSC Advances</i> , 2013 , 3, 12075	3.7	2
18	Towards the Development of Flexible Non-Volatile Memories (Adv. Mater. 38/2013). <i>Advanced Materials</i> , 2013 , 25, 5424-5424	24	2
17	A van der Waals Integrated Damage-Free Memristor Based on Layered 2D Hexagonal Boron Nitride.. <i>Small</i> , 2022 , e2106253	11	2
16	Ultrasensitive Flexible Memory Phototransistor with Detectivity of 1.8 $\times 10^{13}$ Jones for Artificial Visual Nociceptor. <i>Advanced Intelligent Systems</i> , 2100257	6	2
15	Grain Boundary Confinement of Silver Imidazole for Resistive Switching. <i>Advanced Functional Materials</i> , 2108598	15.6	2
14	High-performance perovskite memristor by integrating a tip-shape contact. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 15435-15444	7.1	2
13	Functional Memristors: Optically Modulated Threshold Switching in CoreShell Quantum Dot Based Memristive Device (Adv. Funct. Mater. 16/2020). <i>Advanced Functional Materials</i> , 2020 , 30, 2070105	15.6	2
12	Enhanced electrical and thermal properties of semi-conductive PANI-CNCs with surface modified CNCs.. <i>RSC Advances</i> , 2021 , 11, 11444-11456	3.7	2
11	Flexible and Stretchable Strategies for Electronic Skins: Materials, Structure, and Integration. <i>ACS Applied Electronic Materials</i> , 2022 , 4, 1-26	4	2
10	Device challenges, possible strategies, and conclusions 2020 , 317-324		1
9	Flexible Floating Gate Memory 2018 , 215-228		1
8	Nanocomposite: Poly(3-hexylthiophene)/Gold Nanoparticle Hybrid System with an Enhanced Photoresponse for Light-Controlled Electronic Devices (Part. Part. Syst. Charact. 7/2013). <i>Particle and Particle Systems Characterization</i> , 2013 , 30, 646-646	3.1	1
7	Iridium-based polymer for memristive devices with integrated logic and arithmetic applications. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 16845-16857	7.1	1
6	Emerging MXenes for Functional Memories. <i>Small Science</i> , 2021 , 1, 2170023		0
5	Three-terminal optoelectronic memory device 2020 , 107-120		

- 4 Perovskites for phototunable memories and neuromorphic computing **2020**, 279-292
- 3 Microcontact Printing: Microcontact Printing of Ultrahigh Density Gold Nanoparticle Monolayer for Flexible Flash Memories (Adv. Mater. 26/2012). *Advanced Materials*, **2012**, 24, 3555-3555 24
- 2 Recent Progress of Protein-Based Data Storage and Neuromorphic Devices. *Advanced Intelligent Systems*, **2021**, 3, 2170011 6
- 1 Manipulating Strain in Transistors: From Mechanically Sensitive to Insensitive. *Advanced Electronic Materials*, 2101288 6.4