Ioana D Olaru

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8805061/publications.pdf

Version: 2024-02-01

686830 580395 25 37 704 13 h-index citations g-index papers 39 39 39 1069 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Response to the Novel Corona Virus (COVID-19) Pandemic Across Africa: Successes, Challenges, and Implications for the Future. Frontiers in Pharmacology, 2020, 11, 1205. | 1.6 | 143 |
| 2 | What Is Resistance? Impact of Phenotypic versus Molecular Drug Resistance Testing on Therapy for Multi- and Extensively Drug-Resistant Tuberculosis. Antimicrobial Agents and Chemotherapy, 2018, 62, . | 1.4 | 83 |
| 3 | Limited Benefit of the New Shorter Multidrug-Resistant Tuberculosis Regimen in Europe. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 1029-1031. | 2.5 | 71 |
| 4 | Fixed dose drug combinations – are they pharmacoeconomically sound? Findings and implications especially for lower- and middle-income countries. Expert Review of Pharmacoeconomics and Outcomes Research, 2020, 20, 1-26. | 0.7 | 47 |
| 5 | Getting Personal Perspectives on Individualized Treatment Duration in Multidrug-Resistant and Extensively Drug-Resistant Tuberculosis. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 374-383. | 2.5 | 39 |
| 6 | Bedaquiline-based treatment regimen for multidrug-resistant tuberculosis. European Respiratory Journal, 2017, 49, 1700742. | 3.1 | 32 |
| 7 | Personalized medicine for patients with MDR-TB: TableÂ1 Journal of Antimicrobial Chemotherapy, 2016, 71, 852-855. | 1.3 | 31 |
| 8 | Prediction of anti-tuberculosis treatment duration based on a 22-gene transcriptomic model. European Respiratory Journal, 2021, 58, 2003492. | 3.1 | 27 |
| 9 | Uptake of and factors associated with testing for sexually transmitted infections in community-based settings among youth in Zimbabwe: a mixed-methods study. The Lancet Child and Adolescent Health, 2021, 5, 122-132. | 2.7 | 23 |
| 10 | Typhoid Vi-conjugate vaccine for outbreak control in Zimbabwe. Lancet Infectious Diseases, The, 2019, 19, 930. | 4.6 | 20 |
| 11 | High Rates of Treatment Success in Pulmonary Multidrug-Resistant Tuberculosis by Individually Tailored Treatment Regimens. Annals of the American Thoracic Society, 2016, 13, 1271-1278. | 1.5 | 17 |
| 12 | Relapse-free cure from multidrug-resistant tuberculosis in Germany. European Respiratory Journal, 2018, 51, 1702122. | 3.1 | 17 |
| 13 | The association between antimicrobial resistance and HIV infection: a systematic review and meta-analysis. Clinical Microbiology and Infection, 2021, 27, 846-853. | 2.8 | 17 |
| 14 | Assessment of antimicrobial use and prescribing practices among pediatric inpatients in Zimbabwe. Journal of Chemotherapy, 2020, 32, 456-459. | 0.7 | 14 |
| 15 | Mycobacterium tuberculosis transmission from patients with drug-resistant compared to drug-susceptible TB: a systematic review and meta-analysis. European Respiratory Journal, 2017, 50, 1701044. | 3.1 | 13 |
| 16 | Rapid diagnosis of pulmonary tuberculosis by combined molecular and immunological methods. European Respiratory Journal, 2018, 51, 1702189. | 3.1 | 12 |
| 17 | Psychological distress among healthcare workers accessing occupational health services during the COVID-19 pandemic in Zimbabwe. Comprehensive Psychiatry, 2022, 116, 152321. | 1.5 | 12 |
| 18 | Informing the measurement of wellbeing among young people living with HIV in sub-Saharan Africa for policy evaluations: a mixed-methods systematic review. Health and Quality of Life Outcomes, 2020, 18, 120. | 1.0 | 11 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | "It was difficult to offer same day results― evaluation of community-based point-of-care testing for sexually transmitted infections among youth using the GeneXpert platform in Zimbabwe. BMC Health Services Research, 2022, 22, 171. | 0.9 | 10 |
| 20 | Evaluation of weightâ€based prescription of antiretroviral therapy in children. HIV Medicine, 2019, 20, 248-253. | 1.0 | 8 |
| 21 | Prevalence of ESBL-producing <i>Escherichia coli</i> in adults with and without HIV presenting with urinary tract infections to primary care clinics in Zimbabwe. JAC-Antimicrobial Resistance, 2021, 3, dlab082. | 0.9 | 7 |
| 22 | Antimicrobial Resistance in Gram-negative bacteria from Urinary Specimens: a study of prevalence, risk factors and molecular mechanisms of resistance (ARGUS) in Zimbabwe – a study protocol. Wellcome Open Research, 2020, 5, 140. | 0.9 | 7 |
| 23 | Applying a consensus case definition to patients with confirmed tuberculous meningitis. International Journal of Infectious Diseases, 2012, 16, e758-e759. | 1.5 | 6 |
| 24 | Pulmonary Diseases in Refugees and Migrants in Europe. Respiration, 2018, 95, 273-286. | 1,2 | 6 |
| 25 | Identifying youth at high risk for sexually transmitted infections in community-based settings using a risk prediction tool: a validation study. BMC Infectious Diseases, 2021, 21, 1234. | 1.3 | 6 |
| 26 | Implications of antibiotic exposure among children in low-income and middle-income countries. Lancet Infectious Diseases, The, 2020, 20, 146-147. | 4.6 | 4 |
| 27 | Risk assessment for rationalizing the use of personal protective equipment for SARS-CoV2 in healthcare settings with special focus on low- and middle-income settings. Clinical Microbiology and Infection, 2021, 27, 169-171. | 2.8 | 4 |
| 28 | Reply: Benefit of the Shorter Multidrug-Resistant Tuberculosis Treatment Regimen in California and Modified Eligibility Criteria. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 1489-1490. | 2.5 | 2 |
| 29 | Evaluation of the InTray and Compact Dry culture systems for the diagnosis of urinary tract infections in patients presenting to primary health clinics in Harare, Zimbabwe. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 2543-2550. | 1.3 | 2 |
| 30 | Sexually transmitted infections and prior antibiotic use as important causes for negative urine cultures among adults presenting with urinary tract infection symptoms to primary care clinics in Zimbabwe: a cross-sectional study. BMJ Open, 2021, 11, e050407. | 0.8 | 2 |
| 31 | Urinary tract infection caused by carbapenem-resistant K. pneumoniae and P. aeruginosa. Romanian Journal of Internal Medicine, 2011, 49, 289-94. | 0.4 | 2 |
| 32 | Knowledge, attitudes and practices relating to antibiotic use and resistance among prescribers from public primary healthcare facilities in Harare, Zimbabwe. Wellcome Open Research, 0, 6, 72. | 0.9 | 2 |
| 33 | Revisiting Healthcare Workers as a Risk Group for Progression toward Tuberculosis. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 1021-1022. | 2.5 | 1 |
| 34 | Reply to Dookie et al., "Whole-Genome Sequencing To Guide the Selection of Treatment for Drug-Resistant Tuberculosis― Antimicrobial Agents and Chemotherapy, 2018, 62, . | 1.4 | 1 |
| 35 | Reactivation of HBV infection in low grade lymphoma patient. Romanian Journal of Internal Medicine, 2011, 49, 67-73. | 0.4 | 1 |
| 36 | Clinical and bacteriological outcomes in patients with urinary tract infections presenting to primary care in Harare, Zimbabwe: a cohort study. Wellcome Open Research, 0, 6, 135. | 0.9 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Pathogen-free diagnosis of tuberculosis. Lancet Infectious Diseases, The, 2021, 21, 1066. | 4.6 | 0 |