

Zhen Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8805177/publications.pdf>

Version: 2024-02-01

52
papers

711
citations

623734

14
h-index

610901

24
g-index

57
all docs

57
docs citations

57
times ranked

1272
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Chinese expert recommendations on management of hepatocellular carcinoma during COVID-19 pandemic: a nationwide multicenter survey. <i>Hpb</i> , 2022, 24, 342-352. | 0.3 | 5 |
| 2 | Comparable survival benefit of local excision versus radical resection for 10- to 20-mm rectal neuroendocrine tumors. <i>European Journal of Surgical Oncology</i> , 2022, 48, 864-872. | 1.0 | 6 |
| 3 | Nomogram Incorporating Preoperative Testing Markers for the prediction of Early Recurrence for Colorectal Liver Metastases with Neoadjuvant Chemotherapy followed by Hepatectomy. <i>Journal of Cancer</i> , 2022, 13, 1758-1767. | 2.5 | 2 |
| 4 | A phase Ib study of anlotinib plus TQB2450 as a second-line investigational therapy in advanced hepatocellular carcinoma (aHCC).. <i>Journal of Clinical Oncology</i> , 2022, 40, e16184-e16184. | 1.6 | 0 |
| 5 | What is the optimal number of neoadjuvant chemotherapy cycles for resectable colorectal liver oligometastases?. <i>Annals of Translational Medicine</i> , 2021, 9, 7-7. | 1.7 | 16 |
| 6 | Differences of intraoperative outcomes and postoperative complications between intrahepatic cholangiocarcinoma and colorectal liver metastasis in different surgical methods. <i>Translational Cancer Research</i> , 2021, 10, 4020-4032. | 1.0 | 4 |
| 7 | Upgraded nomograms for the prediction of complications and survival in patients with colorectal liver metastases treated with neoadjuvant chemotherapy followed by hepatic resection. <i>Annals of Translational Medicine</i> , 2021, 9, 265-265. | 1.7 | 3 |
| 8 | The prognostic factors of primary colorectal sarcoma and the clinical outcomes of negative lymph node dissection. <i>Annals of Translational Medicine</i> , 2021, 9, 250-250. | 1.7 | 1 |
| 9 | Preoperatively elevated RDW-SD and RDW-CV predict favorable survival in intrahepatic cholangiocarcinoma patients after curative resection. <i>BMC Surgery</i> , 2021, 21, 105. | 1.3 | 9 |
| 10 | A nomogram to predict prognosis after surgery for young patients with hepatocellular carcinoma. <i>Translational Cancer Research</i> , 2021, 10, 1773-1786. | 1.0 | 5 |
| 11 | Nomograms incorporating preoperative RDW level for the prediction of postoperative complications and survival in colorectal liver metastases after resection. <i>Annals of Palliative Medicine</i> , 2021, 10, 4143-4158. | 1.2 | 5 |
| 12 | Nomograms predicting primary lymph node metastases and prognosis for synchronous colorectal liver metastasis with simultaneous resection of colorectal cancer and liver metastases. <i>Annals of Palliative Medicine</i> , 2021, 10, 4220-4231. | 1.2 | 6 |
| 13 | The Efficacy of Combined Cisplatin and Nanoparticle Albumin-Bound Paclitaxel in a Stage IV Pancreatic Squamous Cell Carcinoma Patient With a Somatic BRCA2 Mutation: A Case Report. <i>Frontiers in Oncology</i> , 2021, 11, 585983. | 2.8 | 3 |
| 14 | Predictive value of red blood cell distribution width level on histological response and prognosis in colorectal liver metastases. <i>Annals of Palliative Medicine</i> , 2021, 10, 9383-9397. | 1.2 | 0 |
| 15 | Nomogram for the prediction of lymph node metastasis and survival outcomes in rectal neuroendocrine tumour patients undergoing resection. <i>Journal of Gastrointestinal Oncology</i> , 2021, 13, 0-0. | 1.4 | 4 |
| 16 | Meta-analysis of Percutaneous vs. Surgical Approaches Radiofrequency Ablation in Hepatocellular Carcinoma. <i>Frontiers in Surgery</i> , 2021, 8, 788771. | 1.4 | 2 |
| 17 | Impact of Postoperative Infectious Complications on Long-Term Outcomes for Patients Undergoing Simultaneous Resection for Colorectal Cancer Liver Metastases: A Propensity Score Matching Analysis. <i>Frontiers in Oncology</i> , 2021, 11, 793653. | 2.8 | 3 |
| 18 | Resection Combined with TKI Therapy for Resectable Liver Metastases of Gastrointestinal Stromal Tumours: Results from Three National Centres in China. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1330-1341. | 1.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Neo-adjuvant Chemotherapy-Induced Neutropenia Is Associated with Histological Responses and Outcomes after the Resection of Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 659-670. | 1.7 | 13 |
| 20 | From the completion of neoadjuvant chemotherapy to surgery for colorectal cancer liver metastasis: What is the optimal timing?. <i>Cancer Medicine</i> , 2020, 9, 7849-7862. | 2.8 | 8 |
| 21 | Effects of multidisciplinary team on the outcomes of colorectal cancer patients with liver metastases. <i>Annals of Palliative Medicine</i> , 2020, 9, 2741-2748. | 1.2 | 5 |
| 22 | Development and Validation of a Nomogram-Based Prognostic Evaluation Model for Sarcomatoid Hepatocellular Carcinoma. <i>Advances in Therapy</i> , 2020, 37, 3185-3205. | 2.9 | 3 |
| 23 | <p>Clinical Analysis of 15 Cases of Gallbladder Neuroendocrine Carcinoma and Comparison with Gallbladder Adenocarcinoma Using a Propensity Score Matching<p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 1437-1446. | 1.9 | 18 |
| 24 | The combination of preoperative D-dimer and CA19-9 predicts lymph node metastasis and survival in intrahepatic cholangiocarcinoma patients after curative resection. <i>Annals of Translational Medicine</i> , 2020, 8, 192-192. | 1.7 | 9 |
| 25 | Development of a Metastasis-Related Immune Prognostic Model of Metastatic Colorectal Cancer and Its Usefulness to Immunotherapy. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 577125. | 3.7 | 13 |
| 26 | A Low Neutrophil to Lymphocyte Ratio Before Preoperative Chemotherapy Predicts Good Outcomes After the Resection of Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 563-570. | 1.7 | 16 |
| 27 | Preoperative D-dimer and Gamma-Glutamyltranspeptidase Predict Major Complications and Survival in Colorectal Liver Metastases Patients After Resection. <i>Translational Oncology</i> , 2019, 12, 996-1004. | 3.7 | 11 |
| 28 | Comparison of the Extent Classification and the New Complexity Classification of Hepatectomy for Prediction of Surgical Outcomes: a Retrospective Cohort Study. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 2421-2429. | 1.7 | 3 |
| 29 | Radiofrequency ablation versus resection for resectable liver metastases of gastrointestinal stromal tumours: Results from three national centres in China. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019, 43, 317-323. | 1.5 | 7 |
| 30 | The safety and feasibility of a single incision in simultaneous resection for patients with colorectal cancer liver metastases. <i>Annals of Translational Medicine</i> , 2019, 7, 547-547. | 1.7 | 2 |
| 31 | Inhibition of yesâ€associated protein downâ€regulates PDâ€L1 (CD274) expression in human malignant pleural mesothelioma. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3139-3148. | 3.6 | 43 |
| 32 | Clinicopathological features and surgical outcomes of four rare subtypes of primary liver carcinoma. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2018, 30, 364-372. | 2.2 | 26 |
| 33 | Prognostic value of the albuminâ€bilirubin grade in patients with hepatocellular carcinoma: Validation in a Chinese cohort. <i>Hepatology Research</i> , 2017, 47, 731-741. | 3.4 | 52 |
| 34 | Prognostic Analysis of 102 Patients with Synchronous Colorectal Cancer and Liver Metastases Treated with Simultaneous Resection. <i>Chinese Medical Journal</i> , 2017, 130, 1283-1289. | 2.3 | 6 |
| 35 | Efficacy of Topical Compound Danxiong Granules for Treatment of Dermatologic Toxicities Induced by Targeted Anticancer Therapy: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-7. | 1.2 | 7 |
| 36 | Systematic review of resecting primary tumor in MNETs patients with unresectable liver metastases. <i>Oncotarget</i> , 2017, 8, 17396-17405. | 1.8 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Should surgery be conducted for small nonfunctioning pancreatic neuroendocrine tumors: a systematic review. <i>Oncotarget</i> , 2017, 8, 35368-35375. | 1.8 | 11 |
| 38 | Simultaneous hepatic resection benefits patients with synchronous colorectal cancer liver metastases. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2016, 28, 528-535. | 2.2 | 14 |
| 39 | Resection of postoperative liver metastasis from pancreatic neuroendocrine tumors: report of one case. <i>Translational Gastroenterology and Hepatology</i> , 2016, 1, 47-47. | 3.0 | 2 |
| 40 | Impaction of surgical margin status on the survival outcome after surgical resection of intrahepatic cholangiocarcinoma: a systematic review and meta-analysis. <i>Journal of Surgical Research</i> , 2016, 203, 163-173. | 1.6 | 44 |
| 41 | Metastasis associated genomic aberrations in stage II rectal cancer. <i>Genes and Genomics</i> , 2016, 38, 1085-1094. | 1.4 | 1 |
| 42 | Total tumor volume predicts survival following liver resection in patients with hepatocellular carcinoma. <i>Tumor Biology</i> , 2016, 37, 9301-9310. | 1.8 | 18 |
| 43 | Quantitative phosphoproteomics reveals genistein as a modulator of cell cycle and DNA damage response pathways in triple-negative breast cancer cells. <i>International Journal of Oncology</i> , 2016, 48, 1016-1028. | 3.3 | 41 |
| 44 | Prognostic Role of Phospho-STAT3 in Patients with Cancers of the Digestive System: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0127356. | 2.5 | 26 |
| 45 | A novel anti-cancer agent Icaritin suppresses hepatocellular carcinoma initiation and malignant growth through the IL-6/Jak2/Stat3 pathway. <i>Oncotarget</i> , 2015, 6, 31927-31943. | 1.8 | 98 |
| 46 | Aberrantly upregulated TRAP1 is required for tumorigenesis of breast cancer. <i>Oncotarget</i> , 2015, 6, 44495-44508. | 1.8 | 49 |
| 47 | Evaluation of a multi-level, multi-parameter detection method for digestive system cancer diagnosis.. <i>Journal of Clinical Oncology</i> , 2015, 33, e12578-e12578. | 1.6 | 1 |
| 48 | Recent advances in the ARID family: focusing on roles in human cancer. <i>OncoTargets and Therapy</i> , 2014, 7, 315. | 2.0 | 48 |
| 49 | Variants Identified by Hepatocellular Carcinoma and Chronic Hepatitis B Virus Infection Susceptibility GWAS Associated with Survival in HBV-Related Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2014, 9, e101586. | 2.5 | 14 |
| 50 | Clinicopathological and immunohistochemical study of low-grade myofibroblastic sarcoma of the liver—One case report. <i>Clinical Oncology and Cancer Research</i> , 2011, 8, 250-253. | 0.1 | 1 |
| 51 | Risk factors for lymph node metastasis and endoscopic treatment strategies of undifferentiated early gastric cancer. <i>Clinical Oncology and Cancer Research</i> , 2011, 8, 181-184. | 0.1 | 0 |
| 52 | Outcomes of simultaneous resection for elderly patients with colorectal liver metastasis: A propensity score matching analysis. <i>Cancer Medicine</i> , 0, , . | 2.8 | 1 |