

Laurent Remontet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8805301/publications.pdf>

Version: 2024-02-01

65
papers

2,886
citations

218677

26
h-index

175258

52
g-index

70
all docs

70
docs citations

70
times ranked

3681
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Modeling excess hazard with time-to-cure as a parameter. <i>Biometrics</i> , 2021, 77, 1289-1302. | 1.4 | 0 |
| 2 | Oral norgestrel acetate and transdermal 17-beta-estradiol for preventing post-partum relapses in multiple sclerosis: The POPARTMUS study. <i>Multiple Sclerosis Journal</i> , 2021, 27, 1458-1463. | 3.0 | 8 |
| 3 | How to produce sound predictions of incidence at a district level using either health care or mortality data in the absence of a national registry: the example of cancer in France. <i>International Journal of Epidemiology</i> , 2021, 50, 279-292. | 1.9 | 1 |
| 4 | Relationship between adverse drug reactions and unlicensed/off-label drug use in hospitalized children (EREMI): A study protocol. <i>Therapie</i> , 2021, 76, 675-685. | 1.0 | 7 |
| 5 | Effects of Age and Disease Duration on Excess Mortality in Patients With Multiple Sclerosis From a French Nationwide Cohort. <i>Neurology</i> , 2021, 97, e403-e413. | 1.1 | 10 |
| 6 | Socioeconomic Environment and Survival in Patients with Digestive Cancers: A French Population-Based Study. <i>Cancers</i> , 2021, 13, 5156. | 3.7 | 8 |
| 7 | Multidimensional penalized splines for incidence and mortality-trend analyses and validation of national cancer-incidence estimates. <i>International Journal of Epidemiology</i> , 2020, 49, 1294-1306. | 1.9 | 11 |
| 8 | Preoperative Topical Estrogen Treatment vs Placebo in 244 Children With Midshaft and Posterior Hypospadias. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 2422-2429. | 3.6 | 5 |
| 9 | Flexible and structured survival model for a simultaneous estimation of non-linear and non-proportional effects and complex interactions between continuous variables: Performance of this multidimensional penalized spline approach in net survival trend analysis. <i>Statistical Methods in Medical Research</i> , 2019, 28, 2368-2384. | 1.5 | 24 |
| 10 | For a sound use of health care data in epidemiology: evaluation of a calibration model for count data with application to prediction of cancer incidence in areas without cancer registry. <i>Biostatistics</i> , 2019, 20, 452-467. | 1.5 | 6 |
| 11 | On a general structure for hazard-based regression models: An application to population-based cancer research. <i>Statistical Methods in Medical Research</i> , 2019, 28, 2404-2417. | 1.5 | 24 |
| 12 | Multi-Dimensional Penalized Hazard Model with Continuous Covariates: Applications for Studying Trends and Social Inequalities in Cancer Survival. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2019, 68, 1233-1257. | 1.0 | 23 |
| 13 | Time-to-cure and cure proportion in solid cancers in France. A population based study. <i>Cancer Epidemiology</i> , 2019, 60, 93-101. | 1.9 | 16 |
| 14 | Trends in probabilities of death owing to cancer and owing to other causes in patients with colon cancer. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 570-576. | 1.6 | 0 |
| 15 | Use of prostate systematic and targeted biopsy on the basis of multiparametric MRI in biopsy-naïve patients (MRI-FIRST): a prospective, multicentre, paired diagnostic study. <i>Lancet Oncology</i> , The, 2019, 20, 100-109. | 10.7 | 701 |
| 16 | Socioeconomic environment and disparities in cancer survival for 19 solid tumor sites: An analysis of the French Network of Cancer Registries (FRANCIM) data. <i>International Journal of Cancer</i> , 2019, 144, 1262-1274. | 5.1 | 35 |
| 17 | survPen: an R package for hazard and excess hazard modelling with multidimensional penalized splines. <i>Journal of Open Source Software</i> , 2019, 4, 1434. | 4.6 | 19 |
| 18 | A new approach to estimate time-to-cure from cancer registries data. <i>Cancer Epidemiology</i> , 2018, 53, 72-80. | 1.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Describing the association between socioeconomic inequalities and cancer survival: methodological guidelines and illustration with population-based data. <i>Clinical Epidemiology</i> , 2018, Volume 10, 561-573. | 3.0 | 21 |
| 20 | New insights into survival trend analyses in cancer population-based studies: the SUDCAN methodology. <i>European Journal of Cancer Prevention</i> , 2017, 26, S9-S15. | 1.3 | 7 |
| 21 | Survival of solid cancer patients in France, 1989-2013: a population-based study. <i>European Journal of Cancer Prevention</i> , 2017, 26, 461-468. | 1.3 | 47 |
| 22 | Focus on an unusual rise in pancreatic cancer incidence in France. <i>International Journal of Epidemiology</i> , 2017, 46, 1764-1772. | 1.9 | 49 |
| 23 | Sensitivity and specificity of different methods for cystic fibrosis-related diabetes screening: is the oral glucose tolerance test still the standard?. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2017, 30, 27-35. | 0.9 | 30 |
| 24 | Performance of two formal tests based on martingales residuals to check the proportional hazard assumption and the functional form of the prognostic factors in flexible parametric excess hazard models. <i>Biostatistics</i> , 2017, 18, 505-520. | 1.5 | 5 |
| 25 | A multilevel excess hazard model to estimate net survival on hierarchical data allowing for non-linear and non-proportional effects of covariates. <i>Statistics in Medicine</i> , 2016, 35, 3066-3084. | 1.6 | 37 |
| 26 | Cancer incidence in France over the 1980-2012 period: Hematological malignancies. <i>Revue D'Epidemiologie Et De Sante Publique</i> , 2016, 64, 103-112. | 0.5 | 33 |
| 27 | Low phosphatemia in extremely low birth weight neonates: A risk factor for hyperglycemia?. <i>Clinical Nutrition</i> , 2016, 35, 1059-1065. | 5.0 | 13 |
| 28 | Changes in dynamics of excess mortality rates and net survival after diagnosis of follicular lymphoma or diffuse large B-cell lymphoma: comparison between European population-based data (EUROCARE-5). <i>Lancet Haematology</i> , 2015, 2, e481-e491. | 4.6 | 33 |
| 29 | Framework and optimisation procedure for flexible parametric survival models. <i>Statistics in Medicine</i> , 2015, 34, 3376-3377. | 1.6 | 3 |
| 30 | Incidence of major smoking-related cancers: Trends among adults aged 20-44 in France from 1982 to 2012. <i>Cancer Epidemiology</i> , 2015, 39, 707-713. | 1.9 | 13 |
| 31 | Trends in excess mortality in follicular lymphoma at a population level. <i>European Journal of Haematology</i> , 2015, 94, 120-129. | 2.2 | 11 |
| 32 | A joint frailty model to estimate the recurrence process and the disease-specific mortality process without needing the cause of death. <i>Statistics in Medicine</i> , 2014, 33, 3147-3166. | 1.6 | 13 |
| 33 | Cancer incidence and mortality in France over the 1980-2012 period: Solid tumors. <i>Revue D'Epidemiologie Et De Sante Publique</i> , 2014, 62, 95-108. | 0.5 | 184 |
| 34 | Early parenteral lipids and growth velocity in extremely-low-birth-weight infants. <i>Clinical Nutrition</i> , 2014, 33, 502-508. | 5.0 | 28 |
| 35 | National cancer incidence is estimated using the incidence/mortality ratio in countries with local incidence data: Is this estimation correct?. <i>Cancer Epidemiology</i> , 2013, 37, 270-277. | 1.9 | 17 |
| 36 | Cancer net survival on registry data: Use of the new unbiased Pohar-Perme estimator and magnitude of the bias with the classical methods. <i>International Journal of Cancer</i> , 2013, 132, 2359-2369. | 5.1 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Description of an approach based on maximum likelihood to adjust an excess hazard model with a random effect. <i>Cancer Epidemiology</i> , 2013, 37, 449-456. | 1.9 | 4 |
| 38 | Probabilities of dying from cancer and other causes in French cancer patients based on an unbiased estimator of net survival: A study of five common cancers. <i>Cancer Epidemiology</i> , 2013, 37, 857-863. | 1.9 | 30 |
| 39 | Cancer incidence estimation at a district level without a national registry: A validation study for 24 cancer sites using French health insurance and registry data. <i>Cancer Epidemiology</i> , 2013, 37, 99-114. | 1.9 | 16 |
| 40 | Author's reply to: Estimating net survival in population-based cancer studies. <i>International Journal of Cancer</i> , 2013, 133, 522-523. | 5.1 | 0 |
| 41 | Unbiased estimates of long-term net survival of solid cancers in France. <i>International Journal of Cancer</i> , 2013, 132, 2370-2377. | 5.1 | 31 |
| 42 | Farnesoid X Receptor Targeting for Hepatitis C: Study Protocol for a Proof-of-concept Trial. <i>Therapie</i> , 2012, 67, 423-427. | 1.0 | 3 |
| 43 | Joint use of epidemiological and hospital medico-administrative data to estimate prevalence. Application to French data on breast cancer. <i>Cancer Epidemiology</i> , 2012, 36, 116-121. | 1.9 | 10 |
| 44 | Estimating net survival: the importance of allowing for informative censoring. <i>Statistics in Medicine</i> , 2012, 31, 775-786. | 1.6 | 74 |
| 45 | Trends in the incidence of digestive cancers in France between 1980 and 2005 and projections for the year 2010. <i>European Journal of Cancer Prevention</i> , 2011, 20, 375-380. | 1.3 | 28 |
| 46 | Changes in the dynamics of the excess mortality rate in chronic phase-chronic myeloid leukemia over 1990-2007: a population study. <i>Blood</i> , 2011, 118, 4331-4337. | 1.4 | 33 |
| 47 | Competing risk models to estimate the excess mortality and the first recurrent-event hazards. <i>BMC Medical Research Methodology</i> , 2011, 11, 78. | 3.1 | 12 |
| 48 | Reliability of recording uterine cancer in death certification in France and age-specific proportions of deaths from cervix and corpus uteri. <i>Cancer Epidemiology</i> , 2011, 35, 243-249. | 1.9 | 5 |
| 49 | A Suitable Approach to Estimate Cancer Incidence in Area without Cancer Registry. <i>Journal of Cancer Epidemiology</i> , 2011, 2011, 1-11. | 1.1 | 20 |
| 50 | A dietary supplement to improve the quality of sleep: a randomized placebo controlled trial. <i>BMC Complementary and Alternative Medicine</i> , 2010, 10, 29. | 3.7 | 29 |
| 51 | Changes in the risk of death from cancer up to five years after diagnosis in elderly patients: A study of five common cancers. <i>International Journal of Cancer</i> , 2010, 127, 924-931. | 5.1 | 28 |
| 52 | Flexible modeling of competing risks in survival analysis. <i>Statistics in Medicine</i> , 2010, 29, 2453-2468. | 1.6 | 28 |
| 53 | Thyroid cancer: is the incidence rise abating?. <i>European Journal of Endocrinology</i> , 2009, 160, 71-79. | 3.7 | 47 |
| 54 | Incidence and survival of gastric non-Hodgkin's lymphoma: A population-based study from the Association of the French Cancer Registries (FRANCIM). <i>Acta Oncologica</i> , 2009, 48, 977-983. | 1.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Conditional relative survival of cancer patients and conditional probability of death. <i>Cancer</i> , 2009, 115, 4616-4624. | 4.1 | 37 |
| 56 | Breast cancer incidence using administrative data: correction with sensitivity and specificity. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 660-666. | 5.0 | 67 |
| 57 | Is Pneumonectomy After Induction Chemotherapy for Non-small Cell Lung Cancer a Reasonable Procedure? A Multicenter Retrospective Study of 228 Cases. <i>Journal of Thoracic Oncology</i> , 2009, 4, 1496-1503. | 1.1 | 15 |
| 58 | Hazard regression model and cure rate model in colon cancer relative survival trends: are they telling the same story?. <i>European Journal of Epidemiology</i> , 2008, 23, 251-259. | 5.7 | 11 |
| 59 | Artefact-free trends in breast cancer incidence over two decades in a whole French D partement. <i>Breast</i> , 2008, 17, 580-586. | 2.2 | 2 |
| 60 | Cancer incidence and mortality in France over the period 1980 2005. <i>Revue D'Epidemiologie Et De Sante Publique</i> , 2008, 56, 159-175. | 0.5 | 418 |
| 61 | Prognostic factors and long-term results of pulmonary metastasectomy for pediatric histologies . <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 1240-1246. | 1.4 | 39 |
| 62 | Trends in incidence of digestive cancers in France. <i>European Journal of Cancer Prevention</i> , 2008, 17, 13-17. | 1.3 | 26 |
| 63 | Effect of Age, Gender, and Diabetes on Excess Death in End-Stage Renal Failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2125-2134. | 6.1 | 146 |
| 64 | Estimating infra-national and national thyroid cancer incidence in France from cancer registries data and national hospital discharge database. <i>European Journal of Epidemiology</i> , 2007, 22, 607-614. | 5.7 | 27 |
| 65 | Incidence of gastrointestinal cancers in France. <i>Gastroenterologie Clinique Et Biologique</i> , 2004, 28, 877-881. | 0.9 | 102 |