

Tomohiro Shinozaki

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8806519/tomohiro-shinozaki-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134 papers	1,285 citations	19 h-index	28 g-index
148 ext. papers	1,811 ext. citations	3.5 avg, IF	4.83 L-index

#	Paper	IF	Citations
134	Economic hardships and self-reported deterioration of physical and mental health under the COVID-19 pandemic: A cross-sectional study, 2020, Japan.. <i>Journal of Epidemiology</i> , 2022 , 32,	3.4	3
133	Five-Year Outcomes After Fractional Flow Reserve-Based Deferral of Revascularization in Chronic Coronary Syndrome: Final Results From the J-CONFIRM Registry.. <i>Circulation: Cardiovascular Interventions</i> , 2022 , CIRCINTERVENTIONS121011387	6	0
132	Kidney outcomes and all-cause mortality in people with type 2 diabetes exhibiting non-albuminuric kidney insufficiency. <i>Diabetologia</i> , 2022 , 65, 234-245	10.3	1
131	Introduction to Matching in Case-Control and Cohort Studies. <i>Annals of Clinical Epidemiology</i> , 2022 , 4, 33-40	2.5	0
130	Effectiveness of Favipiravir on Nonsevere, Early-Stage COVID-19 in Japan: A Large Observational Study Using the COVID-19 Registry Japan.. <i>Infectious Diseases and Therapy</i> , 2022 , 1	6.2	0
129	Efficacy of remdesivir in hospitalized nonsevere COVID-19 patients in Japan: A large observational study using the COVID-19 Registry Japan.. <i>International Journal of Infectious Diseases</i> , 2022 ,	10.5	3
128	Effect of Antimicrobial Prophylaxis Duration on Health Care-Associated Infections After Clean Orthopedic Surgery: A Cluster Randomized Trial.. <i>JAMA Network Open</i> , 2022 , 5, e226095	10.4	1
127	Bias amplification in the g-computation algorithm for time-varying treatments: a case study of industry payments and prescription of opioid products.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 120	4.7	
126	Effectiveness of an Online Peer Gatekeeper Training Program for Postsecondary Students on Suicide Prevention in Japan: Protocol for a Randomized Controlled Trial.. <i>JMIR Research Protocols</i> , 2022 , 11, e34832	2	
125	Analysis on Real-World Data: An Overview 2022 , 77-88		
124	Sensitivity analysis for subsequent treatments in confirmatory oncology clinical trials: A two-stage stochastic dynamic treatment regime approach. <i>Biometrics</i> , 2021 , 77, 702-714	1.8	2
123	Impact of the resident duty hours on in-training examination score: A nationwide study in Japan. <i>Medical Teacher</i> , 2021 , 1-8	3	0
122	Temporal Course of Vascular Response After Fluoropolymer Paclitaxel-Eluting Stent Implantation for Femoropopliteal Artery Lesions. <i>Circulation Journal</i> , 2021 , 85, 2159-2165	2.9	
121	Factors Associated with Serious Psychological Distress during the COVID-19 Pandemic in Japan 2021 ,		1
120	Association Between Resident Duty Hours and Self-study Time Among Postgraduate Medical Residents in Japan. <i>JAMA Network Open</i> , 2021 , 4, e210782	10.4	1
119	Internet-based behavioural activation to improve depressive symptoms and prevent child abuse in postnatal women (SmartMama): a protocol for a pragmatic randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 314	3.2	0
118	Difference in the general medicine in-training examination score between community-based hospitals and university hospitals: a cross-sectional study based on 15,188 Japanese resident physicians. <i>BMC Medical Education</i> , 2021 , 21, 214	3.3	0

117	Risk Factors and Outcomes of Recurrent Drug-Eluting Stent Thrombosis: Insights From the REAL-ST Registry. <i>Journal of the American Heart Association</i> , 2021 , 10, e018972	6	2
116	The impact of autopsy participation on clinical residency. <i>Journal of General and Family Medicine</i> , 2021 , 22, 278-287	1	
115	Feasibility and safety of colonoscopy performed by nonexperts for acute lower gastrointestinal bleeding: post hoc analysis. <i>Endoscopy International Open</i> , 2021 , 9, E943-E954	3	0
114	Mediational g-formula for time-varying treatment and repeated-measured multiple mediators: Application to atorvastatin's effect on cardiovascular disease via cholesterol lowering and anti-inflammatory actions in elderly type 2 diabetics. <i>Statistical Methods in Medical Research</i> , 2021 , 30, 1782-1799	2.3	1
113	Confidence intervals of prediction accuracy measures for multivariable prediction models based on the bootstrap-based optimism correction methods. <i>Statistics in Medicine</i> , 2021 , 40, 5691-5701	2.3	2
112	Multivariable prediction model to estimate the probability of restenosis at proximal edge after 2nd-generation drug-eluting-stent implantation: development and internal validation using a quantitative coronary angiography from the post-marketing surveillance studies of coronary drug-eluting stents. <i>Cardiovascular Interventions</i> , 2021 , 21, 188-197	2.5	0
111	Clinical impact of calcified nodule in patients with heavily calcified lesions requiring rotational atherectomy. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, 10-19	2.7	8
110	Risk for lymph node metastasis in Epstein-Barr virus-associated gastric carcinoma with submucosal invasion. <i>Digestive Endoscopy</i> , 2021 , 33, 592-597	3.7	2
109	Factors associated with serious psychological distress during the COVID-19 pandemic in Japan: a nationwide cross-sectional internet-based study. <i>BMJ Open</i> , 2021 , 11, e051115	3	9
108	Combined evaluation of right ventricular function using echocardiography in non-ischaemic dilated cardiomyopathy. <i>ESC Heart Failure</i> , 2021 , 8, 3947-3956	3.7	2
107	Community social networks, individual social participation and dietary behavior among older Japanese adults: Examining mediation using nonlinear structural equation models for three-wave longitudinal data. <i>Preventive Medicine</i> , 2021 , 149, 106613	4.3	5
106	Relapse prevention group therapy via video-conferencing for substance use disorder: protocol for a multicentre randomised controlled trial in Indonesia. <i>BMJ Open</i> , 2021 , 11, e050259	3	
105	Re-evaluation of the comparative effectiveness of bootstrap-based optimism correction methods in the development of multivariable clinical prediction models. <i>BMC Medical Research Methodology</i> , 2021 , 21, 9	4.7	13
104	Incidence and Expected Probability of Liver Cirrhosis and Hepatocellular Carcinoma After Fontan Operation.. <i>Circulation</i> , 2021 , 144, 2043-2045	16.7	2
103	Association Between Normothermia at the End of Surgery and Postoperative Complications Following Orthopedic Surgery. <i>Clinical Infectious Diseases</i> , 2020 , 70, 474-482	11.6	4
102	Are there gender differences in the association between body mass index and left ventricular diastolic function? A clinical observational study in the Japanese general population. <i>Echocardiography</i> , 2020 , 37, 1749-1756	1.5	0
101	Efficacy of prehospital National Early Warning Score to predict outpatient disposition at an emergency department of a Japanese tertiary hospital: a retrospective study. <i>BMJ Open</i> , 2020 , 10, e034602	2.602	5
100	Causal Diagrams: Pitfalls and Tips. <i>Journal of Epidemiology</i> , 2020 , 30, 153-162	3.4	14

99	Performance of randomization-based causal methods with and without integrating external data sources for adjusting overall survival in case of extensive treatment switches in placebo-controlled randomized oncology phase 3 trials. <i>Journal of Biopharmaceutical Statistics</i> , 2020 , 30, 377-401	1.3	
98	Understanding Marginal Structural Models for Time-Varying Exposures: Pitfalls and Tips. <i>Journal of Epidemiology</i> , 2020 , 30, 377-389	3.4	6
97	Two-Year Outcomes of Asymptomatic vs. Symptomatic Patients After Deferral of Revascularization Based on Fractional Flow Reserve - Insights From the J-CONFIRM Registry. <i>Circulation Reports</i> , 2020 , 2, 744-752	0.7	1
96	Steroid injection and polyglycolic acid shielding to prevent stricture after esophageal endoscopic submucosal dissection: a retrospective comparative analysis (with video). <i>Gastrointestinal Endoscopy</i> , 2020 , 92, 1176-1186.e1	5.2	7
95	Association between visceral abdominal obesity and long-segment Barrett's esophagus in a Japanese population. <i>Journal of Gastroenterology</i> , 2020 , 55, 189-197	6.9	4
94	G-estimation of structural nested restricted mean time lost models to estimate effects of time-varying treatments on a failure time outcome. <i>Biometrics</i> , 2020 , 76, 799-810	1.8	1
93	Two-Year Outcomes After Deferral of Revascularization Based on Fractional Flow Reserve: The J-CONFIRM Registry. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008355	6	12
92	Effect of a web-based relapse prevention program on abstinence among Japanese drug users: A pilot randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2020 , 111, 37-46	4.2	4
91	Association Between Helicobacter pylori Infection and Short-segment/Long-segment Barrett's Esophagus in a Japanese Population: A Large Cross-Sectional Study. <i>Journal of Clinical Gastroenterology</i> , 2020 , 54, 439-444	3	6
90	Associations of aging trajectories for an index of frailty score with mortality and medical and long-term care costs among older Japanese undergoing health checkups. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 1072-1078	2.9	3
89	Outcomes After First- Versus Second-Generation Drug-Eluting Stent Thrombosis (from the REAL-ST Registry). <i>American Journal of Cardiology</i> , 2020 , 132, 52-58	3	3
88	Impact of general medicine rotation training on the in-training examination scores of 11, 244 Japanese resident physicians: a Nationwide multi-center cross-sectional study. <i>BMC Medical Education</i> , 2020 , 20, 426	3.3	5
87	Doubly robust estimator of risk in the presence of censoring dependent on time-varying covariates: application to a primary prevention trial for coronary events with pravastatin. <i>BMC Medical Research Methodology</i> , 2020 , 20, 204	4.7	
86	Hospital characteristics preferred by medical students for their residency programs: A nationwide matching data analysis. <i>Journal of General and Family Medicine</i> , 2020 , 21, 242-247	1	2
85	Relationship between time-varying status of reflux esophagitis and Helicobacter pylori and progression to long-segment Barrett's esophagus: time-dependent Cox proportional-hazards analysis. <i>BMC Gastroenterology</i> , 2020 , 20, 270	3	
84	Efficacy and Safety of Early vs Elective Colonoscopy for Acute Lower Gastrointestinal Bleeding. <i>Gastroenterology</i> , 2020 , 158, 168-175.e6	13.3	33
83	A sliding scale to predict postoperative complications undergoing posterior spine surgery. <i>Journal of Orthopaedic Science</i> , 2020 , 25, 545-550	1.6	3
82	Association between the ratio of serum n-3 to n-6 polyunsaturated fatty acids and acute coronary syndrome in non-obese patients with coronary risk factor: a multicenter cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 160	2.3	4

81	Impact of Residual Stenosis on the Angiographic Edge Restenosis of a Second-Generation Drug-Eluting Stent. <i>International Heart Journal</i> , 2019 , 60, 1050-1060	1.8	3
80	RE: Effects of Oral Anticoagulants and Aspirin on Performance of Fecal Immunochemical Tests in Colorectal Cancer Screening. <i>Gastroenterology</i> , 2019 ,	13.3	
79	Risk Factors and Long-Term Clinical Outcomes of Second-Generation Drug-Eluting Stent Thrombosis. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e007822	6	17
78	Epidemiology and clinical features of childhood-onset anti-neutrophil cytoplasmic antibody-associated vasculitis: a clinicopathological analysis. <i>Pediatric Nephrology</i> , 2019 , 34, 1425-1433	3.2	10
77	Cohort Study on Laryngeal Cough Reflex, Respiratory Disease, and Death: A Mediation Analysis. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 971-976	5.9	2
76	Microglial activation in the cochlear nucleus after early hearing loss in rats. <i>Auris Nasus Larynx</i> , 2019 , 46, 716-723	2.2	6
75	Hazard Ratio Estimators after Terminating Observation within Matched Pairs in Sibling and Propensity Score Matched Designs. <i>International Journal of Biostatistics</i> , 2019 , 15,	1.3	1
74	Clinical impact of different cut-off values in high-resolution manometry systems on diagnosing esophageal motility disorders. <i>Journal of Gastroenterology</i> , 2019 , 54, 1078-1082	6.9	16
73	Albumin and Hemoglobin Trajectories and Incident Disabling Dementia in Community-Dwelling Older Japanese. <i>Dementia and Geriatric Cognitive Disorders</i> , 2019 , 47, 233-242	2.6	7
72	Non-inferior comparative study comparing one or two day antimicrobial prophylaxis after clean orthopaedic surgery (NOCOTA study): a study protocol for a cluster pseudo-randomized controlled trial comparing duration of antibiotic prophylaxis. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 533	2.8	3
71	Association between recorded medical diagnoses and incidence of long-term care needs certification: a case control study using linked medical and long-term care data in two Japanese cities. <i>Annals of Clinical Epidemiology</i> , 2019 , 1, 56-68	2.5	4
70	Association of trajectories of cognitive function with cause-specific mortality and medical and long-term care costs. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 1236-1242	2.9	4
69	Misuse of Regression Adjustment for Additional Confounders Following Insufficient Propensity Score Balancing. <i>Epidemiology</i> , 2019 , 30, 541-548	3.1	8
68	The Effects of Direct Oral Anticoagulants, Warfarin, Aspirin and Thienopyridine on the Performance of Immunochemical, Faecal, Occult Blood Tests. <i>Digestion</i> , 2019 , 100, 117-126	3.6	5
67	Study Profile: The Japan "Society and New Tobacco" Internet Survey (JASTIS): A Longitudinal Internet Cohort Study of Heat-Not-Burn Tobacco Products, Electronic Cigarettes, and Conventional Tobacco Products in Japan. <i>Journal of Epidemiology</i> , 2019 , 29, 444-450	3.4	46
66	Community Social Capital and Depressive Symptoms Among Older People in Japan: A Multilevel Longitudinal Study. <i>Journal of Epidemiology</i> , 2019 , 29, 363-369	3.4	21
65	Association of Trajectories of Higher-Level Functional Capacity with Mortality and Medical and Long-Term Care Costs Among Community-Dwelling Older Japanese. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 211-218	6.4	21
64	Impact of childhood abuse on suicide-related behavior: Analysis using marginal structural models. <i>Journal of Affective Disorders</i> , 2018 , 234, 224-230	6.6	11

63	Trajectories of arterial stiffness and all-cause mortality among community-dwelling older Japanese. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 1108-1113	2.9	8
62	Heat-not-burn tobacco product use in Japan: its prevalence, predictors and perceived symptoms from exposure to secondhand heat-not-burn tobacco aerosol. <i>Tobacco Control</i> , 2018 , 27, e25-e33	5.3	13 ⁶
61	Awareness of Diagnostic Error among Japanese Residents: a Nationwide Study. <i>Journal of General Internal Medicine</i> , 2018 , 33, 445-448	4	6
60	Impact of lesion complexity on long-term vascular response to cobalt-chromium everolimus-eluting stent: five-year follow-up optical coherence tomography study. <i>Heart and Vessels</i> , 2018 , 33, 341-350	2.1	2
59	Efficacy of Vonoprazan for Gastroesophageal Reflux Symptoms in Patients with Proton Pump Inhibitor-resistant Non-erosive Reflux Disease. <i>Internal Medicine</i> , 2018 , 57, 2443-2450	1.1	9
58	A comparison of estimators from self-controlled case series, case-crossover design, and sequence symmetry analysis for pharmacoepidemiological studies. <i>BMC Medical Research Methodology</i> , 2018 , 18, 4	4.7	13
57	Age independency of mobility decrease assessed using the Locomotive Syndrome Risk Test in elderly with disability: a cross-sectional study. <i>BMC Geriatrics</i> , 2018 , 18, 28	4.1	13
56	A multicenter, randomized controlled trial comparing the identification rate of stigmata of recent hemorrhage and rebleeding rate between early and elective colonoscopy in outpatient-onset acute lower gastrointestinal bleeding: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 214	2.8	6
55	Five-Year Clinical Outcomes After Drug-Eluting Stent Implantation Following Rotational Atherectomy for Heavily Calcified Lesions. <i>Circulation Journal</i> , 2018 , 82, 983-991	2.9	9
54	Determinants of High-School Dropout: A Longitudinal Study in a Deprived Area of Japan. <i>Journal of Epidemiology</i> , 2018 , 28, 458-464	3.4	6
53	Sessile serrated adenoma detection rate is correlated with adenoma detection rate. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 82-90	3.4	18
52	Impact of smoking history on the association between Eicosapentaenoic acid to arachidonic acid ratio and acute coronary syndrome: A multicenter cross-sectional study. <i>Tobacco Induced Diseases</i> , 2018 , 16, 08	3.2	
51	Analyzing intent-to-treat and per-protocol effects on safety outcomes using a medical information database: an application to the risk assessment of antibiotic-induced liver injury. <i>Expert Opinion on Drug Safety</i> , 2018 , 17, 1071-1079	4.1	4
50	Evidence-based Care Bundles for Preventing Surgical Site Infections in Spinal Instrumentation Surgery. <i>Spine</i> , 2018 , 43, 1765-1773	3.3	14
49	Impact of total stent length after cobalt chromium everolimus-eluting stent implantation on 3-year clinical outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 207-216	2.7	8
48	Gait Performance Trajectories and Incident Disabling Dementia Among Community-Dwelling Older Japanese. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 192.e13-192.e20	5.9	24
47	Smoking at the time of diagnosis and mortality in cancer patients: What benefit does the quitter gain?. <i>International Journal of Cancer</i> , 2017 , 140, 1789-1795	7.5	9
46	Two-by-two cross-over study to evaluate agreement between versions of a quantitative coronary analysis system (QAngio XA). <i>International Journal of Cardiovascular Imaging</i> , 2017 , 33, 779-787	2.5	3

45	Effect of stepwise perinatal immunization education: A cluster-randomized controlled trial. <i>Vaccine</i> , 2017 , 35, 1645-1651	4.1	11
44	Tobacco price increase and smoking behaviour changes in various subgroups: a nationwide longitudinal 7-year follow-up study among a middle-aged Japanese population. <i>Tobacco Control</i> , 2017 , 26, 69-77	5.3	25
43	Incidence and Long-Term Clinical Impact of Late-Acquired Stent Fracture After Sirolimus-Eluting Stent Implantation in Narrowed Coronary Arteries. <i>American Journal of Cardiology</i> , 2017 , 120, 55-62	3	5
42	Mini-Mental State Examination score trajectories and incident disabling dementia among community-dwelling older Japanese adults. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 1928-1935	2.9	10
41	Frequency and influencing factors of cardiopulmonary resuscitation-related injuries during implementation of the American Heart Association 2010 Guidelines: a retrospective study based on autopsy and postmortem computed tomography. <i>International Journal of Legal Medicine</i> , 2017 , 131, 1655-1663	3.1	14
40	Educational environment and the improvement in the General Medicine In-training Examination score. <i>Journal of General and Family Medicine</i> , 2017 , 18, 312-314	1	6
39	Re: Biases in Randomized Trials: A Conversation Between Trialists and Epidemiologists. <i>Epidemiology</i> , 2017 , 28, e40-e41	3.1	2
38	On hazard ratio estimators by proportional hazards models in matched-pair cohort studies. <i>Emerging Themes in Epidemiology</i> , 2017 , 14, 6	3.9	13
37	Preventive effect of pravastatin on the development of hypertension in patients with hypercholesterolemia: A post-hoc analysis of the Management of Elevated Cholesterol in the Primary Prevention Group of Adult Japanese (MEGA) Study. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 998-1006	4.9	5
36	Difference of Tissue Characteristics Between Early and Late Restenosis After Second-Generation Drug-Eluting Stents Implantation - An Optical Coherence Tomography Study. <i>Circulation Journal</i> , 2017 , 81, 450-457	2.9	22
35	Colonoscopy reduces colorectal cancer mortality: A multicenter, long-term, colonoscopy-based cohort study. <i>PLoS ONE</i> , 2017 , 12, e0185294	3.7	19
34	Improved parental attitudes and beliefs through stepwise perinatal vaccination education. <i>Human Vaccines and Immunotherapeutics</i> , 2017 , 13, 2639-2645	4.4	9
33	Relationship of Left Ventricular Diastolic Function to Obesity and Overweight in a Japanese Population With Preserved Left Ventricular Ejection Fraction. <i>Circulation Journal</i> , 2016 , 80, 1951-6	2.9	11
32	Childhood socioeconomic disadvantage is associated with lower mortality in older Japanese men: the JAGES cohort study. <i>International Journal of Epidemiology</i> , 2016 , 45, 1226-1235	7.8	26
31	Web-based cognitive behavioral relapse prevention program with tailored feedback for people with methamphetamine and other drug use problems: protocol for a multicenter randomized controlled trial in Japan. <i>BMC Psychiatry</i> , 2016 , 16, 87	4.2	5
30	Incremental prognostic value of coronary computed tomographic angiography high-risk plaque characteristics in newly symptomatic patients. <i>Journal of Cardiology</i> , 2016 , 67, 538-44	3	9
29	Factors influencing left atrial volume in a population with preserved ejection fraction: Left ventricular diastolic dysfunction or clinical factors?. <i>Journal of Cardiology</i> , 2016 , 68, 275-81	3	6
28	Effectiveness of Stepwise Perinatal Immunization Education: A Cluster Randomized Controlled Trial. <i>Open Forum Infectious Diseases</i> , 2016 , 3,	1	2

27	Two-year clinical outcomes of the NOBORI biolimus-eluting stents versus XIENCE/PROMUS everolimus-eluting stents in small vessel disease. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 88, E132-E138	2.7	7
26	Association between the docosahexaenoic acid to arachidonic acid ratio and acute coronary syndrome: a multicenter observational study. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 143	2.3	11
25	Incidence and Clinical Impact of Stent Fracture After PROMUS Element Platinum Chromium Everolimus-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1180-1188	5	21
24	Development of new risk score for pre-test probability of obstructive coronary artery disease based on coronary CT angiography. <i>Heart and Vessels</i> , 2015 , 30, 563-71	2.1	11
23	Sources of perceived social support associated with reduced psychological distress at 1 year after the Great East Japan Earthquake: Nationwide cross-sectional survey in 2012. <i>Psychiatry and Clinical Neurosciences</i> , 2015 , 69, 580-6	6.2	15
22	Current practices and needs regarding perinatal childhood immunization education for Japanese mothers. <i>Vaccine</i> , 2015 , 33, 6128-33	4.1	7
21	Two-Year Clinical Outcomes of Newer-Generation Drug-Eluting Stent Implantation Following Rotational Atherectomy for Heavily Calcified Lesions. <i>Circulation Journal</i> , 2015 , 79, 1938-43	2.9	20
20	Prognostic Value of Coronary Computed Tomography (CT) Angiography and Coronary Artery Calcium Score Performed Before Revascularization. <i>Journal of the American Heart Association</i> , 2015 , 4, e002264	6	12
19	Brief Report: Doubly Robust Estimation of Standardized Risk Difference and Ratio in the Exposed Population. <i>Epidemiology</i> , 2015 , 26, 873-7	3.1	14
18	Significance of the Glasgow Prognostic Score as a prognostic indicator for lung cancer surgery. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2015 , 21, 637-43	1.8	28
17	Fluid-Fluid Level and Pericardial Hyperdense Ring Appearance Findings on Unenhanced Postmortem CT Can Differentiate Between Postmortem and Antemortem Pericardial Hemorrhage. <i>American Journal of Roentgenology</i> , 2015 , 205, W568-77	5.4	7
16	Estimation of controlled direct effects in time-varying treatments using structural nested mean models: application to a primary prevention trial for coronary events with pravastatin. <i>Statistics in Medicine</i> , 2014 , 33, 3214-28	2.3	4
15	Long-term coronary arterial response to biodegradable polymer biolimus-eluting stents in comparison with durable polymer sirolimus-eluting stents and bare-metal stents: five-year follow-up optical coherence tomography study. <i>Atherosclerosis</i> , 2014 , 237, 23-9	3.1	14
14	Significance of imbalance in the ratio of serum n-3 to n-6 polyunsaturated fatty acids in patients with acute coronary syndrome. <i>American Journal of Cardiology</i> , 2014 , 113, 441-5	3	48
13	Who was concerned about radiation, food safety, and natural disasters after the great East Japan earthquake and Fukushima catastrophe? A nationwide cross-sectional survey in 2012. <i>PLoS ONE</i> , 2014 , 9, e106377	3.7	17
12	Combinations of long-term care insurance services and associated factors in Japan: a classification tree model. <i>BMC Health Services Research</i> , 2014 , 14, 382	2.9	9
11	Optimal urinary protein-to-creatinine ratio as a renal biopsy criterion in children with asymptomatic proteinuria. <i>Clinical Nephrology</i> , 2014 , 82, 115-21	2.1	2
10	Decreased duration of acute upper respiratory tract infections with daily intake of fermented milk: a multicenter, double-blinded, randomized comparative study in users of day care facilities for the elderly population. <i>American Journal of Infection Control</i> , 2013 , 41, 1231-5	3.8	41

9	Influence of left ventricular function on development of systolic anterior motion after mitral valve repair. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 146, 291-5.e1	1.5	20
8	Do semi-rigid prosthetic rings affect left ventricular function after mitral valve repair?. <i>Circulation Journal</i> , 2013 , 77, 2038-42	2.9	6
7	Aftershocks associated with impaired health caused by the great East Japan disaster among youth across Japan: a national cross-sectional survey. <i>Interactive Journal of Medical Research</i> , 2013 , 2, e31	2.1	5
6	Lower physical activity is a strong predictor of cardiovascular events in elderly patients with type 2 diabetes mellitus beyond traditional risk factors: the Japanese Elderly Diabetes Intervention Trial. <i>Geriatrics and Gerontology International</i> , 2012 , 12 Suppl 1, 77-87	2.9	22
5	Effective prevention of cardiovascular disease and diabetes-related events with atorvastatin in Japanese elderly patients with type 2 diabetes mellitus: adjusting for treatment changes using a marginal structural proportional hazards model and a rank-preserving structural failure time model. <i>Geriatrics and Gerontology International</i> , 2012 , 12 Suppl 1, 88-102	2.9	10
4	Risk factors associated with cognitive decline in the elderly with type 2 diabetes: baseline data analysis of the Japanese Elderly Diabetes Intervention Trial. <i>Geriatrics and Gerontology International</i> , 2012 , 12 Suppl 1, 103-9	2.9	30
3	Risk factors associated with cognitive decline in the elderly with type 2 diabetes: pooled logistic analysis of a 6-year observation in the Japanese Elderly Diabetes Intervention Trial. <i>Geriatrics and Gerontology International</i> , 2012 , 12 Suppl 1, 110-6	2.9	28
2	Red blood cell distribution width as an effective tool for detecting fatal heart failure in super-elderly patients. <i>Internal Medicine</i> , 2012 , 51, 2271-6	1.1	21
1	Comment on Biostatistical Considerations When Using RWD and RWE in Clinical Studies for Regulatory Purposes: A Landscape Assessment. <i>Statistics in Biopharmaceutical Research</i> , 1-6	1.2	0