

Woo-Bin Jung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8806568/publications.pdf>

Version: 2024-02-01

42
papers

1,740
citations

331259

21
h-index

276539

41
g-index

44
all docs

44
docs citations

44
times ranked

3006
citing authors

#	ARTICLE	IF	CITATIONS
1	Spatial Control of Lithium Deposition by Controlling the Lithiophilicity with Copper(I) Oxide Boundaries. <i>Energy and Environmental Materials</i> , 2023, 6, .	7.3	2
2	Synergistic Effect of Cu ₂ O Mesh Pattern on High-Facet Cu Surface for Selective CO ₂ Electroreduction to Ethanol. <i>Advanced Materials</i> , 2022, 34, e2106028.	11.1	44
3	Hierarchical Wrinkle-Structured Catalyst Layer/Membrane Interface for Ultralow Pt-Loading Polymer Electrolyte Membrane Fuel Cells (PEMFCs). <i>Nano Letters</i> , 2022, 22, 1174-1182.	4.5	12
4	Searching for an Optimal Multi-Metallic Alloy Catalyst by Active Learning Combined with Experiments. <i>Advanced Materials</i> , 2022, 34, e2108900.	11.1	19
5	Searching for an Optimal Multi-Metallic Alloy Catalyst by Active Learning Combined with Experiments (Adv. Mater. 19/2022). <i>Advanced Materials</i> , 2022, 34, .	11.1	4
6	Three-dimensional SnO ₂ nanoparticles synthesized by joule heating as anode materials for lithium ion batteries. <i>Nano Express</i> , 2022, 3, 025005.	1.2	2
7	Highly enhanced tire performance achieved by using combined carbon nanotubes and soybean oil. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49945.	1.3	6
8	Nanoscale Wrinkled Cu as a Current Collector for High-Loading Graphite Anode in Solid-State Lithium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 2576-2583.	4.0	15
9	Fabrication of Highly Monodisperse and Small-Grain Platinum Hole-Cylinder Nanoparticles as a Cathode Catalyst for Li-O ₂ Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 2514-2521.	2.5	3
10	Polyelemental Nanoparticles as Catalysts for a Li-O ₂ Battery. <i>ACS Nano</i> , 2021, 15, 4235-4244.	7.3	38
11	High Facets on Nanowrinkled Cu via Chemical Vapor Deposition Graphene Growth for Efficient CO ₂ Reduction into Ethanol. <i>ACS Catalysis</i> , 2021, 11, 5658-5665.	5.5	46
12	Extraordinary dendrite-free Li deposition on highly uniform facet wrinkled Cu substrates in carbonate electrolytes. <i>Nano Energy</i> , 2021, 82, 105736.	8.2	24
13	A comparative study of increased lithium storage with low resistance at structural defects in amorphous titanium dioxide electrode. <i>Electrochimica Acta</i> , 2021, 398, 139358.	2.6	4
14	Generation of high-density nanoparticles in the carbothermal shock method. <i>Science Advances</i> , 2021, 7, eabk2984.	4.7	23
15	Effect of Highly Periodic Au Nanopatterns on Dendrite Suppression in Lithium Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 60978-60986.	4.0	14
16	Confined cavity on a mass-producible wrinkle film promotes selective CO ₂ reduction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 14592-14599.	5.2	16
17	Mapping Graphene Grain Orientation by the Growth of WS ₂ Films with Oriented Cracks. <i>Chemistry of Materials</i> , 2020, 32, 7484-7491.	3.2	3
18	High-Resolution Nanopatterning: Recent Progress in Simple and Cost-Effective Top-Down Lithography for a ~10 nm Scale Nanopatterns: From Edge Lithography to Secondary Sputtering Lithography (Adv.) <i>Tj ETQq0 01.0gBT /Overlock 10</i>		

#	ARTICLE	IF	CITATIONS
19	Recent Progress in Simple and Cost-Effective Top-Down Lithography for ~ 10 nm Scale Nanopatterns: From Edge Lithography to Secondary Sputtering Lithography. <i>Advanced Materials</i> , 2020, 32, e1907101.	11.1	57
20	Polyelemental Nanolithography via Plasma Ion Bombardment: From Fabrication to Superior H_2 Sensing Application. <i>Advanced Materials</i> , 2019, 31, e1805343.	11.1	38
21	Hierarchical Metal Oxide Wrinkles as Responsive Chemical Sensors. <i>ACS Applied Nano Materials</i> , 2019, 2, 5520-5526.	2.4	8
22	Relationship between Hydrogen Evolution and Wettability for Multiscale Hierarchical Wrinkles. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 7546-7552.	4.0	39
23	Facile Fabrication of High-Definition Hierarchical Wrinkle Structures for Investigating the Geometry-Sensitive Fate Commitment of Human Neural Stem Cells. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 17247-17255.	4.0	19
24	Sub-5 nm Dendrimer Directed Self-Assembly with Large-Area Uniform Alignment by Graphoepitaxy. <i>Advanced Functional Materials</i> , 2019, 29, 1901876.	7.8	9
25	Enhanced nanofiltration performance of graphene-based membranes on wrinkled polymer supports. <i>Carbon</i> , 2019, 148, 370-377.	5.4	36
26	Universal Method for Creating Hierarchical Wrinkles on Thin-Film Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 1347-1355.	4.0	49
27	Distinct Mechanosensing of Human Neural Stem Cells on Extremely Limited Anisotropic Cellular Contact. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 33891-33900.	4.0	31
28	Monolithic Polymer Nanoridges with Programmable Wetting Transitions. <i>Advanced Materials</i> , 2018, 30, e1706657.	11.1	45
29	Springtail-inspired superomniphobic surface with extreme pressure resistance. <i>Science Advances</i> , 2018, 4, eaat4978.	4.7	112
30	Fabrication of a high-performance thin film polarizer using lyotropic chromonic liquid crystals using a high-resolution nanoscale template. <i>Journal of Materials Chemistry C</i> , 2017, 5, 12241-12248.	2.7	15
31	A three-dimensional metal grid mesh as a practical alternative to ITO. <i>Nanoscale</i> , 2016, 8, 14257-14263.	2.8	43
32	Stretchable Superhydrophobicity from Monolithic, Three-Dimensional Hierarchical Wrinkles. <i>Nano Letters</i> , 2016, 16, 3774-3779.	4.5	127
33	Multiscale, Hierarchical Patterning of Graphene by Conformal Wrinkling. <i>Nano Letters</i> , 2016, 16, 7121-7127.	4.5	96
34	Complex High-Aspect-Ratio Metal Nanostructures by Secondary Sputtering Combined with Block Copolymer Self-Assembly. <i>Advanced Materials</i> , 2016, 28, 8439-8445.	11.1	26
35	Controlling Smectic Liquid Crystal Defect Patterns by Physical Stamping-Assisted Domain Separation and Their Use as Templates for Quantum Dot Cluster Arrays. <i>Langmuir</i> , 2016, 32, 13418-13426.	1.6	13
36	High-Resolution p-Type Metal Oxide Semiconductor Nanowire Array as an Ultrasensitive Sensor for Volatile Organic Compounds. <i>Nano Letters</i> , 2016, 16, 4508-4515.	4.5	156

#	ARTICLE	IF	CITATIONS
37	Polymer-Free Alignment for Fast Switching Nematic Liquid Crystals by Multifunctional Nanostructured Substrate. <i>Advanced Materials</i> , 2015, 27, 6760-6766.	11.1	12
38	Highly Enhanced Fluorescence Signals of Quantum Dot-Polymer Composite Arrays Formed by Hybridization of Ultrathin Plasmonic Au Nanowalls. <i>Nano Letters</i> , 2015, 15, 7273-7280.	4.5	38
39	Direct Observation of Highly Ordered Dendrimer Soft Building Blocks over a Large Area. <i>Nano Letters</i> , 2015, 15, 7552-7557.	4.5	19
40	Highly Enhanced Gas Adsorption Properties in Vertically Aligned MoS ₂ Layers. <i>ACS Nano</i> , 2015, 9, 9314-9321.	7.3	417
41	Direct Observation of Molybdenum Disulfide, MoS ₂ , Domains by Using a Liquid Crystalline Texture Method. <i>Nano Letters</i> , 2015, 15, 229-234.	4.5	30
42	Fabrication of 10 nm-Scale Complex 3D Nanopatterns with Multiple Shapes and Components by Secondary Sputtering Phenomenon. <i>ACS Nano</i> , 2014, 8, 1204-1212.	7.3	27