

# Ender Makineci

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8806706/ender-makineci-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47  
papers

388  
citations

11  
h-index

17  
g-index

49  
ext. papers

438  
ext. citations

2.6  
avg, IF

3.69  
L-index

#	Paper	IF	Citations
47	Bark thickness models for oak forests being converted from coppice to high forests in Northwestern Turkey. <i>Environmental Monitoring and Assessment</i> , <b>2021</b> , 193, 728	3.1	
46	Nitrogen accumulation in forest floors with introduced <i>Pinus pinea</i> and <i>Pinus pinaster</i> in dune site. <i>Environmental Monitoring and Assessment</i> , <b>2021</b> , 193, 327	3.1	
45	Estimation of fresh sprout biomass based on tree variables of pollarding Turkey oak ( <i>Quercus cerris</i> L.). <i>Environmental Monitoring and Assessment</i> , <b>2021</b> , 193, 83	3.1	
44	Thinning effects on biomass and element concentrations of roots in adjacent hornbeam and oak stands in Istanbul, Turkey. <i>Forest Ecosystems</i> , <b>2021</b> , 8,	3.8	3
43	Biomass, carbon and nitrogen in single tree components of grey poplar ( <i>Populus trichocarpa</i> ) in an uncultivated habitat in Van, Turkey. <i>Environmental Monitoring and Assessment</i> , <b>2020</b> , 192, 363	3.1	1
42	Utilization of Spent Coffee Grounds as Media for Stone Pine ( <i>Pinus pinea</i> ) Seedlings. <i>Journal of Soil Science and Plant Nutrition</i> , <b>2020</b> , 20, 2014-2024	3.2	0
41	Biomass estimation of aboveground tree components for Turkey oak ( <i>Quercus cerris</i> L.) in south-eastern Turkey. <i>Environmental Monitoring and Assessment</i> , <b>2020</b> , 192, 418	3.1	3
40	Chemical water parameters of end pit lakes in abandoned coal mines. <i>Arabian Journal of Geosciences</i> , <b>2020</b> , 13, 1	1.8	1
39	Carbon and nitrogen of seed and some germination parameters at different test temperatures in Anatolian black pine populations. <i>Journal of Sustainable Forestry</i> , <b>2020</b> , 39, 23-34	1.2	2
38	Litter decomposition in pure and mixed <i>Quercus</i> and <i>Fagus</i> stands as influenced by arthropods in Belgrad Forest, Turkey. <i>Journal of Forestry Research</i> , <b>2020</b> , 31, 1123-1137	2	2
37	Biomass estimation of individual trees for coppice-originated oak forests. <i>European Journal of Forest Research</i> , <b>2019</b> , 138, 623-637	2.7	8
36	Soil organic carbon accumulation and several physicochemical soil properties under stone pine and maritime pine plantations in coastal dune, Durusu-Istanbul. <i>Environmental Monitoring and Assessment</i> , <b>2019</b> , 191, 312	3.1	4
35	Community structure and seasonal variations of soil microarthropods during environmental changes. <i>Applied Soil Ecology</i> , <b>2018</b> , 123, 313-317	5	4
34	Impacts of low-intensity prescribed fire on microbial and chemical soil properties in a <i>Quercus frainetto</i> forest. <i>Journal of Forestry Research</i> , <b>2018</b> , 29, 687-696	2	14
33	Estimating the effect of abandoning coppice management on carbon sequestration by oak forests in Turkey with a modeling approach. <i>Science of the Total Environment</i> , <b>2018</b> , 640-641, 400-405	10.2	5
32	Effects of parent material, stand type and oak species on defoliation of coppice-originated oak ( <i>Quercus</i> spp.) forests in Northern Turkish Thrace. <i>Bosque</i> , <b>2017</b> , 38, 299-306	0.8	3
31	Carbon Stocks of Fine Woody Debris in Coppice Oak Forests at Different Development Stages. <i>Forests</i> , <b>2017</b> , 8, 199	2.8	

30	Seasonal and altitudinal variations of soil arthropods in <i>Abies nordmanniana</i> subsp. <i>bornmulleriana</i> forests. <i>Bosque</i> , <b>2016</b> , 37, 335-345	0.8	2
29	Estimating the age-dependent changes in carbon stocks of Scots pine ( <i>Pinus sylvestris</i> L.) stands in Turkey. <i>Annals of Forest Science</i> , <b>2016</b> , 73, 523-531	3.1	17
28	Ecosystem carbon pools of coppice-originated oak forests at different development stages. <i>European Journal of Forest Research</i> , <b>2015</b> , 134, 319-333	2.7	23
27	Effects of thinning on soil respiration and microbial respiration of forest floor and soil in an oak ( <i>Quercus frainetto</i> ) forest. <i>Soil Research</i> , <b>2015</b> , 53, 522	1.8	10
26	Effects of carbon and nitrogen content on seed germination of calabrian pine ( <i>Pinus brutia</i> ) populations. <i>Bosque</i> , <b>2015</b> , 36, 435-443	0.8	4
25	Community Structure and Seasonal Changes of Soil Microarthropods in a Native Oak Stand and Scots Pine Plantation. <i>Ekoloji</i> , <b>2015</b> , 23-31		2
24	Variations in carbon and nitrogen ratios and their effects on seed germination in <i>Cupressus sempervirens</i> populations. <i>Scandinavian Journal of Forest Research</i> , <b>2014</b> , 29, 162-169	1.7	8
23	Humus characteristics and seasonal changes of soil arthropod communities in a natural sessile oak ( <i>Quercus petraea</i> L.) stand and adjacent Austrian pine ( <i>Pinus nigra</i> Arnold) plantation. <i>Environmental Monitoring and Assessment</i> , <b>2013</b> , 185, 8943-55	3.1	8
22	Temporal changes of soil respiration under different tree species. <i>Environmental Monitoring and Assessment</i> , <b>2013</b> , 185, 3349-58	3.1	13
21	Temporal variations of biomass, carbon and nitrogen of roots under different tree species. <i>Scandinavian Journal of Forest Research</i> , <b>2013</b> , 28, 8-16	1.7	8
20	Carbon and nitrogen accumulation in forest floor and surface soil under different geographic origins of Maritime pine ( <i>Pinus pinaster</i> Aiton.) plantations. <i>Forest Systems</i> , <b>2013</b> , 22, 214	0.9	2
19	Natural plant revegetation on reclaimed coal mine landscapes in Agacli-Istanbul. <i>African Journal of Biotechnology</i> , <b>2011</b> , 10, 3248-3259	0.6	5
18	The Forest Floor and Mineral Soil Carbon Pools of Six Different Forest Tree Species. <i>Ekoloji</i> , <b>2011</b> , 20, 8-14		8
17	Skid road effects on annual ring widths and diameter increment of fir ( <i>Abies bornmulleriana</i> Mattf.) trees. <i>Transportation Research, Part D: Transport and Environment</i> , <b>2010</b> , 15, 350-355	6.4	3
16	Comparative study on soil properties in a picnic and undisturbed area of Belgrad Forest, Istanbul. <i>Journal of Environmental Biology</i> , <b>2010</b> , 31, 125-8	1.6	5
15	Long-term effects of red deer ( <i>Cervus elaphus</i> ) grazing on soil in a breeding area. <i>Journal of Environmental Biology</i> , <b>2010</b> , 31, 185-8	1.6	15
14	Impacts of repeated timber skidding on the chemical properties of topsoil, herbaceous cover and forest floor in an eastern beech ( <i>Fagus orientalis</i> Lipsky) stand. <i>Journal of Environmental Biology</i> , <b>2010</b> , 31, 477-82	1.6	6
13	Soil organic carbon and nitrogen accumulation on coal mine spoils reclaimed with maritime pine ( <i>Pinus pinaster</i> Aiton) in Agacli-Istanbul. <i>Environmental Monitoring and Assessment</i> , <b>2009</b> , 155, 273-80	3.1	16

12	Some soil properties on coal mine spoils reclaimed with black locust ( <i>Robinia pseudoacacia</i> L.) and umbrella pine ( <i>Pinus pinea</i> L.) in Agacli-Istanbul. <i>Environmental Monitoring and Assessment</i> , <b>2009</b> , 159, 407-14	3.1	48
11	Survived herbaceous plant species on compacted skid road in a fir ( <i>Abies bornmulleriana</i> Mattf.) forest [A note]. <i>Transportation Research, Part D: Transport and Environment</i> , <b>2008</b> , 13, 187-192	6.4	4
10	Plant Species Recovery on a Compacted Skid Road. <i>Sensors</i> , <b>2008</b> , 8, 3123-3133	3.8	3
9	Revegetated herbaceous plant species on a compacted skid road. <i>Journal of Terramechanics</i> , <b>2008</b> , 45, 45-49	2.2	2
8	Investigation of timber harvesting impacts on herbaceous cover, forest floor and surface soil properties on skid road in an oak ( <i>Quercus petrea</i> L.) stand. <i>Building and Environment</i> , <b>2007</b> , 42, 1194-1199	6.5	33
7	Long-term harvesting effects on skid road in a fir ( <i>Abies bornmulleriana</i> Mattf.) plantation forest. <i>Building and Environment</i> , <b>2007</b> , 42, 1538-1543	6.5	22
6	Effects of timber skidding on chemical characteristics of herbaceous cover, forest floor and topsoil on skidroad in an oak ( <i>Quercus petrea</i> L.) forest. <i>Journal of Terramechanics</i> , <b>2007</b> , 44, 423-428	2.2	10
5	Chemical characteristics of the surface soil, herbaceous cover and organic layer of a compacted skid road in a fir ( <i>Abies bornmulleriana</i> Mattf.) forest. <i>Transportation Research, Part D: Transport and Environment</i> , <b>2007</b> , 12, 453-459	6.4	12
4	Long term effects of thinning on soil and forest floor in a sessile oak ( <i>Quercus petrea</i> (Matlusch) Lieb.) forest in Turkey. <i>Journal of Environmental Biology</i> , <b>2005</b> , 26, 257-63	1.6	4
3	Soil Carbon and Nitrogen Changes Under Douglas-fir With and Without Red Alder. <i>Soil Science Society of America Journal</i> , <b>2002</b> , 66, 1988-1995	2.5	43
2	Moisture contents of biomass components in coppice oak stands. <i>Turkish Journal of Forestry   Türkiye Ormanlık Dergisi</i> , 116-122	0.3	
1	Influence of Seed Nitrogen and Carbon on Germination in Different Populations of Stone Pine. <i>Erwerbs-Obstbau</i> , 1	1	0