

Lone Agertoft

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/880763/publications.pdf>

Version: 2024-02-01

32
papers

1,553
citations

567281

15
h-index

501196

28
g-index

33
all docs

33
docs citations

33
times ranked

1219
citing authors

#	ARTICLE	IF	CITATIONS
1	National multi-centre study found a low prevalence of severely impaired lung function in children and adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2022, , .	1.5	1
2	Cohort profile: the vitamin A and D and nitric oxide (AD-ON) observational cohort on lung development and symptoms in premature and mature children in North Zealand, Denmark. <i>BMJ Open</i> , 2022, 12, e054952.	1.9	2
3	Neonatal FeNO, risk factors, and respiratory morbidity in infants: A cohort study. <i>Pediatric Pulmonology</i> , 2021, 56, 3174-3182.	2.0	3
4	Exhaled nitric oxide in premature and mature infants during the first months of life. <i>Nitric Oxide - Biology and Chemistry</i> , 2021, 113-114, 7-12.	2.7	2
5	Association of serum surfactant protein D and SFTPD gene variants with asthma in Danish children, adolescents, and young adults. <i>Immunity, Inflammation and Disease</i> , 2021, , .	2.7	2
6	Reply to Sokou et al.. <i>Pediatric Allergy and Immunology</i> , 2020, 31, 717-717.	2.6	0
7	Microfibrillar-associated protein 4 in serum is associated with asthma in Danish adolescents and young adults. <i>Immunity, Inflammation and Disease</i> , 2019, 7, 150-159.	2.7	6
8	Late-onset group B streptococcus infections and severe bronchopulmonary dysplasia in an extremely preterm born infant. <i>BMJ Case Reports</i> , 2019, 12, e229255.	0.5	0
9	Early nutrition and signs of metabolic syndrome at 6 y of age in children born very preterm. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 717-724.	4.7	15
10	Results from the 5-year SQ grass sublingual immunotherapy tablet asthma prevention (GAP) trial in children with grass pollen allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 529-538.e13.	2.9	255
11	Improved lung function at age 6 in children born very preterm and fed extra protein post-discharge. <i>Pediatric Allergy and Immunology</i> , 2018, 30, 47-54.	2.6	17
12	Catch-Up Growth, Rapid Weight Growth, and Continuous Growth from Birth to 6 Years of Age in Very-Preterm-Born Children. <i>Neonatology</i> , 2018, 114, 285-293.	2.0	36
13	Pediatric Expression of Mast Cell Activation Disorders. <i>Immunology and Allergy Clinics of North America</i> , 2018, 38, 365-377.	1.9	11
14	Long-term pulmonary function in esophageal atresia-A case-control study. <i>Pediatric Pulmonology</i> , 2017, 52, 98-106.	2.0	22
15	Multidisciplinary Management of Mastocytosis: Nordic Expert Group Consensus. <i>Acta Dermato-Venereologica</i> , 2016, 96, 602-612.	1.3	21
16	The Danish National Register for Asthma. <i>Clinical Epidemiology</i> , 2016, Volume 8, 601-606.	3.0	15
17	A child with mastocytosis and lymphomatoid papulosis. <i>Clinical Case Reports (discontinued)</i> , 2016, 4, 517-519.	0.5	3
18	The Danish National Database for Asthma: establishing clinical quality indicators. <i>European Clinical Respiratory Journal</i> , 2016, 3, 33903.	1.5	9

#	ARTICLE	IF	CITATIONS
19	Corticosteroids for Allergic Rhinitis. <i>Current Treatment Options in Allergy</i> , 2016, 3, 18-30.	2.2	4
20	Lower leg growth rates in children with asthma during treatment with ciclesonide and fluticasone propionate. <i>Pediatric Allergy and Immunology</i> , 2010, 21, e199-205.	2.6	28
21	Five-grass pollen 300IR SLIT tablets: efficacy and safety in children and adolescents. <i>Pediatric Allergy and Immunology</i> , 2010, 21, 970-976.	2.6	55
22	Placebo-controlled study of montelukast and budesonide on short-term growth in prepubertal asthmatic children. <i>Pediatric Pulmonology</i> , 2007, 42, 838-843.	2.0	30
23	Short-term lower-leg growth rate and urine cortisol excretion in children treated with ciclesonide. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 940-945.	2.9	76
24	Cumulative high doses of inhaled formoterol have less systemic effects in asthmatic children 6-11 years-old than cumulative high doses of inhaled terbutaline. <i>British Journal of Clinical Pharmacology</i> , 2004, 58, 411-418.	2.4	10
25	Lung Deposition and Systemic Availability of Fluticasone Diskus and Budesonide Turbuhaler in Children. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 168, 779-782.	5.6	49
26	Effect of Long-Term Treatment with Inhaled Budesonide on Adult Height in Children with Asthma. <i>New England Journal of Medicine</i> , 2000, 343, 1064-1069.	27.0	546
27	Drug Delivery from the Turbuhaler and Nebuhaler Pressurized Metered Dose Inhaler to Various Age Groups of Children with Asthma. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 1999, 12, 161-169.	1.2	32
28	Short-term lower leg growth rate in children with rhinitis treated with intranasal mometasone furoate and budesonide. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 104, 948-952.	2.9	73
29	Effect of salmeterol treatment on nitric oxide level in exhaled air and dose response to terbutaline in children with mild asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1998, 25, 314-321.		41
30	Bone Mineral Density in Children with Asthma Receiving Long-term Treatment with Inhaled Budesonide. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 157, 178-183.	5.6	137
31	Dose titration of nebulized budesonide in young children. <i>Journal of Allergy and Clinical Immunology</i> , 1997, 23, 270-277.		34
32	Radio-iodobenzylguanidine scintigraphy of neuroblastoma: Conflicting results, when compared with standard investigations. <i>Medical and Pediatric Oncology</i> , 1989, 17, 126-130.	1.0	18