

# James Akira Wohlschlegel

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8808419/james-akira-wohlschlegel-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130  
papers

3,584  
citations

33  
h-index

56  
g-index

145  
ext. papers

4,896  
ext. citations

11  
avg. IF

5.31  
L-index

#	Paper	IF	Citations
130	A FBXO7/EYA2-SCF axis promotes AXL-mediated maintenance of mesenchymal and immune evasion phenotypes of cancer cells.. <i>Molecular Cell</i> , <b>2022</b> ,	17.6	2
129	Functional identification of microRNA-centered complexes in <i>C. elegans</i> .. <i>Scientific Reports</i> , <b>2022</b> , 12, 7133	4.9	0
128	Nicotine Affects Multiple Biological Processes in EpiDerm™ Organotypic Tissues and Keratinocyte Monolayers. <i>Atmosphere</i> , <b>2022</b> , 13, 810	2.7	0
127	A Novel Inner Membrane Complex Suture-Associated Protein Regulates Suture Protein Targeting and Colocalizes with Membrane Trafficking Machinery. <i>MBio</i> , <b>2021</b> , 12, e0245521	7.8	0
126	FAM111A induces nuclear dysfunction in disease and viral restriction. <i>EMBO Reports</i> , <b>2021</b> , 22, e50803	6.5	3
125	microRNA-mediated translation repression through GYF-1 and IFE-4 in <i>C. elegans</i> development. <i>Nucleic Acids Research</i> , <b>2021</b> , 49, 4803-4815	20.1	9
124	Regulation of Arabidopsis photoreceptor CRY2 by two distinct E3 ubiquitin ligases. <i>Nature Communications</i> , <b>2021</b> , 12, 2155	17.4	8
123	A Robust Method for Packing High Resolution C18 RP-nano-HPLC Columns. <i>Journal of Visualized Experiments</i> , <b>2021</b> ,	1.6	4
122	Synergistic roles for human U1 snRNA stem-loops in pre-mRNA splicing. <i>RNA Biology</i> , <b>2021</b> , 18, 2576-2593	3.8	1
121	MBD5 and MBD6 couple DNA methylation to gene silencing through the J-domain protein SILENZIO. <i>Science</i> , <b>2021</b> , 372,	33.3	8
120	RGS10 physically and functionally interacts with STIM2 and requires store-operated calcium entry to regulate pro-inflammatory gene expression in microglia. <i>Cellular Signalling</i> , <b>2021</b> , 83, 109974	4.9	0
119	FBXO44 promotes DNA replication-coupled repetitive element silencing in cancer cells. <i>Cell</i> , <b>2021</b> , 184, 352-369.e23	56.2	15
118	Carboxylate-Modified Magnetic Bead (CMMB)-Based Isopropanol Gradient Peptide Fractionation (CIF) Enables Rapid and Robust Off-Line Peptide Mixture Fractionation in Bottom-Up Proteomics. <i>Molecular and Cellular Proteomics</i> , <b>2021</b> , 20, 100039	7.6	2
117	APEX2 Proximity Proteomics Resolves Flagellum Subdomains and Identifies Flagellum Tip-Specific Proteins in <i>Trypanosoma brucei</i> . <i>MSphere</i> , <b>2021</b> , 6,	5	3
116	Arabidopsis MORC proteins function in the efficient establishment of RNA directed DNA methylation. <i>Nature Communications</i> , <b>2021</b> , 12, 4292	17.4	4
115	Human Multisubunit E3 Ubiquitin Ligase Required for Heterotrimeric G-Protein βSubunit Ubiquitination and Downstream Signaling. <i>Journal of Proteome Research</i> , <b>2021</b> , 20, 4318-4330	5.6	0
114	FXR activation protects against NAFLD via bile-acid-dependent reductions in lipid absorption. <i>Cell Metabolism</i> , <b>2021</b> , 33, 1671-1684.e4	24.6	25

113	Lipin 1 modulates mRNA splicing during fasting adaptation in liver. <i>JCI Insight</i> , <b>2021</b> , 6,	9.9	1
112	Aim32 is a dual-localized 2Fe-2S mitochondrial protein that functions in redox quality control. <i>Journal of Biological Chemistry</i> , <b>2021</b> , 297, 101135	5.4	1
111	Mitochondrial contact site and cristae organizing system (MICOS) machinery supports heme biosynthesis by enabling optimal performance of ferrochelatase. <i>Redox Biology</i> , <b>2021</b> , 46, 102125	11.3	1
110	VPS32, a member of the ESCRT complex, modulates adherence to host cells in the parasite <i>Trichomonas vaginalis</i> by affecting biogenesis and cargo sorting of released extracellular vesicles.. <i>Cellular and Molecular Life Sciences</i> , <b>2021</b> , 79, 11	10.3	0
109	Wnt-inducible Lrp6-APEX2 interacting proteins identify ESCRT machinery and Trk-fused gene as components of the Wnt signaling pathway. <i>Scientific Reports</i> , <b>2020</b> , 10, 21555	4.9	12
108	A Family of Argonaute-Interacting Proteins Gates Nuclear RNAi. <i>Molecular Cell</i> , <b>2020</b> , 78, 862-875.e8	17.6	5
107	Proximity biotinylation reveals novel secreted dense granule proteins of <i>Toxoplasma gondii</i> bradyzoites. <i>PLoS ONE</i> , <b>2020</b> , 15, e0232552	3.7	8
106	Ancient MAPK ERK7 is regulated by an unusual inhibitory scaffold required for apical complex biogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 12164-12173	11.5	13
105	The characterization of Mediator 12 and 13 as conditional positive gene regulators in Arabidopsis. <i>Nature Communications</i> , <b>2020</b> , 11, 2798	17.4	6
104	NAP1-RELATED PROTEIN1 and 2 negatively regulate H2A.Z abundance in chromatin in Arabidopsis. <i>Nature Communications</i> , <b>2020</b> , 11, 2887	17.4	8
103	A nicotinamide phosphoribosyltransferase-GAPDH interaction sustains the stress-induced NMN/NAD salvage pathway in the nucleus. <i>Journal of Biological Chemistry</i> , <b>2020</b> , 295, 3635-3651	5.4	15
102	EXP1 is required for organisation of EXP2 in the intraerythrocytic malaria parasite vacuole. <i>Cellular Microbiology</i> , <b>2020</b> , 22, e13168	3.9	18
101	Using BioID for the Identification of Interacting and Proximal Proteins in Subcellular Compartments in <i>Toxoplasma gondii</i> . <i>Methods in Molecular Biology</i> , <b>2020</b> , 2071, 323-346	1.4	3
100	Bottom-up structural proteomics: cryoEM of protein complexes enriched from the cellular milieu. <i>Nature Methods</i> , <b>2020</b> , 17, 79-85	21.6	35
99	Integrated Transcriptome and Proteome Analyses Reveal the Regulatory Role of miR-146a in Human Limbal Epithelium via Notch Signaling. <i>Cells</i> , <b>2020</b> , 9,	7.9	2
98	Impact of isolation methods on the biophysical heterogeneity of single extracellular vesicles. <i>Scientific Reports</i> , <b>2020</b> , 10, 13327	4.9	13
97	Extracellular microRNAs in human circulation are associated with miRISC complexes that are accessible to anti-AGO2 antibody and can bind target mimic oligonucleotides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 24213-24223	11.5	32
96	The plant mobile domain proteins MAIN and MAIL1 interact with the phosphatase PP7L to regulate gene expression and silence transposable elements in <i>Arabidopsis thaliana</i> . <i>PLoS Genetics</i> , <b>2020</b> , 16, e1008324 <sup>4</sup>	6	4

95	The plant mobile domain proteins MAIN and MAIL1 interact with the phosphatase PP7L to regulate gene expression and silence transposable elements in <i>Arabidopsis thaliana</i> <b>2020</b> , 16, e1008324		
94	The plant mobile domain proteins MAIN and MAIL1 interact with the phosphatase PP7L to regulate gene expression and silence transposable elements in <i>Arabidopsis thaliana</i> <b>2020</b> , 16, e1008324		
93	The plant mobile domain proteins MAIN and MAIL1 interact with the phosphatase PP7L to regulate gene expression and silence transposable elements in <i>Arabidopsis thaliana</i> <b>2020</b> , 16, e1008324		
92	The plant mobile domain proteins MAIN and MAIL1 interact with the phosphatase PP7L to regulate gene expression and silence transposable elements in <i>Arabidopsis thaliana</i> <b>2020</b> , 16, e1008324		
91	The plant mobile domain proteins MAIN and MAIL1 interact with the phosphatase PP7L to regulate gene expression and silence transposable elements in <i>Arabidopsis thaliana</i> <b>2020</b> , 16, e1008324		
90	The plant mobile domain proteins MAIN and MAIL1 interact with the phosphatase PP7L to regulate gene expression and silence transposable elements in <i>Arabidopsis thaliana</i> <b>2020</b> , 16, e1008324		
89	The plant mobile domain proteins MAIN and MAIL1 interact with the phosphatase PP7L to regulate gene expression and silence transposable elements in <i>Arabidopsis thaliana</i> <b>2020</b> , 16, e1008324		
88	The plant mobile domain proteins MAIN and MAIL1 interact with the phosphatase PP7L to regulate gene expression and silence transposable elements in <i>Arabidopsis thaliana</i> <b>2020</b> , 16, e1008324		
87	Proximity biotinylation reveals novel secreted dense granule proteins of <i>Toxoplasma gondii</i> bradyzoites <b>2020</b> , 15, e0232552		
86	Proximity biotinylation reveals novel secreted dense granule proteins of <i>Toxoplasma gondii</i> bradyzoites <b>2020</b> , 15, e0232552		
85	Proximity biotinylation reveals novel secreted dense granule proteins of <i>Toxoplasma gondii</i> bradyzoites <b>2020</b> , 15, e0232552		
84	Proximity biotinylation reveals novel secreted dense granule proteins of <i>Toxoplasma gondii</i> bradyzoites <b>2020</b> , 15, e0232552		
83	CryoEM structures of <i>Arabidopsis</i> DDR complexes involved in RNA-directed DNA methylation. <i>Nature Communications</i> , <b>2019</b> , 10, 3916	17.4	12
82	Proteomic, gene and metabolite characterization reveal the uptake and toxicity mechanisms of cadmium sulfide quantum dots in soybean plants. <i>Environmental Science: Nano</i> , <b>2019</b> , 6, 3010-3026	7.1	23
81	Chemical Derivatization of Affinity Matrices Provides Protection from Tryptic Proteolysis. <i>Journal of Proteome Research</i> , <b>2019</b> , 18, 3586-3596	5.6	3
80	A photoactivatable crosslinking system reveals protein interactions in the <i>Toxoplasma gondii</i> inner membrane complex. <i>PLoS Biology</i> , <b>2019</b> , 17, e3000475	9.7	7
79	A PCBP1-BolA2 chaperone complex delivers iron for cytosolic [2Fe-2S] cluster assembly. <i>Nature Chemical Biology</i> , <b>2019</b> , 15, 872-881	11.7	43
78	<i>Arabidopsis</i> SWR1-associated protein methyl-CpG-binding domain 9 is required for histone H2A.Z deposition. <i>Nature Communications</i> , <b>2019</b> , 10, 3352	17.4	31

77	An Oxygen-Dependent Interaction between FBXL5 and the CIA-Targeting Complex Regulates Iron Homeostasis. <i>Molecular Cell</i> , <b>2019</b> , 75, 382-393.e5	17.6	10
76	Release of cholesterol-rich particles from the macrophage plasma membrane during movement of filopodia and lamellipodia. <i>ELife</i> , <b>2019</b> , 8,	8.9	17
75	Sequential Windowed Acquisition of Reporter Masses for Quantitation-First Proteomics. <i>Journal of Proteome Research</i> , <b>2019</b> , 18, 1893-1901	5.6	
74	Shotgun Proteomic Profiling of Bloodborne Nanoscale Extracellular Vesicles. <i>Methods in Molecular Biology</i> , <b>2019</b> , 1897, 403-416	1.4	4
73	Protein Palmitoylation Plays an Important Role in Adherence. <i>Molecular and Cellular Proteomics</i> , <b>2018</b> , 17, 2229-2241	7.6	9
72	Systemic surfaceome profiling identifies target antigens for immune-based therapy in subtypes of advanced prostate cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, E4473-E4482	11.5	56
71	Mitochondria Bound to Lipid Droplets Have Unique Bioenergetics, Composition, and Dynamics that Support Lipid Droplet Expansion. <i>Cell Metabolism</i> , <b>2018</b> , 27, 869-885.e6	24.6	217
70	Trypanosoma brucei EIF4E2 cap-binding protein binds a homolog of the histone-mRNA stem-loop-binding protein. <i>Current Genetics</i> , <b>2018</b> , 64, 821-839	2.9	10
69	Fumarate hydratase inactivation in hereditary leiomyomatosis and renal cell cancer is synthetic lethal with ferroptosis induction. <i>Cancer Science</i> , <b>2018</b> , 109, 2757-2766	6.9	28
68	Retraction Note: New molecular tools in Neospora caninum for studying apicomplexan parasite proteins. <i>Scientific Reports</i> , <b>2018</b> , 8, 10964	4.9	
67	Membrane-shed vesicles from the parasite Trichomonas vaginalis: characterization and their association with cell interaction. <i>Cellular and Molecular Life Sciences</i> , <b>2018</b> , 75, 2211-2226	10.3	23
66	A DNA methylation reader complex that enhances gene transcription. <i>Science</i> , <b>2018</b> , 362, 1182-1186	33.3	103
65	The Yeast DNA Damage Checkpoint Kinase Rad53 Targets the Exoribonuclease, Xrn1. <i>G3: Genes, Genomes, Genetics</i> , <b>2018</b> , 8, 3931-3944	3.2	12
64	KCTD7 deficiency defines a distinct neurodegenerative disorder with a conserved autophagy-lysosome defect. <i>Annals of Neurology</i> , <b>2018</b> , 84, 766-780	9.4	26
63	Phosphorylation and Proteasome Recognition of the mRNA-Binding Protein Cth2 Facilitates Yeast Adaptation to Iron Deficiency. <i>MBio</i> , <b>2018</b> , 9,	7.8	5
62	Rapid degradation of mutant SLC25A46 by the ubiquitin-proteasome system results in MFN1/2-mediated hyperfusion of mitochondria. <i>Molecular Biology of the Cell</i> , <b>2017</b> , 28, 600-612	3.5	50
61	Cbx3 maintains lineage specificity during neural differentiation. <i>Genes and Development</i> , <b>2017</b> , 31, 241-246	24.6	26
60	Molecular basis for blue light-dependent phosphorylation of Arabidopsis cryptochrome 2. <i>Nature Communications</i> , <b>2017</b> , 8, 15234	17.4	56

59	New molecular tools in <i>Neospora caninum</i> for studying apicomplexan parasite proteins. <i>Scientific Reports</i> , <b>2017</b> , 7, 3768	4.9	2
58	Copper-zinc superoxide dismutase is activated through a sulfenic acid intermediate at a copper ion entry site. <i>Journal of Biological Chemistry</i> , <b>2017</b> , 292, 12025-12040	5.4	39
57	Fumarate Mediates a Chronic Proliferative Signal in Fumarate Hydratase-Inactivated Cancer Cells by Increasing Transcription and Translation of Ferritin Genes. <i>Molecular and Cellular Biology</i> , <b>2017</b> , 37,	4.8	29
56	The PRMT5/WDR77 complex regulates alternative splicing through ZNF326 in breast cancer. <i>Nucleic Acids Research</i> , <b>2017</b> , 45, 11106-11120	20.1	34
55	Mot1, Ino80C, and NC2 Function Coordinately to Regulate Pervasive Transcription in Yeast and Mammals. <i>Molecular Cell</i> , <b>2017</b> , 67, 594-607.e4	17.6	29
54	Cdk1-interacting protein Cip1 is regulated by the S <sub>2</sub> phase checkpoint in response to genotoxic stress. <i>Genes To Cells</i> , <b>2017</b> , 22, 850-860	2.3	8
53	Novel insights into the composition and function of the <i>Toxoplasma</i> IMC sutures. <i>Cellular Microbiology</i> , <b>2017</b> , 19, e12678	3.9	36
52	The MBD7 complex promotes expression of methylated transgenes without significantly altering their methylation status. <i>ELife</i> , <b>2017</b> , 6,	8.9	12
51	A continuum of mRNP complexes in embryonic microRNA-mediated silencing. <i>Nucleic Acids Research</i> , <b>2017</b> , 45, 2081-2098	20.1	14
50	In Vivo Biotinylation of the <i>Toxoplasma</i> Parasitophorous Vacuole Reveals Novel Dense Granule Proteins Important for Parasite Growth and Pathogenesis. <i>MBio</i> , <b>2016</b> , 7,	7.8	89
49	Photoactivation and inactivation of <i>Arabidopsis</i> cryptochrome 2. <i>Science</i> , <b>2016</b> , 354, 343-347	33.3	101
48	The Rhoptry Pseudokinase ROP54 Modulates <i>Toxoplasma gondii</i> Virulence and Host GBP2 Loading. <i>MSphere</i> , <b>2016</b> , 1,	5	19
47	Deposition of 5-Methylcytosine on Enhancer RNAs Enables the Coactivator Function of PGC-1. <i>Cell Reports</i> , <b>2016</b> , 14, 479-492	10.6	68
46	Loss of the BBSome perturbs endocytic trafficking and disrupts virulence of <i>Trypanosoma brucei</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 632-7	11.5	27
45	<i>Arabidopsis</i> AtMORC4 and AtMORC7 Form Nuclear Bodies and Repress a Large Number of Protein-Coding Genes. <i>PLoS Genetics</i> , <b>2016</b> , 12, e1005998	6	27
44	Large-scale remodeling of a repressed exon ribonucleoprotein to an exon definition complex active for splicing. <i>ELife</i> , <b>2016</b> , 5,	8.9	15
43	Role of Nfu1 and Bol3 in iron-sulfur cluster transfer to mitochondrial clients. <i>ELife</i> , <b>2016</b> , 5,	8.9	86
42	<i>Neospora caninum</i> Activates p38 MAPK as an Evasion Mechanism against Innate Immunity. <i>Frontiers in Microbiology</i> , <b>2016</b> , 7, 1456	5.7	21

41	REH2C Helicase and GRBC Subcomplexes May Base Pair through mRNA and Small Guide RNA in Kinetoplastid Editosomes. <i>Journal of Biological Chemistry</i> , <b>2016</b> , 291, 5753-5764	5.4	12
40	Poly(rC)-Binding Protein 2 Regulates Hippo Signaling To Control Growth in Breast Epithelial Cells. <i>Molecular and Cellular Biology</i> , <b>2016</b> , 36, 2121-31	4.8	12
39	Rbfox Proteins Regulate Splicing as Part of a Large Multiprotein Complex LASR. <i>Cell</i> , <b>2016</b> , 165, 606-19	56.2	97
38	A Novel Role for Progesterone Receptor Membrane Component 1 (PGRMC1): A Partner and Regulator of Ferrochelatase. <i>Biochemistry</i> , <b>2016</b> , 55, 5204-17	3.2	51
37	Determining the Mitochondrial Methyl Proteome in <i>Saccharomyces cerevisiae</i> using Heavy Methyl SILAC. <i>Journal of Proteome Research</i> , <b>2016</b> , 15, 4436-4451	5.6	13
36	Phosphoproteome Integration Reveals Patient-Specific Networks in Prostate Cancer. <i>Cell</i> , <b>2016</b> , 166, 1041-1054	56.2	132
35	Cell Surface Proteomics Provides Insight into Stage-Specific Remodeling of the Host-Parasite Interface in <i>Trypanosoma brucei</i> . <i>Molecular and Cellular Proteomics</i> , <b>2015</b> , 14, 1977-88	7.6	35
34	DNA-PKcs-Mediated Transcriptional Regulation Drives Prostate Cancer Progression and Metastasis. <i>Cancer Cell</i> , <b>2015</b> , 28, 97-113	24.3	116
33	Evidence for ubiquitin-regulated nuclear and subnuclear trafficking among Paramyxovirinae matrix proteins. <i>PLoS Pathogens</i> , <b>2015</b> , 11, e1004739	7.6	41
32	The blue light-dependent phosphorylation of the CCE domain determines the photosensitivity of <i>Arabidopsis</i> CRY2. <i>Molecular Plant</i> , <b>2015</b> , 8, 631-43	14.4	33
31	The Association of the Xeroderma Pigmentosum Group D DNA Helicase (XPD) with Transcription Factor IIH Is Regulated by the Cytosolic Iron-Sulfur Cluster Assembly Pathway. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 14218-25	5.4	30
30	Novel components of the <i>Toxoplasma</i> inner membrane complex revealed by BioID. <i>MBio</i> , <b>2015</b> , 6, e02357-14	7.8	113
29	C-terminal domains of a histone demethylase interact with a pair of transcription factors and mediate specific chromatin association. <i>Cell Discovery</i> , <b>2015</b> , 1,	22.3	33
28	The Central Region of the <i>Drosophila</i> Co-repressor Groucho as a Regulatory Hub. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 30119-30	5.4	3
27	Coordination of m(6)A mRNA Methylation and Gene Transcription by ZFP217 Regulates Pluripotency and Reprogramming. <i>Cell Stem Cell</i> , <b>2015</b> , 17, 689-704	18	185
26	<i>Caenorhabditis elegans</i> ALG-1 antimorphic mutations uncover functions for Argonaute in microRNA guide strand selection and passenger strand disposal. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, E5271-80	11.5	11
25	JAKMIP1, a Novel Regulator of Neuronal Translation, Modulates Synaptic Function and Autistic-like Behaviors in Mouse. <i>Neuron</i> , <b>2015</b> , 88, 1173-1191	13.9	28
24	High Confidence Fission Yeast SUMO Conjugates Identified by Tandem Denaturing Affinity Purification. <i>Scientific Reports</i> , <b>2015</b> , 5, 14389	4.9	10



23	Cell biological mechanisms of activity-dependent synapse to nucleus translocation of CRT1 in neurons. <i>Frontiers in Molecular Neuroscience</i> , <b>2015</b> , 8, 48	6.1	24
22	Three Different Pathways Prevent Chromosome Segregation in the Presence of DNA Damage or Replication Stress in Budding Yeast. <i>PLoS Genetics</i> , <b>2015</b> , 11, e1005468	6	21
21	A unique insertion in STARD9 <sup>TS</sup> motor domain regulates its stability. <i>Molecular Biology of the Cell</i> , <b>2015</b> , 26, 440-52	3.5	14
20	Domains rearranged methyltransferase3 controls DNA methylation and regulates RNA polymerase V transcript abundance in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 911-6	11.5	110
19	Protein Adsorption Alters Hydrophobic Surfaces Used for Suspension Culture of Pluripotent Stem Cells. <i>Journal of Physical Chemistry Letters</i> , <b>2015</b> , 6, 388-93	6.4	2
18	CHD6 regulates the topological arrangement of the CFTR locus. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 2724-32	5.6	10
17	DNA Damage Regulates Translation through ERCP Targeting of CREP. <i>PLoS Genetics</i> , <b>2015</b> , 11, e1005298		23
16	Identification of the Mitochondrial Heme Metabolism Complex. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135896	3.7	58
15	Transcriptional gene silencing by Arabidopsis microorchidia homologues involves the formation of heteromers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 7474-9	11.5	48
14	A novel histone deacetylase complex in the control of transcription and genome stability. <i>Molecular and Cellular Biology</i> , <b>2014</b> , 34, 3500-14	4.8	15
13	Mechanism of DNA methylation-directed histone methylation by KRYPTONITE. <i>Molecular Cell</i> , <b>2014</b> , 55, 495-504	17.6	120
12	Insect stage-specific receptor adenylate cyclases are localized to distinct subdomains of the Trypanosoma brucei Flagellar membrane. <i>Eukaryotic Cell</i> , <b>2014</b> , 13, 1064-76		45
11	eIF4F-like complexes formed by cap-binding homolog TbEIF4E5 with TbEIF4G1 or TbEIF4G2 are implicated in post-transcriptional regulation in Trypanosoma brucei. <i>Rna</i> , <b>2014</b> , 20, 1272-86	5.8	36
10	Trypanosoma brucei translation initiation factor homolog EIF4E6 forms a tripartite cytosolic complex with EIF4G5 and a capping enzyme homolog. <i>Eukaryotic Cell</i> , <b>2014</b> , 13, 896-908		33
9	Molecular mechanism of action of plant DRM de novo DNA methyltransferases. <i>Cell</i> , <b>2014</b> , 157, 1050-60	56.2	179
8	SNF2 chromatin remodeler-family proteins FRG1 and -2 are required for RNA-directed DNA methylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 17666-71	11.5	19
7	PRB1 is required for clipping of the histone H3 N terminal tail in Saccharomyces cerevisiae. <i>PLoS ONE</i> , <b>2014</b> , 9, e90496	3.7	21
6	INVOLVED IN DE NOVO 2-containing complex involved in RNA-directed DNA methylation in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 8374-81	11.5	61



5	Identification of SUMO-conjugated proteins and their SUMO attachment sites using proteomic mass spectrometry. <i>Methods in Molecular Biology</i> , <b>2009</b> , 497, 33-49	1.4	58
4	SUMO Mediated Response Pathways to Genotoxic Stress. <i>FASEB Journal</i> , <b>2009</b> , 23, 526.8	0.9	
3	Proteomic Analysis of SUMO Mediated Stress Responses in Yeast. <i>FASEB Journal</i> , <b>2008</b> , 22, 605.1	0.9	
2	Identification of ubiquitination sites and determination of ubiquitin-chain architectures by mass spectrometry. <i>Methods in Enzymology</i> , <b>2005</b> , 399, 266-77	1.7	41
1	Ancient MAPK ERK7 is regulated by an unusual inhibitory scaffold required for Toxoplasma apical complex biogenesis		1