

# James B Kirkbride

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8809025/publications.pdf>

Version: 2024-02-01

159  
papers

8,994  
citations

76196

40  
h-index

48187

88  
g-index

174  
all docs

174  
docs citations

174  
times ranked

7316  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Age at onset of mental disorders worldwide: large-scale meta-analysis of 192 epidemiological studies. <i>Molecular Psychiatry</i> , 2022, 27, 281-295.   | 4.1  | 967       |
| 2  | The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.                                      | 3.7  | 528       |
| 3  | Heterogeneity in Incidence Rates of Schizophrenia and Other Psychotic Syndromes. <i>Archives of General Psychiatry</i> , 2006, 63, 250.  | 13.8 | 440       |
| 4  | Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , 2006, 36, 1541-1550.   | 2.7  | 433       |
| 5  | Incidence of Schizophrenia and Other Psychoses in England, 1950–2009: A Systematic Review and Meta-Analyses. <i>PLoS ONE</i> , 2012, 7, e31660.  | 1.1  | 385       |
| 6  | Air Pollution (Particulate Matter) Exposure and Associations with Depression, Anxiety, Bipolar, Psychosis and Suicide Risk: A Systematic Review and Meta-Analysis. <i>Environmental Health Perspectives</i> , 2019, 127, 126002. | 2.8  | 336       |
| 7  | Psychosis and Place. <i>Epidemiologic Reviews</i> , 2008, 30, 84-100.  | 1.3  | 248       |
| 8  | Substance use in a population-based clinic sample of people with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 190, 515-520.   | 1.7  | 240       |
| 9  | Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36.   | 6.0  | 235       |
| 10 | Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.   | 2.3  | 229       |
| 11 | Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , 2007, 37, 495.   | 2.7  | 201       |
| 12 | Social Deprivation, Inequality, and the Neighborhood-Level Incidence of Psychotic Syndromes in East London. <i>Schizophrenia Bulletin</i> , 2014, 40, 169-180.   | 2.3  | 193       |
| 13 | WPA guidance on mental health and mental health care in migrants. <i>World Psychiatry</i> , 2011, 10, 2-10.  | 4.8  | 192       |
| 14 | Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , 2007, 37, 1413-1425.   | 2.7  | 189       |
| 15 | Raised Incidence Rates of All Psychoses Among Migrant Groups. <i>Archives of General Psychiatry</i> , 2008, 65, 1250.  | 13.8 | 189       |
| 16 | Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , 2008, 38, 1701-1715.  | 2.7  | 176       |
| 17 | International incidence of psychotic disorders, 2002–17: a systematic review and meta-analysis. <i>Lancet Public Health</i> , 2019, 4, e229-e244.  | 4.7  | 176       |
| 18 | Refugee migration and risk of schizophrenia and other non-affective psychoses: cohort study of 1.3 million people in Sweden. <i>BMJ</i> , 2016, 352, i1030.  | 3.0  | 162       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Psychoses, ethnicity and socio-economic status. <i>British Journal of Psychiatry</i> , 2008, 193, 18-24.  | 1.7 | 135       |
| 20 | Mortality in Schizophrenia and Other Psychoses: A 10-Year Follow-up of the Ó”SOP First-Episode Cohort. <i>Schizophrenia Bulletin</i> , 2015, 41, 664-673.   | 2.3 | 128       |
| 21 | Testing the association between the incidence of schizophrenia and social capital in an urban area. <i>Psychological Medicine</i> , 2008, 38, 1083-1094.  | 2.7 | 125       |
| 22 | Systematic review and collaborative recalculation of 133 693 incident cases of schizophrenia. <i>Psychological Medicine</i> , 2014, 44, 9-16.   | 2.7 | 123       |
| 23 | Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 226-235.   | 2.2 | 110       |
| 24 | The Epidemiology of First-Episode Psychosis in Early Intervention in Psychosis Services: Findings From the Social Epidemiology of Psychoses in East Anglia [SEPEA] Study. <i>American Journal of Psychiatry</i> , 2017, 174, 143-153. | 4.0 | 96        |
| 25 | Ten-Year Outcomes of First-Episode Psychoses in the MRC Å†SOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 379-386.  | 0.5 | 90        |
| 26 | Neighbourhood variation in the incidence of psychotic disorders in Southeast London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 438-445.   | 1.6 | 89        |
| 27 | Cannabis and schizophrenia: model projections of the impact of the rise in cannabis use on historical and future trends in schizophrenia in England and Wales. <i>Addiction</i> , 2007, 102, 597-606.                                 | 1.7 | 79        |
| 28 | Ethnic Minority Status, Age-at-Immigration and Psychosis Risk in Rural Environments: Evidence From the SEPEA Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 1251-1261.  | 2.3 | 79        |
| 29 | Prenatal nutrition, epigenetics and schizophrenia risk: can we test causal effects?. <i>Epigenomics</i> , 2012, 4, 303-315.   | 1.0 | 76        |
| 30 | Incidence of bipolar affective disorder in three UK cities. <i>British Journal of Psychiatry</i> , 2005, 186, 126-131.  | 1.7 | 69        |
| 31 | Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.  | 2.7 | 69        |
| 32 | The protective effect of neighbourhood social cohesion on adolescent mental health following stressful life events. <i>Psychological Medicine</i> , 2020, 50, 1292-1299.  | 2.7 | 64        |
| 33 | Modelling the interplay between childhood and adult adversity in pathways to psychosis: initial evidence from the AESOP study. <i>Psychological Medicine</i> , 2014, 44, 407-419.   | 2.7 | 62        |
| 34 | The incidence of very late-onset psychotic disorders: a systematic review and meta-analysis, 1960-2016. <i>Psychological Medicine</i> , 2018, 48, 1775-1786.  | 2.7 | 58        |
| 35 | Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548.  | 2.7 | 58        |
| 36 | The Prevention of Schizophrenia-What Can We Learn From Eco-Epidemiology?. <i>Schizophrenia Bulletin</i> , 2011, 37, 262-271.  | 2.3 | 56        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Schizophrenia and other psychotic disorders in Caribbean-born migrants and their descendants in England: systematic review and meta-analysis of incidence rates, 1950-2013. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1039-1055. | 1.6 | 54        |
| 38 | If cannabis caused schizophrenia- how many cannabis users may need to be prevented in order to prevent one case of schizophrenia? England and Wales calculations. <i>Addiction</i> , 2009, 104, 1856-1861.   | 1.7 | 51        |
| 39 | Association of Environment With the Risk of Developing Psychotic Disorders in Rural Populations. <i>JAMA Psychiatry</i> , 2018, 75, 75.  | 6.0 | 46        |
| 40 | Suicide risk in people with post-traumatic stress disorder: A cohort study of 3.1 million people in Sweden. <i>Journal of Affective Disorders</i> , 2021, 279, 609-616.  | 2.0 | 45        |
| 41 | The association between income inequality and adult mental health at the subnational level- a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1-24.   | 1.6 | 45        |
| 42 | Administrative incidence of psychosis assessed in an early intervention service in England: first epidemiological evidence from a diverse, rural and urban setting. <i>Psychological Medicine</i> , 2011, 41, 949-958.                                   | 2.7 | 44        |
| 43 | Substance use disorders in refugee and migrant groups in Sweden: A nationwide cohort study of 1.2 million people. <i>PLoS Medicine</i> , 2019, 16, e1002944.   | 3.9 | 42        |
| 44 | Risk of schizophrenia, schizoaffective, and bipolar disorders by migrant status, region of origin, and age-at-migration: a national cohort study of 1.8 million people. <i>Psychological Medicine</i> , 2019, 49, 2354-2363.                             | 2.7 | 41        |
| 45 | The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657.                  | 1.6 | 41        |
| 46 | The Prevalence, Diagnostic Significance and Demographic Characteristics of Schneiderian First-Rank Symptoms in an Epidemiological Sample of First-Episode Psychoses. <i>Psychopathology</i> , 2009, 42, 81-91.   | 1.1 | 40        |
| 47 | Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , 2010, 9, 4-14.  | 0.8 | 40        |
| 48 | The social underpinnings of mental distress in the time of COVID-19 - time for urgent action. <i>Wellcome Open Research</i> , 2020, 5, 166.  | 0.9 | 39        |
| 49 | Neighbourhood-level socio-environmental factors and incidence of first episode psychosis by place at onset in rural Ireland: The Cavan-Monaghan First Episode Psychosis Study [CAMFEPS]. <i>Schizophrenia Research</i> , 2014, 152, 152-157.             | 1.1 | 38        |
| 50 | Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.  | 2.7 | 38        |
| 51 | Association of Residential Mobility Over the Life Course With Nonaffective Psychosis in 1.4 Million Young People in Sweden. <i>JAMA Psychiatry</i> , 2018, 75, 1128.   | 6.0 | 35        |
| 52 | Lithium in bipolar and other affective disorders: prescribing practice in the UK. <i>Journal of Psychopharmacology</i> , 2010, 24, 1739-1746.  | 2.0 | 34        |
| 53 | Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.  | 2.7 | 34        |
| 54 | Is the incidence of psychotic disorder in decline? Epidemiological evidence from two decades of research. <i>International Journal of Epidemiology</i> , 2009, 38, 1255-1264.  | 0.9 | 33        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | A population-level prediction tool for the incidence of first-episode psychosis: translational epidemiology based on cross-sectional data. <i>BMJ Open</i> , 2013, 3, e001998.                                   | 0.8 | 33        |
| 56 | Psychosis incidence through the prism of early intervention services. <i>British Journal of Psychiatry</i> , 2012, 200, 156-157.   | 1.7 | 30        |
| 57 | Trajectories of Neighborhood Cohesion in Childhood, and Psychotic and Depressive Symptoms at Age 13 and 18 Years. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 570-577. | 0.3 | 30        |
| 58 | Neighborhood Characteristics at Birth and Positive and Negative Psychotic Symptoms in Adolescence: Findings From the ALSPAC Birth Cohort. <i>Schizophrenia Bulletin</i> , 2020, 46, 581-591.                     | 2.3 | 30        |
| 59 | Suicide risk among refugees compared with non-refugee migrants and the Swedish-born majority population. <i>British Journal of Psychiatry</i> , 2020, 217, 686-692.  | 1.7 | 29        |
| 60 | Psychiatric disorders and risk of subsequent dementia: Systematic review and meta-analysis of longitudinal studies. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .                           | 1.3 | 29        |
| 61 | Understanding the excess psychosis risk in ethnic minorities: the impact of structure and identity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1913-1921.                                 | 1.6 | 28        |
| 62 | Trajectories of childhood neighbourhood cohesion and adolescent mental health: evidence from a national Canadian cohort. <i>Psychological Medicine</i> , 2015, 45, 3239-3248.                                    | 2.7 | 27        |
| 63 | Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , 2010, 16, 219-225.  | 1.5 | 25        |
| 64 | Polygenic risk for schizophrenia, disordered eating behaviours and body mass index in adolescents. <i>British Journal of Psychiatry</i> , 2019, 215, 428-433.  | 1.7 | 25        |
| 65 | Maternal Prenatal Nutrition and Health in Grandchildren and Subsequent Generations. <i>Annual Review of Anthropology</i> , 2012, 41, 577-610.  | 0.4 | 24        |
| 66 | Association of neighbourhood migrant density and risk of non-affective psychosis: a national, longitudinal cohort study. <i>Lancet Psychiatry</i> , 2020, 7, 327-336.  | 3.7 | 23        |
| 67 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.                          | 4.1 | 23        |
| 68 | Social and spatial heterogeneity in psychosis proneness in a multilevel case-“prodrome”-control study. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 283-292.   | 2.2 | 22        |
| 69 | The Incidence of Nonaffective, Nonorganic Psychotic Disorders in Older People: A Population-based Cohort Study of 3 Million People in Sweden. <i>Schizophrenia Bulletin</i> , 2019, 45, 1152-1160.               | 2.3 | 22        |
| 70 | Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.   | 2.7 | 22        |
| 71 | Risk of psychotic disorders in migrants to Australia. <i>Psychological Medicine</i> , 2021, 51, 1192-1200.   | 2.7 | 21        |
| 72 | The effect of the environment on symptom dimensions in the first episode of psychosis: a multilevel study. <i>Psychological Medicine</i> , 2014, 44, 2419-2430.  | 2.7 | 20        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Psychiatric care use among migrants to Sweden compared with Swedish-born residents: a longitudinal cohort study of 5 150 753 people. <i>BMJ Global Health</i> , 2020, 5, e002471.   | 2.0 | 20        |
| 74 | Meta-analytic approaches to determine gender differences in the age-incidence characteristics of schizophrenia and related psychoses. <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 36-45.  | 1.1 | 19        |
| 75 | Migrant status and risk of compulsory admission at first diagnosis of psychotic disorder: a population-based cohort study in Sweden. <i>Psychological Medicine</i> , 2022, 52, 362-371.   | 2.7 | 19        |
| 76 | City Living and Psychotic Disorders—Implications of Global Heterogeneity for Theory Development. <i>JAMA Psychiatry</i> , 2018, 75, 1211.   | 6.0 | 18        |
| 77 | Psychoses sans Frontières: towards an interdisciplinary understanding of psychosis risk amongst migrants and their descendants. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 146-152.   | 1.8 | 18        |
| 78 | Assessment of the Role of IQ in Associations Between Population Density and Deprivation and Nonaffective Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 729.   | 6.0 | 18        |
| 79 | Curiosity killed the cat: no evidence of an association between cat ownership and psychotic symptoms at ages 13 and 18 years in a UK general population cohort. <i>Psychological Medicine</i> , 2017, 47, 1659-1667.  | 2.7 | 17        |
| 80 | Predictors of disengagement from Early Intervention in Psychosis services. <i>British Journal of Psychiatry</i> , 2018, 213, 477-483.   | 1.7 | 17        |
| 81 | The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 1376-1385.  | 2.7 | 17        |
| 82 | The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.  | 2.3 | 17        |
| 83 | Family networks during migration and risk of non-affective psychosis: A population-based cohort study. <i>Schizophrenia Research</i> , 2019, 208, 268-275.  | 1.1 | 16        |
| 84 | Using epidemiological evidence to forecast population need for early treatment programmes in mental health: a generalisable Bayesian prediction methodology applied to and validated for first-episode psychosis in England. <i>British Journal of Psychiatry</i> , 2021, 219, 383-391. | 1.7 | 16        |
| 85 | Association between risk of dementia and very late-onset schizophrenia-like psychosis: a Swedish population-based cohort study. <i>Psychological Medicine</i> , 2023, 53, 750-758.  | 2.7 | 16        |
| 86 | The component structure of the scales for the assessment of positive and negative symptoms in first-episode psychosis and its dependence on variations in analytic methods. <i>Psychiatry Research</i> , 2018, 270, 869-879.  | 1.7 | 15        |
| 87 | Longitudinal associations between psychotic experiences and disordered eating behaviours in adolescence: a UK population-based study. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 591-599.   | 2.7 | 15        |
| 88 | Low incidence of psychosis in Italy: confirmation from the first epidemiological study in Sicily. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 155-162.  | 1.6 | 14        |
| 89 | Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.  | 2.3 | 14        |
| 90 | A systematic scoping review of community-based interventions for the prevention of mental ill-health and the promotion of mental health in older adults in the UK. <i>Health and Social Care in the Community</i> , 2022, 30, 27-57.  | 0.7 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Record linkage of domestic assault victims between an emergency department and the police. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 909-910.   | 2.0 | 13        |
| 92  | Effectiveness of community interventions for protecting and promoting the mental health of working-age adults experiencing financial uncertainty: a systematic review. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 665-673. | 2.0 | 13        |
| 93  | Universal prevention of schizophrenia and surrogate endpoints at population level. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1347-1351.   | 1.6 | 12        |
| 94  | Migration and psychosis: our smoking lung?. <i>World Psychiatry</i> , 2017, 16, 119-120.  | 4.8 | 12        |
| 95  | Urban Birth, Urban Living, and Work Migrancy: Differential Effects on Psychotic Experiences Among Young Chinese Men. <i>Schizophrenia Bulletin</i> , 2018, 44, 1123-1132.   | 2.3 | 12        |
| 96  | Predictors of mental health help-seeking among Polish people living in the United Kingdom. <i>BMC Health Services Research</i> , 2018, 18, 693.   | 0.9 | 12        |
| 97  | The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.  | 2.4 | 12        |
| 98  | Urban-Rural Differences in Major Mental Health Conditions. <i>Mental Health and Illness Worldwide</i> , 2017, , 27-132.   | 0.1 | 12        |
| 99  | Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.   | 1.0 | 10        |
| 100 | Are socioenvironmental factors associated with psychotic symptoms in people with first-episode psychosis? A cross-sectional study of a West London clinical sample. <i>BMJ Open</i> , 2019, 9, e030448.   | 0.8 | 10        |
| 101 | Adult mental health provision in England: a national survey of acute day units. <i>BMC Health Services Research</i> , 2019, 19, 866.  | 0.9 | 10        |
| 102 | Community-centred interventions for improving public mental health among adults from ethnic minority populations in the UK: a scoping review. <i>BMJ Open</i> , 2021, 11, e041102.  | 0.8 | 10        |
| 103 | Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 0, , 1-9.   | 2.7 | 10        |
| 104 | Migration and risk of psychosis in the Canadian context. <i>Cmaj</i> , 2015, 187, 637-638.  | 0.9 | 9         |
| 105 | The incidence of non-affective psychotic disorders in Chile between 2005 and 2018: results from a national register of over 30 000 cases. <i>Psychological Medicine</i> , 2022, 52, 914-923.  | 2.7 | 9         |
| 106 | Understanding increasing rates of psychiatric hospital detentions in England: development and preliminary testing of an explanatory model. <i>BJPsych Open</i> , 2020, 6, e88.  | 0.3 | 9         |
| 107 | Authors' reply to "on the existence of a linguistic distance in schizophrenia". <i>Psychological Medicine</i> , 2022, 52, 798-799.  | 2.7 | 9         |
| 108 | Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.   | 2.3 | 9         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405. | 2.7 | 9         |
| 110 | Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.                | 2.3 | 9         |
| 111 | CARTOONS KILL: casualties in animated recreational theater in an objective observational new study of kids' introduction to loss of life. <i>BMJ, The</i> , 2014, 349, g7184-g7184.   | 3.0 | 8         |
| 112 | Parity of esteem begins at home: translating empirical psychiatric research into effective public mental health. <i>Psychological Medicine</i> , 2014, 44, 1569-1576.   | 2.7 | 8         |
| 113 | Spatial distribution of psychotic disorders in an urban area of France: an ecological study. <i>Scientific Reports</i> , 2016, 6, 26190.  | 1.6 | 8         |
| 114 | Inpatient use and area-level socio-environmental factors in people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1133-1140.   | 1.6 | 8         |
| 115 | Risk of non-affective psychotic disorder and post-traumatic stress disorder by refugee status in Sweden. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 276-282.   | 2.0 | 8         |
| 116 | Community interventions for improving adult mental health: mapping local policy and practice in England. <i>BMC Public Health</i> , 2021, 21, 1691.   | 1.2 | 8         |
| 117 | Neighbourhood characteristics and social isolation of people with psychosis: a multi-site cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1907-1915.                                 | 1.6 | 8         |
| 118 | Epidemiology on demand: population-based approaches to mental health service commissioning. <i>BJPsych Bulletin</i> , 2015, 39, 242-247.  | 0.7 | 7         |
| 119 | Carer subjective burden after first-episode psychosis: Types and predictors. A multilevel statistical approach. <i>International Journal of Social Psychiatry</i> , 2021, 67, 73-83.  | 1.6 | 7         |
| 120 | Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.  | 2.7 | 7         |
| 121 | Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.  | 1.1 | 6         |
| 122 | A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021, 7, e68.                              | 0.3 | 6         |
| 123 | Hitting the floor: Understanding migration patterns following the first episode of psychosis. <i>Health and Place</i> , 2014, 28, 150-152.  | 1.5 | 5         |
| 124 | Waiting time variation in Early Intervention Psychosis services: longitudinal evidence from the SEPEA naturalistic cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 563-574.                   | 1.6 | 5         |
| 125 | Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-122.   | 1.4 | 5         |
| 126 | Addressing ethnic inequalities in the pathways to care for psychosis. <i>BMC Medicine</i> , 2018, 16, 240.  | 2.3 | 4         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Delivery of community-centred public mental health interventions in diverse areas in England: a mapping study protocol. <i>BMJ Open</i> , 2020, 10, e037631.   | 0.8 | 4         |
| 128 | Inequalities in Psychiatric Service Use and Mortality by Migrant Status Following a First Diagnosis of Psychotic Disorder: A Swedish Cohort Study of 1.3M People. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab009.                     | 0.9 | 4         |
| 129 | Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662. | 2.3 | 4         |
| 130 | Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. <i>BJPsych Open</i> , 2021, 7, e136.    | 0.3 | 4         |
| 131 | The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.                                 | 1.1 | 4         |
| 132 | Urban-Rural Differences in Major Mental Health Conditions. <i>Mental Health and Illness Worldwide</i> , 2016, , 1-106.   | 0.1 | 4         |
| 133 | Social capital, pathway to care and duration of untreated psychosis: Findings from a low- and middle-income country context. <i>South African Journal of Psychiatry</i> , 2012, 18, 8.   | 0.2 | 3         |
| 134 | The emerging molecular architecture of schizophrenia, polygenic risk scores and the clinical implications for gXe research. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1531-1534.                                     | 1.6 | 3         |
| 135 | WPA Guidance on Mental Health and Mental Health Care in Migrants. <i>Focus (American Psychiatric)</i> Tj ETQq1 1 0.784314 rgBJ /Overlo<br>0.4  | 0.4 | 3         |
| 136 | Understanding Racial-Ethnic Disparities in Psychosis Outcomes via Population-Based Approaches. <i>Psychiatric Services</i> , 2018, 69, 1121-1121.  | 1.1 | 3         |
| 137 | Neighbourhood and mortality in severe mental illness. <i>Lancet Psychiatry</i> , the, 2019, 6, 456-458.  | 3.7 | 3         |
| 138 | Personality disorder in an Early Intervention Psychosis cohort: Findings from the Social Epidemiology of Psychoses in East Anglia (SEPEA) study. <i>PLoS ONE</i> , 2020, 15, e0234047.   | 1.1 | 3         |
| 139 | Which resources help young people to prevent and overcome mental distress in deprived urban areas in Latin America? A protocol for a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e052339.  | 0.8 | 3         |
| 140 | Understanding causes of and developing effective interventions for schizophrenia and other psychoses. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-184.   | 0.4 | 3         |
| 141 | RESPONSE TO THE COMMENTARIES. <i>Addiction</i> , 2007, 102, 516-518.   | 1.7 | 2         |
| 142 | Recording of domestic violence by the police and emergency departments. <i>Journal of Emergency Medicine</i> , 2006, 30, 248.  | 0.3 | 1         |
| 143 | Epidemiological challenges in systematic reviews. <i>British Journal of Psychiatry</i> , 2012, 201, 248-248.   | 1.7 | 1         |
| 144 | The risk of substance-induced psychosis converting to schizophrenia varies with substance used and patient age. <i>Evidence-Based Mental Health</i> , 2013, 16, 65-65.   | 2.2 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Neighbourhood communalities and ultra-high risk psychosis: An emergent literature. <i>Schizophrenia Research</i> , 2016, 176, 312-313.  | 1.1 | 1         |
| 146 | Are refugees at increased risk of suicide compared with non-refugee migrants and the host population. <i>European Journal of Public Health</i> , 2017, 27, .  | 0.1 | 1         |
| 147 | Impact of Contextual Environmental Mechanisms on the Incidence of Schizophrenia and Other Psychoses. , 2010, , 67-96.   |     | 1         |
| 148 | Neighborhood-Level Predictors of Age-at-First-Diagnosis of Psychotic Disorders: A Swedish Register-Based Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .  | 0.9 | 1         |
| 149 | The Impact of the Environment on Psychiatric Disorder Edited by Hugh Freeman and Stephen Stansfeld. Routledge. 2008. Â£34.95 (hb). 344 pp. ISBN: 9780415116183. <i>British Journal of Psychiatry</i> , 2009, 194, 195-195.                          | 1.7 | 0         |
| 150 | Incident cannabis use in adolescents and young adults is associated with an increased risk of developing psychotic symptoms. <i>Evidence-Based Mental Health</i> , 2011, 14, 70-70.   | 2.2 | 0         |
| 151 | Omission of an Author in the Byline. <i>JAMA Psychiatry</i> , 2018, 75, 530.  | 6.0 | 0         |
| 152 | Reply to: "To the editor: how statistics killed the cat" E. F. Torrey, R. H Yolken. <i>Psychological Medicine</i> , 2018, 48, 692-692.  | 2.7 | 0         |
| 153 | Beginning to hope: Aligning psychiatric care provision to needs of vulnerable children and young people. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 382-384.  | 0.7 | 0         |
| 154 | Practical Psychiatric Epidemiology. Edited By Martin Prince, Robert Stewart, Tamsin Ford & Matthew Hotopf. Oxford: Oxford University Press. 2003. 414 pp. Â£35 (pb). ISBN 0 19 851551 0. <i>British Journal of Psychiatry</i> , 2005, 186, 268-269. | 1.7 | 0         |
| 155 | Title is missing!. , 2019, 16, e1002944.  |     | 0         |
| 156 | Title is missing!. , 2019, 16, e1002944.  |     | 0         |
| 157 | Title is missing!. , 2019, 16, e1002944.  |     | 0         |
| 158 | Title is missing!. , 2019, 16, e1002944.  |     | 0         |
| 159 | Title is missing!. , 2019, 16, e1002944.  |     | 0         |