

James B Kirkbride

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8809025/james-b-kirkbride-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

5,774
citations

37
h-index

74
g-index

173
ext. papers

7,230
ext. citations

5.8
avg, IF

5.7
L-index

#	Paper	IF	Citations
153	Heterogeneity in incidence rates of schizophrenia and other psychotic syndromes: findings from the 3-center AeSOP study. <i>Archives of General Psychiatry</i> , 2006 , 63, 250-8		375
152	Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , 2006 , 36, 1541-50	6.9	365
151	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019 , 6, 427-436	23.3	322
150	Incidence of schizophrenia and other psychoses in England, 1950-2009: a systematic review and meta-analyses. <i>PLoS ONE</i> , 2012 , 7, e31660	3.7	297
149	Substance use in a population-based clinic sample of people with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007 , 190, 515-20	5.4	211
148	Psychosis and place. <i>Epidemiologic Reviews</i> , 2008 , 30, 84-100	4.1	188
147	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
146	Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , 2007 , 37, 495-503	6.9	173
145	Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , 2007 , 37, 1413-25	6.9	165
144	Raised incidence rates of all psychoses among migrant groups: findings from the East London first episode psychosis study. <i>Archives of General Psychiatry</i> , 2008 , 65, 1250-8		156
143	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018 , 75, 36-46	14.5	154
142	Social deprivation, inequality, and the neighborhood-level incidence of psychotic syndromes in East London. <i>Schizophrenia Bulletin</i> , 2014 , 40, 169-80	1.3	151
141	Air Pollution (Particulate Matter) Exposure and Associations with Depression, Anxiety, Bipolar, Psychosis and Suicide Risk: A Systematic Review and Meta-Analysis. <i>Environmental Health Perspectives</i> , 2019 , 127, 126002	8.4	151
140	Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , 2008 , 38, 1701-15	6.9	148
139	WPA guidance on mental health and mental health care in migrants. <i>World Psychiatry</i> , 2011 , 10, 2-10	14.4	133
138	Refugee migration and risk of schizophrenia and other non-affective psychoses: cohort study of 1.3 million people in Sweden. <i>BMJ, The</i> , 2016 , 352, i1030	5.9	123
137	Age at onset of mental disorders worldwide: large-scale meta-analysis of 192 epidemiological studies. <i>Molecular Psychiatry</i> , 2021 ,	15.1	116

136	Psychoses, ethnicity and socio-economic status. <i>British Journal of Psychiatry</i> , 2008 , 193, 18-24	5.4	115
135	Testing the association between the incidence of schizophrenia and social capital in an urban area. <i>Psychological Medicine</i> , 2008 , 38, 1083-94	6.9	104
134	Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 226-35	6.5	102
133	Mortality in schizophrenia and other psychoses: a 10-year follow-up of the BOP first-episode cohort. <i>Schizophrenia Bulletin</i> , 2015 , 41, 664-73	1.3	101
132	Systematic review and collaborative recalculation of 133,693 incident cases of schizophrenia. <i>Psychological Medicine</i> , 2014 , 44, 9-16	6.9	94
131	International incidence of psychotic disorders, 2002-17: a systematic review and meta-analysis. <i>Lancet Public Health</i> , 2019 , 4, e229-e244	22.4	81
130	Cannabis and schizophrenia: model projections of the impact of the rise in cannabis use on historical and future trends in schizophrenia in England and Wales. <i>Addiction</i> , 2007 , 102, 597-606	4.6	74
129	Neighbourhood variation in the incidence of psychotic disorders in Southeast London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 438-45	4.5	74
128	Ten-Year Outcomes of First-Episode Psychoses in the MRC BOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 379-86	1.8	70
127	Prenatal nutrition, epigenetics and schizophrenia risk: can we test causal effects?. <i>Epigenomics</i> , 2012 , 4, 303-15	4.4	67
126	The Epidemiology of First-Episode Psychosis in Early Intervention in Psychosis Services: Findings From the Social Epidemiology of Psychoses in East Anglia [SEPEA] Study. <i>American Journal of Psychiatry</i> , 2017 , 174, 143-153	11.9	62
125	Incidence of bipolar affective disorder in three UK cities: results from the AESOP study. <i>British Journal of Psychiatry</i> , 2005 , 186, 126-31	5.4	60
124	Ethnic Minority Status, Age-at-Immigration and Psychosis Risk in Rural Environments: Evidence From the SEPEA Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1251-1261	1.3	54
123	Modelling the interplay between childhood and adult adversity in pathways to psychosis: initial evidence from the AESOP study. <i>Psychological Medicine</i> , 2014 , 44, 407-19	6.9	52
122	The prevention of schizophrenia--what can we learn from eco-epidemiology?. <i>Schizophrenia Bulletin</i> , 2011 , 37, 262-71	1.3	47
121	Schizophrenia and other psychotic disorders in Caribbean-born migrants and their descendants in England: systematic review and meta-analysis of incidence rates, 1950-2013. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1039-55	4.5	44
120	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019 , 49, 1378-1391	6.9	42
119	If cannabis caused schizophrenia--how many cannabis users may need to be prevented in order to prevent one case of schizophrenia? England and Wales calculations. <i>Addiction</i> , 2009 , 104, 1856-61	4.6	40

118	The incidence of very late-onset psychotic disorders: a systematic review and meta-analysis, 1960-2016. <i>Psychological Medicine</i> , 2018 , 48, 1775-1786	6.9	40
117	Administrative incidence of psychosis assessed in an early intervention service in England: first epidemiological evidence from a diverse, rural and urban setting. <i>Psychological Medicine</i> , 2011 , 41, 949-58	6.9	39
116	The prevalence, diagnostic significance and demographic characteristics of Schneiderian first-rank symptoms in an epidemiological sample of first-episode psychoses. <i>Psychopathology</i> , 2009 , 42, 81-91	3.4	35
115	Neighbourhood-level socio-environmental factors and incidence of first episode psychosis by place at onset in rural Ireland: the Cavan-Monaghan First Episode Psychosis Study [CAMFEPS]. <i>Schizophrenia Research</i> , 2014 , 152, 152-7	3.6	31
114	Is the incidence of psychotic disorder in decline? Epidemiological evidence from two decades of research. <i>International Journal of Epidemiology</i> , 2009 , 38, 1255-64	7.8	31
113	Association of Environment With the Risk of Developing Psychotic Disorders in Rural Populations: Findings from the Social Epidemiology of Psychoses in East Anglia Study. <i>JAMA Psychiatry</i> , 2018 , 75, 75-83	14.5	29
112	A population-level prediction tool for the incidence of first-episode psychosis: translational epidemiology based on cross-sectional data. <i>BMJ Open</i> , 2013 , 3,	3	28
111	Lithium in bipolar and other affective disorders: prescribing practice in the UK. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1739-46	4.6	27
110	Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , 2010 , 9, 4-14	0.7	27
109	The social underpinnings of mental distress in the time of COVID-19 - time for urgent action. <i>Wellcome Open Research</i> , 2020 , 5, 166	4.8	24
108	The protective effect of neighbourhood social cohesion on adolescent mental health following stressful life events. <i>Psychological Medicine</i> , 2020 , 50, 1292-1299	6.9	24
107	Association of Residential Mobility Over the Life Course With Nonaffective Psychosis in 1.4 Million Young People in Sweden. <i>JAMA Psychiatry</i> , 2018 , 75, 1128-1136	14.5	23
106	Trajectories of Neighborhood Cohesion in Childhood, and Psychotic and Depressive Symptoms at Age 13 and 18 Years. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 570-577	7.2	22
105	Maternal Prenatal Nutrition and Health in Grandchildren and Subsequent Generations. <i>Annual Review of Anthropology</i> , 2012 , 41, 577-610	3.6	22
104	Psychosis incidence through the prism of early intervention services. <i>British Journal of Psychiatry</i> , 2012 , 200, 156-7	5.4	22
103	Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , 2010 , 16, 219-25	4.6	22
102	Suicide risk among refugees compared with non-refugee migrants and the Swedish-born majority population. <i>British Journal of Psychiatry</i> , 2020 , 217, 686-692	5.4	21
101	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 1536-1548	6.9	20

100	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657	4.5	20
99	The effect of the environment on symptom dimensions in the first episode of psychosis: a multilevel study. <i>Psychological Medicine</i> , 2014 , 44, 2419-30	6.9	20
98	Social and spatial heterogeneity in psychosis proneness in a multilevel case-prodrome-control study. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 283-92	6.5	19
97	Risk of schizophrenia, schizoaffective, and bipolar disorders by migrant status, region of origin, and age-at-migration: a national cohort study of 1.8 million people. <i>Psychological Medicine</i> , 2019 , 49, 2354-2363	6.9	19
96	Trajectories of childhood neighbourhood cohesion and adolescent mental health: evidence from a national Canadian cohort. <i>Psychological Medicine</i> , 2015 , 45, 3239-48	6.9	17
95	Meta-analytic approaches to determine gender differences in the age-incidence characteristics of schizophrenia and related psychoses. <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 36-45	4.3	17
94	Polygenic risk for schizophrenia, disordered eating behaviours and body mass index in adolescents. <i>British Journal of Psychiatry</i> , 2019 , 215, 428-433	5.4	16
93	Substance use disorders in refugee and migrant groups in Sweden: A nationwide cohort study of 1.2 million people. <i>PLoS Medicine</i> , 2019 , 16, e1002944	11.6	16
92	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 623-633	6.9	15
91	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	13
90	Psychoses sans Frontières: towards an interdisciplinary understanding of psychosis risk amongst migrants and their descendants. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 146-152	5.1	13
89	Suicide risk in people with post-traumatic stress disorder: A cohort study of 3.1 million people in Sweden. <i>Journal of Affective Disorders</i> , 2021 , 279, 609-616	6.6	13
88	Association of neighbourhood migrant density and risk of non-affective psychosis: a national, longitudinal cohort study. <i>Lancet Psychiatry</i> , 2020 , 7, 327-336	23.3	11
87	Neighborhood Characteristics at Birth and Positive and Negative Psychotic Symptoms in Adolescence: Findings From the ALSPAC Birth Cohort. <i>Schizophrenia Bulletin</i> , 2020 , 46, 581-591	1.3	11
86	Risk of psychotic disorders in migrants to Australia. <i>Psychological Medicine</i> , 2021 , 51, 1192-1200	6.9	11
85	City Living and Psychotic Disorders-Implications of Global Heterogeneity for Theory Development. <i>JAMA Psychiatry</i> , 2018 , 75, 1211-1212	14.5	11
84	Predictors of disengagement from Early Intervention in Psychosis services. <i>British Journal of Psychiatry</i> , 2018 , 213, 477-483	5.4	11
83	Low incidence of psychosis in Italy: confirmation from the first epidemiological study in Sicily. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 155-162	4.5	10

82	Curiosity killed the cat: no evidence of an association between cat ownership and psychotic symptoms at ages 13 and 18 years in a UK general population cohort. <i>Psychological Medicine</i> , 2017 , 47, 1659-1667	6.9	10
81	Migrant status and risk of compulsory admission at first diagnosis of psychotic disorder: a population-based cohort study in Sweden. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	10
80	Longitudinal associations between psychotic experiences and disordered eating behaviours in adolescence: a UK population-based study. <i>The Lancet Child and Adolescent Health</i> , 2018 , 2, 591-599	14.5	10
79	The Incidence of Nonaffective, Nonorganic Psychotic Disorders in Older People: A Population-based Cohort Study of 3 Million People in Sweden. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1152-1160 ^{1,3}	1.3	10
78	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529	1.3	10
77	Record linkage of domestic assault victims between an emergency department and the police. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 909-10	5.1	9
76	The component structure of the scales for the assessment of positive and negative symptoms in first-episode psychosis and its dependence on variations in analytic methods. <i>Psychiatry Research</i> , 2018 , 270, 869-879	9.9	9
75	The association between income inequality and adult mental health at the subnational level—a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	9
74	Authors' reply to 'on the existence of a linguistic distance in schizophrenia'. <i>Psychological Medicine</i> , 2020 , 1-2	6.9	8
73	Urban Birth, Urban Living, and Work Migrancy: Differential Effects on Psychotic Experiences Among Young Chinese Men. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1123-1132	1.3	8
72	Inpatient use and area-level socio-environmental factors in people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1133-1140	4.5	8
71	Urban-Rural Differences in Major Mental Health Conditions. <i>Mental Health and Illness Worldwide</i> , 2017 , 27-132	0.1	8
70	Family networks during migration and risk of non-affective psychosis: A population-based cohort study. <i>Schizophrenia Research</i> , 2019 , 208, 268-275	3.6	8
69	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7
68	Migration and risk of psychosis in the Canadian context. <i>Cmaj</i> , 2015 , 187, 637-638	3.5	7
67	CARTOONS KILL: casualties in animated recreational theater in an objective observational new study of kids' introduction to loss of life. <i>BMJ, The</i> , 2014 , 349, g7184	5.9	7
66	Psychiatric care use among migrants to Sweden compared with Swedish-born residents: a longitudinal cohort study of 5 150 753 people. <i>BMJ Global Health</i> , 2020 , 5,	6.6	7
65	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7

64	Understanding increasing rates of psychiatric hospital detentions in England: development and preliminary testing of an explanatory model. <i>BJPsych Open</i> , 2020 , 6, e88	5	6
63	Adult mental health provision in England: a national survey of acute day units. <i>BMC Health Services Research</i> , 2019 , 19, 866	2.9	6
62	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	6
61	Waiting time variation in Early Intervention Psychosis services: longitudinal evidence from the SEPEA naturalistic cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 563-574	4.5	5
60	Hitting the floor: understanding migration patterns following the first episode of psychosis. <i>Health and Place</i> , 2014 , 28, 150-2	4.6	5
59	Epidemiology on demand: population-based approaches to mental health service commissioning. <i>BJPsych Bulletin</i> , 2015 , 39, 242-7	1.2	5
58	Schizophrenia: The Epidemiological Horizon 2011 , 185-225		5
57	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107	3.6	5
56	Using epidemiological evidence to forecast population need for early treatment programmes in mental health: a generalisable Bayesian prediction methodology applied to and validated for first-episode psychosis in England. <i>British Journal of Psychiatry</i> , 2021 , 219, 383-391	5.4	5
55	Predictors of mental health help-seeking among polish people living the United Kingdom. <i>BMC Health Services Research</i> , 2018 , 18, 693	2.9	5
54	A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021 , 7, e68	5	4
53	Spatial distribution of psychotic disorders in an urban area of France: an ecological study. <i>Scientific Reports</i> , 2016 , 6, 26190	4.9	4
52	Are socioenvironmental factors associated with psychotic symptoms in people with first-episode psychosis? A cross-sectional study of a West London clinical sample. <i>BMJ Open</i> , 2019 , 9, e030448	3	4
51	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
50	WPA Guidance on Mental Health and Mental Health Care in Migrants. <i>Focus (American Psychiatric Publishing)</i> , 2015 , 13, 469-477	1.1	3
49	Delivery of community-centred public mental health interventions in diverse areas in England: a mapping study protocol. <i>BMJ Open</i> , 2020 , 10, e037631	3	3
48	The incidence of non-affective psychotic disorders in Chile between 2005 and 2018: results from a national register of over 30 000 cases. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	3
47	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3

46	Effectiveness of community interventions for protecting and promoting the mental health of working-age adults experiencing financial uncertainty: a systematic review. <i>Journal of Epidemiology and Community Health</i> , 2021 ,	5.1	3
45	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1674-1684	1.3	3
44	Association between risk of dementia and very late-onset schizophrenia-like psychosis: a Swedish population-based cohort study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
43	A systematic scoping review of community-based interventions for the prevention of mental ill-health and the promotion of mental health in older adults in the UK. <i>Health and Social Care in the Community</i> , 2022 , 30, 27-57	2.6	3
42	Assessment of the Role of IQ in Associations Between Population Density and Deprivation and Non-affective Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 729-736	14.5	3
41	Neighbourhood and mortality in severe mental illness. <i>Lancet Psychiatry</i> , 2019 , 6, 456-458	23.3	2
40	Personality disorder in an Early Intervention Psychosis cohort: Findings from the Social Epidemiology of Psychoses in East Anglia (SEPEA) study. <i>PLoS ONE</i> , 2020 , 15, e0234047	3.7	2
39	The emerging molecular architecture of schizophrenia, polygenic risk scores and the clinical implications for gXe research. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1531-4	4.5	2
38	Social capital, pathway to care and duration of untreated psychosis: Findings from a low- and middle-income country context. <i>South African Journal of Psychiatry</i> , 2012 , 18, 8	1	2
37	Epidemiological aspects of migration and mental illness ¹⁵⁻⁴³		2
36	RESPONSE TO THE COMMENTARIES. <i>Addiction</i> , 2007 , 102, 516-518	4.6	2
35	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	2
34	Understanding causes of and developing effective interventions for schizophrenia and other psychoses. <i>Programme Grants for Applied Research</i> , 2016 , 4, 1-184	1.5	2
33	Urban-Rural Differences in Major Mental Health Conditions. <i>Mental Health and Illness Worldwide</i> , 2016 , 1-106	0.1	2
32	The independent and combined influence of schizophrenia polygenic risk score and heavy cannabis use on risk for psychotic disorder: A case-control analysis from the EUGEI study.		2
31	Risk of non-affective psychotic disorder and post-traumatic stress disorder by refugee status in Sweden. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 276-282	5.1	2
30	Community-centred interventions for improving public mental health among adults from ethnic minority populations in the UK: a scoping review. <i>BMJ Open</i> , 2021 , 11, e041102	3	2
29	Addressing ethnic inequalities in the pathways to care for psychosis. <i>BMC Medicine</i> , 2018 , 16, 240	11.4	2

28	Understanding Racial-Ethnic Disparities in Psychosis Outcomes via Population-Based Approaches. <i>Psychiatric Services</i> , 2018 , 69, 1121	3.3	2
27	Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. <i>BJPsych Open</i> , 2021 , 7, e136	5	2
26	Are refugees at increased risk of suicide compared with non-refugee migrants and the host population Anna-Clara Hollander. <i>European Journal of Public Health</i> , 2017 , 27,	2.1	1
25	Neighbourhood communalities and ultra-high risk psychosis: An emergent literature. <i>Schizophrenia Research</i> , 2016 , 176, 312-313	3.6	1
24	Epidemiological challenges in systematic reviews. <i>British Journal of Psychiatry</i> , 2012 , 201, 248	5.4	1
23	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , 2022 ,	1.3	1
22	Neighbourhood characteristics and social isolation of people with psychosis: a multi-site cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	1
21	Impact of Contextual Environmental Mechanisms on the Incidence of Schizophrenia and Other Psychoses 2010 , 67-96		1
20	Carer subjective burden after first-episode psychosis: Types and predictors. A multilevel statistical approach. <i>International Journal of Social Psychiatry</i> , 2021 , 67, 73-83	8.5	1
19	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021 , 11, 423	8.6	1
18	Understanding the excess psychosis risk in ethnic minorities: the impact of structure and identity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1913-1921	4.5	1
17	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 1-9	6.9	1
16	Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. <i>Health Services and Delivery Research</i> , 2021 , 9, 1-122	1.5	0
15	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1653-1662	1.3	0
14	Inequalities in Psychiatric Service Use and Mortality by Migrant Status Following a First Diagnosis of Psychotic Disorder: A Swedish Cohort Study of 1.3M People. <i>Schizophrenia Bulletin Open</i> , 2021 , 2, sgab009 ²	3.2	0
13	Community interventions for improving adult mental health: mapping local policy and practice in England. <i>BMC Public Health</i> , 2021 , 21, 1691	4.1	0
12	Which resources help young people to prevent and overcome mental distress in deprived urban areas in Latin America? A protocol for a prospective cohort study. <i>BMJ Open</i> , 2021 , 11, e052339	3	0
11	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021 , 236, 69-79	3.6	0

- 10 The risk of substance-induced psychosis converting to schizophrenia varies with substance used and patient age. *Evidence-Based Mental Health*, **2013**, 16, 65 11.1
- 9 The Impact of the Environment on Psychiatric Disorder Edited by Hugh Freeman and Stephen Stansfeld. Routledge. 2008. £34.95 (hb). 344 pp. ISBN: 9780415116183. *British Journal of Psychiatry*, **2009**, 194, 195-195 5.4
- 8 Incident cannabis use in adolescents and young adults is associated with an increased risk of developing psychotic symptoms. *Evidence-Based Mental Health*, **2011**, 14, 70 11.1
- 7 Practical Psychiatric Epidemiology. Edited By Martin Prince, Robert Stewart, Tamsin Ford & Matthew Hotopf. Oxford: Oxford University Press. 2003. 414 pp. £35(pb). ISBN 0 19 851551 0. *British Journal of Psychiatry*, **2005**, 186, 268-269 5.4
- 6 Reply to: To the editor: how statistics killed the cat. E. F. Torrey, R. H Yolken. *Psychological Medicine*, **2018**, 48, 692-692 6.9
- 5 Substance use disorders in refugee and migrant groups in Sweden: A nationwide cohort study of 1.2 million people **2019**, 16, e1002944
- 4 Substance use disorders in refugee and migrant groups in Sweden: A nationwide cohort study of 1.2 million people **2019**, 16, e1002944
- 3 Substance use disorders in refugee and migrant groups in Sweden: A nationwide cohort study of 1.2 million people **2019**, 16, e1002944
- 2 Substance use disorders in refugee and migrant groups in Sweden: A nationwide cohort study of 1.2 million people **2019**, 16, e1002944
- 1 Substance use disorders in refugee and migrant groups in Sweden: A nationwide cohort study of 1.2 million people **2019**, 16, e1002944